


312

THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1953

TABLES. PART I. MEDICAL.



LONDON: HER MAJESTY'S STATIONERY OFFICE  
1954

TEN SHILLINGS NET



# The Registrar General's Annual Statistical Review

The annual presentation and review of the vital statistics of England and Wales.

1940/1945	Text, Vol. I Medical, covering the six years	-	-	6s. 6d. (6s. 11d.)
	Text, Vol. II Civil, covering the six years	-	-	5s. (5s. 3d.)
1946/1947	Text, Vol. I Medical, covering the two years	-	-	6s. 6d. (6s. 10d.)
1948	Part I	-	-	<i>Out of Print*</i>
	Part II	-	-	4s. (4s. 3d.)
1949	Part I	-	-	<i>Out of Print*</i>
	Part II	-	-	4s. (4s. 3d.)
	Supplement on General Morbidity, Cancer and Mental Health	-	-	7s. 6d. (7s. 9d.)
	Supplement on Hospital In-patient Statistics	-	-	15s. (15s. 6d.)
1948/1949	Text, Medical, covering the two years	-	-	10s. (10s. 5d.)
1950	Part I	-	-	12s. 6d. (13s. 0d.)
	Part II	-	-	5s. (5s. 3d.)
1946/1950	Text, Civil, covering the five years	-	-	6s. 6d. (6s. 10d.)
1950	Text, Medical	-	-	6s. 6d. (6s. 10d.)
1951	Part I	-	-	12s. 6d. (13s. 0d.)
	Part II	-	-	5s. (5s. 3d.)
	Text, ( <i>Medical and Civil combined.</i> )	-	-	<i>In preparation.</i>
1952	Part I	-	-	10s. (10s. 5d.)
	Part II	-	-	6s. (6s. 3d.)

\* These volumes may be referred to in most public libraries or in the library of the General Register Office, Somerset House, London, W.C.2.

(Prices in brackets include postage)

Published by  
HER MAJESTY'S STATIONERY OFFICE  
*Obtainable from the Sale Offices shown on cover page four  
or through any bookseller.*



THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1953

TABLES. PART I. MEDICAL.

WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	
No.	

LONDON: HER MAJESTY'S STATIONERY OFFICE

1954



# TABLE OF CONTENTS

## Part I. Medical

	Page
Explanatory Notes .. .. .	v.
Table 1. Estimated Population, Home, Total and Civilian, Sex and Age, 1953. England and Wales .. .. .	2
Table 2. Estimated Home Population by Sex and Age, 1953. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations ..	3
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1953. England and Wales .. .. .	4
Table 4. Death Rates in Age Groups, Infant Mortality and Mortality Ratios, 1841-1953. England and Wales .. .. .	6
Table 5. Deaths Registered and Death Rates in each Quarter, 1841-1953. England and Wales .. .. .	9
Table 6. Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1953. England and Wales .. .. .	10
Table 7. Deaths by Cause and Sex at All Ages 1943-1953. England and Wales .. .. .	11
Table 8. Crude Death Rates by Sex from Certain Causes at All Ages, 1943-1953. England and Wales .. .. .	43
Table 9. Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes, 1943-1953. England and Wales .. .. .	57
Table 10. Deaths of Infants under One Year from Certain Causes, 1943-1953. England and Wales .. .. .	60
Table 11. Infant Mortality from Certain Causes, 1943-1953. England and Wales .. .. .	61
Table 12. Population, Births, Deaths and Infant Mortality, 1953. England and Wales, Standard Regions, Conurbations, Counties, Boroughs and other Urban Districts and Rural Districts ..	62
Table 13. Deaths by Sex at each year of Age (with Marital Condition), 1953. England and Wales .. .. .	112
Table 14. Constructed Analysis of 1953 Deaths by Age and Marital Condition. England and Wales .. .. .	114
Table 15. Deaths at Different Ages, 1953. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of Urban and Rural Districts in each Administrative County .. .. .	115
Table 16. Deaths at Different Ages by Month of Occurrence, 1953. England and Wales .. .. .	133



	Page
Table 17. Causes of Death at Different Age Periods, 1953. England and Wales .. .. .	134
Table 18a. Accidental Poisoning and other Non-Transport Accidents by Place of Occurrence, Age and Sex, 1953. England and Wales	177
Table 18b. Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1953. England and Wales .. .. .	184
Table 18c. Deaths from Violent Causes, Nature of Injury according to External Cause, 1953. England and Wales .. .. .	189
Table 19. Causes of Death by Sex, at Different Periods of Life, 1953. England and Wales, Standard Regions, Conurbations, and Aggregates of Urban and Rural Areas outside the Conurbations .. .. .	190
Table 20. Suspended.	
Table 21. Causes of Death by Sex, 1953. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs and Administrative Counties .. .. .	238
Table 22. Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1952 and 1953. England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties .. .. .	262
Table 23. Causes of Death by Month of Occurrence, Jan.-Dec., 1953. England and Wales .. .. .	268
Table 24. Stillbirths by Sex and Legitimacy, 1953. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County	277
Table 25. Deaths at various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1953. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County .. .. .	280
Table 26. Deaths at various Periods in the First Year of Life, 1953 and the 4 Quarters thereof. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations .. .. .	288
Table 27. Causes of Death of Children under One Year at Different Age Periods, 1953. England and Wales .. .. .	290
Table 28. Infant Mortality from Certain Causes, 1953. Deaths under One Year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations ... .. .	300
Table 29. Notifications of certain Infectious Diseases. Case Rates per 100,000 Population, 1943-1953. England and Wales and certain Aggregates .. .. .	303



		Page
Table 30.	Seasonal Incidence of certain Infectious Diseases, 1953. England and Wales .. .. .	306
Table 31.	Cases of certain Infectious Diseases Notified, 1943-1953. England and Wales .. .. .	307
Table 32.	Cases of certain Infectious Diseases Notified, by Sex and Age, 1953. England and Wales, Standard Regions, Conurbations	308
Table 33.	Cases of Certain Infectious Diseases Notified, 1953. England and Wales, Standard Regions, Conurbations, All Administrative Areas .. .. .	324
Table 34.	Quarterly Air Temperature, Rainfall and Sunshine, 1953. England and Wales .. .. .	357
Table 35.	Rainfall, Mean Temperature and Sunshine, 1904-1953. England and Wales .. .. .	358
Table 36.	Meteorological Observations, 1953. Kew Observatory, Richmond .. .. .	359
Appendix A.	Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for comparison, 1950—1953 .. .. .	360
Appendix B.	Changes in Boundaries of Counties, Boroughs, Urban Districts and Rural Districts.	
	(i) Authorities for changes .. .. .	361
	(ii) Particulars of changes .. .. .	362
	(iii) Population of areas as constituted after the boundary changes shown in (ii) .. .. .	363
	(iv) 1951 Census.—Sex and Age Distribution of population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties .. .. .	364



## EXPLANATORY NOTES

### 1. New or Recent Changes in Presentation

#### (a) *Standard Regions, Conurbations, Density Summaries*

All figures given for regions relate to the Standard Regions whose constitution is set out on page viii.

Six conurbation areas were introduced in 1950 in tables showing Standard Regions. For definition of "conurbation" and the list of conurbations, *see* Note 12 on page viii.

National density summaries relate to aggregates of (a) conurbations, and (b) areas outside the conurbations, including separately:—Urban Areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000, and (iii) populations under 50,000; and Rural Areas. For this purpose "Urban Areas" includes County Boroughs and Urban Districts as defined under the Local Government Acts, and "Rural Areas" covers the Rural Districts as defined under those Acts.

#### (b) *Order of Tables*

The tables were renumbered in 1950 to form the following sequences:—Populations—Tables 1 and 2; Serial mortality records—Tables 3—11; All areas—Table 12; Deaths by age—Tables 13-16; Cause analyses—Tables 17-23; Stillbirths and Infant Mortality—Tables 24-28; Infectious diseases—Tables 29-33; Weather—Tables 34-36. *See* Table of Contents on page ii.

#### (c) *Change in Classification*

From 1950 inclusive causes of death are classified according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948. \*(Sixth Revision of the International List).

Rates and indices for earlier years have been adjusted as far as possible to give comparability with those for 1950 and on. *See* Notes 4, 5 and 6 on pages vi and vii.

#### (d) *Deaths*

The deaths recorded are total deaths, i.e., including deaths of non-civilians registered in this country, unless otherwise stated. Deaths of non-civilians are not now shown separately. *See* Note 3 on page vi.

#### (e) *Populations*

The populations shown for local areas are *home* populations. *See* Note 2 on page vi.

#### (f) *New and Revised Tables*

Table 20 has been suspended, and Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Supplementary Abridged List. The full details previously shown in Table 20 and also figures (based on the Abridged List, without age detail) for administrative areas not separately shown in Table 21, are available at the General Register Office.

\*Obtainable from Her Majesty's Stationery Office. Price 30s. 0d. (30s. 9d. by post).



## 2. Populations

The 1953 estimate of the total population of England and Wales shown in Table 1 includes members of its Armed Forces at home and overseas; it excludes the Armed Forces of the Commonwealth or Foreign Countries temporarily present in the country.

The national and local estimates of home populations (Tables 1, 2 and 12) comprise the resident civilian population, plus any British, Commonwealth or Allied Armed Forces stationed in the area.

## 3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in Tables 16 and 23 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 23 deaths are classified by calendar month of occurrence.

In all tables deaths are classified according to the area of usual residence of the deceased.

## 4. Causes of Death

The classification of causes of death is that prescribed in the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948 (Sixth Revision of the International List), operating from the year 1950 in accordance with international agreement. Violent deaths are generally classified according to the External Cause of Injury, but the new alternative method of classification by Nature of Injury (N codes) is also used in Tables, 7, 8, 18B, 18C, 19 and 27. The Abridged List used for separate areas in Table 21 is a modification of the International Abbreviated List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 21 (see note at 1(f)). Table 18C employs both of the alternative classifications for violent deaths in the International Intermediate List.

The 1948 International Classification, which has been expanded to cover diseases and injuries as well as causes of death, differs considerably from the previous International Lists not only in scope but also in grouping of causes. In order to provide so far as possible continuity and comparability with past experience the following steps have therefore been taken:—

- (a) The 1949 experience has been completely reclassified according to the 1950 procedure and the revised figures used wherever 1949 references appear in this volume. (The full figures for 1949, based on the new Classification, by sex and age have been published in the Registrar General's Statistical Review of England and Wales for the two years 1948-1949, Text, Medical\*.)
- (b) In the light of the dual classification experience for 1949, and of a limited amount of reclassification undertaken for earlier years, revised figures have been estimated so far as possible for each year 1940-1948, and have been used wherever references to these years appear in this volume. A series of footnotes has been appended to Table 7 explaining any limitations or qualifications attached to these estimates, and they should be borne in mind wherever the relative causes are distinguished in other tables.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause is determined in the main from the statement of the certifier, and not by arbitrary rules of precedence. The practice in this respect is, in effect, the same as in years since 1940, and has now been adopted internationally.

\*Obtainable from Her Majesty's Stationery Office, price 10s. (10s. 5d. by post),



## 5. Death Rates

The death rates for 1950 and on (except Infant Mortality and Maternal Mortality) are derived from the total deaths registered in this country and are based on the Home population, while those for 1940-1949 are derived from civilian deaths and populations (see note 2 on page vi). All death rates for years prior to 1950 have been revised so far as possible to the new method of classification.

The crude death rates for local areas in Table 12 (col. 14) are not validly comparable by reason of the fact that the areal populations on which they are based may be of widely differing sex-age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 15 of the table for each area and this, when multiplied by the crude death rate of the area, produces an adjusted rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 16 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the comparability factor, reference should be made to the Statistical Review, Text 1938/1939, page 5.

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate and Maternal Mortality rates upon live and still births occurring in the calendar year except in the case of deaths from Abortion which are based on the estimated numbers of women aged 15-44. (See also Note 7 below).

## 6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index was explained in the Appendix to Part 1 of the Registrar General's Statistical Review for 1941. An alternative notation of the formula will be found on page vi of Part 1 of the Review for 1942. This method has been used for the C.M.I's in Tables 3 and 4. In Tables 5 and 9 C.M.I's worked on this basis have been adjusted so far as possible to the new method of classification. A certain amount of estimation is involved in this process of revision, and the resultant C.M.I's can only be regarded as approximate. For this reason they are given to two decimal places only instead of three as in the past.

## 7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 12 births are allocated to the area of usual residence of the mother. Birth rates in this table have been calculated upon estimates of home populations.

The birth rate areal comparability factors and the ratios of the local adjusted birth rates to the national rate shown in columns 9 and 10 of Table 12 serve a similar purpose to those shown for death rates, as explained in Note 5 above.

## 8. Notification of Infectious Diseases

Tables 29 and 31 (from the year 1944 only), and Tables 32 and 33 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital. Non-civilians are included unless otherwise stated.

## 9. Changes in Boundaries.

Areas which have undergone a change of boundary during the year are identified in Table 12 by an asterisk(\*). Statistics for these areas are composite figures combining the "before change" and "after change" positions for the respective periods involved. The population of each area as constituted after the change of boundary will be found in Appendix B (page 361). The populations in column 2 of Table 12 are constructed figures, appropriate only for use with the mixed records of births and deaths.

## 10. Significance Indication

Rates based upon less than 20 births or deaths are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their significance.



## 11. Regions

The constitution of the Standard Regions of England and Wales used in this Volume is as follows:—

<p><b>REGION I.</b> <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding.</p> <p><b>REGION II.</b> <i>East and West Riding.</i> Yorkshire, East Riding. Yorkshire, West Riding.</p> <p><b>REGION III.</b> <i>North Midland.</i> Derbyshire, Part of<sup>1</sup> Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Nottinghamshire. Peterborough, Soke of. Rutland.</p>	<p><b>REGION IV.</b> <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of<sup>2</sup> Hertfordshire, Part of<sup>3</sup> Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West.</p> <p><b>REGION V.</b> <i>London and South Eastern.</i> Essex, Part of<sup>4</sup> Hertfordshire, Part of<sup>5</sup> Kent. London Admin. County. Middlesex. Surrey. Sussex, East. Sussex, West.</p>	<p><b>REGION VI.</b> <i>Southern.</i> Berkshire. Buckinghamshire. Dorset. Oxfordshire. Southampton. Wight, Isle of.</p> <p><b>REGION VII.</b> <i>South Western.</i> Cornwall. Devon. Gloucestershire. Somerset. Wiltshire.</p> <p><b>REGION VIII.</b> <i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire</p>	<p><i>Wales II.</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p> <p><b>REGION IX.</b> <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p> <p><b>REGION X.</b> <i>North Western.</i> Cheshire. Derbyshire, Part of.<sup>6</sup> Lancashire.</p>
--	--	--	--

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

6. All areas stated in 1 above.

## 12. Conurbations

The conurbation areas used in this volume were agreed by an interdepartmental committee, representing the principal Departments preparing statistics, as a means of securing uniformity and comparability in statistics published by Government Departments in the United Kingdom.

Conurbation is the word used to describe those areas of urban development where a number of separate towns have grown into each other and become linked by such factors as a common industrial or business interest, or a common centre of shopping, education, etc. The conurbations are each made up of a collection of complete local authority areas, constituted as follows:—



<i>Durham</i>		<i>Tyneside</i>	<i>Northumberland</i>
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B.	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay U.D.
<hr/>			
<i>West Yorkshire</i>			
<i>Yorkshire, West Riding</i>			
Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.			
	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spensborough U.D.
	Elland U.D.	Morley M.B.	Stanley U.D.
<hr/>			
<i>South East Lancashire</i>			
<i>Cheshire</i>	<i>Lancashire</i>		
Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
	Bury C.B.	Irlam U.D.	Wardle U.D.
Alderley Edge U.D.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Altrincham M.B.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bowden U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Bredbury and Romiley U.D.	Salford C.B.		Worsley U.D.
Cheadle and Gatley U.D.	Ashton under Lyne M.B.	Little Lever U.D.	
Dukinfield M.B.	Audenshaw U.D.	Middleton M.B.	Limehurst R.D.
Hale U.D.	Chadderton U.D.	Milnrow U.D.	
Hazelgrove and Bramhall U.D.	Crompton U.D.	Mossley M.B.	
Hyde M.B.	Denton U.D.	Prestwich M.B.	
Marple U.D.		Radcliffe M.B.	
Sale M.B.	Droylsden U.D.	Royton U.D.	
Stalybridge M.B.	Eccles M.B.	Stretford M.B.	
Wilmslow U.D.	Failsworth U.D.	Swinton and Pendlebury M.B.	
	Farnworth M.B.	Tottington U.D.	
Disley R.D.	Heywood M.B.		
<hr/>			
<i>Merseyside</i>			
<i>Cheshire</i>	<i>Lancashire</i>		
Birkenhead C.B.	Ellesmere Port U.D.	Bootle C.B.	Huyton with Roby U.D.
Wallasey C.B.	Hoyle U.D.	Liverpool C.B.	Litherland U.D.
	Neston U.D.		
Bebington M.B.	Wirral U.D.	Crosby M.B.	
<hr/>			
<i>West Midlands</i>			
<i>Staffordshire</i>	<i>Warwickshire</i>	<i>Worcestershire</i>	
Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.		
West Bromwich C.B.	Sedgley U.D.	Solihull U.D.	Halesowen M.B.
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.	Oldbury M.B.
	Tipton M.B.		Stourbridge M.B.
Aldridge U.D.			
Amblecote U.D.	Wednesbury M.B.		
Bilston M.B.	Wednesfield U.D.		
Brierley Hill U.D.	Willenhall U.D.		
Coseley U.D.			
<hr/>			
<i>Greater London</i>			
<i>London</i> (whole county)	<i>Kent</i>		<i>Essex</i>
<i>Middlesex</i> (whole county)	Beckenham M.B.		East Ham C.B.
<i>Surrey</i>	Bexley M.B.		West Ham C.B.
Croydon C.B.	Bromley M.B.	Chislehurst and Sidcup U.D.	Barking M.B.
	Chislehurst and Sidcup U.D.		Chigwell U.D.
Banstead U.D.	Crayford U.D.		Chingford M.B.
Barnes M.B.	Erith M.B.		Dagenham M.B.
Beddington and Wallington M.B.	Orpington U.D.		Ilford M.B.
Carshalton U.D.	Penge U.D.		
		<i>Hertfordshire</i>	Leyton M.B.
Coulsdon and Purley U.D.		Barnet U.D.	Waltham Holy Cross U.D.
Epsom and Ewell M.B.		Bushey U.D.	Walthamstow M.B.
Esher U.D.		Cheshunt U.D.	Wanstead and Woodford M.B.
		East Barnet U.D.	
		Elstree R.D.	



# CORRIGENDA

---

## Statistical Review, 1951. Tables Part I, Medical.

- Page 44. Cause 140—200, 202, 203, 205 :—  
Female, *for 1377 read 1768.*  
Persons, *for 1701 read 1904.*
- Page 76. Hatfield R. D., column 18, *for 61 read 6.*
- Page 172. Causes E870—E888 :—  
Female, 50—54, *for 7 read 17.*
- 

## Statistical Review, 1952. Tables Part I, Medical.

- Page 44. Cause 140—200, 202, 203, 205 :—  
Female, *for 1377 read 1768.*  
Persons, *for 1701 read 1904.*
- Page 57. Cause 056 :—  
Male, *for 0.00 read 0.16*  
Female, *for 0.00 read 0.15.*
- Page 62. Greater London, Col. 14, *for 10.0 read 10.9.*
- Pages 62—111. Table 12, Col. (10)  
As a result of a consistent error the figures in Col. (10) of Table 12 represent the ratio of *crude* instead of *adjusted* local birth rates to the national rate. The ratio of the adjusted birth rate for a particular area to the national rate will be found by multiplying the Col. (10) figure by the adjacent comparability factor in Col. (9).
- Page 143. Cause 215 :—  
Age 40—, *read 2.*  
Age 45—, *read 2.*
- Page 364. Reference (o) (Highworth R.D., Swindon M.B.), col. 6, *for 63 read 75.*
- Page 365. Census Population, 1951 (Provisional)  
Wiltshire.  
Urban Districts, *for 179,909 read 179,921.*  
Swindon M.B., *for 68,995 read 69,007.*  
Rural Districts, *for 207,470 read 207,458.*  
Highworth, *for 21,181 read 21,169.*  
Estimated Home Population Mid-1952.  
Lancashire.  
Preston C.B., *for 113,600 read 119,600*
- Page 368. Table for Wiltshire R.D's to Wiltshire U.D's :—  
Males :  
All Ages, *for 1601 read 1605.*  
Age 50—, *for 73 read 74.*  
Age 55—, *for 48 read 49.*  
Age 70—, *for 15 read 17.*  
Females :  
All Ages, *for 1552 read 1560.*  
Age 15—, *for 80 read 82.*  
Age 20—, *for 79 read 81.*  
Age 40—, *for 106 read 107.*  
Age 55—, *for 32 read 33.*  
Age 75—, *for 14 read 16.*



TABLES  
PART I MEDICAL.



TABLE 1.—Estimated Population, Home, Total and } England and Wales.  
Civilian, by Sex and Age, Mid-year 1953.

(Figures in thousands).

See Explanatory notes on page vi.

Age	Home Population			Total Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All Ages	44,090	21,213	22,877	44,290	21,413	22,877	43,520	20,663	22,857
0—	664	340	324	664	340	324	664	340	324
1—	650	333	317	650	333	317	650	333	317
2—	667	342	325	667	342	325	667	342	325
3—	686	350	336	686	350	336	686	350	336
4—	718	368	350	718	368	350	718	368	350
0—	3,385	1,733	1,652	3,385	1,733	1,652	3,385	1,733	1,652
5—	3,597	1,839	1,758	3,597	1,839	1,758	3,597	1,839	1,758
10—	2,877	1,470	1,407	2,877	1,470	1,407	2,877	1,470	1,407
15—	2,743	1,343	1,400	2,813	1,413	1,400	2,526	1,132	1,394
20—	2,825	1,375	1,450	2,906	1,456	1,450	2,607	1,166	1,441
25—	3,074	1,530	1,544	3,092	1,548	1,544	3,029	1,487	1,542
30—	3,341	1,655	1,686	3,354	1,668	1,686	3,306	1,621	1,685
35—	3,041	1,493	1,548	3,051	1,503	1,548	3,016	1,469	1,547
40—	3,355	1,658	1,697	3,361	1,664	1,697	3,337	1,641	1,696
45—	3,279	1,620	1,659	3,281	1,622	1,659	3,272	1,613	1,659
50—	2,933	1,403	1,530	2,933	1,403	1,530	2,929	1,399	1,530
55—	2,507	1,138	1,369	2,507	1,138	1,369	2,506	1,137	1,369
60—	2,184	957	1,227	2,184	957	1,227	2,184	957	1,227
65—	1,843	784	1,059	1,843	784	1,059	1,843	784	1,059
70—	1,450	588	862	1,450	588	862	1,450	588	862
75—	970	380	590	970	380	590	970	380	590
80—	480	181	299	480	181	299	480	181	299
85 & over	206	66	140	206	66	140	206	66	140



**TABLE 2.—Estimated Home Population by Sex and Age, Mid-year 1953.**

**England and Wales; Standard Regions; Conurbations; Aggregates of Urban and Rural Areas outside the Conurbations.**

(Figures in thousands.)

		All ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
<b>ENGLAND AND WALES</b>		<b>{M 21,213</b>	<b>1,733</b>	<b>3,309</b>	<b>2,718</b>	<b>3,185</b>	<b>3,151</b>	<b>3,023</b>	<b>2,095</b>	<b>1,372</b>	<b>627</b>
		<b>{F 22,877</b>	<b>1,652</b>	<b>3,165</b>	<b>2,850</b>	<b>3,230</b>	<b>3,245</b>	<b>3,189</b>	<b>2,596</b>	<b>1,921</b>	<b>1,029</b>
<b>Regions and Conurbations :</b>											
Northern ... ..	{M	1,544	135	248	215	229	215	213	148	99	42
	{F	1,595	129	238	220	222	215	215	174	124	58
Tyneside Conurbation ...	{M	402	36	64	50	62	57	57	40	26	10
	{F	435	34	63	60	63	60	59	48	33	15
Remainder of Northern...	{M	1,142	99	184	165	167	158	156	108	73	32
	{F	1,160	95	175	160	159	155	156	126	91	43
East and West Ridings ...	{M	1,965	163	310	231	295	293	292	199	129	53
	{F	2,122	156	299	262	297	300	305	242	178	83
West Yorks. Conurbation	{M	782	64	118	83	115	119	123	84	54	22
	{F	897	62	114	105	121	128	137	110	82	38
Remainder of East and West Ridings ...	{M	1,183	99	192	148	180	174	169	115	75	31
	{F	1,225	94	185	157	176	172	168	132	96	45
North Western ... ..	{M	3,034	256	480	358	447	456	448	311	198	80
	{F	3,393	243	465	414	469	483	490	402	294	133
South East Lancashire Conurbation ...	{M	1,128	95	174	123	170	176	171	118	73	28
	{F	1,279	91	171	150	179	187	187	154	112	48
Merseyside Conurbation	{M	648	63	116	81	96	94	87	59	37	15
	{F	740	60	112	104	106	101	97	78	56	26
Remainder of North Western ...	{M	1,258	98	190	154	181	186	190	134	88	37
	{F	1,374	92	182	160	184	195	206	170	126	59
North Midland ... ..	{M	1,677	140	264	214	253	247	239	162	108	50
	{F	1,739	134	253	221	245	244	240	190	138	74
Midland ... ..	{M	2,193	184	359	285	354	331	302	198	125	55
	{F	2,277	176	344	295	346	322	305	236	167	86
West Midlands Conurbation ...	{M	1,087	93	182	128	181	169	152	98	59	25
	{F	1,161	89	175	149	180	167	158	120	82	41
Remainder of Midland...	{M	1,106	91	177	157	173	162	150	100	66	30
	{F	1,116	87	169	146	166	155	147	116	85	45
Eastern ... ..	{M	1,565	127	244	214	225	227	214	153	106	55
	{F	1,641	120	232	200	223	227	222	186	143	88
London and South Eastern	{M	5,126	401	772	587	798	815	749	520	331	153
	{F	5,819	382	738	707	847	865	824	670	501	285
Greater London... ..	{M	3,915	306	573	435	635	644	584	396	238	104
	{F	4,419	292	553	547	669	675	633	497	357	196
Remainder of South Eastern	{M	1,211	95	199	152	163	171	165	124	93	49
	{F	1,400	90	185	160	178	190	191	173	144	89
Southern ... ..	{M	1,356	107	205	231	192	185	176	127	88	45
	{F	1,397	102	192	174	191	192	185	160	126	75
South Western ... ..	{M	1,478	116	226	219	207	204	205	146	101	54
	{F	1,575	111	213	189	206	214	219	186	145	92
Wales ... ..	{M	1,275	104	201	164	185	178	185	131	87	40
	{F	1,319	99	191	168	184	183	184	150	105	55
Wales I ... ..	{M	916	75	145	116	135	129	135	95	60	26
	{F	938	72	137	123	135	132	131	105	69	34
Wales II ... ..	{M	359	29	56	48	50	49	50	36	27	14
	{F	381	27	54	45	49	51	53	45	36	21
<b>Density Aggregates :</b>											
Conurbations ... ..	{M	7,962	657	1,227	900	1,259	1,259	1,174	795	487	204
	{F	8,931	628	1,188	1,115	1,318	1,318	1,271	1,007	722	364
Areas outside the Conurbations ...	{M	13,251	1,076	2,082	1,818	1,926	1,892	1,849	1,300	885	423
	{F	13,946	1,024	1,977	1,735	1,912	1,927	1,918	1,589	1,199	665
Urban areas with populations of 100,000 & over	{M	2,783	238	433	341	425	408	405	279	177	77
	{F	3,042	227	420	385	432	422	424	348	254	130
Urban areas with populations of 50,000 and under 100,000...	{M	1,597	132	250	202	239	232	228	159	106	49
	{F	1,768	124	238	224	244	246	246	202	156	88
Urban areas with populations under 50,000 ...	{M	4,521	372	724	560	647	654	647	456	312	149
	{F	4,921	354	689	602	670	681	684	570	429	242
Rural areas ... ..	{M	4,350	334	675	715	615	598	569	406	290	148
	{F	4,215	319	630	524	566	578	564	469	360	205



**TABLE 3.—Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1953.** } England and Wales.

*Notes:* (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.  
 (b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.  
 (c) See Explanatory notes on page vii.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	2·270	2·121	2·437	1·090	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	2·222	2·086	2·374	1·098	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	2·247	2·136	2·371	1·125	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	2·173	2·087	2·269	1·155	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	2·007	1·928	2·095	1·158	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	1·938	1·869	2·013	1·169	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	1·642	1·595	1·693	1·194	128	—	—
1911-1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	1·470	1·450	1·492	1·247	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	1·192	1·163	1·224	1·254	72	70	130
1931-1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	1·087	1·074	1·101	1·307	59	57	95
1941-1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	0·902	0·918	0·889	1·384	43	41	61
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	2·179	2·038	2·336	1·096	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	2·360	2·204	2·534	1·088	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	2·276	2·139	2·429	1·099	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	2·177	2·041	2·329	1·095	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	2·253	2·134	2·385	1·116	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	2·242	2·138	2·358	1·132	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	2·220	2·130	2·321	1·150	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	2·130	2·047	2·221	1·160	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	2·018	1·936	2·110	1·152	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	1·997	1·921	2·081	1·164	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	1·993	1·914	2·079	1·161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	1·885	1·825	1·951	1·178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	1·716	1·668	1·768	1·191	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	1·572	1·525	1·622	1·198	117	113	224
1911-1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	1·495	1·464	1·528	1·226	110	105	210
1916-1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	1·450	1·443	1·456	1·282	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	1·220	1·186	1·255	1·240	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	1·167	1·142	1·194	1·268	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	1·104	1·080	1·129	1·276	62	60	103
1936-1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	1·070	1·067	1·074	1·337	55	54	86
1941-1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	0·956	0·982	0·929	1·414	50	48	71
1946-1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	0·856	0·867	0·848	1·381	36	36	51
1903	514,628	266,290	248,338	15·5	16·5	14·4	1·655	1·612	1·702	1·196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	1·733	1·680	1·790	1·185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	1·637	1·586	1·692	1·189	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	1·649	1·606	1·696	1·197	132	127	261

\* For the years 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males and from 1st June, 1941, to 31st December, 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931.



TABLE 3—continued.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
1915*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
1916*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
1917*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
1918*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
1919*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
1920*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
1932	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
1934	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
1935	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
1936	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
1938	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
1939*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
1940*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1941*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
1942*	480,137	251,333	228,804	12.3	14.4	10.7	0.942	0.967	0.916	1.416	51	49	75
1943*	501,412	259,206	242,206	13.0	15.3	11.3	0.957	0.978	0.944	1.397	49	48	71
1944*	492,176	257,705	234,471	12.7	15.3	10.8	0.918	0.952	0.894	1.433	45	44	69
1945*	488,108	252,078	236,030	12.6	15.0	10.8	0.893	0.920	0.875	1.416	46	44	65
1946*	492,090	252,380	239,710	12.0	13.4	10.9	0.881	0.889	0.875	1.378	43	42	60
1947*	517,615	267,714	249,901	12.3	13.6	11.3	0.906	0.921	0.892	1.389	41	40	58
1948*	469,898	242,899	226,999	11.0	11.9	10.1	0.801	0.815	0.789	1.409	34	33	45
1949*	510,736	260,686	250,050	11.8	12.6	11.1	0.856	0.863	0.851	1.396	32	32	45
1950	510,301	261,152	249,149	11.6	12.3	11.0	0.841	0.852	0.833	1.394	30	29	39
1951	549,380	281,724	267,656	12.5	13.4	11.8	0.901	0.922	0.884	1.434	30	29	38
1952	497,484	257,760	239,724	11.3	12.2	10.5	0.806	0.837	0.779	1.472	28	27	35
1953	503,529	259,490	244,039	11.4	12.2	10.7	0.807	0.838	0.782	1.470	27	27	33

\*† See footnotes on first page of this Table.



**TABLE 4.—Death Rates per 1,000 Living in Age Groups, Infant Mortality and Mortality Ratios, 1841-1953.** } England and Wales.

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.  
(b) See Explanatory notes on page vii.

**PERSONS**

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	0.830	11.4	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.033	63.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*	0.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	0.895	9.33	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1923	0.896	21.7	2.26	1.64	2.53	3.20	3.67	5.51	9.82	21.1	49.0	116.0	238.3	69
1924	1.045	22.4	2.31	1.66	2.53	3.28	3.68	5.68	10.1	21.9	52.4	123.3	251.8	75
1925	0.993	22.7	2.48	1.66	2.59	3.20	3.60	5.50	10.1	21.3	51.2	123.4	268.1	75
1926	0.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	7.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.70	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.71	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	0.982	6.69	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.071	6.54	0.56	0.47	0.76	1.13	1.46	2.62	6.89	18.0	46.3	117.9	280.9	30
1952	0.895	6.25	0.50	0.42	0.70	1.04	1.27	2.41	6.34	16.4	41.1	102.6	242.0	28
1953	1.001	6.36	0.49	0.40	0.63	0.93	1.22	2.34	6.25	16.3	41.3	103.5	246.6	27

\*Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

†Based on related live births from 1931.



TABLE 4—continued.

## MALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890	0.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910	0.853	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930	0.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	0.855	12.8	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1841-1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860	0.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-1910	0.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	0.883	10.5	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1923	0.900	24.0	2.34	1.64	2.57	3.47	3.97	6.31	11.2	24.2	55.6	129.5	262.9	78
1924	1.041	24.8	2.40	1.65	2.57	3.50	3.89	6.47	11.6	25.1	59.6	136.9	273.4	85
1925	0.996	24.9	2.54	1.68	2.63	3.35	3.83	6.32	11.6	24.7	58.7	138.8	292.0	84
1926	0.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	0.885	9.72	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.66	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	0.987	7.48	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.082	7.36	0.66	0.56	0.89	1.39	1.61	2.93	8.57	24.1	59.1	136.9	318.2	34
1952	0.908	7.02	0.57	0.50	0.90	1.35	1.44	2.74	7.88	22.0	53.3	122.1	273.5	31
1953	1.001	7.07	0.57	0.45	0.82	1.19	1.38	2.59	7.78	22.0	53.9	123.4	266.0	30

\* Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949

† Based on related live births from 1931.



TABLE 4—continued.

## FEMALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841–1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851–1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861–1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871–1880	0.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881–1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891–1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901–1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911–1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921–1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931–1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941–1950*	0.807	10.0	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1841–1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846–1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851–1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856–1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861–1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866–1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871–1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876–1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881–1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886–1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891–1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896–1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901–1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906–1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911–1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916–1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921–1925	0.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926–1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931–1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936–1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941–1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946–1950*	0.913	8.14	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1923	0.891	19.4	2.17	1.63	2.50	2.95	3.42	4.81	8.53	18.2	43.6	107.3	226.5	60
1924	1.050	19.9	2.21	1.67	2.49	3.07	3.51	4.99	8.70	19.1	46.7	114.5	241.6	65
1925	0.989	20.4	2.41	1.65	2.54	3.06	3.42	4.79	8.65	18.3	45.2	113.5	256.8	66
1926	0.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.64	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.71	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	0.979	5.85	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.061	5.68	0.45	0.37	0.64	0.90	1.31	2.31	5.33	13.1	37.0	105.4	264.2	26
1952	0.881	5.45	0.41	0.34	0.51	0.76	1.10	2.09	4.91	11.9	32.4	90.1	227.6	24
1953	1.004	5.62	0.41	0.35	0.45	0.67	1.07	2.10	4.80	11.7	32.2	90.9	237.5	24

\* Civilian mortality only from 1st June, 1941 to 31st December, 1949.

† Based on related live births from 1931.



**TABLE 5.—Deaths Registered and Death Rates in each } England and Wales.**  
**Quarter, 1841-1953.**

*See Explanatory notes on page vi.*

Period.	Quarter ended							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1943*	70,927	59,074	51,146	78,059	66,651	53,837	47,323	74,395
1944*	76,492	60,836	55,876	64,501	69,547	54,712	51,378	58,834
1945*	81,476	57,767	50,215	62,620	76,267	53,205	46,942	59,616
1946*	79,012	58,323	51,737	63,308	76,215	55,585	48,672	59,238
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
	Deaths: Persons.				Annual Death Rates per 1,000 persons living.			
1841-1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1943*	137,578	112,911	98,469	152,454	14·5	11·7	10·1	15·7
1944*	146,039	115,548	107,254	123,335	15·3	12·0	11·0	12·7
1945*	157,743	110,972	97,157	122,236	16·5	11·5	10·0	12·6
1946*	155,227	113,908	100,409	122,546	15·4	11·2	9·7	11·9
1947*	181,736	118,015	97,099	120,765	17·6	11·3	9·2	11·4
1948*	132,628	110,257	101,548	125,465	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8
1950	151,284	120,791	102,867	135,359	14·0	11·1	9·3	12·3
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0
1952	146,948	115,369	98,613	136,554	13·5	10·6	8·9	12·4
1953	171,350	114,644	98,545	118,990	15·8	10·4	8·9	10·7

\*See footnote to Table 3.



TABLE 6.—Comparative Mortality Indices (All Ages) and Death Rates at Ages Under 15. Principal Epidemic or General Diseases, 1851-1953. } England and Wales.

Notes: (1) See note to Table 3 for explanation of Comparative Mortality Index.  
(2) Changes in cause assignment are allowed for throughout as far as possible.  
(3) See Explanatory notes on page v.

Period	Comparative Mortality Indices (base year 1938 taken as unity.)											Death rates per million living at ages under 15.				
	Tuberculosis (all forms) 001-019	Tuberculosis of resp. system 001-008	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Cancer excl: Hodg-kins dis: Leukæmia, Aleukæmia 140-200 202, 203, 205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851-1860	5.67	5.74	—	—	—	—	0.31	—	—	—	—	—	—	1319	—	1082
1861-1870	5.46	5.37	—	—	—	—	0.38	—	—	—	—	2282	1122	1372	—	1148
1871-1880	4.73	4.66	—	84.37	—	—	0.47	—	—	—	—	1664	747	1316	—	976
1881-1890	4.01	3.81	—	51.94	—	—	0.59	—	—	—	—	787	804	1171	—	1153
1891-1900	3.29	3.01	—	45.78	—	—	0.75	—	—	4.39	—	383	873	1037	—	1144
1901-1910	2.70	2.45	—	23.84	—	—	0.85	0.84	—	2.54	—	271	571	815	—	915
1911-1920†	2.34	2.20	—	9.28	0.94	—	0.92	0.89	—	5.75	—	123	437	554	13	838
1921-1930	1.62	1.59	—	2.85	0.58	—	0.98	0.86	—	3.61	—	64	298	405	11	389
1931-1939†	1.18	1.18	—	1.25	1.25	0.99	1.00	1.01	—	2.46	—	46	290	197	11	217
1940-1949†	0.99	1.01	0.67	0.44	1.36	1.00	0.99	0.77	0.97	1.15	0.73	7	112	111	11	62
1851-1855	5.93	5.98	—	—	—	—	0.30	—	—	—	—	—	—	1338	—	1047
1856-1860	5.43	5.52	—	—	—	—	0.32	—	—	—	—	1919	1347	1300	—	1114
1861-1865	5.41	5.44	—	—	—	—	0.36	—	—	—	—	2307	1389	1336	—	1189
1866-1870	5.26	5.31	—	—	—	—	0.40	—	—	—	—	2258	871	1405	—	1109
1871-1875	4.84	4.86	—	97.71	—	—	0.44	—	—	—	—	1760	788	1282	—	962
1876-1880	4.62	4.48	—	71.90	—	—	0.50	—	—	—	—	1575	709	1349	—	988
1881-1885	4.19	4.04	—	56.99	—	—	0.55	—	—	—	—	1012	828	1180	—	1070
1886-1890	3.83	3.60	—	47.20	—	—	0.63	—	—	—	—	572	781	1163	—	1234
1891-1895	3.48	3.18	—	45.58	—	—	0.71	—	—	5.04	—	434	875	1070	—	1104
1896-1900	3.12	2.85	—	45.97	—	—	0.79	—	—	3.79	—	331	872	1003	—	1184
1901-1905	2.85	2.58	—	29.66	—	—	0.83	0.79	—	2.29	—	319	653	874	—	955
1906-1910	2.55	2.32	—	18.35	—	—	0.87	0.88	—	2.76	—	224	491	756	—	874
1911-1915†	2.31	2.16	—	12.43	0.81	—	0.92	0.97	—	2.00	—	161	434	633	14	1043
1916-1920†	2.38	2.25	—	6.02	1.07	—	0.92	0.82	—	9.53	—	84	439	473	12	625
1921-1925	1.74	1.70	—	3.27	0.46	—	0.99	0.85	—	3.77	—	79	302	448	11	420
1926-1930	1.51	1.49	—	2.45	0.70	—	0.99	0.90	—	3.54	—	48	294	360	12	357
1931-1935	1.29	1.29	—	1.35	1.48	0.99	1.00	0.98	—	2.85	—	50	293	223	11	270
1936-1939†	1.05	1.05	—	1.14	0.95	0.99	1.00	1.03	—	2.01	—	27	287	163	11	149
1940-1944†	1.12	1.13	0.80	0.64	2.22	0.99	0.99	0.91	0.98	1.64	0.85	11	192	140	7	78
1945-1949†	0.88	0.91	0.55	0.26	0.59	1.00	0.99	0.64	0.97	0.70	0.63	3	30	81	16	47
1923	1.66	1.60	—	2.94	0.37	—	0.97	0.83	—	2.19	—	72	243	370	9	476
1924	1.70	1.66	—	3.31	0.40	—	0.98	0.80	—	4.86	—	65	225	356	11	435
1925	1.66	1.63	—	2.59	0.48	—	0.99	0.81	—	3.24	—	74	253	550	11	486
1926	1.54	1.51	—	2.44	0.50	—	0.99	0.81	—	2.22	—	50	275	378	16	319
1927	1.56	1.54	—	2.41	0.60	—	0.99	0.87	—	5.48	—	43	250	341	12	337
1928	1.48	1.47	—	2.88	0.63	—	1.00	0.89	—	1.86	—	43	296	279	12	404
1929	1.53	1.53	—	2.49	0.85	—	1.00	0.96	—	7.01	—	50	320	604	10	324
1930	1.43	1.42	—	2.02	0.92	—	0.99	0.94	—	1.18	—	55	332	196	11	404
1931	1.43	1.42	—	1.61	2.13	0.99	1.00	0.95	—	3.34	—	39	252	244	7	320
1932	1.33	1.31	—	1.64	1.80	1.00	1.00	0.98	—	3.01	—	40	223	288	13	332
1933	1.31	1.32	—	1.41	1.41	0.99	1.00	0.98	—	5.15	—	55	255	221	13	190
1934	1.22	1.21	—	1.01	1.10	1.00	1.00	0.99	—	1.24	—	72	393	199	9	368
1935	1.14	1.15	—	1.09	0.94	0.99	1.00	1.00	—	1.60	—	41	345	159	11	134
1936	1.10	1.10	—	1.59	0.97	1.00	1.01	1.04	—	1.29	—	38	311	210	7	281
1937	1.10	1.10	—	1.27	1.07	0.99	1.00	1.05	—	3.92	—	27	305	179	8	106
1938	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	27	305	119	18	169
1939†	1.00	1.00	—	0.69	0.77	0.98	0.98	1.05	—	1.83	—	15	228	140	10	34
1940†	1.14	1.16	0.90	0.83	3.83	1.00	1.00	1.10	1.13	2.52	1.04	12	266	78	9	95
1941†	1.20	1.20	0.87	0.98	3.29	0.99	0.99	0.99	1.00	1.51	0.94	11	280	279	9	128
1942†	1.09	1.09	0.80	0.56	1.83	0.99	0.99	0.89	0.93	0.73	0.74	9	192	94	7	53
1943†	1.12	1.13	0.76	0.46	1.19	0.99	0.99	0.84	0.93	2.65	0.86	11	134	129	4	86
1944†	1.06	1.07	0.68	0.36	0.89	0.98	0.98	0.78	0.93	0.81	0.68	9	92	121	4	28
1945†	1.03	1.06	0.62	0.30	0.81	0.99	0.98	0.75	0.93	0.55	0.66	7	67	79	4	80
1946†	0.90	0.93	0.62	0.32	0.71	0.99	0.99	0.67	0.95	1.04	0.65	3	40	91	5	22
1947†	0.90	0.93	0.56	0.18	0.72	1.00	1.00	0.63	1.01	0.64	0.70	3	23	99	33	69
1948†	0.83	0.86	0.49	0.29	0.39	1.01	1.00	0.57	0.92	0.23	0.53	2	14	80	8	33
1949†	0.75	0.78	0.48	0.19	0.37	1.01	1.00	0.59	1.03	1.03	0.61	1	7	55	29	30
1950	0.59	0.62	0.50	0.09	0.36	1.02	1.01	0.62	1.07	0.71	0.53	1	4	41	33	22
1951	0.51	0.53	0.51	0.12	0.38	1.03	1.01	0.62	1.14	2.87	0.67	1	2	46	8	30
1952	0.39	0.41	0.46	0.12	0.38	1.03	1.01	0.55	1.00	0.31	0.55	1	2	18	9	41
1953	0.32	0.34	0.40	0.03	0.39	1.02	1.01	0.52	0.98	1.14	0.61	—	2	24	14	24

† Civilian mortality only in 1915-20 and from 3rd September, 1939 to 31st December, 1949 for males, and from 1st June, 1941 to 31st December, 1949 for females.



TABLE 7.—Deaths by Cause and Sex at All Ages, 1943-1953. } England and Wales.

(Excluding non-civilian from 1943 to 1949 inclusive).  
Note: (i) The following categories of the 1948 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table:—306, 308, 649, 775.  
(ii) Although deaths in each year from 1949 inclusive were coded according to the 1948 International Statistical Classification, certain minor changes in coding practice were introduced between 1949 and 1950, and comparability of figures between those years is consequently affected. Categories principally affected are noted accordingly.  
(iii) See Explanatory notes on page v.

Inter-national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	ALL CAUSES ... {M F	249620 241911	246894 234156	245436 235838	249452 239602	265739 249852	241674 226971	259942 250031	261152 249149	281724 267656	257760 239724	259490 244039
001-138	I.—INFECTIVE AND PARASITIC DISEASES {M F	19868 14181	18015 12874	17596 12728	16583 11724	17222 12446	15722 10938	14865 9915	12797 8037	11434 6738	9303 5023	8203 4497
001-019	Tuberculosis (all forms) ... {M F	14932 10329	13929 9782	13700 9768	13146 9245	13390 9686	12791 8884	11918 7879	9922 6047	8826 4980	7114 3471	5964 2938
001-008	Tuberculosis of respiratory system ... {M F	†12819 †8263	†11958 †7857	†11755 †7913	†11415 †7593	†11678 †8075	†11313 †7485	10655 6816	8934 5145	7903 4128	6421 2914	5447 2466
001	With mention of occupational disease ... {M F	153 —	148 —	166 5	194 2	234 3	278 5	262 9	255 7	288 6	292 3	298 6
002	Pulmonary ... {M F							10274 6731	8603 5084	7550 4081	6066 2868	5107 2426
003	Pleural ... {M F							66 47	57 38	50 33	53 35	34 29
	0. Pleurisy specified as tuberculous ... {M F							24 11	26 8	19 9	22 7	11 12
	1. Pleurisy with effusion without mention of cause {M F							42 36	31 30	31 24	31 28	23 17
004	Primary, complex with symptoms ... {M F	†12666 †8263	†11810 †7857	†11589 †7908	†11221 †7591	†11444 †8072	†11035 †7480	— 1	1 —	2 —	2 —	— 1
005	Tracheobronchial glandular, with symptoms ... {M F							5 7	9 7	5 7	4 7	3 2
006	Radiological evidence suggestive of active resp: tub: not classifiable elsewhere. {M F							— —	— —	— —	— —	— —
007	Other respiratory ... {M F							30 6	6 9	6 1	4 1	3 1
008	Unspecified site ... {M F							18 15	3 —	2 —	— —	2 1
010-019	Tuberculosis, other forms ... {M F	2113 2066	1971 1925	1945 1855	1731 1652	1712 1611	1478 1399	1263 1063	988 902	923 852	693 557	517 472
010	Meninges and central nervous system {M F	918 973	862 885	856 916	790 797	784 749	647 665	558 533	432 458	440 442	265 246	177 168
011	Intestines, peritoneum, and mesenteric glands ... {M F	299 361	285 305	276 270	231 206	203 242	168 201	146 148	91 100	83 99	67 66	60 59
012	Bones and joints, active or un-specified ... {M F	*335 *237	*289 *226	*279 *197	*232 *196	*204 *163	*202 *164	146 119	146 101	114 93	110 70	68 71
	0. Vertebral column ... {M F	*206 *164	*172 *150	*169 *127	*167 *149	*137 *115	*136 *114	108 99	100 78	81 67	81 54	47 51
	1-3. Other ... {M F	*129 *73	*117 *76	*110 *70	*65 *47	*67 *48	*66 *50	38 20	46 23	33 26	29 16	21 20
013	Late effects, bones and joints... {M F	* *	* *	* *	* *	* *	* *	1 2	5 2	3 3	5 2	3 2
014	Skin and subcutaneous cellular tissue ... {M F	26 30	14 29	18 41	16 25	9 18	10 7	5 8	5 11	5 11	1 3	2 3
015	Lymphatic system ... {M F	48 43	41 47	43 28	28 29	29 29	29 28	21 36	18 31	12 19	15 14	9 15
016	Genito-urinary system ... {M F	188 122	209 134	201 130	157 113	186 114	183 108	208 93	173 89	167 88	144 66	109 79
017	Adrenal glands ... {M F	10 17	16 11	5 10	12 8	16 20	13 15	18 10	13 11	8 16	13 18	19 12
018	Other organs ... {M F	7 9	6 5	5 7	5 9	10 5	20 5	5 7	10 7	17 6	13 11	8 7

† 002-008 excludes 003.1, which comprises about 36% of deaths shown for 519; includes Hæmoptysis N.O.S. from 783.1, (Hæmoptysis) for these years.  
\* {012.0 includes 013.0 (late effects of tuberculosis of vertebral column) for these years.  
{012.1-012.3 includes 013.1-013.3 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
019	Disseminated ... {M F}							155 107	95 92	74 75	60 61	60 58
	0-1. Acute miliary tuber- {M culosis ... {F}	††282 ††274	††249 ††283	††262 ††256	††260 ††269	††271 ††271	††206 ††206	22 13	22 10	7 11	4 2	4 2
	2. Other forms ... {M F}							133 94	73 82	67 64	56 59	58 57
020-029	Syphilis and its sequelæ ... {M F}	1802 737	1625 671	1545 609	1575 616	1445 577	1303 505	1290 491	1202 527	1265 506	1097 522	1003 444
020	Congenital syphilis ... {M F}	†97 †86	†87 †59	†66 †78	†79 †69	†49 †46	†47 †42	45 38	25 20	17 15	17 15	11 10
021	Early syphilis ... {M F}	†	†	†	†	†	†	— 1	— 1	— 1	1 2	—
022	Aneurysm of aorta ... {M F}	446 159	427 180	437 139	495 156	502 177	478 169	515 191	430 225	475 204	435 222	401 190
023	Other cardiovascular syphilis... {M F}	†593 †273	†525 †246	†499 †206	†509 †210	†447 †194	†462 †196	353 126	449 151	458 157	388 173	344 151
024	Tabes dorsalis... {M F}	†251 †60	†221 †53	†219 †53	†178 †54	†164 †44	†111 †32	114 20	99 24	111 32	100 27	83 20
025	General paralysis of insane ... {M F}	†415 †159	†365 †133	†324 †133	†314 †127	†283 †116	†205 †66	161 65	111 56	121 47	78 45	91 20
026	Other syphilis of central ner- {M vous system... {F}							29 19	46 28	48 30	50 21	37 23
027	Other forms of late syphilis ... {M F}							36 13	21 5	29 14	23 13	18 13
028	Latent syphilis... {M F}	†	†	†	†	†	†	—	—	—	—	—
029	Syphilis, unqualified ... {M F}							37 18	21 17	6 6	5 4	6 1
030-039	Gonococcal infection and other {M venereal diseases ... {F}	34 12	23 8	18 6	19 5	18 2	12 1	3 2	9 —	6 1	12 1	6 —
030	Acute or unspecified gonorrhœa {M F}							2 —	5 —	2 1	2 —	—
031	Chronic gonococcal infection {M of genito-urinary system ... {F}							1 —	—	2 —	1 —	—
032	Gonococcal infection of joint... {M F}							—	1 —	—	—	—
033	Gonococcal infection of eye ... {M F}	33 11	21 8	18 4	18 4	17 2	12 1	—	—	—	—	—
034	Gonococcal infection of other {M sites ... {F}							1 1	2 —	1 —	1 —	—
035	Late effects of gonococcal in- {M fection ... {F}							—	1 —	1 —	8 —	6 —
036	Chancroid ... {M F}							—	—	—	—	—
037	Lymphogranuloma venereum {M F}							—	—	—	1 —	—
038	Granuloma inguinale, venereal {M F}	1 1	2 —	— 2	1 1	1 —	—	—	—	—	—	—
039	Other and unspecified venereal {M diseases ... {F}							—	—	—	—	—
040-049	Infectious diseases commonly {M arising in intestinal tract ... {F}	89 118	127 108	119 111	126 95	102 64	96 70	75 69	84 68	75 59	63 43	53 48
040	Typhoid fever ... {M F}	22 30	23 19	12 17	13 22	17 8	20 18	10 9	8 7	5 7	5 4	1 2
041	Paratyphoid fever ... {M F}	6 9	3 6	3 12	9 7	2 2	2 8	5 8	— 1	1 8	5 7	— 2
042	Other Salmonella infections... {M F}	†10 †4	†18 †5	†13 †10	†24 †21	†29 †21	†35 †14	24 31	31 27	27 9	27 16	23 20
043	Cholera... {M F}	—	—	—	—	—	—	—	—	—	—	—

†† 019 includes 138.0 (Sarcoid of Boeck) for these years.

† 023 includes 021,026-029 for these years.

‡ 024, 025. These numbers combined include 020.1 (Juvenile neurosyphilis) for these years.

† 042 includes 049 for these years.



TABLE 7—continued.

International t No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
044	Brucellosis (undulant fever) ... {M F	— 1	2 5	2 1	4 2	3 2	2 2	3 —	— 1	1 1	2 —	2 2
045	Bacillary dysentery ... {M F	30 57	50 52	57 56	30 22	28 20	18 16	17 8	22 21	27 30	11 10	13 15
046	Amoebiasis ... {M F	8 2	5 2	7 1	17 1	15 2	10 5	9 4	14 3	13 1	11 —	5 1
047	Other protozoal dysentery ... {M F	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
048	Unspecified forms of dysentery {M F	13 15	24 19	25 14	29 20	8 9	9 7	3 4	3 2	1 2	2 2	1 1
049	Food poisoning (infection and intoxication) {M F	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	4 5	6 6	— 1	— 4	8 5
50-064	Other bacterial diseases ... {M F	2059 2069	1667 1733	1275 1328	1093 1175	1041 1103	814 831	657 627	575 533	546 527	395 384	427 407
050	Scarlet fever ... {M F	*63 *66	*51 *54	*33 *49	*18 *23	*17 *25	*16 *21	13 14	15 18	13 24	9 14	8 19
051	Streptococcal sore throat ... {M F	79 110	60 94	52 70	42 45	43 58	40 55	23 43	37 24	14 15	21 20	15 19
052	Erysipelas ... {M F	57 65	58 61	41 78	42 40	27 34	27 24	27 27	20 21	9 8	6 10	9 13
053	Septicæmia and pyæmia ... {M F	196 191	218 175	151 138	130 109	104 91	106 83	86 60	89 75	62 49	47 64	68 52
054	Bacterial toxæmia ... {M F	— —	— —	— —	— —	— —	— —	— 2	— 2	1 —	— —	2 —
055	Diphtheria ... {M F	671 677	433 475	343 351	205 250	124 118	78 77	45 39	31 18	15 18	14 18	11 12
056	Whooping cough ... {M F	492 622	459 595	293 396	354 454	386 519	336 412	238 289	162 232	212 244	84 100	104 139
057	Meningococcal infections ... {M F	432 314	327 243	306 221	259 230	287 236	160 136	154 133	154 129	156 142	160 130	166 125
058	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
059	Tularæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
060	Leprosy... {M F	2 —	1 —	— —	— —	1 —	— —	— —	— —	1 1	— —	— —
061	Tetanus ... {M F	61 24	55 33	55 24	41 22	49 22	48 21	61 18	61 10	59 22	42 21	37 24
062	Anthrax ... {M F	4 —	3 1	— —	1 —	2 —	— 1	2 —	— —	1 —	2 —	1 —
063	Gas gangrene ... {M F	2 —	2 2	1 1	1 2	1 —	3 1	7 2	4 4	2 3	10 6	4 3
064	Other bacterial diseases ... {M F	— —	— —	— —	— —	— —	— —	1 —	2 —	1 1	— 1	2 1
70-074	Spirochætal diseases, except syphilis {M F	23 17	25 11	32 10	13 9	16 10	15 5	39 2	45 12	37 3	32 1	28 5
070	Vincent's infection ... {M F	14 12	8 8	9 8	5 7	4 6	2 2	3 1	2 6	1 —	2 —	2 2
071	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
072	Leptospirosis icterohæmor- rhagica (Weil's disease) ... {M F	9 5	17 3	23 2	8 2	12 4	13 3	36 1	39 5	36 3	29 1	26 2
073	Yaws ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
074	Other spirochætal and lepto- spirochætal infections .. {M F	— —	— —	— —	— —	— —	— —	— —	4 1	— —	1 —	— 1
80-096	Diseases attributable to viruses {M F	855 866	565 530	841 865	544 556	1151 962	647 610	839 809	917 811	615 617	535 547	682 608

049. See 042.

050 excludes deaths occurring 1 or more years after onset, for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
080	Acute poliomyelitis ... {M F}							355 288	411 323	110 81	167 108	19 12
	0. Specified as bulbar or {M polio-encephalitis ... {F}							155 118	164 114	35 31	72 42	10 5
	1. With other paralysis ... {M F}							17 12	57 44	21 14	30 12	2 1
	2. Specified as nonparalytic {M F}	41 47	58 39	71 55	55 61	407 281	140 99	— —	— —	— —	2 —	— —
	3. Unspecified ... {M F}							183 158	190 165	54 36	63 54	6 5
081	Late effects of acute polio- {M myelitis ... {F}							4 4	10 11	10 16	9 11	1 1
082	Acute infectious encephalitis... {M F}							105 91	58 57	63 55	52 53	7 6
083	Late effects of acute infectious {M encephalitis ... {F}	286 244	248 200	249 250	235 231	245 213	215 189	76 95	132 118	92 124	79 95	9 8
084	Smallpox ... {M F}	— —	— 3	— —	6 5	11 4	— —	1 4	— —	3 7	— 1	— —
085	Measles... {M F}	369 400	118 125	376 352	108 95	338 306	162 164	152 155	133 88	173 144	71 70	14 10
086	Rubella (German measles) ... {M F}	3 1	4 4	3 4	— 1	3 1	2 —	1 1	1 1	1 —	2 1	— —
087	Chickenpox ... {M F}	12 7	16 8	5 4	6 3	6 6	6 4	7 7	3 4	6 10	8 5	1 —
088	Herpes zoster ... {M F}	22 43	18 41	26 55	19 53	19 56	25 50	20 36	20 53	19 39	18 42	— 3
089	Mumps ... {M F}	6 5	4 4	2 5	3 3	1 —	9 7	— 3	5 3	5 8	4 6	— —
090	Dengue... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
091	Yellow fever ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis ... {M F}	112 116	96 103	106 136	110 103	120 91	85 95	114 116	142 142	127 125	116 148	12 16
093	Glandular fever (infectious {M mononucleosis) ... {F}	3 3	2 3	3 4	2 1	1 4	2 1	1 —	1 1	1 1	4 1	— —
094	Rabies ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
095	Trachoma ... {M F}	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
096	Other diseases attributable to {M viruses ... {F}	†1 †—	†— †—	†— †—	†— †—	†— †—	†1 †1	3 9	1 10	5 7	4 6	— 1
100-108	Typhus and other rickettsial {M diseases ... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
100	Louse-borne epidemic typhus {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
101	Flea-borne endemic typhus {M (murine) ... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Brill's disease, not specified as {M louse- or flea-borne typhus... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
103	Tabardillo (Mexican typhus), {M not specified as louse- or flea- {F borne.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
104	Tick-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
105	Mite-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
106	Wolhynian fever (trench fever) {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Typhus, unspecified ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Other rickettsial diseases ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

†096. See 706-716.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
110-117	Malaria... {M F}							5	9 3	10	8 1	4
110	Vivax malaria (benign tertian) {M F}							—	—	1	—	—
111	Malariae malaria (quartan) ... {M F}							—	—	—	—	—
112	Falciparum malaria (malignant tertian) ... {M F}							1	6 2	7	4	4
113	Ovale malaria ... {M F}	12	6 1	16	16	11 1	9 1	—	—	—	—	—
114	Mixed malarial infections ... {M F}							—	—	—	—	—
115	Blackwater fever ... {M F}							4	—	1	1	—
116	Other and unspecified forms of malaria ... {M F}							—	3 1	1	3	—
117	Recurrent induced malaria ... {M F}							—	—	—	—	—
120-138	Other infective and parasitic diseases ... {M F}	61 33	48 30	50 31	51 23	47 41	34 31	39 36	34 36	54 45	47 52	38 46
120	Leishmaniasis ... {M F}	1 1	1	4	5	4 1	—	3	—	2	—	1
121	Trypanosomiasis ... {M F}	—	—	—	—	—	1	—	—	—	—	—
122	Other protozoal diseases ... {M F}	—	—	—	—	—	—	1	1 2	1 2	3 2	2 4
123	Schistosomiasis ... {M F}	—	—	—	—	—	1	1	—	—	—	1
124	Other trematode infestation... {M F}	—	—	—	—	—	—	—	—	—	—	—
125	Hydatid disease ... {M F}	8 2	7 7	11 9	7 7	9 8	8 11	6 9	3 6	17 6	7 5	6 7
126	Other cestode infestation ... {M F}	1 2	—	1	2	3 1	— 2	—	2 2	2	2	1
127	Filariasis ... {M F}	—	—	—	—	—	—	—	1	—	—	—
128	Trichiniasis ... {M F}	—	—	—	—	—	—	—	—	—	—	1
129	Ankylostomiasis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
130	Infestation with worms of other, mixed & unspec'd: type {M F}	1 1	—	1 1	1 1	— 2	2 4	—	—	1	—	1
131	Dermatophytosis ... {M F}	—	3	—	—	—	2	1 2	— 1	— 2	1	2
132	Actinomycosis ... {M F}	44 21	26 19	21 12	26 10	15 14	11 11	13 11	8 5	6 3	6 6	2 5
133	Coccidioidomycosis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
134	Other fungus infections ... {M F}	6 6	11 4	12 9	10 4	16 15	9 3	11 8	9 3	9 9	10 9	12 7
135	Scabies ... {M F}	‡	‡	‡	‡	‡	‡	—	1	1	1	—
136	Pediculosis ... {M F}	—	—	—	—	—	—	—	1	—	—	—
137	Other arthropod infestation ... {M F}	—	—	—	—	—	—	—	—	—	—	—
138	Other infective and parasitic diseases ... {M F}	* *	* *	* *	* *1	* *	* *	4 5	11 13	17 21	17 30	9 23
140-239	II.—NEOPLASMS .. {M F}	36783 38971	36740 38833	38192 39691	39244 40420	40814 41022	42236 41488	43124 42054	44436 42838	45531 42436	46220 43138	46773 42907

‡ 135. See 706-716.

\* 138. See 019.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
140-205	Malignant neoplasms including { M neoplasms of lymphatic and { F hæmatopoietic tissues.	35935 37631	35887 37610	37318 38394	38319 39197	39927 39857	41302 40353	42196 41008	43570 41700	44632 41448	45429 42213	4593 4198
140-148	Malignant neoplasm of buccal { M cavity and pharynx... { F	2059 567	1998 562	1896 572	1761 540	1706 551	1643 530	1560 580	1584 618	1566 630	1472 646	140 56
140	Lip ... { M ... { F	219 28	206 20	180 18	191 18	150 19	139 13	160 19	148 13	136 12	96 18	11
141	Tongue ... { M ... { F	734 166	756 156	656 146	602 123	615 135	581 137	499 156	525 146	492 155	451 135	42
142	Salivary gland... { M ... { F	78 46	80 49	83 60	76 47	72 51	78 46	88 56	82 51	81 58	99 70	8
143	Floor of mouth ... { M ... { F	** 16	** 22	** 22	** 22	** 22	** 22	87 16	89 22	80 22	65 18	8
144	Malig: neoplasm of other parts { M of mouth and mouth un- { F specified.	**441 **92	**398 **90	**406 **98	**360 **104	**338 **86	**358 **80	244 65	226 77	246 85	219 74	19
145	Oral mesopharynx ... { M ... { F	231 49	228 46	215 55	202 43	183 45	165 49	157 33	172 37	188 41	178 55	16
146	Nasopharynx ... { M ... { F	40 16	27 20	38 24	42 18	47 26	30 22	48 34	50 37	68 42	76 42	6
147	Hypopharynx ... { M ... { F	54 84	50 86	56 93	49 85	53 99	54 94	56 106	99 139	73 124	87 148	10
148	Pharynx, unspecified ... { M ... { F	262 86	253 95	262 78	239 102	248 90	238 89	221 95	193 96	202 91	201 86	17
150-159	Malig: neoplasm of digestive { M organs and peritoneum ... { F	19721 17445	19811 17476	20409 17941	20353 18286	20629 18459	20966 18476	20609 18524	20420 18720	20405 18213	20175 18403	1980 1814
150	Œsophagus ... { M ... { F	1511 766	1509 687	1489 779	1439 824	1548 804	1501 810	1439 786	1510 835	1488 852	1475 850	133
151	Stomach ... { M ... { F	7047 5707	7339 5816	7588 5867	7548 6165	7810 6206	8167 6225	8065 6139	8013 6432	8155 6506	8066 6343	804
152	Small intestine, including duo- { M denum ... { F	123 121	113 98	115 113	123 96	103 107	102 79	113 102	96 86	92 108	109 93	11
153	Large intestine, except rectum { M ... { F	4564 5585	4466 5684	4696 5734	4706 5918	4729 6025	4593 5845	4509 5932	4319 5834	4246 5451	4165 5657	416
154	Rectum .. { M ... { F	3776 2437	3730 2360	3902 2489	3829 2464	3784 2529	3901 2552	3762 2609	3699 2537	3614 2414	3412 2396	324
155	Biliary passages and of liver { M (stated to be primary site)... { F	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	461 726	479 820	479 767	538 792	48
156	Liver (secondary and un- { M specified) ... { F	1587 1587	1606 1606	1543 1543	1419 1419	1375 1375	1393 1393	589 649	586 562	562 544	553 469	53
157	Pancreas ... { M ... { F	1201 1051	1251 1023	1232 1180	1344 1220	1379 1182	1449 1325	1514 1363	1567 1434	1620 1368	1723 1562	172
158	Peritoneum ... { M ... { F	131 191	115 201	130 234	144 178	125 228	148 241	153 212	143 173	143 192	121 224	14
159	Unspecified digestive organs... { M ... { F	— —	1 1	— 2	1 2	4 3	2 6	4 6	8 7	6 11	13 17	1
160-165	Malignant neoplasm of res- { M piratory system .. { F	6069 1538	6419 1608	6883 1729	7689 1791	8594 1975	9473 2121	10189 2207	11340 2353	12237 2434	12971 2579	1386
160	Nose, nasal cavities, middle { M ear, and accessory sinuses... { F	97 83	104 90	98 93	101 87	89 76	100 83	120 87	117 102	124 86	118 85	130
161	Larynx ... { M ... { F	827 200	794 199	795 198	827 183	769 203	827 205	787 199	809 182	805 202	752 189	73
162	Trachea, and of bronchus and { M lung specified as primary... { F	4943 1166	5331 1237	5805 1356	6607 1437	7581 1623	8403 1759	2213 485	2855 596	2998 622	3623 743	385
163	Lung & bronchus, unspec'd: { M as to whether primary or { F secondary.	1166 1166	1237 1237	1356 1356	1437 1437	1623 1623	1759 1759	6917 1360	7399 1391	8168 1459	8358 1494	903
164	Mediastinum ... { M ... { F	202 89	190 82	185 82	154 84	155 73	143 74	130 69	135 60	115 53	100 54	9
165	Thoracic organs (secondary)... { M ... { F	\$ 7	\$ 22	\$ 12	\$ 14	\$ 14	\$ 20	22 7	25 22	27 12	20 14	15
170-181	Malignant neoplasm of breast { M and genito-urinary organs... { F	4563 15290	4221 15115	4512 15103	4822 15521	5144 15667	5265 15948	5565 15982	5810 16171	5831 16218	5956 16496	6048
170	Breast ... { M ... { F	90 7320	60 7306	68 7291	69 7711	70 7738	64 7843	78 7875	65 7927	63 8006	59 8285	81

\*\* 144 includes 143 for these years.

\$ { 162, 163, includes malignant neoplasm of trachea, bronchus, lung, pleura, specified as secondary, from 165, for these years.

{ 164 includes remainder of 165 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
171	Cervix uteri ... .. F	1932	1784	1814	1768	1837	1873	2138	2654	2585	2547	2501
172	Corpus uteri ... .. F	282	283	332	342	332	338	514	1157	1185	1237	1203
173	Other parts of uterus, in- cluding chorionepithelioma. F	7	19	15	7	18	12	16	25	41	27	41
174	Uterus, unspecified† ... F	2333	2247	2209	2170	2082	2098	1579	302	248	213	200
175	Ovary, Fallopian tube, and broad ligament. F	1992	2113	2098	2098	2209	2256	2350	2501	2542	2503	2565
176	Other and unspecified female genital organs F	488	443	430	412	450	435	425	466	443	471	472
177	Prostate... .. M	2386	2189	2372	2585	2800	2781	2963	3095	3020	3007	3168
178	Testis ... .. M	138	148	149	185	179	195	187	217	195	208	197
179	Other and unspecified male genital organs. M	203	195	165	174	186	156	158	160	169	154	123
180	Kidney ... .. {M F}	419 333	395 347	419 303	434 343	492 350	529 381	562 384	597 366	597 430	638 471	655 443
181	Bladder and other urinary organs ... .. {M F}	1327 603	1234 573	1339 611	1375 670	1417 651	1540 712	1617 701	1676 773	1787 738	1890 742	1824 801
190-199	Malignant neoplasm of other and unspecified sites ... {M F}	2254 1859	2157 1886	2239 1956	2168 1927	2329 2025	2310 2079	2381 2274	2466 2347	2469 2232	2546 2358	2477 2501
190	Malignant melanoma of skin... {M F}	648 479	583 479	610 489	555 437	574 465	558 438	71 102	93 131	112 137	115 178	132 168
191	Other malignant neoplasm of skin ... .. {M F}							447 351	461 343	376 281	369 298	337 292
192	Eye ... .. {M F}	51 38	41 39	44 35	48 44	45 43	49 48	60 41	60 62	58 54	49 60	51 57
193	Brain and other parts of nervous system ... {M F}	433 316	407 326	473 360	455 368	552 380	614 387	654 462	678 521	738 495	833 525	811 589
194	Thyroid gland... .. {M F}	69 201	82 212	82 225	67 223	89 231	76 231	82 254	73 241	94 257	104 260	91 264
195	Other endocrine glands ... {M F}	51 27	39 42	49 42	49 38	50 43	60 31	41 63	65 50	47 45	74 49	52 49
196	Bone (including jaw bone) ... {M F}	618 437	594 415	570 385	555 408	544 371	492 388	499 409	455 325	449 315	395 326	396 300
197	Connective tissues ... .. {M F}	* *	* *	* *	* *	* *	* *	52 50	82 85	95 93	122 94	92 82
198	Secondary and unspecified mal- ignant neoplasm of lymph nodes. {M F}	155 84	152 72	156 70	116 54	124 57	105 58	83 41	59 32	61 20	46 29	38 29
199	Other and unspecified sites ... {M F}	*229 *277	*259 *301	*255 *350	*323 *355	*351 *435	*356 *498	392 501	440 557	439 535	439 539	477 671
200-205	Neoplasms of lymphatic and haematopoietic tissues ... {M F}	1269 932	1281 963	1379 1093	1526 1132	1525 1180	1645 1199	1892 1441	1950 1491	2124 1721	2309 1731	2341 1819
200	Lymphosarcoma and reticulo- sarcoma ... .. {M F}	¶257 ¶144	¶237 ¶126	¶272 ¶163	¶279 ¶158	¶282 ¶157	¶276 ¶167	394 249	381 245	421 294	453 286	454 301
201	Hodgkin's disease ... .. {M F}	349 225	369 218	378 249	413 228	409 226	441 237	451 246	414 249	472 277	483 278	488 287
202	Other forms of lymphoma (reticulosis) ... .. {M F}	12 9	20 14	16 16	24 21	21 25	25 24	41 36	45 41	82 53	90 46	82 64
203	Multiple myeloma (plasmocytoma) ... {M F}	24 18	30 30	41 30	39 55	58 62	90 80	91 105	107 110	154 150	161 175	190 149
204	Leukæmia and aleukæmia ... {M F}	616 531	617 568	661 628	759 660	748 704	806 683	905 798	994 838	984 943	1102 941	1116 1005
	0. Lymphatic leukæmia ... {M F}							322 228	415 312	429 324	443 287	435 314
	1. Myeloid leukæmia ... {M F}							308 311	405 398	398 474	449 462	472 488
	2. Monocytic leukæmia ... {M F}							46 57	96 69	83 62	86 86	100 96
	3. Acute leukæmia, un- specified type... {M F}							133 114	43 35	45 48	91 73	78 77
	4. Other and unspecified leukæmia ... .. {M F}							96 88	35 24	29 35	33 33	31 30

† 174. Enquiries made from 1950 onwards.

\* 199 includes 197 for these years.

¶ 200. Lymphosarcoma and reticulosarcoma of sites other than lymph glands, spleen and mediastinum are included in 140-199 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.				1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
205	Mycosis fungoides ...	...	...	{M F	11 5	8 7	11 7	12 10	7 6	7 8	10 7	9 8	11 4	20 5	11 13
<b>210-229</b>	<b>Benign neoplasm ...</b>	<b>...</b>	<b>...</b>	<b>{M F</b>	<b>331 878</b>	<b>367 758</b>	<b>346 772</b>	<b>347 726</b>	<b>350 719</b>	<b>382 680</b>	<b>371 625</b>	<b>375 689</b>	<b>386 580</b>	<b>346 584</b>	<b>363 555</b>
210	Buccal cavity and pharynx ...	...	...	{M F	12 6	4 2	5 3	6 6	4 6	7 4	3 3	3 3	3 1	3 2	1 1
211	Other parts of digestive system	...	...	{M F	33 36	38 32	36 41	30 39	32 44	37 36	36 34	30 38	28 16	32 18	25 17
212	Respiratory system ...	...	...	{M F	15 12	19 10	12 15	17 18	14 17	30 17	25 10	16 11	9 4	15 9	16 7
213	Breast ...	...	...	{M F	— 3	— 2	— 2	— 1	— 2	1 —	— —	— —	— 1	— 2	— 1
214	Uterine fibromyoma ...	...	...	F	353	282	245	223	178	194	169	174	135	127	117
215	Other benign neoplasm of uterus.	...	...	F	41	22	24	27	16	24	17	16	14	9	13
216	Ovary ...	...	...	F	190	207	198	168	175	126	141	154	120	125	113
217	Other female genital organs ...	...	...	F	12	9	14	7	6	5	8	3	1	4	4
218	Male genital organs ...	...	...	M	1	2	1	1	3	1	4	—	1	2	—
219	Kidney and other urinary organs ...	...	...	{M F	139 39	155 49	150 44	136 51	100 50	123 46	120 28	118 44	121 35	99 31	100 28
220	Benign melanoma of skin ...	...	...	{M F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
221	Pilonidal cyst ...	...	...	{M F	— 1	— —	1 —	— —	1 —	1 —	— —	— 1	— —	— —	— 2
222	Other benign neoplasm of skin	...	...	{M F	1 3	1 2	2 1	— —	— 2	— 2	3 2	— 2	1 —	1 —	— 1
223	Brain and other parts of nervous system ...	...	...	{M F	100 128	98 107	101 140	119 134	130 156	125 148	120 159	133 161	136 164	115 164	141 168
224	Endocrine glands ...	...	...	{M F	8 28	23 19	21 17	21 33	35 32	33 45	23 20	39 44	54 52	48 49	37 46
225	Bone and cartilage ...	...	...	{M F	6 10	9 2	8 6	3 2	8 8	7 10	11 7	13 11	6 14	5 7	18 7
226	Lipoma ...	...	...	{M F	2 2	2 1	— 5	1 4	— 4	— 2	2 4	2 6	3 1	3 6	6 6
227	Other benign neoplasm of muscular and connective tissue	...	...	{M F	— 1	4 1	1 2	— —	2 5	1 7	2 4	7 6	4 7	7 11	6 5
228	Hæmangioma and lymph-angioma ...	...	...	{M F	4 10	3 5	3 9	8 5	15 13	12 9	8 11	12 12	20 12	13 19	11 12
229	Other and unspecified organs and tissues ...	...	...	{M F	10 3	9 6	5 6	5 8	6 5	4 5	13 8	2 3	— 3	3 1	2 7
<b>230-239</b>	<b>Neoplasm of unspecified nature</b>	<b>...</b>	<b>...</b>	<b>{M F</b>	<b>517 462</b>	<b>486 465</b>	<b>528 525</b>	<b>578 497</b>	<b>537 446</b>	<b>552 455</b>	<b>557 421</b>	<b>491 449</b>	<b>513 408</b>	<b>445 341</b>	<b>475 363</b>
230	Digestive organs ...	...	...	{M F	42 36	49 46	32 54	42 56	25 37	24 47	27 31	27 40	30 41	16 37	23 19
231	Respiratory organs ...	...	...	{M F	69 24	54 18	71 14	55 23	53 17	45 9	35 8	47 19	42 18	36 17	36 9
232	Breast ...	...	...	{M F	— 1	— —	— 1	— 1	— 1	— —	— 4	— —	— 2	— —	— —
233	Uterus ...	...	...	F	3	4	3	2	4	1	1	1	1	1	2
234	Ovary ...	...	...	F	3	3	5	7	2	4	4	5	1	2	2
235	Other female genital organs ...	...	...	F	—	1	5	3	3	—	1	—	1	—	—
236	Other genito-urinary organs ...	...	...	{M F	18 13	10 12	12 14	11 7	16 6	9 8	11 2	7 7	8 7	6 7	11 6
237	Brain and other parts of nervous system ...	...	...	{M F	370 355	354 351	391 393	439 368	413 355	449 353	443 340	391 347	405 312	372 260	390 304
238	Skin and musculo-skeletal system ...	...	...	{M F	6 13	9 8	8 9	10 9	9 9	11 10	9 3	7 4	10 3	4 7	6 4
239	Other and unspecified organs ...	...	...	{M F	12 14	10 22	14 27	21 21	21 12	14 23	32 27	12 26	18 22	11 10	9 17



TABLE 7—continued.

Inter- national List No.	Causes of Death.			1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
240-289	III.—ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES			3457 5419	3195 4941	3363 5109	3248 4899	3227 5060	2780 4559	3112 4805	3223 5062	3492 5379	2937 4585	2799 4433
240-245	Allergic disorders	...	... {M F}	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	1683 1426	1625 1465	1851 1719	1412 1239	1371 1359
240	Hay fever	...	... {M F}	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	—	—	2	1	—
241	Asthma...	...	... {M F}							1681 1425	1622 1463	1844 1714	1408 1235	1366 1356
242	Angioneurotic oedema	...	... {M F}	†	†	†	†	†	†	2	2 2	3 4	2 3	4 1
243	Urticaria	...	... {M F}	‡	‡	‡	‡	‡	‡	—	—	—	—	—
244	Allergic eczema	...	... {M F}							1	—	—	—	1
245	Other allergic disorders	...	... {M F}	—	—	—	—	—	—	—	—	2 1	1 1	1 1
250-254	Diseases of thyroid gland	...	... {M F}	138 984	101 830	134 816	113 857	127 915	102 767	117 761	117 804	121 783	104 679	104 525
250	Simple goitre	...	... {M F}	11 70	5 66	15 61	15 66	15 65	16 59	10 40	15 31	5 29	9 18	6 18
251	Nontoxic nodular goitre	...	... {M F}							6 32	8 50	6 34	4 38	6 31
252	Thyrotoxicosis with or without goitre...	...	... {M F}	107 725	84 583	90 572	75 600	75 626	65 559	77 512	61 502	81 478	61 397	65 317
253	Myxœdema and cretinism	...	... {M F}	18 170	11 161	23 174	21 177	33 205	17 132	20 158	28 208	25 227	27 213	22 148
254	Other diseases of thyroid gland	...	... {M F}	2 19	1 20	6 9	2 14	4 19	4 17	4 19	5 13	4 15	3 13	5 11
260	Diabetes mellitus	...	... {M F}	*1519 *2777	*1407 *2643	*1364 *2652	*1257 *2437	*1164 *2364	*1048 *2204	1100 2338	1221 2463	1219 2484	1091 2247	1066 2128
270-277	Diseases of other endocrine glands	...	... {M F}	151 203	133 167	146 190	131 166	134 220	111 181	121 169	140 183	158 226	138 211	136 194
270	Dis'orders of pancr: int: secretion other than diabetes mell:	...	... {M F}	*	*	*	*	*	*	2 4	3 —	8 3	3 3	3 2
271	Diseases of parathyroid gland	...	... {M F}	1 3	1 1	1 4	1 5	2 6	2 10	— 6	4 2	— 5	4 3	3 5
272	Diseases of pituitary gland	...	... {M F}	24 40	13 31	25 39	13 32	15 45	23 40	29 36	37 55	41 71	39 64	30 80
273	Diseases of thymus gland	...	... {M F}	66 45	63 27	51 31	51 27	47 33	36 28	23 7	20 12	30 13	18 7	15 8
274	Diseases of adrenal glands	...	... {M F}	59 115	56 103	66 110	66 95	69 132	48 102	63 102	63 93	58 107	52 106	67 74
275	Ovarian dysfunction	...	F	††	††	††	††	††	††	—	—	—	—	—
276	Testicular dysfunction	...	M	††	††	††	††	††	††	—	1	—	—	—
277	Polyglandular dysfunction and other dis: of endocrine glands	...	... {M F}	1 —	— 5	3 6	— 7	1 4	2 1	4 14	12 21	21 27	22 28	18 25
280-289	Avitaminoses, and other metabolic diseases	...	... {M F}	113 106	120 103	138 118	123 122	132 131	102 143	91 111	120 147	143 167	192 209	122 227
280	Beriberi	...	... {M F}	3 1	1 1	1 2	— —	1 —	1 3	1 2	2 2	3 —	— —	— 3
281	Pellagra...	...	... {M F}	5 2	— 7	2 4	1 2	2 1	1 3	— 2	2 —	— 2	1 3	1 4
282	Scurvy	...	... {M F}	8 9	3 5	2 3	5 2	5 4	3 3	6 1	8 2	2 1	2 2	5 2
283	Active rickets	...	... {M F}	18 13	29 5	20 7	10 6	5 11	2 5	3 4	— 5	1 3	2 1	— —
284	Late effects of rickets	...	... {M F}							—	1	—	4 1	— 1

- † 242. Included in 517 and 716 for these years.  
 ‡ 243, 244. Included in 716 for these years.  
 \* 260 includes 270 and 789.6 (Glycosuria) for these years.  
 †† 275. Included in 625 for these years.  
 ‡‡ 276. Included in 617 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
285	Osteomalacia ... {M F	\$2 \$7	\$5 \$13	\$4 \$8	\$3 \$8	\$5 \$9	\$7 \$12	4 10	— —	2 3	1 4	— 4
286	Other avitaminoses and nut- ritional deficiency states ... {M F	40 38	27 40	48 47	39 57	40 31	26 43	27 30	37 31	46 43	64 61	36 58
287	Obesity, not specified as of en- docrine origin ... {M F	4 18	6 15	9 29	14 23	11 51	18 48	4 24	15 60	30 79	34 76	30 100
288	Gout ... {M F	25 7	30 5	34 3	23 6	34 5	21 4	14 4	11 7	23 2	21 5	10 3
289	Other metabolic diseases ... {M F	8 11	19 12	18 15	28 18	29 19	23 22	32 34	45 39	34 34	63 56	40 52
290-299	IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS {M F	1245 1946	1131 1797	1243 2016	908 1646	1015 1614	892 1426	870 1475	803 1521	843 1466	819 1367	751 1226
290	Pernicious and other hyper- chromic anæmias ... {M F	799 1345	731 1203	824 1391	530 1020	569 1004	469 816	441 844	412 836	380 783	322 661	282 587
	0. Pernicious anæmia ... {M F							409 780	346 751	333 703	282 584	246 519
	1. Subacute combined degen- eration of spinal cord ... {M F	786 1330	724 1183	808 1377	518 1007	557 988	454 798	25 43	43 58	32 53	33 48	27 39
	2. Other hyperchromic anæmias ... {M F	13 15	7 20	16 14	12 13	12 16	15 18	7 21	23 27	15 27	7 29	9 29
291	Iron deficiency anæmias (hypochromic anæmias) ... {M F	24 50	13 59	25 85	25 75	27 85	27 99	35 90	48 137	41 160	61 147	59 157
292	Other anæmias of specified type {M F	116 166	116 151	114 183	111 166	156 182	160 176	140 185	131 208	153 182	181 232	191 202
	4. Aplastic anæmia ... {M F	84 121	80 120	82 144	85 117	116 131	121 115	103 121	100 140	111 126	137 175	145 147
	0-3, 5-7. Other ... {M F	32 45	36 31	32 39	26 49	40 51	39 61	37 64	31 68	42 56	44 57	46 55
293	Anæmia of unspecified type ... {M F	42 112	39 94	38 81	37 90	35 78	31 69	55 110	43 106	61 78	39 108	48 78
294	Polycythæmia ... {M F	25 15	28 21	22 15	27 26	33 26	19 16	27 24	22 32	31 28	35 25	34 18
295	Hæmophilia ... {M F	31 1	33 1	25 —	22 —	31 —	17 —	18 —	14 —	23 —	19 1	13 —
296	Purpura and other hæmorr- hagic conditions ... {M F	83 90	78 114	81 97	63 89	60 111	77 93	62 73	56 72	70 100	74 88	66 92
297	Agranulocytosis ... {M F	14 26	16 21	19 25	10 15	18 8	11 22	11 26	9 28	24 29	17 26	6 21
298	Diseases of spleen ... {M F	109 140	76 131	95 139	82 163	84 120	78 135	79 120	62 96	55 103	66 76	48 67
299	Other diseases of blood and blood-forming organs ... {M F	2 1	1 2	— —	1 2	2 —	3 —	2 3	6 6	5 3	5 3	4 4
300-326	V.—MENTAL, PSYCHO- NEUROTIC & PERSON- ALITY DISORDERS {M F	614 869	651 939	545 908	543 799	527 862	465 695	451 710	479 797	521 815	476 675	415 708
300-309	Psychoses ... {M F	463 744	485 803	400 778	374 674	363 702	312 548	329 553	314 645	372 641	344 527	306 575
300	Schizophrenic disorders (de- mentia præcox) ... {M F	47 33	37 33	41 28	30 47	48 44	20 32	27 33	27 41	35 44	39 31	25 37
301	Manic-depressive reaction ... {M F							48 80	39 83	30 62	20 53	26 36
302	Involitional melancholia ... {M F	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	1 10	2 1	2 6	5 4	3 8
303	Paranoia and paranoid states... {M F							1 2	2 1	2 3	1 1	— —
304	Senile psychosis ... {M F							214 379	202 453	261 458	220 381	204 416
305	Presenile psychosis ... {M F	292 504	302 533	224 515	235 424	207 439	192 338	14 19	25 29	21 33	35 29	29 37
307	Alcoholic psychosis ... {M F	7 1	6 2	5 2	4 1	2 3	4 2	— —	5 1	5 3	1 2	3 3
309	Other and unspecified psy- choses ... {M F	‡117 ‡206	‡140 ‡235	‡130 ‡233	‡105 ‡202	‡106 ‡216	‡96 ‡176	22 30	12 36	16 32	23 26	16 38

§ 285 includes osteoporosis from 733 for these years.

‡ 309 includes 301-303 and 310-321 for these years.



TABLE 7—continued.

International Classification No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
10-318	Psychoneurotic disorders ... {M F}							13 34	15 52	15 52	15 37	11 43
310	Anxiety reaction without mention of somatic symp- {M F}							1 1	— 3	— 1	3 1	— 4
311	Hysterical reaction without mention of anxiety reaction {M F}							3 21	6 31	6 39	7 26	5 29
312	Phobic reaction ... {M F}							— —	— —	— —	— —	— —
313	Obsessive-compulsive reaction {M F}							1 3	2 1	— —	— 3	— —
314	Neurotic-depressive reaction... {M F}	†	†	†	†	†	†	— 2	— —	— 3	— 3	— 2
315	Psychoneurosis with somatic symptoms (somatization re- {M F}							— —	1 2	— —	— 1	1 1
316	Psychoneurosis with somatic symptoms (somatization re- {M F}							1 2	2 2	2 1	— 1	— 2
317	Psychoneurosis with somatic symptoms (somatization re- {M F}							1 —	1 1	3 1	1 —	— 1
318	Psychoneurotic disorders, others mixed and unspec'd: {M F}							6 5	3 12	4 7	4 2	3 6
20-326	Disorders of character, be- {M F}	151 125	166 136	145 130	169 125	164 160	153 147	109 123	150 100	134 122	117 111	98 90
320	Pathological personality ... {M F}							— —	1 —	— —	— 1	— 1
321	Immature personality... {M F}	†	†	†	†	†	†	— —	— —	— —	— —	— —
322	Alcoholism ... {M F}							24 24	33 16	33 18	21 23	24 13
	0. Acute ... {M F}							8 3	6 2	5 —	3 2	5 1
	1. Chronic ... {M F}	41 13	36 12	30 10	35 9	38 16	28 12	11 21	20 12	23 15	16 19	14 6
	2. Unspecified ... {M F}							5 —	7 2	5 3	2 2	5 6
323	Other drug addiction... {M F}	2 —	2 —	2 1	2 1	4 4	4 5	3 1	1 1	2 11	10 4	2 3
324	Primary childhood behaviour {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
325	Mental deficiency ... {M F}							82 98	115 83	99 93	86 83	72 73
326	Other and unspec: character, {M F}	108 112	128 124	113 119	132 115	122 140	121 130	— —	— —	— —	— —	— —
30-398	VI.—DISEASES OF THE {M F}	24864 31647	25804 32568	26200 33413	26734 34942	28703 37270	25787 34597	28371 37917	30402 40707	32024 42617	31958 43067	31488 42234
30-334	Vascular lesions affecting {M F}	21959 28085	22102 29037	22671 29886	23249 31640	25178 33786	22912 31613	25270 34781	27175 37528	29003 39443	29158 40230	28762 39307
330	Subarachnoid hæmorrhage ... {M F}							536 780	670 1006	831 1231	1014 1633	1058 1618
331	Cerebral hæmorrhage ... {M F}	12814 17712	13432 18073	13638 18391	13861 19449	14326 20000	12935 18611	13289 18983	13642 19587	13752 19507	13122 18784	12831 18274
332	Cerebral embolism and throm- {M F}	*7061 *9003	*7409 *9615	*7793 *10107	*8093 *10712	*9454 *12234	*8703 *11562	10061 13398	11510 15331	12682 16520	13072 17413	12916 17025
333	Spasm of cerebral arteries ... {M F}							— 2	2 —	1 1	2 —	2 2
334	Other and ill-defined vascular {M F}	1194 1370	1261 1349	1240 1388	1295 1479	1398 1552	1274 1440	1384 1618	1351 1604	1737 2184	1948 2400	1955 2388
0-345	Inflammatory diseases of central {M F}	982 939	978 949	902 943	885 769	851 885	707 753	801 770	781 781	754 869	668 735	683 808

{ 310-318 } See 309.

\* 332 includes 341 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
340	Meningitis, except meningo- coccal and tuberculous ... {M F}							276 204	236 172	227 168	197 145	23 18
	0. H. influenzae ... {M F}							38 27	27 22	27 15	24 15	2 1
	1. Pneumococcus ... {M F}	††365 ††287	††379 ††271	††316 ††255	††298 ††180	††306 ††232	††249 ††172	106 87	101 66	115 68	91 64	10 8
	2. Due to other specified organism... {M F}							35 22	35 23	30 29	24 16	4 4
	3. Unspecified cause ... {M F}							97 68	73 61	55 56	58 50	5 4
341	Phlebitis and thrombophlebitis of intercranial venous sinuses {M F}	**	**	**	**	**	**	5 2	14 19	12 6	12 11	1 1
342	Intracranial and intraspinal abscess ... {M F}	76 48	91 58	84 48	80 38	76 43	79 37	77 38	81 37	63 38	52 38	5 2
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious). {M F}	138 119	114 130	114 129	120 91	108 112	82 102	100 103	106 75	78 72	69 55	6 4
344	Late effects of intracranial ab- scess or pyogenic infection... {M F}	24 16	23 16	25 14	25 14	28 20	20 15	24 19	20 21	22 27	26 19	4 2
345	Multiple sclerosis ... {M F}	379 469	371 474	363 497	362 446	333 478	277 427	319 404	324 457	352 558	312 467	28 51
350-357	Other diseases of central nervous system ... {M F}	2081 2114	2046 2085	2020 2134	2037 2104	2056 2177	1723 1880	1879 2074	2055 2138	1915 2075	1843 1901	174 191
350	Paralysis agitans ... {M F}	585 586	600 642	643 739	623 688	629 739	509 688	614 803	633 813	711 896	665 864	65 82
351	Cerebral spastic infantile paralysis ... {M F}	61 47	59 35	51 40	52 44	66 46	40 39	53 33	60 47	71 54	56 48	5 4
352	Other cerebral paralysis ... {M F}	272 467	287 427	265 407	269 419	260 416	251 383	269 420	430 475	231 369	236 247	19 26
353	Epilepsy ... {M F}	746 624	658 647	628 597	659 580	654 578	511 460	483 440	472 443	467 436	456 408	40 41
354	Migraine ... {M F}							2 —	1 —	— —	1 —	— —
355	Other diseases of brain ... {M F}	96 116	85 100	80 114	90 123	94 118	65 90	87 102	82 110	85 94	70 89	9 10
356	Motor neurone disease and muscular atrophy ... {M F}							335 251	315 217	300 189	318 202	30 21
	0. Progressive muscular atrophy ... {M F}							254 184	211 157	214 137	208 148	22 14
	1. Amyotrophic lateral sclerosis ... {M F}	280 238	313 207	315 211	316 221	304 246	324 190	64 50	82 45	59 39	83 37	5 4
	2., 3. Other ... {M F}							17 17	22 15	27 13	27 17	2 3
357	Other diseases of spinal cord... {M F}	41 36	44 27	38 26	28 29	49 34	23 30	36 25	62 33	50 37	41 43	4 3
360-369	Diseases of nerves and peri- pheral ganglia ... {M F}	68 82	60 54	65 62	67 70	118 88	78 71	91 81	83 68	80 48	54 48	5 4
360	Facial paralysis ... {M F}							4 4	— 8	— 2	— 7	— —
361	Trigeminal neuralgia ... {M F}							4 4	1 8	4 2	3 7	— —
362	Brachial neuritis ... {M F}	†48 †53	†32 †32	†41 †38	†48 †41	†60 †43	†34 †44	— —	— —	— —	— —	— —
363	Sciatica ... {M F}							2 6	— 1	4 5	— 2	— —
364	Polyneuritis and polyradiculitis {M F}							42 22	33 23	30 13	22 18	2 1
365	Erythrædema polyneuritica... {M F}	20 29	28 22	24 24	19 29	58 45	44 27	36 30	34 23	34 19	15 13	1 1

†† 340. See 480-483.

\*\* 341. See 332.

† 360-364 includes 366-369 for these years.



TABLE 7—continued.

International ist No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
366	Other and unspecified forms of {M neuralgia and neuritis ... {F							6 12	15 10	7 7	13 6	7 4
367	Other diseases of cranial nerves {M ... {F	†	†	†	†	†	†	— 1	— 2	— 1	— 1	—
368	Other diseases of peripheral {M nerves except autonomic ... {F							— 1	— 1	— 2	1 1	—
369	Diseases of peripheral auto- {M nomic nervous system ... {F							1 1	— —	— —	— —	—
370-379	Inflammatory diseases of eye ... {M ... {F	15 10	20 17	8 5	12 11	7 8	5 7	10 16	5 8	8 9	7 5	1 9
370	Conjunctivitis and ophthalmia {M ... {F	3 —	3 —	— —	1 —	— —	— 1	2 2	— —	1 2	2 —	— 4
371	Blepharitis ... {M ... {F	— —	— 1	— —	— —	— —	— —	— 1	— —	— 1	— —	—
372	Hordeolum (stye) ... {M ... {F	— —	— 1	— 1	1 1	1 2	1 —	— —	— 2	— —	2 1	— 1
373	Iritis ... {M ... {F	1 —	— 1	— —	— —	— —	— —	— 1	1 —	1 —	— —	—
374	Keratitis ... {M ... {F	— —	— —	— —	— —	— —	— —	— 1	— 1	— 1	— —	—
375	Choroiditis ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	—
376	Other inflammation of uveal {M tract ... {F	1 2	3 3	1 1	2 3	2 —	— 1	4 1	— 2	— 1	— 2	— 1
377	Inflammation of optic nerve {M and retina ... {F	1 —	1 —	— —	1 —	— —	— —	1 —	— 1	1 1	1 —	— 1
378	Inflammation of lachrymal {M glands and ducts ... {F	1 1	1 —	2 1	1 —	— —	1 —	1 3	1 —	1 —	— 1	— 1
379	Other inflammatory diseases of {M eye ... {F	8 7	12 11	5 2	6 7	4 6	3 5	2 7	3 2	2 3	2 1	1 1
380-389	Other diseases and conditions of {M eye ... {F	8 18	10 21	9 18	9 26	7 18	13 20	9 14	14 16	7 18	9 30	17 37
380	Refractive errors ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
381	Corneal ulcer ... {M ... {F	— —	— 1	— —	2 1	— —	— —	2 —	2 —	1 —	1 —	— 3
382	Corneal opacity ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
383	Pterygium ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
384	Strabismus ... {M ... {F	1 1	1 —	2 2	— 2	3 2	— 1	1 —	2 2	— 1	2 —	1 2
385	Cataract ... {M ... {F	1 6	2 2	4 8	3 10	2 12	5 9	1 8	6 10	2 13	3 16	9 17
386	Detachment of retina ... {M ... {F	1 —	— —	— —	— —	— 1	1 —	— —	1 —	— 1	1 1	— 1
387	Glaucoma ... {M ... {F	3 10	6 14	1 5	2 10	1 1	4 9	2 5	3 4	3 1	— 9	1 6
388	Other diseases of eye ... {M ... {F	2 1	1 2	1 2	2 2	1 2	3 —	1 1	— —	— 1	— 1	2 2
389	Blindness ... {M ... {F	— —	— 2	1 1	— 1	— —	— 1	2 —	— —	1 1	2 3	3 6
390-398	Diseases of ear and mastoid {M process ... {F	641 399	588 405	525 365	475 322	486 308	349 253	311 181	289 168	257 155	219 118	224 112
390	Otitis externa ... {M ... {F							— —	— 1	— —	1 —	1 —
391	Otitis media without mention {M of mastoiditis ... {F	*359 *245	*325 *199	*289 *192	*287 *185	*273 *183	*234 *181	229 129	207 122	186 124	156 93	172 88
392	Otitis media with mastoiditis... {M ... {F							18 8	15 15	21 4	20 6	12 8
393	Mastoiditis without mention of {M otitis media ... {F	282 154	263 206	236 173	188 137	213 125	115 72	56 42	60 28	41 23	36 16	38 14

† 366-369. See 360-364.

\* 390, 391 includes 394-398 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
394	Other inflammatory diseases of ear ... {M F}							2 —	1 —	1 1	1 —	—
395	Ménière's disease ... {M F}							2 —	1 1	1 2	— 1	—
396	Other diseases of ear and mastoid process ... {M F}	*	*	*	*	*	*	4 2	5 1	7 1	5 2	—
397	Deaf mutism ... {M F}							— —	— —	— —	— —	—
398	Other deafness... {M F}							— —	— —	— —	— —	—
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM {M F}	68528 71378	71691 72060	72827 75350	76715 78470	84729 83808	79023 78816	89013 91608	92677 93883	97891 99342	92556 90394	9145 9076
400-402	Rheumatic fever ... {M F}	406 623	446 556	416 521	360 415	350 427	363 449	312 391	259 310	164 214	144 184	14 16
400	Rheum: fever without mention of heart involvement ... {M F}	31 45	40 32	31 29	20 19	23 14	33 26	24 23	21 15	5 11	7 18	—
401	Rheumatic fever with heart involvement ... {M F}	362 542	394 499	376 460	326 366	318 391	324 405	284 355	227 259	150 169	128 140	12 13
	0. Active rheumatic pericarditis ... {M F}	56 45	62 60	65 51	67 39	52 42	65 44	60 39	36 38	35 28	33 39	—
	1. Acute rheumatic endocarditis ... {M F}	107 153	116 134	105 113	77 86	85 96	84 100	67 80	42 46	41 43	37 45	—
	2. Active rheumatic myocarditis ... {M F}	29 56	31 37	31 47	26 33	25 43	21 39	11 26	10 15	5 9	10 5	—
	3. Active rheum: fever with other and multiple types of heart involvement. {M F}	170 288	185 268	175 249	156 208	156 210	154 222	146 210	139 160	69 89	48 51	—
402	Chorea ... {M F}							4 13	11 36	9 34	9 26	—
	0. Without mention of heart involvement ... {M F}	13 36	12 25	9 32	14 30	9 22	6 18	1 7	3 17	6 31	7 22	—
	1. With heart involvement... {M F}							3 6	8 19	3 3	2 4	—
410-416	Chronic rheumatic heart disease {M F}	3929 6320	4207 6260	4041 6214	3868 5989	3991 6025	3680 5745	3733 6075	4251 6940	4076 6777	3469 5637	33 55
410	Diseases of mitral valve ... {M F}	2974 4953	3160 4930	3016 4874	2757 4677	2944 4748	2679 4488	2726 4815	2843 5083	2736 4955	2385 4371	22 42
411	Diseases of aortic valve specified as rheumatic ... {M F}	176 109	187 112	191 118	203 105	189 103	182 108	198 114	272 109	290 133	305 128	2 1
412	Diseases of tricuspid valve ... {M F}							6 4	3 5	3 4	3 4	—
413	Diseases of pulmonary valve specified as rheumatic ... {M F}	381 618	410 631	417 666	436 591	409 578	394 599	— —	2 —	— 2	— —	—
414	Other endocarditis specified as rheumatic† ... {M F}							419 629	650 1049	555 907	317 499	2 4
415	Other myocarditis specified as rheumatic ... {M F}	258 456	302 409	267 385	298 413	251 356	217 299	174 256	192 281	147 259	125 173	1 1
416	Other heart disease specified as rheumatic ... {M F}	140 184	148 178	150 171	174 203	198 240	208 251	210 257	289 413	345 517	334 462	3 4
420-422	Arteriosclerotic and degenerative heart disease ... {M F}	50719 50435	53173 51207	54536 54025	57697 56401	64058 60421	59669 56413	67769 66014	69142 65786	72950 69778	69809 63418	687 631
420	Arteriosclerotic heart disease, incl: coronary disease ... {M F}	15579 8510	17237 9172	18661 10126	21019 11468	24409 12984	25740 14590	29902 17226	34708 20047	36965 21344	38997 22432	389 227
	0. Arteriosclerotic heart disease, so described... {M F}							99 74	93 104	164 164	174 155	2 1
	1. Heart dis: spec'd: as involving coronary arteries {M F}	13993 7770	15606 8350	17070 9359	19513 10719	22993 12278	24506 13913	28574 16462	33611 19378	35955 20678	38163 21889	382 222
	2. Angina pectoris without mention of coronary dis: {M F}	1586 740	1631 822	1591 767	1506 749	1416 706	1234 677	1229 690	1004 565	846 502	660 388	—
421	Chronic endocarditis not specified as rheumatic ... {M F}	3296 3215	3237 3200	2988 2996	2786 2704	2584 2520	2169 2160	2313 2142	1520 1215	1298 1023	1506 1386	14 13

\* 394-398. See 390, 391.

† 414. See note to title of 421.4



TABLE 7—continued.

International t No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	0. Of mitral valve, specified as non-rheumatic ... {M F	\$	\$	\$	\$	\$	\$	6 7	30 25	14 22	77 87	57 88
	1. Of aortic valve, not specified as rheumatic ... {M F	1213 647	1133 617	1078 561	1043 573	1027 533	891 526	1028 555	979 590	929 557	914 527	940 565
	2. Of tricuspid valve, spec'd: as non-rheumatic... {M F							— —	3 —	3 2	— 3	1 2
	3. Of pulmonary valve, not specified as rheumatic ... {M F	\$2083 \$2568	\$2104 \$2583	\$1910 \$2435	\$1743 \$2131	\$1557 \$1987	\$1278 \$1634	1 —	— —	3 2	1 3	2 1
	4. Other and ill-defined, not specified as rheumatic¶ ... {M F							1278 1580	508 600	349 440	514 766	453 660
422	Other myocardial degeneration {M F	31844 38710	32699 38835	32887 40903	33892 42229	37065 44917	31760 39663	35554 46646	32914 44524	34687 47411	29306 39600	27832 39084
	0. Fatty degeneration ... {M F	370 609	386 558	306 522	296 486	291 433	226 373	225 470	215 386	207 308	120 230	116 225
	1. With arteriosclerosis ... {M F	8552 9114	9033 9550	9461 10427	10293 11493	11721 12836	10626 11954	12030 14545	12271 15097	13324 16670	11720 14685	11355 14878
	2. Other ... {M F	22922 28987	23280 28727	23120 29954	23303 30250	25053 31648	20908 27336	23299 31631	20428 29041	21156 30433	17466 24685	16361 23981
0-434	Other diseases of heart ... {M F	2534 3046	2400 2920	2293 2906	2230 2863	2327 2899	2041 2668	2443 2974	2592 3068	3346 3749	3270 3673	3588 3942
430	Acute and subacute endocarditis ... {M F	463 494	398 440	346 323	293 277	312 250	291 222	255 215	232 167	212 158	182 133	199 140
431	Acute myocarditis not specified as rheumatic ... {M F	87 110	73 87	96 94	87 104	102 130	104 110	96 128	107 96	98 103	77 77	84 83
432	Acute pericarditis specified as non-rheumatic ... {M F	12 22	14 28	17 17	15 20	14 23	16 23	19 25	18 12	15 5	11 18	14 11
433	Functional disease of heart ... {M F	979 1467	947 1473	885 1566	1031 1663	1101 1690	982 1588	1130 1733	979 1631	1201 1874	1133 1755	1164 1740
434	Other and unspecified diseases of heart* ... {M F	993 953	968 892	949 906	804 799	798 806	648 725	943 873	1256 1162	1820 1609	1867 1690	2127 1968
0-447	Hypertensive disease* ... {M F	5521 5425	5730 5616	5869 5852	6486 6436	7361 7338	7151 7241	8011 8746	9423 10234	10024 10921	9006 9970	9237 10186
440	Essential benign hypertension with heart disease* ... {M F							9 13	125 138	127 123	82 86	80 107
441	Essential malignant hypertension with heart disease*... {M F							32 32	142 118	174 129	93 64	104 55
442	Hypertensive heart dis: with arteriolar nephrosclerosis*... {M F	284 298	276 296	280 301	304 312	317 331	281 282	282 305	255 310	328 366	162 196	172 183
443	Other and unspecified hypertensive heart disease* ... {M F	**2522 **2524	**2669 **2649	**2766 **2838	**3045 **3150	**3511 **3591	**3360 **3510	3843 4310	6856 7670	7390 8303	4744 5567	4860 5739
444	Essential benign hypertension without mention of heart*... {M F							2021 2290	692 831	721 822	2108 2308	2088 2368
445	Essential malignant hypertension without mention of heart*. {M F	†2072 †1978	†2164 †2051	†2191 †2083	†2450 †2324	†2819 †2724	†2877 †2861	310 223	283 171	262 186	349 215	414 204
446	Hypertension with arteriolar nephrosclerosis without mention of heart* {M F	643 625	621 620	632 630	687 650	714 692	633 588	629 638	626 571	576 546	536 516	582 507
447	Other hypertensive disease without mention of heart*... {M F	† †	† †	† †	† †	† †	† †	885 935	444 425	446 446	932 1018	937 1023
0-456	Diseases of arteries ... {M F	4992 4867	5234 4842	5228 5116	5565 5549	6122 5888	5550 5455	6040 6360	6208 6368	6545 6819	6103 6346	6091 6508
450	General arteriosclerosis ... {M F							5325 5617	5701 5891	6038 6366	5320 5701	5237 5862
	0. Without mention of gangrene¶ ... {M F	4436 4219	4607 4181	4582 4505	4922 4925	5463 5216	4870 4785	4794 5209	5062 5357	5343 5799	4708 5194	4657 5366
	1. With gangrene ... {M F							531 408	639 534	695 567	612 507	580 496
451	Aortic aneurysm spec'd: as non-syph.; and dissecting aneurysm. {M F	259 316	263 328	264 276	294 328	321 330	340 351	173 189	212 204	234 231	550 456	594 426
452	Other aneurysm, except of heart and aorta* ... {M F							182 214	85 100	33 29	28 28	41 31

421.2-421.4 includes 421.0 for these years.

421.4. From 1950, inquiry was made at all ages (instead of at ages under 45 only) regarding endocarditis and valvular disease of unspecified cause, with the result that considerable numbers were assigned to 414 and some to 450.0.

444, 445 includes 447 for these years. \*\* 443 includes 440, 441 for these years. ¶ 450.0 See note to title of 421.4

434, 440-447, 452. See note ii at head of table. Certain changes in coding practice were also introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
453	Peripheral vascular disease ... {M F	31 23	46 17	45 24	43 21	48 20	43 20	60 26	52 26	73 23	71 26	
	0. Raynaud's disease ... {M F	3 15	7 10	5 13	8 12	4 10	3 7	4 10	6 12	4 13	5 9	
	1. Thrombo-angiitis obliterans ... {M F							55 14	41 10	52 6	51 11	
	2., 3. Other ... {M F	28 8	39 7	40 11	35 9	44 10	40 13	1 2	5 4	17 4	15 6	
454	Arterial embolism and throm- {M bosis ... {F	11 20	16 19	23 25	20 19	23 26	15 26	18 34	38 42	51 57	31 23	
455	Gangrene of unspecified cause* {M F	234 249	279 249	278 240	266 210	239 252	244 213	206 203	47 40	27 38	17 20	
456	Other diseases of arteries ... {M F	21 40	23 48	36 46	20 46	28 44	38 60	76 77	73 65	89 75	86 92	
460-468	Diseases of veins and other dis- {M eases of circulatory system... {F	427 662	501 659	444 716	509 817	520 810	569 845	705 1048	802 1177	786 1084	755 1166	
460	Varicose veins of lower ex- {M tremities ... {F							73 212	83 235	79 225	74 218	
461	Hæmorrhoids ... {M F	122 251	116 244	128 251	110 245	88 249	88 229	15 16	21 13	13 10	21 10	
462	Varicose veins of other speci- {M fied sites ... {F							23 23	17 19	27 14	18 21	
463	Phlebitis and thrombophlebitis {M of lower extremities* {F	**	**	**	**	**	**	87 160	147 288	119 217	138 224	
464	Phlebitis and thrombophlebitis {M of other sites* {F	**	**	**	**	**	**	55 81	14 24	23 21	10 17	
465	Pulmonary embolism and in- {M farction ... {F	112 130	166 131	123 143	176 205	223 215	228 234	284 312	308 333	335 324	316 360	
466	Other venous embolism and {M thrombosis ... {F	**145 **232	**177 **239	**159 **294	**186 **331	**182 **311	**218 **352	142 209	163 227	144 239	150 284	
467	Other diseases of circulatory {M system ... {F	11 14	11 15	12 8	10 12	4 10	18 9	12 18	36 31	39 29	21 26	
468	Certain diseases of lymph {M nodes and lymph channels... {F	††37 ††35	††31 ††30	††22 ††20	††27 ††24	††23 ††25	††17 ††21	14 17	13 7	7 5	7 6	
470-527	VIII.—DISEASES OF THE {M RESPIRATORY SYSTEM {F	38777 32553	31206 22132	31564 22942	31642 23951	34798 24746	27928 18281	33823 25598	31781 22715	45234 35320	31530 20672	36 25
470-475	Acute upper respiratory in- {M fections ... {F	142 101	132 101	113 81	96 68	94 60	82 56	102 75	127 146	124 137	81 81	
470	Acute nasopharyngitis {M (common cold) ... {F	13 8	13 9	11 7	10 6	9 6	6 6	6 7	22 47	33 48	10 15	
471	Acute sinusitis... {M F	15 6	13 5	11 4	9 4	10 4	8 4	8 3	4 6	1 4	1 4	
472	Acute pharyngitis ... {M F	21 16	20 18	17 14	20 11	15 11	10 6	9 10	14 14	14 9	7 11	
473	Acute tonsillitis ... {M F	78 58	73 57	63 45	48 38	50 31	50 30	32 30	35 32	22 29	21 27	
474	Acute laryngitis and tracheitis {M F	§ §	§ §	§ §	§ §	§ §	§ §	39 18	28 23	32 23	29 12	
475	Acute upper resp: infection of {M multiple or unspecified sites {F	15 13	13 12	11 11	9 9	10 8	8 10	8 7	24 24	22 24	13 12	
480-483	Influenza ... {M F	§§5867 §§6709	§§2018 §§1858	§§1390 §§1279	§§2460 §§2812	§§1700 §§1603	§§674 §§564	2630 2962	1862 2040	7393 8416	879 871	29 36
480	Influenza with pneumonia ... {M F	§§2754 §§2793	§§915 §§756	§§633 §§483	§§1161 §§1241	§§788 §§654	§§313 §§234	1209 1282	941 922	3708 4046	449 429	14 17
481	'Flu: with other resp: manifes- {M tations, and 'flu: unqualified {F							1387 1634	882 1071	3638 4310	404 417	14 17
	A. Without mention of re- {M spiratory complications {F							? ?	479 632	1550 2088	212 230	
	B. With mention of respir- {M atory complications ... {F	§§3113 §§3916	§§1103 §§1102	§§757 §§796	§§1299 §§1571	§§912 §§949	§§361 §§330	? ?	403 439	2088 2222	192 187	
482	'Flu: with digestive manifesta- {M tions, but without resp: {F							24 38	30 41	41 49	16 22	
483	'Flu: with nerv: manifestns, {M but without dig: or resp: {F							10 8	9 6	6 11	10 3	

\*\* 466 includes 463, 464 for these years.

†† 468 includes 694, and 782.7 (enlargement of lymph node) for these years.

§474. See 500.

§§ 480-483 includes 340.0 for these years.

\* 455, 463, 464. See note *ii* at head of table.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
<b>490-493</b>	<b>Pneumonia † ... {M F}</b>	<b>12950 10925</b>	<b>10774 8315</b>	<b>10501 8551</b>	<b>10326 8806</b>	<b>11734 9799</b>	<b>9265 7618</b>	<b>10496 9636</b>	<b>9075 8498</b>	<b>11596 10900</b>	<b>9782 8826</b>	<b>10698 10061</b>
490	Lobar pneumonia † ... {M F}	3773 2651	3257 2005	2892 1946	2815 1949	2884 1973	2429 1545	2399 1773	2229 1587	2382 1697	2171 1443	2171 1521
491	Bronchopneumonia † ... {M F}	7917 7280	6438 5475	6680 5853	6588 6147	7928 7146	6111 5503	7255 7135	6139 6345	8321 8459	6889 6723	7760 7901
492	Primary atypical pneumonia † {M F}	1260 994	1079 835	929 752	923 710	922 680	725 570	19 9	55 37	86 58	76 45	59 57
493	Pneumonia, other and un- specified † ... {M F}							823 719	652 529	807 686	646 615	708 582
<b>500-502</b>	<b>Bronchitis ... {M F}</b>	<b>*17031 *13245</b>	<b>*15632 *10471</b>	<b>*16866 *11604</b>	<b>*16132 *10917</b>	<b>*18333 *11866</b>	<b>*15147 *8741</b>	<b>17514 11467</b>	<b>17571 10686</b>	<b>22717 14268</b>	<b>17694 9574</b>	<b>19502 10890</b>
500	Acute bronchitis ... {M F}	*3805 *4479	*3000 *2941	*3211 *3453	*2911 *3183	*3352 *3550	*2195 *2153	2605 3042	1959 2495	2824 3552	1885 2051	2149 2465
501	Bronchitis, unqualified ... {M F}	13226 8766	12632 7530	13655 8151	13221 7734	14981 8316	12952 6588	1732 1697	1377 1298	1669 1722	1117 1097	1241 1162
502	Chronic bronchitis ... {M F}							13177 6728	14235 6893	18224 8994	14692 6426	16112 7263
	0. Bronchitis with emphy- sema ... {M F}							4178 932	4890 1000	6483 1460	6026 1279	6769 1421
	1. Other ... {M F}	2787 1573	2650 1387	2694 1427	2628 1348	2937 1418	2760 1302	8999 5796	9345 5893	11741 7534	8666 5147	9343 5842
<b>510-527</b>	<b>Other diseases of respiratory system ... {M F}</b>							17514 11467	17571 10686	22717 14268	17694 9574	19502 10890
510	Hypertrophy of tonsils and adenoids ... {M F}							4178 932	4890 1000	6483 1460	6026 1279	6769 1421
511	Peritonsillar abscess (quinsy)... {M F}	15 24	17 25	15 21	10 19	11 13	12 13	9 13	6 9	13 7	8 13	7 4
512	Chronic pharyngitis and naso- pharyngitis ... {M F}	84 59	75 56	65 49	51 42	57 38	42 45	— 1	— 2	3 —	2 3	1 4
513	Chronic sinusitis ... {M F}							40 31	45 23	31 13	39 16	38 19
514	Deflected nasal septum ... {M F}	8 5	5 8	9 6	2 5	5 5	5 4	— 1	— 2	— —	— —	— 1
515	Nasal polyp ... {M F}							5 2	4 3	7 4	3 3	3 2
516	Chronic laryngitis ... {M F}	48 36	44 38	38 33	41 27	35 27	36 20	3 —	4 2	1 —	1 1	— 2
517	Other diseases of upper re- spiratory tract ... {M F}							28 22	30 22	25 21	21 14	19 16
518	Empyema ... {M F}	212 88	208 92	182 77	148 62	148 67	125 49	116 40	105 40	81 52	82 56	104 58
519	Pleurisy... {M F}	‡236 ‡163	‡193 ‡125	‡175 ‡151	‡143 ‡116	‡158 ‡108	‡137 ‡107	85 56	83 51	78 47	65 37	57 44
520	Spontaneous pneumothorax... {M F}	8 4	5 2	6 3	2 3	2 2	8 3	11 4	7 1	5 —	6 1	4 2
521	Abscess of lung ... {M F}	100 49	83 44	78 29	89 31	100 35	80 29	58 28	45 24	63 28	46 24	54 28
522	Pulmonary congestion and hypostasis ... {M F}	337 460	284 374	274 391	268 408	297 433	252 389	328 495	262 427	322 483	209 349	158 378
523	Pneumoconiosis due to silica & silicates (occupational) ... {M F}	318 3	337 4	387 5	396 7	441 7	433 5	526 9	559 8	594 4	557 3	573 6
524	Other spec'd: pneumoconiosis & pul: fibr: of occupat'l: {M F}							— 7	— 18	— 10	— 6	— 11
525	Other chronic interstitial pneu- monia ... {M F}	161 73	166 82	151 70	173 62	162 76	185 82	171 78	201 75	188 89	180 87	174 69
526	Bronchiectasis ... {M F}	917 480	900 429	979 473	976 452	1119 488	993 408	1146 530	1143 507	1152 614	1085 487	1117 478
527	Other diseases of lung and pleural cavity ... {M F}	292 69	293 65	297 81	296 83	378 87	415 114	529 127	604 130	814 211	755 207	858 233

\* 500 includes 474 for these years.

‡ 519 includes 003.1 for these years.

† 490-493. See 763 (Pneumonia of Newborn) for Pneumonia deaths at ages under 4 weeks.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
<b>530-587</b>	<b>IX.—DISEASES OF THE DIGESTIVE SYSTEM</b> {M F}	<b>11378 8872</b>	<b>11346 8695</b>	<b>11531 8468</b>	<b>11229 8443</b>	<b>11629 8703</b>	<b>9847 7275</b>	<b>9658 7269</b>	<b>9438 7198</b>	<b>9601 7244</b>	<b>9243 7022</b>	<b>884 698</b>
<b>530-539</b>	Diseases of buccal cavity and œsophagus ... {M F}	<b>146 178</b>	<b>157 139</b>	<b>147 140</b>	<b>133 122</b>	<b>108 112</b>	<b>112 122</b>	<b>131 132</b>	<b>109 165</b>	<b>131 129</b>	<b>111 130</b>	<b>12 11</b>
530	Dental caries ... {M F}							3 6	2 1	2 —	— —	— —
531	Abscesses of supporting structures of teeth ... {M F}							2 2	3 3	1 2	— —	— —
532	Other inflammatory diseases of supporting structures of teeth {M F}							17 4	9 16	14 8	6 8	
533	Disorders of occlusion, eruption, and tooth development* {M F}	72 40	74 29	72 30	55 22	51 18	37 19	5 5	24 24	15 12	23 11	1
534	Toothache from unspecified cause ... {M F}							— —	— —	— —	— —	— —
535	Other diseases of teeth and supporting structures ... {M F}							1 —	— —	1 —	— —	— —
536	Stomatitis ... {M F}							6 9	7 20	10 14	7 9	
537	Diseases of salivary glands ... {M F}	48 103	43 85	49 83	41 57	38 55	29 60	36 46	18 42	17 46	18 46	2 5
538	Other diseases of buccal cavity {M F}							4 6	8 2	9 11	4 4	
539	Diseases of œsophagus ... {M F}	26 35	40 25	26 27	37 43	19 39	46 43	58 53	38 57	63 35	52 52	5 4
<b>540-545</b>	<b>Diseases of stomach and duodenum</b> ... {M F}	<b>4030 1223</b>	<b>4081 1288</b>	<b>4232 1231</b>	<b>4045 1190</b>	<b>3947 1283</b>	<b>3830 1240</b>	<b>3958 1291</b>	<b>4092 1365</b>	<b>4506 1486</b>	<b>4253 1461</b>	<b>398 146</b>
540	Ulcer of stomach ... {M F}							2019 792	2035 843	2086 917	1967 904	181 88
	0. Without mention of perforation ... {M F}	†2314 †701	†2330 †809	†2320 †729	†2242 †765	†2133 †848	†2080 †790	1363 616	1630 634	1466 702	1374 696	131 67
	1. With perforation ... {M F}							656 176	405 209	620 215	593 208	50 20
541	Ulcer of duodenum ... {M F}							1737 310	1847 375	2190 437	2092 421	197 44
	0. Without mention of perforation ... {M F}	1452 255	1510 236	1678 295	1587 225	1621 254	1603 279	1087 197	1170 243	1355 269	1350 251	125 27
	1. With perforation ... {M F}							650 113	677 132	835 168	742 170	72 17
542	Gastrojejunal ulcer ... {M F}							55 16	63 11	59 10	47 7	3
	0. Without mention of perforation ... {M F}	†	†	†	†	†	†	38 12	43 6	42 7	34 4	2
	1. With perforation ... {M F}							17 4	20 5	17 3	13 3	
543	Gastritis and duodenitis ... {M F}	190 212	178 205	166 183	148 170	120 145	87 143	79 128	68 93	76 85	63 98	6 8
544	Disorders of function of stomach ... {M F}							18 19	10 16	11 10	6 13	1
545	Other diseases of stomach and duodenum ... {M F}	†74 †55	†63 †38	†68 †24	†68 †30	†73 †36	†60 †28	50 26	69 27	84 27	78 18	7
<b>550-553</b>	<b>Appendicitis</b> ... {M F}							<b>739 507</b>	<b>744 555</b>	<b>679 493</b>	<b>598 447</b>	<b>55 31</b>
550	Acute appendicitis ... {M F}							644 451	641 469	592 418	517 367	46 30
	0. Without mention of peritonitis ... {M F}							89 56	101 79	89 59	82 46	7 4
	1. With peritonitis ... {M F}	987 899	1027 854	952 751	867 668	855 636	722 535	555 395	540 390	503 359	435 321	39 23
551	Appendicitis, unqualified ... {M F}							91 50	61 59	79 64	79 75	1 5
552	Other appendicitis ... {M F}							3 6	6 6	2 6	2 2	— —
553	Other diseases of appendix ... {M F}							1 —	36 21	6 5	— 3	— —

\* 533. See note // at head of table.

† 540 includes 542 for these years.

‡ 544, 545 includes 784.1-784.3 (nausea and vomiting, pylorospasm and heartburn) for these years.



TABLE 7—continued.

International List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
60-561	Hernia of abdominal cavity ... {M F	1162 1241	986 1120	1031 1081	1163 1203	1021 1188	934 931	842 889	832 866	821 883	822 842	758 821
560	Hernia of abdom'l: cavity with- out mention of obstruction... {M F	238 146	211 136	221 134	248 148	227 149	208 123	191 124	151 138	170 125	186 145	182 147
561	Hernia of abdominal cavity {M with obstruction† ... {F	924 1095	775 984	810 947	915 1055	794 1039	726 808	651 765	681 728	651 758	636 697	576 674
70-578	Other diseases of intestines and peritoneum ... {M F	3886 3637	3983 3650	4055 3601	3914 3547	4517 3865	3112 2816	2764 2676	2345 2290	2139 2267	2005 2203	1991 2197
570	Intestinal obstruction without mention of hernia ... {M F	1035 942	1082 950	931 843	1018 920	1116 985	923 844	827 813	732 663	721 704	766 714	726 685
	0. Intussusception ... {M F	185 125	214 117	190 102	195 118	212 126	167 88	115 68	73 72	85 61	75 45	65 34
	1. Paralytic ileus ... {M F	36 29	21 26	15 23	26 22	20 20	22 20	29 25	26 15	17 18	10 8	23 9
	2. Mesenteric infarction ... {M F	43 32	52 27	52 41	47 36	62 38	49 45	72 67	136 136	166 150	187 174	184 177
	3. Volvulus ... {M F	254 197	263 206	223 179	249 197	273 215	228 184	204 170	193 143	190 149	227 165	188 176
	4. Impaction of intestine... {M F	20 61	20 53	19 51	18 55	20 48	17 47	16 48	35 60	25 77	30 74	29 63
	5. Other ... {M F	497 498	512 521	432 447	483 492	529 538	440 460	391 435	269 237	238 249	237 248	237 226
571	Gastro-ent: and colitis, exc: {M ulcer've: age 4 w'ks: & over {F	*2196 *1792	*2263 *1882	*2475 *1941	*2276 *1782	*2846 *2147	*1567 *1222	1328 1084	922 743	721 644	590 561	546 549
572	Chronic enteritis and ulcer- ative colitis ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	422 583	454 667	434 675	412 674	449 693
	0. Regional enteritis ... {M F	34 35	33 34	43 43	41 38	29 27	26 25	24 24	19 24	20 19	22 20	28 29
	1. Diverticulitis ... {M F	219 245	215 248	222 264	213 278	195 266	236 260	240 283	255 336	247 349	228 330	241 372
	2. Ulcerative colitis ... {M F							143 251	154 273	154 283	149 306	162 269
	3. Other ... {M F	167 350	160 280	167 293	163 292	128 245	158 268	15 25	26 34	13 24	13 18	18 23
573	Functional disorders of in- testines ... {M F							3 7	17 21	15 22	18 20	21 19
574	Anal fissure and fistula ... {M F							2 3	6 1	4 2	1 2	— —
575	Abscess of anal and rectal regions ... {M F	39 22	41 18	37 16	35 20	37 15	31 15	27 12	21 14	26 7	26 15	17 12
576	Peritonitis ... {M F							62 40	54 53	62 52	52 59	68 41
577	Peritoneal adhesion ... {M F	97 107	87 112	82 84	75 84	73 75	81 74	8 14	12 7	13 15	4 9	9 11
578	Other diseases of intestines and peritoneum ... {M F	\$99 \$144	\$102 \$126	\$98 \$117	\$93 \$133	\$93 \$105	\$90 \$108	85 120	127 121	143 146	136 149	155 187
10-587	Diseases of liver, gallbladder, and pancreas ... {M F	1167 1694	1112 1644	1114 1664	1107 1713	1181 1619	1137 1631	1224 1774	1316 1957	1325 1986	1454 1939	1442 2030
580	Acute and subacute yellow at- rophy of liver ... {M F	53 77	41 72	46 84	61 88	69 83	68 85	54 98	52 87	59 85	47 78	56 79
581	Cirrhosis of liver ... {M F	532 311	491 283	504 282	487 304	538 324	506 310	556 362	574 440	615 502	645 479	650 505
582	Suppurative hepatitis and liver abscess ... {M F	14 10	15 12	18 11	25 10	24 10	20 8	24 10	23 14	22 10	23 12	20 13
583	Other diseases of liver... {M F	12 14	15 14	7 19	10 14	15 15	9 16	10 25	28 18	22 23	29 27	25 30
584	Cholelithiasis ... {M F	205 587	208 522	201 550	213 548	199 518	210 511	211 521	245 617	213 583	239 569	239 613
585	Cholecystitis without mention of calculi ... {M F	222 526	206 538	183 502	157 520	176 447	164 453	169 472	178 461	161 454	191 443	206 426

561. See note *ii* at head of table.

571 includes 785.6 (Diarrhœa, age 2 years and over) for these years.

578 includes 785.4, 785.5 and 785.7-785.9 (Flatulence, abdominal pain, incontinence of fæces, melæna (age 1 year and over) and visible peristalsis) for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
586	Other diseases of gallbladder and biliary ducts ... {M F	21 36	20 42	16 43	21 47	18 42	20 47	28 53	29 57	33 67	30 61	4 5
587	Diseases of pancreas ... {M F	108 133	116 161	139 173	133 182	142 180	140 201	172 233	187 263	200 262	250 270	20 30
590-637	X.—DISEASES OF THE GENITO-URINARY SYSTEM											
590-594	Nephritis and nephrosis ... {M F	10945 5587	10763 5474	10562 5264	10445 5197	10226 5161	9456 4623	9602 4512	9627 4788	9247 4567	8657 4167	833 400
590	Acute nephritis ... {M F	3996 4249	3964 4184	3934 4039	3923 4018	3811 3889	3387 3419	3400 3321	3431 3443	3245 3272	2994 2879	280 262
591	Nephritis with œdema, including nephrosis ... {M F	245 248	274 237	261 239	243 202	231 192	208 177	178 147	194 157	162 142	128 95	13 9
592	Chronic nephritis ... {M F	3239 3497	3211 3473	3200 3363	3230 3400	3132 3298	2808 2879	2883 2820	2815 2898	2625 2744	2416 2397	223 220
593	Nephritis not specified as acute or chronic* ... {M F	‡327 ‡322	‡289 ‡299	‡282 ‡263	‡259 ‡258	‡260 ‡248	‡202 ‡220	210 208	159 137	231 182	234 215	22 18
594	Other renal sclerosis ... {M F	37 24	35 24	36 23	39 24	40 25	35 21	— 29	27 20	19 12	17 24	1 1
600-609	Other diseases of urinary system {M F	1314 930	1271 890	1197 868	1167 856	1240 940	1157 883	1117 911	1181 1052	1222 1017	1159 1018	124 108
600	Infections of kidney ... {M F	429 496	415 436	418 457	378 452	494 505	397 513	421 514	464 590	501 573	498 582	55 63
601	Hydronephrosis ... {M F	61 43	59 62	45 50	47 53	67 46	54 54	62 51	80 62	91 78	79 70	7 6
602	Calculi of kidney and ureter ... {M F	159 165	145 145	154 142	184 149	136 153	153 132	135 119	140 129	167 126	149 138	15 14
603	Other diseases of kidney and ureter... {M F	8 9	10 11	6 10	12 4	11 20	9 9	29 18	27 31	23 29	36 40	4 3
604	Calculi of other parts of urinary system ... {M F	59 7	63 14	74 8	59 5	52 13	54 9	30 6	49 14	38 8	36 5	4 —
605	Cystitis ... {M F	271 199	275 203	231 183	235 168	226 182	242 145	217 177	194 188	179 167	168 154	17 16
606	Other diseases of bladder ... {M F	39 10	53 15	59 16	50 18	51 15	60 15	54 19	63 24	83 24	54 15	8 2
607	Urethritis (nonvenereal) ... {M F	† —	† —	† —	† —	† —	† —	— 1	2 1	1 1	2 —	— —
608	Stricture of urethra ... {M F	255 1	226 1	195 1	188 3	187 3	170 —	161 3	131 1	117 3	114 2	9 —
609	Other diseases of urethra ... {M F	†33 †—	†25 †3	†15 †1	†14 †4	†16 †3	†18 †6	8 3	31 12	22 8	23 12	2 —
610-617	Diseases of male genital organs M	5635	5528	5431	5355	5175	4912	5085	5015	4780	4504	42
610	Hyperplasia of prostate ... M	**5394	**5286	**5198	**5149	**4976	**4764	**4932	4762	4553	4351	41
611	Prostatitis ... M	**182	**188	**189	**157	**158	**106	110	124	120	99	
612	Other diseases of prostate* ... M							**13	94	89	22	
613	Hydrocele ... M	8	11	3	11	7	7	3	9	3	6	
614	Orchitis and epididymitis ... M	19	16	13	7	12	10	2	1	5	2	
615	Redundant prepuce and phimosi	23	20	25	29	18	18	17	9	2	11	
616	Sterility, male ... M	—	—	—	—	—	—	—	—	—	—	
617	Other diseases of male genital organs M	††9	††7	††3	††2	††4	††7	8	16	8	13	
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium.	156	165	133	95	107	90	81	64	60	58	
620	Chronic cystic disease of breast F	8	15	6	3	5	7	1	—	—	1	
621	Other diseases of breast ... F							4	—	2	4	
622	Acute salpingitis and oophoritis F	121	123	92	68	78	66	7	8	3	3	
623	Chronic salpingitis and oophoritis ... F							4	—	3	4	
624	Salpingitis and oophoritis, unqualified F							47	36	32	34	

\* 593, 612. See note *ii* at head of table.

‡ 593 includes 789.0 (Albuminuria, unqualified) for these years.

† 609 includes 607 for these years

†† 617 includes 276 for these years.

\*\* 610 includes 612A (Prostatectomy N.O.S.) for years up to 1949 inclusive.



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
625	Other diseases of ovary and Fallopian tube	†6	†8	†10	†5	†8	†6	3	8	6	4	7
626	Diseases of parametrium and pelvic peritoneum (female)	21	19	25	19	16	11	15	12	14	8	17
<b>630-637</b>	Diseases of uterus and other female genital organs	<b>252</b>	<b>235</b>	<b>224</b>	<b>228</b>	<b>225</b>	<b>231</b>	<b>199</b>	<b>229</b>	<b>218</b>	<b>212</b>	<b>238</b>
630	Infective disease of uterus, vagina and vulva	38	21	28	25	15	27	12	13	15	15	20
631	Uterovaginal prolapse ...	108	116	126	119	128	127	119	138	128	129	134
632	Malposition of uterus ...	14	5	2	2	5	4	3	4	3	2	1
633	Other diseases of uterus ...	50	54	31	52	40	47	37	33	32	28	41
634	Disorders of menstruation ...	21	22	20	13	15	18	16	26	22	24	25
635	Menopausal symptoms ...	11	12	10	8	6	3	7	4	5	4	5
636	Sterility, female ...	3	2	—	1	—	1	—	—	—	1	—
637	Other diseases of female genital organs	7	3	7	8	16	4	5	11	13	9	12
<b>640-689</b>	<b>XI.—DELIVERIES &amp; COMPLICATIONS OF PREGNANCY, CHILDBIRTH &amp; THE PUERPERIUM</b>	<b>1620</b>	<b>1492</b>	<b>1260</b>	<b>1209</b>	<b>1060</b>	<b>811</b>	<b>727</b>	<b>620</b>	<b>‡566</b>	<b>‡498</b>	<b>‡527</b>
<b>640-648</b>	Complications of pregnancy ...	<b>436</b>	<b>381</b>	<b>353</b>	<b>418</b>	<b>329</b>	<b>265</b>	<b>198</b>	<b>225</b>	<b>208</b>	<b>181</b>	<b>211</b>
640	Pyelitis and pyelonephritis of pregnancy	3	4	6	3	—	2	5	5	6	3	6
641	Other infections of genito-urinary tract during pregnancy	—	—	—	—	—	—	2	—	1	3	—
642	Toxæmias of pregnancy ...	326	279	260	311	251	209	120	149	152	131	154
643	Placenta prævia ...	11	9	6	15	5	3	6	9	3	1	—
644	Other hæmorrhage of pregnancy	11	9	12	10	10	7	10	11	5	4	6
645	Ectopic pregnancy ...	53	44	37	57	40	34	36	36	22	22	35
646	Anæmia of pregnancy ...	8	6	4	4	2	2	3	3	5	4	4
647	Pregnancy with malposition of fœtus in uterus	4	1	4	1	3	1	1	—	—	—	—
648	Other complications arising from pregnancy	20	29	24	17	18	7	15	12	14	13	6
<b>650-652</b>	Abortion ...	<b>321</b>	<b>313</b>	<b>233</b>	<b>157</b>	<b>143</b>	<b>125</b>	<b>118</b>	<b>103</b>	<b>107</b>	<b>90</b>	<b>76</b>
650	Abortion without mention of sepsis or toxæmia	55	41	40	32	27	27	32	32	37	31	30
651	Abortion with sepsis ...	242	242	173	110	89	87	78	64	67	47	39
652	Abortion with toxæmia, without mention of sepsis	24	30	20	15	27	11	8	7	3	12	7
<b>660</b>	Delivery without complication	<b>9</b>	<b>14</b>	<b>9</b>	<b>6</b>	<b>8</b>	<b>5</b>	<b>1</b>	<b>5</b>	<b>3</b>	<b>6</b>	<b>5</b>
<b>670-678</b>	Delivery with specified complication	<b>522</b>	<b>508</b>	<b>428</b>	<b>422</b>	<b>370</b>	<b>272</b>	<b>241</b>	<b>158</b>	<b>161</b>	<b>130</b>	<b>151</b>
670	Placenta prævia or antepartum hæmorrhage	64	66	50	60	41	36	22	24	29	15	33
671	Retained placenta ...	*187	*179	*158	*162	*156	*115	43	11	23	15	27
672	Other postpartum hæmorrhage							47	27	31	24	24
673	Abnormality of bony pelvis ...	30	37	26	17	16	10	9	2	6	4	3
674	Disproportion or malposition of fœtus	72	61	60	60	40	23	34	17	10	8	6

\* 671, 672 includes 688.0 (Anæmia of puerperium) for these years.

† 625 includes 275 for these years.

‡ Including the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months:— 1951:—40; 1952:—35; 1953:—32

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
675	Prolonged labour of other origin F	63	78	62	40	54	33	26	23	24	20	2
676	With laceration of perineum, F w/out: mention of other lacer'n.	4	8	3	6	3	1	1	1	1	—	—
677	With other trauma ... F	23	29	31	30	27	22	26	18	12	18	1
678	With other complications of childbirth F	79	50	38	47	33	32	33	35	25	26	2
680-689	Complications of the puerperium F	332	276	237	206	210	144	169	129	87	91	—
680	Puerperal urinary infection F without other sepsis	10	9	5	2	1	2	2	1	—	—	—
681	Sepsis of childbirth and the puerperium F	\$129	\$101	\$76	\$50	\$33	\$31	25	21	13	4	1
682	Puerperal phlebitis and throm- bosis F	59	47	47	47	54	29	31	36	30	28	2
683	Pyrexia of unknown origin during the puerperium F	\$	\$	\$	\$	\$	\$	—	—	2	—	—
684	Puerperal pulmonary embolism F	†77	†60	†39	†55	†56	†38	25	26	19	25	2
685	Puerperal eclampsia ... F	34	41	39	34	46	33	60	31	14	13	—
686	Other forms of puerperal tox- æmia F	15	8	22	14	15	7	19	5	2	3	—
687	Cerebral hæmorrhage in the puerperium F	—	—	—	—	—	—	3	6	3	11	—
688	Other and unspecified compli- cations of the puerperium F	†4	†4	†4	†1	†2	†2	3	3	4	2	—
689	Mastitis and other disorders of lactation F	4	6	5	3	3	2	1	—	—	5	—
690-716	XII.—DISEASES OF THE SKIN & CELLULAR TISSUE {M F}	590 483	555 530	459 443	392 362	355 363	324 295	288 303	287 326	288 360	247 356	27 35
690-698	Infections of skin and subcut- aneous tissue ... {M F}	369 276	350 295	260 216	220 146	169 129	159 105	137 116	124 102	110 135	93 113	9 11
690	Boil and carbuncle ... {M F}	167 115	168 126	128 87	94 54	69 42	61 37	58 42	27 22	29 28	24 25	2 2
691	Cellulitis of finger and toe ... {M F}	—	—	—	—	—	—	2 3	4 4	1 7	3 3	—
692	Other cellulitis and abscess w/out ment: of lymphangitis {M F}	172 139	160 158	119 118	110 83	85 75	88 59	64 58	77 58	64 84	55 62	—
693	Other cellulitis and abscess with lymphangitis ... {M F}	—	—	—	—	—	—	5 6	4 1	4 3	— 5	—
694	Acute lymphadenitis ... {M F}	¶	¶	¶	¶	¶	¶	— 2	2 3	1 —	— —	—
695	Impetigo ... {M F}	23 18	15 6	6 6	10 5	9 7	5 5	2 —	1 2	1 1	2 —	—
696	Infectious warts ... {M F}	—	—	—	—	—	—	—	1 1	—	— 1	—
697	Molluscum contagiosum ... {M F}	—	—	—	—	—	—	—	—	—	—	—
698	Other local infections of skin and subcutaneous tissue ... {M F}	7 4	7 5	7 5	6 4	6 5	5 4	6 5	8 11	10 12	9 17	—
700-716	Other diseases of skin and sub- cutaneous tissue ... {M F}	221 207	205 235	199 227	172 216	186 234	165 190	151 187	163 224	178 225	154 243	1 2
700	Seborrhœic dermatitis ... {M F}	—	—	—	—	—	—	3 3	2 6	3 2	1 1	—
701	Eczema ... {M F}	—	—	—	—	—	—	20 12	27 12	21 8	12 11	—
702	Occupational dermatitis ... {M F}	92 57	85 66	83 62	69 59	77 64	68 51	— 1	— 4	— 2	— —	—
703	Other dermatitis* ... {M F}	—	—	—	—	—	—	36 37	2 5	7 10	6 4	—

§ 681 includes 683 for these years.

† 684 includes 688.2 (Sudden death from unknown cause in the puerperium) for these years.

¶ 688. See 671, 672, 684.

¶ 694. See 468.

\* 703. See note ii at head of table.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
704	Pemphigus ... {M F}	67 53	62 62	61 58	51 55	56 61	48 48	44 48	46 57	55 57	61 60	51 55
705	Erythematous conditions* ... {M F}	17 20	15 23	15 22	13 21	14 22	12 18	11 18	46 48	34 43	31 46	43 31
706	Psoriasis and similar disorders {M F}							5 5	2 4	5 5	5 9	1 7
707	Lichen planus ... {M F}							— —	— —	1 1	— 1	— —
708	Pruritus and related conditions {M F}							— —	— 1	1 5	1 2	2 2
709	Corns and callosities ... {M F}							— —	— —	1 —	1 —	1 —
710	Other hypertrophic and atro- phic conditions of skin ... {M F}							8 7	7 23	13 28	13 33	22 36
711	Other dermatoses ... {M F}	**45 **77	**43 **84	**40 **85	**39 **81	**39 **87	**37 **73	— —	— —	— —	— 1	— —
712	Diseases of nail ... {M F}							— —	— —	— 1	— 1	— 1
713	Diseases of hair and hair follicles ... {M F}							— —	— —	— —	— 1	— 1
714	Diseases of sweat and se- baceous glands ... {M F}							2 1	1 —	— —	— 1	1 1
715	Chronic ulcer of skin ... {M F}							21 56	24 66	34 63	21 71	34 81
716	Other diseases of skin... {M F}							— —	2 2	1 2	2 1	— 2
720-749	XIII.—DISEASES OF THE BONES & ORGANS OF MOVEMENT {M F}	858 1519	884 1440	822 1450	758 1356	726 1296	696 1283	685 1367	522 954	547 1043	536 957	578 982
720-727	Arthritis and rheumatism ex- cept rheumatic fever... {M F}	546 1270	534 1195	550 1227	480 1167	462 1105	429 1094	456 1169	289 747	302 775	247 739	296 768
720	Acute arthritis due to pyogenic organisms ... {M F}	59 34	54 46	53 35	36 27	26 26	28 24	19 9	15 11	18 7	12 11	11 18
721	Acute nonpyogenic arthritis ... {M F}	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
722	Rheumatoid arthritis and allied conditions †† ... {M F}	322 966	327 904	320 947	293 863	295 841	260 858	276 902	165 562	185 574	155 546	184 558
723	Osteo-arthritis (arthrosis) and allied conditions†† ... {M F}	112 149	89 174	115 169	111 203	95 190	100 161	119 186	92 149	84 171	70 160	86 171
724	Other specified forms of arth- ritis†† ... {M F}	— 6	1 1	— 2	— 1	— —	1 —	5 13	2 3	4 4	3 5	— 2
725	Arthritis, unspecified ... {M F}	7 17	6 8	10 7	6 17	8 9	4 7	7 8	9 14	7 10	4 12	7 15
726	Muscular rheumatism ... {M F}	8 8	6 4	7 6	2 4	4 7	6 2	4 3	5 3	1 3	3 1	4 1
727	Rheumatism, unspecified ... {M F}							26 48	1 5	3 6	— 4	4 3
	A, B. Acute and subacute rheumatism (so de- scribed) ... {M F}	38 90	51 58	45 61	32 51	34 32	30 42	13 23	— 1	— 1	— 2	2 1
	C, D, E. Other ... {M F}							13 25	1 4	3 5	— 2	2 2
730-738	Osteomyelitis and other diseases of bone and joint {M F}	245 189	266 173	201 156	188 125	180 120	173 129	151 144	155 130	164 175	170 148	180 136
730	Osteomyelitis and periostitis {M F}	179 101	196 105	136 96	116 60	99 56	92 53	70 37	73 31	52 41	52 30	59 33
731	Osteitis deformans ... {M F}							63 72	61 60	81 83	87 79	80 59
732	Osteochondrosis ... {M F}	*63 *84	*64 *65	*63 *56	*63 *62	*73 *59	*70 *67	— —	— 1	— 1	— —	— —
733	Other diseases of bone... {M F}							10 22	11 24	15 31	15 27	24 31

\* 705. See note ii at head of table.

• 706-716 includes 096.0 (Herpes febrilis) and 135 for these years.

† 722-724. In 1940-1949 includes some deaths with associated heart diseases which, from 1950 would be classed to those conditions.

• 731-733. See 285.

TABLE 7—continued.

Inter-national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
734	Internal derangement of knee joint ... {M F	— —	— —	— 1	— —	— —	— 1	1 —	— —	1 1	1 —	— —
735	Displacement of intervertebral disc ... {M F	2 —	5 —	— —	4 —	6 2	— 5	6 5	10 8	9 7	11 4	8 7
736	Affection of sacro-iliac joint... {M F	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —
737	Ankylosis of joint ... {M F	1 1	— —	1 1	— —	1 1	9 —	— 3	— 2	1 1	1 2	— 2
738	Other diseases of joint ... {M F	— 3	1 3	1 2	5 3	1 2	2 3	— 4	— 4	5 10	3 6	9 4
740-749	Other diseases of musculoskeletal system ... {M F	67 60	84 72	71 67	90 64	84 71	94 60	78 54	78 77	81 93	119 70	102 78
740	Bunion ... {M F	— —	— 2	1 2	— —	— 1	— —	2 —	1 1	— 2	1 1	— —
741	Synovitis, bursitis, and tenosynovitis, w/out mention of occupational origin {M F	5 2	9 7	4 9	3 8	4 6	4 3	3 2	3 4	4 4	1 2	1 3
742	Synovitis, bursitis, and tenosynovitis of occupational origin {M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
743	Infective myositis and other inflammatory diseases of tendon and fascia {M F	2 —	1 —	1 —	2 1	— 1	1 1	— 1	— 1	1 3	2 —	— 3
744	Other diseases of muscle, tendon, and fascia ... {M F	42 37	50 53	48 41	59 34	58 41	63 32	58 39	62 55	58 61	90 51	82 52
745	Curvature of spine ... {M F	15 16	18 9	16 10	18 18	16 17	22 20	10 10	3 8	12 13	16 14	11 13
746	Flat foot ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
747	Hallux valgus and varus ... {M F	— 2	2 —	— 2	— 1	— —	— 3	— 2	— 1	— 3	1 1	— 2
748	Clubfoot ... {M F	2 3	4 —	1 2	6 2	5 4	4 1	3 —	1 1	— 2	1 —	1 1
749	Other deformities ... {M F	1 —	— 1	— 1	2 —	1 1	— —	2 —	7 6	6 5	7 1	7 4
750-759	XIV.—CONGENITAL MALFORMATIONS {M F	2656 2313	2809 2305	2613 2281	2956 2386	2977 2527	2526 2106	2406 2238	2528 2220	2425 2204	2323 2130	2216 2045
750	Monstrosity ... {M F	43 48	28 65	29 59	47 59	52 63	46 44	32 43	34 50	37 53	54 66	33 77
751	Spina bifida and meningocele... {M F	576 778	537 771	445 685	555 716	419 644	367 520	350 549	337 441	367 484	372 542	354 499
752	Congenital hydrocephalus ... {M F	141 109	137 108	146 97	144 100	167 137	117 102	115 112	131 143	103 76	117 103	95 93
753	Other congen: malformations of nerv: sys'm & sense organs {M F	41 47	40 32	46 47	63 54	46 58	68 45	48 60	50 59	52 74	62 41	43 62
754	Congenital malformations of circulatory system ... {M F	1034 866	1157 834	1082 889	1158 900	1247 1040	1077 868	1044 923	1158 975	1050 963	890 804	913 786
755	Cleft palate and harelip ... {M F	49 38	49 48	50 31	47 39	46 34	27 38	25 24	21 20	20 14	24 7	13 9
756	Congenital malformations of digestive system ... {M F	529 234	576 237	515 254	583 260	614 290	456 235	458 245	402 218	348 207	344 197	321 201
	0. Congenital hypertrophic pyloric stenosis ... {M F	269 70	282 59	222 67	252 65	265 71	142 30	152 33	96 24	63 19	67 12	52 12
	1. Imperforate anus ... {M F	42 17	47 19	34 12	45 11	37 16	24 10	24 4	38 16	33 8	28 12	28 13
	2. Other ... {M F	218 147	247 159	259 175	286 184	312 203	290 195	282 208	268 178	252 180	249 173	241 176
757	Congenital malformations of genito-urinary system ... {M F	163 119	179 122	181 127	214 147	239 147	222 127	197 150	247 193	255 175	265 191	265 161
	1. Polycystic disease of kidney ... {M F	84 85	94 95	86 88	105 109	122 118	122 96	104 110	139 146	138 139	163 143	147 129
	0, 2, 3. Other ... {M F	79 34	85 27	95 39	109 38	117 29	100 31	93 40	108 47	117 36	102 48	118 32



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
758	Congenital malformations of bone and joint ... {M ... {F	15 16	19 22	17 22	19 21	27 25	17 21	15 23	30 27	32 24	31 31	27 21
759	Other & unspec'd: congen: malform'ns, not elsewhere classified {M ... {F	65 58	87 66	102 70	126 90	120 89	129 106	122 109	118 94	161 134	164 148	152 136
760-776	XV.—CERTAIN DISEASES OF EARLY INFANCY {M ... {F	8511 6169	8892 6524	8355 5928	9791 6806	10015 7070	7671 5317	7043 4796	6425 4347	6450 4282	5966 4115	5833 4050
760-769	Birth injuries, asphyxia, and infections of newborn... {M ... {F	2838 1891	3108 2224	3418 2195	4010 2671	4357 2948	3439 2193	3393 2207	3404 2056	3509 2246	3360 2182	3345 2150
760	Intracranial and spinal injury at birth ... {M ... {F	764 432	829 497	894 492	1086 554	1147 678	962 516	943 534	907 497	1033 523	983 533	952 552
761	Other birth injury ... {M ... {F	251 166	244 201	262 173	314 236	349 238	312 214	261 177	251 166	221 176	204 149	195 137
762	Postnatal asphyxia and atelectasis ... {M ... {F	742 522	888 639	1178 765	1427 992	1527 1090	1295 880	1413 989	1461 880	1455 990	1469 985	1493 998
763	Pneumonia of newborn ... {M ... {F	587 427	632 464	613 446	739 552	803 578	568 367	521 337	512 331	570 376	534 379	554 336
764	Diarrhœa of newborn ... {M ... {F	196 129	202 139	213 130	198 124	264 168	138 88	118 76	67 33	56 36	40 26	36 24
765	Ophthalmia neonatorum ... {M ... {F	† †	† †	† †	† †	† †	† †	— —	3 —	1 —	— —	— —
766	Pemphigus neonatorum ... {M ... {F	37 32	33 31	21 18	21 19	18 17	11 6	3 4	6 4	1 3	4 1	5 2
767	Umbilical sepsis ... {M ... {F	21 15	19 19	20 16	14 10	29 15	20 19	19 7	8 6	13 9	14 7	8 7
768	Other sepsis of newborn ... {M ... {F	†29 †13	†45 †34	†37 †16	†24 †11	†52 †19	†21 †15	15 10	23 17	24 11	23 17	19 33
769	Neonatal disorders arising from maternal toxæmia ... {M ... {F	211 155	216 200	180 139	187 173	168 145	112 88	100 73	166 122	135 122	89 85	83 61
770-776	Other diseases peculiar to early infancy ... {M ... {F	5673 4278	5784 4300	4937 3733	5781 4135	5658 4122	4232 3124	3650 2589	3021 2291	2941 2036	2606 1933	2488 1900
770	Hæmolytic disease of newborn (erythroblastosis) ... {M ... {F	290 170	316 183	325 196	348 240	436 254	350 227	321 231	286 216	325 187	239 203	225 185
771	Hæmorrhagic disease of newborn ... {M ... {F	169 146	189 119	173 110	162 111	214 151	125 89	108 68	122 62	125 96	103 78	116 81
772	Nutritional maladjustment ... {M ... {F	41 30	43 28	34 24	32 26	35 26	18 17	14 12	18 16	18 7	14 5	6 3
773	Ill-defined diseases peculiar to early infancy ... {M ... {F	773 537	826 488	657 425	670 447	693 442	428 291	320 190	225 181	208 124	175 120	142 84
774	Immaturity with mention of any other subsidiary cond'n ... {M ... {F	4400 3395	4410 3482	3748 2978	4569 3311	4280 3249	3311 2500	2887 2088	130 109	106 83	98 71	73 67
776	Immaturity unqualified ... {M ... {F	3395 3395	3482 3482	2978 2978	3311 3311	3249 3249	2500 2500	2088 2088	2240 1707	2159 1539	1977 1456	1926 1480
780-795	XVI.—SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS {M ... {F	7256 10193	7093 9862	7170 10319	6640 9840	6384 9453	4950 7621	4919 7936	3822 6152	3749 5968	2997 4748	2804 4834
780-789	Symptoms referable to systems or organs ... {M ... {F	769 541	729 497	623 443	551 397	505 342	378 286	243 210	137 121	139 98	95 76	75 86
780	Certain symptoms referable to nerv: system & special senses {M ... {F	— —	— —	— —	— —	— —	— —	77 68	33 42	40 18	13 16	17 15
	2. Convulsions ... {M ... {F	†356 †234	†321 †202	†262 †189	†226 †148	†205 †143	†140 †111	77 64	30 38	35 18	12 15	15 14
	0, 1, 3-9. Other ... {M ... {F	— —	— —	— —	— —	— —	— —	— 4	3 4	5 —	1 1	2 1
781	Other symptoms referable to nerv: system & special senses {M ... {F	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	1 —
782	Symptoms referable to cardiovascular & lymphatic system {M ... {F	§†325 §†243	§†300 §†228	§†273 §†194	§†230 §†189	§†209 §†148	§†147 §†116	107 92	66 54	67 56	40 34	42 48
	4. Acute heart failure, un-defined ... {M ... {F	§318 §231	§293 §209	§263 §183	§226 §171	§198 §142	§137 §106	92 81	63 48	59 51	35 31	38 44
	0-3, 5-9. Other ... {M ... {F	†7 †12	†7 †19	†10 †11	†4 †18	†11 †6	†10 †10	15 11	3 6	8 5	5 3	4 4

† 768 includes 765 for these years.

‡ 780 includes 788.5 (Tetany) for these years.

§ 782.4 includes 795.2 (Sudden death (cause unknown)), for these years.

¶ 782.7 See 468.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
783	Symptoms referable to respir- atory system ... {M ... {F	**— **1	**1 **—	**— **1	**1 **1	**— **1	**— **1	8 —	4 5	6 5	6 2	— 2
784	Symptoms referable to upper gastro-intestinal tract ... {M ... {F	††22 ††21	††27 ††13	††25 ††16	††30 ††17	††18 ††12	††29 ††18	21 11	11 12	12 9	13 14	5 6
785	Syms: referable to abdomen & lower gastro-intestin'l system {M ... {F	‡‡29 ‡‡26	‡‡20 ‡‡35	‡‡13 ‡‡22	‡‡20 ‡‡18	‡‡25 ‡‡14	‡‡12 ‡‡17	14 23	10 5	5 9	13 4	2 5
786	Symptoms referable to genito- urinary system ... {M ... {F	25 8	49 10	43 16	37 19	36 17	42 16	13 9	8 1	6 —	7 1	7 4
787	Symptoms referable to limbs and back ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
788	Other general symptoms ... {M ... {F	¶7 ¶3	¶4 ¶4	¶2 ¶1	¶2 ¶4	¶8 ¶6	¶3 ¶3	3 6	2 2	2 1	1 2	1 4
789	Abnormal urinary constituents of unspecified cause... {M ... {F	*5 *5	*7 *5	*5 *4	*5 *1	*4 *1	*5 *4	— 1	— —	1 —	2 3	— 2
790-795	Senility and ill-defined diseases {M ... {F	6487 9652	6364 9365	6547 9876	6089 9443	5879 9111	4572 7335	4676 7726	3685 6031	3610 5870	2902 4672	2729 4748
790	Nervousness and debility ... {M ... {F	— 2	2 2	2 2	3 3	1 1	— 2	— 3	1 1	6 —	3 1	— —
791	Headache ... {M ... {F	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —
792	Uræmia unqualified ... {M ... {F	104 57	89 52	87 44	77 44	76 41	56 37	63 38	13 23	19 13	18 12	15 13
793	Observation, without need for further medical care ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
794	Senility without mention of psychosis ... {M ... {F	6310 9549	6184 9274	6396 9791	5941 9354	5738 9028	4466 7256	4567 7666	3626 5988	3535 5833	2836 4626	2667 4707
795	Ill-defined and unknown causes of mortality... {M ... {F	§73 §44	§89 §37	§62 §39	§68 §42	§64 §41	§50 §40	46 18	45 19	50 24	45 33	47 28
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, AND VIOLENCE {M ... {F	13290 8191	16119 11690	12394 8268	11624 7152	12392 7391	11371 6840	11712 6801	11905 6984	12447 7309	11992 6810	12333 7531
E800-E802	Railway accidents ... {M ... {F	— —	— —	— —	— —	— —	— —	329 29	331 38	301 33	390 59	342 25
E800	Involving railroad employee... {M ... {F	— —	— —	— —	— —	— —	— —	181 4	203 —	166 2	184 3	193 —
E801	Involving passenger ... {M ... {F	439 60	457 55	409 58	401 63	445 48	346 63	27 5	33 16	53 19	107 34	40 8
E802	Involving other and unspecified person ... {M ... {F	— —	— —	— —	— —	— —	— —	121 20	95 22	82 12	99 22	109 17
E810-E825	Motor vehicle traffic accidents   {M ... {F	2604 971	2808 1177	2512 1068	2780 1027	2807 1031	2536 970	2841 923	3099 1035	3293 1099	3013 958	3225 1021
E810	Involving collision with railway train ... {M ... {F	15 4	7 1	16 1	8 —	6 2	12 2	4 —	13 2	8 2	10 1	12 4
E811	Involving collision with street car ... {M ... {F	2 —	3 2	— —	1 —	— 1	2 —	1 —	1 —	— 1	— —	— —
E812	To pedestrian ... {M ... {F	†1570 †750	†1688 †899	†1354 †767	†1343 †713	†1304 †711	†1190 †720	1205 674	1140 726	1302 725	1099 663	1182 674
E813	To pedal cyclist ... {M ... {F	†411 †115	†508 †158	†442 †102	†461 †97	†405 †81	†452 †86	490 78	475 80	473 80	443 74	461 73
E814	To rider or pass'r: of m/c: in coll: with non-motor v: or object {M ... {F	‡79 ‡—	‡66 ‡2	‡102 ‡8	‡247 ‡19	‡234 ‡25	‡208 ‡12	130 12	175 9	134 14	60 5	65 4
E815	To rider or pass'r: of m/c: in coll: with other m: v: ... {M ... {F	120 12	149 6	192 16	311 26	379 37	275 12	425 32	640 56	624 50	662 48	689 57
E816	Other m: v: traffic acc: involv'g two or more vehicles ... {M ... {F	— —	— —	— —	— —	— —	— —	190 53	216 75	245 116	191 70	286 91
E817	To occupant of m: v: in coll: with pedestrian or pedal c: {M ... {F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —
E818	Involving coll: with animal or animal-drawn v: ... {M ... {F	§§407 §§90	§§387 §§109	§§406 §§174	§§409 §§172	§§479 §§174	§§397 §§138	7 —	6 1	4 2	7 —	3 —
E819	Involving coll: with fixed or unspecified object ... {M ... {F	— —	— —	— —	— —	— —	— —	62 13	72 21	33 4	4 3	3 1
E820	While boarding and alighting... {M ... {F	— —	— —	— —	— —	— —	— —	20 10	22 11	21 15	15 14	20 19

\*\* 783.1 (Hæmoptysis)=Hæmoptysis of unstated cause but stated to be non-tuberculous for these years. "Hæmoptysis N.O.S." is included in 002-008.

†† 784. See 544, 545. ‡‡ 785. See 571 and 578. ¶ 788. See 780. \* 789. See 260 and 593.

§ 795. See 782.4. † E812 includes E830, and E813 includes E831 for these years.

‡ E814 includes E821 and E832 for these years.

§§ E816-E820 includes E822-E825 for these years.

|| E810-E825. See note on next page.



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
E821	To rider of motor cycle not in- volving collision ... {M F}	‡	‡	‡	‡	‡	‡	133 12	164 14	261 30	280 25	286 34
E822	Involving overturning in road- way ... {M F}	§§	§§	§§	§§	§§	§§	48 8	64 7	54 14	57 11	49 12
E823	Involving running off roadway {M F}							21 4	14 3	52 19	96 20	107 32
E824	Other non-collision motor veh- icle traffic accident... {M F}							104 26	93 28	78 27	78 22	54 19
E825	Of unspecified nature ... {M F}							1 —	4 2	4 —	9 2	8 1
E830-E835	Motor vehicle non-traffic ac- cidents    ... {M F}	83 10	68 3	87 7	73 1	77 2	69 4	69 3	88 8	103 15	134 12	117 12
E830	To pedestrian ... {M F}	†	†	†	†	†	†	13 2	32 6	43 10	54 8	32 10
E831	To pedal cyclist ... {M F}	†	†	†	†	†	†	—	1 —	—	—	—
E832	To rider or passenger of motor- cycle ... {M F}	‡	‡	‡	‡	‡	‡	6 —	7 —	3 —	10 1	10 1
E833	Other m: v: non-traffic acc: in- volv'g two or more v's: ... {M F}	*83 *10	*68 *3	*87 *7	*73 *1	*77 *2	*69 *4	—	2 —	1 —	1 —	1 —
E834	While boarding and alighting {M F}							1 —	1 —	2 —	— 1	1 —
E835	Of other and unspecified nature {M F}							49 1	45 2	54 5	69 2	73 1
E840-E845	Other road vehicle accidents ... {M F}	430 166	387 111	287 120	255 79	257 79	261 80	251 88	294 95	238 68	229 76	181 66
E840	Street car accident to ped- estrian ... {M F}	66 32	48 24	29 21	19 22	17 12	26 11	11 13	18 8	8 10	5 4	6 1
E841	Other street car accident, exc: collision with motor vehicle {M F}	13 14	11 8	14 7	9 5	7 3	6 4	7 3	3 —	4 —	3 1	3 —
E842	Accident to pedestrian caused by pedal cycle ... {M F}	65 39	56 25	32 30	41 14	45 33	52 31	43 34	47 39	40 29	56 23	32 20
E843	Acc: to rider of p: cycle not in- volving collision with m: v: {M F}	212 68	199 43	157 46	150 29	152 25	154 30	152 30	168 31	160 18	125 31	113 30
E844	Accident to pedestrian caused by other non-motor road v: {M F}	38 11	44 7	28 14	22 7	16 5	10 3	13 4	11 4	11 4	12 4	10 5
E845	Other non-motor road vehicle accidents ... {M F}	36 2	29 4	27 2	14 2	20 1	13 1	25 4	47 13	15 7	28 13	17 10
E850-E858	Water transport accidents ... {M F}	150 5	139 1	151 2	166 5	158 2	131 6	142 9	186 3	145 8	137 7	147 6
E850	Submersion of occupant of small boat ... {M F}	63 5	53 —	67 1	91 3	92 2	65 6	48 4	57 1	39 3	54 3	56 3
E851	Other water transport injury by submersion ... {M F}							33 2	59 1	44 —	28 4	36 3
E852	Fall on stairs and ladders in water transport ... {M F}							7 —	10 —	6 —	5 —	6 —
E853	Other falls from one level to an- other in water transport ... {M F}							28 1	25 —	19 —	23 —	22 —
E854	Falls on same level in water transport ... {M F}	— 61	— 49	— 49	— 35	— 32	— 32	1 —	1 —	— —	4 —	2 —
E855	Unspecified falls in water trans- port ... {M F}	—	—	—	—	—	—	1 —	— —	— —	— —	1 —
E856	Machinery accident in water transport ... {M F}	—	—	—	—	—	—	8 —	6 —	7 —	2 —	9 —
E857	Other specified accidents in water transport ... {M F}	26 —	37 1	35 —	40 1	34 —	34 —	16 2	28 1	30 5	20 —	15 —
E858	Water transport accident of un- specified cause ... {M F}	—	—	—	—	—	—	— —	— —	— —	1 —	— —

‡ E821 and E832. See E814. §§ E822-E825 See E816-E820. † E830 and E831. See E812 and E813.

\* E833-E835 includes a few non-motor vehicles used in farming, for these years.

|| E810-E835. Motor Vehicle Accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1948 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—continued.

Inter-national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
<b>E860-E866</b>	<b>Aircraft accidents ... {M F}</b>							<b>76 19</b>	<b>230 10</b>	<b>273 23</b>	<b>291 20</b>	<b>190 2</b>
E860	Accident to personnel in military aircraft ... {M F}							11	128	198	222	175
E861	Inj: to occupant by acc: to comm: "transport" aircraft {M F}							34 14	76 10	45 20	22 8	3 1
E862	Other injury in commercial "transport" aircraft ... {M F}							1	—	—	—	—
E863	Injury to occupant by accident to other aircraft ... {M F}	30 6	31 8	23 1	15 1	50 9	88 19	18	21	15 1	13 1	4
E864	Aircraft accident at airfield to person not in aircraft ... {M F}							3	4	5	28 8	3
E865	Aircraft accident elsewhere to person not in aircraft ... {M F}							1 5	—	2 2	3 3	— 1
E866	Other and unspecified aircraft accidents ... {M F}							8	1	8	3	5
<b>E870-E888</b>	<b>Accidental poisoning by solid and liquid substances ... {M F}</b>	<b>69 47</b>	<b>59 56</b>	<b>83 84</b>	<b>85 79</b>	<b>92 106</b>	<b>116 99</b>	<b>93 101</b>	<b>113 142</b>	<b>121 143</b>	<b>154 141</b>	<b>136 152</b>
E870	Morphine and other opium derivatives ... {M F}	3 4	4 —	5 2	4 —	6 3	4 3	2 1	3 1	4 —	8 1	1 4
E871	Barbituric acid and derivatives ... {M F}	12 15	15 18	18 22	20 34	30 47	34 41	27 50	47 80	40 77	61 79	84 85
E872	Aspirin and salicylates ... {M F}	8 3	5 11	10 15	5 15	6 16	16 16	10 17	14 17	18 19	24 26	9 23
E873	Bromides ... {M F}	— —	1 —	1 —	— —	— —	— —	— —	— —	1 1	1 —	— —
E874	Other analgesic and soporific drugs ... {M F}	8 2	— 4	5 9	2 6	8 10	6 7	8 8	5 3	6 9	11 5	3 9
E875	Sulphonamides ... {M F}	— —	— —	— —	— —	— —	— —	1 2	— —	— 1	— —	1 —
E876	Strychnine ... {M F}	2 2	— 1	1 —	— 1	2 1	1 1	3 2	2 —	2 7	2 3	2 2
E877	Belladonna, hyoscine, and atropine ... {M F}	3 1	2 2	1 1	2 1	1 —	1 1	5 —	1 1	1 —	— 3	1 —
E878	Other and unspecified drugs ... {M F}	4 4	1 3	9 15	8 6	5 12	10 8	— 4	5 6	9 3	4 6	5 9
E879	Noxious foodstuffs ... {M F}	— —	1 —	2 1	— 1	1 —	1 1	— —	1 1	— 1	— —	— —
E880	Alcohol ... {M F}	3 1	2 —	2 3	7 —	1 3	6 3	5 —	4 2	4 2	8 —	10 1
E881	Petroleum products ... {M F}	— —	— 2	3 —	— —	1 —	2 —	— —	1 —	— —	2 —	1 1
E882	Industrial solvents ... {M F}	4 —	— —	3 —	4 —	3 1	6 —	3 —	5 —	4 1	1 1	1 1
E883	Corrosive aromatics, acids, and caustic alkalis ... {M F}	12 9	13 5	12 13	14 10	13 6	10 4	10 4	15 9	8 9	9 4	6 5
E884	Mercury and its compounds ... {M F}	— 1	— —	— —	— —	— 1	2 —	1 —	— 1	1 —	1 —	3 3
E885	Lead and its compounds ... {M F}	3 —	5 —	3 1	7 —	5 1	1 1	2 1	— 2	4 —	3 1	1 1
E886	Arsenic and antimony, and their compounds ... {M F}	— —	2 —	— —	1 —	— —	3 1	1 —	— 3	— —	1 —	— —
E887	Fluorides ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
E888	Other and unspecified solid and liquid substances ... {M F}	7 5	8 10	8 2	11 5	10 5	13 12	15 12	10 16	18 13	18 12	8 8
<b>E890-E895</b>	<b>Accidental poisoning by gases and vapours ... {M F}</b>	<b>125 126</b>	<b>155 155</b>	<b>214 204</b>	<b>185 213</b>	<b>211 269</b>	<b>195 207</b>	<b>229 235</b>	<b>208 255</b>	<b>252 304</b>	<b>246 302</b>	<b>322 322</b>
E890	Utility (illuminating) gas ... {M F}			171 197	152 199	170 250	166 195	195 226	158 248	215 300	203 295	279 312
E891	Motor vehicle exhaust gas ... {M F}	101 124	141 152	— —	4 —	4 1	1 2	7 1	7 1	11 —	8 —	17 —
E892	Other carbon monoxide gas ... {M F}			25 5	10 9	16 14	13 5	13 2	27 2	16 3	24 7	18 9



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
E893	Cyanide gas ... {M F	1 —	1 —	— —	1 —	— —	2 —	1 1	— —	— —	— —	— —
E894	Other specified gases and vapours ... {M F	19 2	11 3	16 2	16 5	21 4	13 5	9 4	16 4	9 1	9 —	8 1
E895	Unspecified gases and vapours {M F	4 —	2 —	2 —	2 —	— —	— —	4 1	— —	1 —	2 —	— —
900-E904	Accidental falls ... {M F	1929 2447	1740 2393	1691 2396	1631 2425	1842 2446	1581 2227	1661 2365	1577 2551	1816 2657	1676 2402	1787 2812
E900	Fall on stairs ... {M F							290 463	260 458	320 502	321 488	326 495
E901	Fall from ladders ... {M F							81 10	83 6	95 5	88 13	87 5
E902	Other falls from one level to another ... {M F							614 355	555 365	607 423	507 267	512 222
E903	Fall on same level ... {M F							509 1131	448 1115	516 1111	485 1004	562 1183
E904	Unspecified falls ... {M F							167 406	231 607	278 616	275 630	300 907
910-E936	Other accidents ... {M F	3565 1466	3488 1543	3367 1556	3113 1493	3535 1586	2850 1296	2801 1199	2596 1112	2766 1206	2635 1151	2570 1221
E910	Blow from falling object ... {M F	602 24	510 9	475 17	477 19	469 17	411 6	437 17	387 10	392 17	365 13	349 16
E911	Caused by vehicle ... {M F	*156 *—	*147 *—	*111 *—	*116 *—	*116 *—	*109 *—	98 —	90 1	101 —	105 —	83 —
E912	Caused by machinery ... {M F	259 20	261 15	219 11	206 9	224 3	245 4	198 7	176 5	181 4	186 3	167 5
E913	Caused by cutting and piercing instruments ... {M F	23 6	24 8	22 9	25 4	22 11	14 8	16 2	15 11	17 6	15 7	17 8
E914	Caused by electric current ... {M F	94 20	79 22	81 29	90 16	78 16	77 19	68 21	69 20	85 17	94 18	86 25
E915	Caused by explosion of pressure vessel ... {M F	525 684	502 699	444 678	365 604	536 603	264 449	19 2	8 —	12 —	9 2	9 1
E916	Caused by fire and explosion of combustible material† ... {M F							191 367	†180 366	311 440	†266 439	220 359
E917	Caused by hot substance, corrosive liquid, and steam† ... {M F							80 89	78 74	73 64	55 71	71 53
E918	Caused by radiation ... {M F							— —	— —	— —	— —	— —
E919	Caused by firearm ... {M F	119 18	101 31	107 20	78 5	77 5	82 13	84 7	93 6	87 5	104 3	87 5
E920	Foreign body entering the eye and adnexa ... {M F	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —
E921	Inhalat'n and ingest'n of food causing obstr: or suffocation {M F	392 233	445 337	469 327	558 394	658 470	528 383	241 169	226 181	228 163	242 159	205 163
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n: {M F							21 15	23 9	14 14	10 6	11 3
E923	Foreign body entering other orifice ... {M F							17 22	17 14	14 13	20 21	22 22
E924	Acc: mechanical suffocation in bed and cradle† ... {M F							210 138	180 106	165 130	154 93	125 99
E925	Acc: mechanical suffocation in other and unspecified circs: {M F	72 106	85 104	88 107	61 86	74 80	66 65	30 10	49 5	56 6	48 9	46 3
E926	Lack of care of infants under 1 year of age ... {M F							65 65	51 41	63 41	50 46	53 30
E927	Acc: caused by bites and stings of ven: animals and insects... {M F							2 8	2 —	1 3	2 3	2 4
E928	Other accidents caused by animals ... {M F							28 5	36 6	24 4	17 5	13 3
E929	Accidental drowning and submersion ... {M F	988 235	1016 210	1059 243	810 248	979 231	793 235	822 185	763 200	754 214	713 182	719 194

E911. See E833-E835. † E916. 80 male deaths which occurred in the Creswell Colliery Disaster on the 26th September, 1950 were registered in 1952, and are therefore included in the 1952 deaths for this cause.

E916 E917, E924. See footnotes to these causes in Table 18A.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
E930	High and low air pressure ... {M F}	— —	1 —	1 —	— —	— —	— —	1 —	2 —	2 —	1 —	— —
E931	Excessive heat and insolation... {M F}	8 3	8 5	2 4	3 2	11 13	18 8	10 5	9 3	1 4	4 5	3 1
E932	Excessive cold... {M F}	35 11	24 12	39 12	38 24	41 26	20 15	4 2	4 2	6 4	7 3	3 2
E933	Hunger, thirst, and exposure... {M F}							16 8	23 14	22 12	11 9	14 9
E934	Cataclysm ... {M F}	— 1	2 4	— —	3 1	6 7	1 1	1 3	— —	— —	17 12	122 175
E935	Lightning ... {M F}	7 —	8 2	6 1	12 3	6 1	9 2	9 3	11 2	3 2	11 —	12 2
E936	Other and unspecified accidents {M F}	240 85	223 75	197 89	219 62	198 86	168 71	132 49	104 36	153 43	129 42	131 39
E940-E946	Complications due to nontherapeutic medical and surgical procedures {M F}	5 1	7 14	5 7	3 3	6 9	6 2	6 6	4 4	3 5	2 4	4 3
E940	Generalized vaccinia following vaccination ... {M F}	3 1	3 3	4 2	1 1	2 3	4 —	— —	— —	— —	1 2	— —
E941	Postvaccinal encephalitis ... {M F}							1 —	1 —	3 1	1 —	3 1
E942	Other complications of small-pox vaccination ... {M F}	— —	— 2	— —	— —	1 2	— —	— —	1 1	— —	— —	— —
E943	Post-immunization jaundice & hepatitis ... {M F}	† †	†3 †8	†1 †5	†2 †1	†3 †3	†2 †1	2 1	— —	— —	— —	— —
E944	Other complication of prophylactic inoculation ... {M F}							2 1	2 1	— —	— 1	— —
E945	Complications of anæsthesia for nontherapeutic purpose {M F}	2 —	1 1	— —	— 1	— 1	— 1	— 4	— —	— —	— —	— —
E946	Other compl'ns due to nontherap: med: & surg: procs: {M F}	† †	† †	† †	† †	† †	† †	1 —	— 2	— 3	— 1	— —
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures {M F}	? ?	? ?	? ?	? ?	? ?	? ?	1 5	10 15	2 1	5 8	20 20
E950	Therapeutic misadventure in surgical treatment ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	1 5	1 —	2 1	12 15
E951	Therapeutic misadventure in infusion or transfusion ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— 2	2 3	— —	— 1	— —
E952	Therapeutic misadventure in local application ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	— —	— 1	— 1	— —
E953	Therapeutic misadv: in admin: of drugs or biologicals {M F}	? ?	? ?	? ?	? ?	? ?	? ?	1 1	3 5	— —	2 1	— —
E954	Therapeutic misadventure in anæsthesia ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— 1	1 1	1 —	— 1	— —
E955	Other and unspecified therapeutic misadventure ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— 1	2 1	— —	1 3	— —
E956	Late complication of surgical operation ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	1 —	— —	— —	— —
E957	Late complication of amputation stump ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —
E958	Late complication of irradiation ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —
E959	Late complications of other forms of treatment... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —
E960-E965	Late effects of injury and poisoning ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	80 7	175 23	204 26	188 27	17 —
E960	Late effect of motor vehicle accident ... {M F}	† †	† †	† †	† †	† †	† †	1 1	7 3	8 1	6 2	— —
E961	Late effect of accidental poisoning ... {M F}	† †	† †	† †	† †	† †	† †	— —	1 —	3 —	— 2	— —
E962	Late effect of other accidental injury... {M F}	† †	† †	† †	† †	† †	† †	3 4	47 19	62 25	79 21	— —

† E943, E944 include E946 for these years.  
 { E960. Included in E810-E835 for these years.  
 ‡ E961. Included in E870-E895 for these years.  
 { E962. Included in rest of E800-E946 for these years.



TABLE 7—continued.

International at No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
E963	Late effect of self-inflicted in- jury ... { M F	†	†	†	†	†	†	1	—	—	—	—
E964	Late effect of injury purposely inflicted by another person { M F (not in war).	†	†	†	†	†	†	—	—	—	—	—
E965	Late effects of injuries due to war operations ... { M F	*	*	*	*	*	*	74 2	120 1	131	103 2	94 1
0-E979	Suicide and self-inflicted injury { M F	2185 1343	2190 1257	2238 1432	2673 1639	2694 1680	2961 1757	3023 1697	2885 1586	2831 1638	2788 1550	3020 1734
E970	Poisoning by analgesic and soporific substances ... { M F	39 67	29 69	49 82	53 116	97 142	142 217	148 207	176 245	152 221	241 295	193 254
E971	Poisoning by other solid and liquid substances ... { M F	110 106	106 98	121 99	134 103	120 113	122 78	119 99	110 83	111 64	113 62	101 79
E972	Poisoning by gases in domestic use ... { M F	664 619	750 599	732 683	851 786	919 856	1098 904	1081 852	1034 757	1080 876	1092 780	1271 942
E973	Poisoning by other gases ... { M F	9 2	4 —	12 2	16 1	20 2	36 6	21 —	24 5	33 8	24 3	43 3
E974	Injury by hanging and strang- ulation ... { M F	448 122	390 116	483 130	590 167	582 165	589 131	632 143	569 128	536 133	531 119	531 126
E975	Injury by submersion (drowning) ... { M F	297 272	305 234	295 267	344 266	301 234	340 251	357 235	330 221	326 218	270 189	258 216
E976	Injury by firearms and ex- plosives ... { M F	236 11	191 15	184 22	211 10	241 13	205 13	220 10	198 9	189 13	170 4	208 11
E977	Injury by cutting and piercing instruments ... { M F	238 57	247 42	222 41	275 55	216 44	187 37	232 38	198 40	162 25	155 29	195 25
E978	Injury by jumping from high place ... { M F	59 50	65 48	52 61	72 69	70 68	95 61	80 66	84 51	90 41	54 38	74 47
E979	Injury by other and unspecified means ... { M F	85 37	103 36	88 45	127 66	128 43	147 59	133 47	162 47	152 39	138 31	146 31
0-E985	Homicide and injury purposely inflicted by other persons (not in war) { M F	105 112	75 103	125 131	90 114	94 123	123 102	86 114	107 107	99 83	102 93	83 98
E980	Non-accidental poisoning by another person ... { M F							5 18	7 8	5 10	17 12	10 14
E981	Assault by firearm and ex- plosive ... { M F							8 7	13 11	3 13	10 9	9 10
E982	Assault by cutting and piercing instruments ... { M F	95 112	68 103	121 131	74 114	84 123	115 102	8 11	7 17	3 8	12 18	9 18
E983	Assault by other means ... { M F							51 77	62 71	73 52	40 54	43 55
E984	Injury by intervention of police { M F							—	—	1	—	—
E985	Execution ... { M F	10 —	7 —	4 —	16 —	10 —	8 —	14 1	18 —	14 —	23 —	12 1
0-E999	Injury resulting from operations of war ... { M F							24 1	2 —	—	2 —	1 —
E990	By gas and chemicals ... { M F							—	—	—	—	—
E991	By gunshot ... { M F							—	—	—	—	—
E992	By grenade and land mine ... { M F							—	—	—	—	—
E993	By bomb ... { M F							1	—	—	—	—
E994	By marine mine, depth charge, and torpedo ... { M F	*1571 *1431	*4515 *4814	*1202 *1202	*154 *10	*124 *1	*108 *8	—	—	—	—	—
E995	By explosion of artillery shell... { M F							—	—	—	—	1
E996	By explosion of undetermined origin... { M F							—	—	—	—	—
E997	By aircraft destruction ... { M F							—	—	—	—	—
E998	By other and unspecified means { M F							—	—	—	—	—
E999	Inj: due war ops: but occurring after cess'n: of hostilities ... { M F							24 —	2 —	—	2 —	—

† E 963. Included in E970-E979 for these years.  
 † E 964. Included in E980-E985 for these years.

\* E 990-E999. Includes E965 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
N800-N999	XVII.—ALTER'VE CLASS- IFICATION OF AC'NTS {M POIS'NGS, & VIO- LENCE (NATURE OF INJURY). {F	? ?	? ?	? ?	? ?	? ?	? ?	11712 6801	11905 6984	12447 7309	11992 6810	12333 7531
N800-N804	Fracture of skull ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	2974 890	3248 961	3477 965	3189 847	3143 855
N805-N809	Fracture of spine and trunk ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	759 210	703 245	674 251	677 271	716 294
N810-N829	Fracture of limbs ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	836 1798	837 1995	960 2069	808 1786	957 2169
N830-N839	Dislocation without fracture ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	6 5	24 9	49 24	43 19	43 13
N840-N848	Sprains and strains of joints {M and adjacent muscles ... {F	? ?	? ?	? ?	? ?	? ?	? ?	7 1	4 1	2 4	1 2	2 1
N850-N856	Head injury (excluding frac- {M ture) ... {F	? ?	? ?	? ?	? ?	? ?	? ?	817 373	902 387	973 405	839 361	862 360
N860-N869	Internal injury of chest, ab- {M domen, and pelvis ... {F	? ?	? ?	? ?	? ?	? ?	? ?	580 125	746 151	839 166	955 173	854 200
N870-N908	Laceration and open wounds {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	490 89	402 94	362 77	468 109	502 89
N910-N929	Superficial injury, contusion & {M crushing with intact skin {F	? ?	? ?	? ?	? ?	? ?	? ?	55 57	38 61	52 63	34 58	40 73
N930-N936	Effects of foreign body entering {M through orifice ... {F	? ?	? ?	? ?	? ?	? ?	? ?	280 213	271 206	265 196	275 189	247 191
N940-N949	Burns ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	272 449	257 426	306 485	245 492	288 393
N960-N979	Effects of poisons ... {M ... {F	? ?	? ?	? ?	? ?	? ?	? ?	1759 1542	1752 1522	1893 1664	2042 1624	2155 1800
N950-N959 N980-N999	} All other & unspecified effects {M of external causes ... {F	? ?	? ?	? ?	? ?	? ?	? ?	2877 1049	2721 926	2595 940	2416 879	2524 1093



**TABLE 8.—Crude Death Rates by Sex from Certain Causes at All Ages to a Million Living, 1943-1953.** } England and Wales.

*Note :* (1) Rates for years up to 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and Home Populations. *See Explanatory notes on page v.*  
 (2) Footnotes to individual causes in Table 7 apply also to those causes in this table.  
 (3) The symbols M, F and P in the second column indicate "Males," "Females" and all "Persons" respectively.

Inter- national List No.	Causes of Death		1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	Estimated mid-year popula- tion (in thousands)	{ M F P	16334 21484 37818	16188 21597 37785	16412 21745 38157	18616 21979 40595	19612 22174 41786	20370 22380 42750	20580 22520 43100	21169 22661 43830	21049 22751 43800	21119 22821 43940	21213 22877 44090
	ALL CAUSES	{ M F P	15282 11260 12997	15252 10842 12731	14955 10846 12613	13400 10901 12047	13550 11268 12339	11864 10142 10962	12631 11103 11832	12337 10995 11643	13384 11765 12543	12205 10505 11322	12233 10667 11420
001-138	I.—INFECTIVE & PARA- SITIC DISEASES	{ M F P	1216 660 900	1113 596 817	1072 585 795	891 533 697	878 561 710	772 489 624	722 440 575	605 355 475	543 296 415	441 220 326	387 197 288
001-019	Tuberculosis (all forms)	{ M F P	914 481 668	860 453 628	835 449 615	706 421 552	683 437 552	628 397 507	579 350 459	469 267 364	419 219 315	337 152 241	281 128 202
001-008	Respiratory system	{ M F P	785 385 557	739 364 524	716 364 515	613 345 468	595 364 473	555 334 440	518 303 405	422 227 321	375 181 275	304 128 212	257 108 179
010-019	Other forms	{ M F P	129 96 111	122 89 103	119 85 100	93 75 83	87 73 80	73 63 67	61 47 54	47 40 43	44 37 41	33 24 28	24 21 22
010	Meninges and central nervous system	{ M F P	56 45 50	53 41 46	52 42 46	42 36 39	40 34 37	32 30 31	27 24 25	20 20 20	21 19 20	13 11 12	8 7 8
011	Intestines, peritoneum, and mesenteric glands	{ M F P	18 17 17	18 14 16	17 12 14	12 9 11	10 11 11	8 9 9	7 7 7	4 4 4	4 4 4	3 3 3	3 3 3
012,013	Bones and joints	{ M F P	21 11 15	18 10 14	17 9 12	12 9 11	10 7 9	10 7 9	7 5 6	7 5 6	6 4 5	5 3 4	3 3 3
016	Genito-urinary system	{ M F P	12 6 8	13 6 9	12 6 9	8 5 7	9 5 7	9 5 7	10 4 7	8 4 6	8 4 6	7 3 5	5 3 4
019	Disseminated tuberculosis	{ M F P	17 13 15	15 13 14	16 12 14	14 12 13	14 12 13	10 9 10	8 5 6	4 4 4	4 3 3	3 3 3	3 2 3
020-029	Syphilis and its sequelæ	{ M F P	110 34 67	100 31 61	94 28 56	85 28 54	74 26 48	64 23 42	63 22 41	57 23 39	60 22 40	52 23 37	47 19 33
022	Aneurysm of aorta	{ M F P	27 7 16	26 8 16	27 6 15	27 7 16	26 8 16	23 8 15	25 8 16	20 10 15	23 9 16	21 10 15	19 8 14
023	Other cardiovascular syphilis	{ M F P	36 13 23	32 11 20	30 9 18	27 10 18	23 9 15	23 9 15	17 6 11	21 7 14	22 7 14	18 8 13	16 7 11
024	Tabes dorsalis	{ M F P	15 3 8	14 2 7	13 2 7	10 2 6	8 2 5	5 1 3	6 1 3	5 1 3	5 1 3	5 1 3	4 1 3
025	General paralysis of insane	{ M F P	25 7 15	23 6 13	20 6 12	17 6 11	14 5 10	10 3 6	8 3 5	5 2 4	6 2 4	4 2 3	4 1 3
026	Other syphilis of central nervous system	{ M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	1 1 1	2 1 2	2 1 2	2 1 2	2 1 1
040-049	Infectious diseases commonly arising in intestinal tract	{ M F P	5 5 5	8 5 6	7 5 6	7 4 5	5 3 4	5 3 4	4 3 3	4 3 3	4 3 3	3 2 2	2 2 2
040, 041	Typhoid and paratyphoid fevers	{ M F P	2 2 2	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0
042	Other salmonella infections	{ M F P	1 0 0	1 0 1	1 0 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
045-048	Dysentery (all forms) .. { M F P	3 3 3	5 3 4	5 3 4	4 2 3	3 1 2	2 1 2	1 1 1	2 1 1	2 1 2	1 1 1	1 1 1
045	Bacillary dysentery .. { M F P	2 3 2	3 2 3	3 3 3	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 6	1 1 1
050-064	Other bacterial diseases .. { M F P	126 96 109	103 80 90	78 61 68	59 53 56	53 50 51	40 37 38	32 28 30	27 24 25	26 23 24	19 17 18	20 18 19
050	Scarlet fever .. { M F P	4 3 3	3 3 3	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1	0 1 1
051	Streptococcal sore throat { M F P	5 5 5	4 4 4	3 3 3	2 2 2	2 3 2	2 2 2	1 2 2	2 1 1	1 1 1	1 1 1	1 1 1
052	Erysipelas .. { M F P	3 3 3	4 3 3	2 4 3	2 2 2	1 2 1	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0	0 1 0
053	Septicæmia and pyæmia { M F P	12 9 10	13 8 10	9 6 8	7 5 6	5 4 5	5 4 4	4 3 3	4 3 4	3 2 3	2 3 3	3 2 3
055	Diphtheria .. { M F P	41 32 36	27 22 24	21 16 18	11 11 11	6 5 6	4 3 4	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1
056	Whooping cough .. { M F P	30 29 29	28 28 28	18 18 18	19 21 20	20 23 22	16 18 17	12 13 12	8 10 9	10 11 10	4 4 4	5 6 6
057	Meningococcal infections { M F P	26 15 20	20 11 15	19 10 14	14 10 12	15 11 13	8 6 7	7 6 7	7 6 6	7 6 7	8 6 7	8 5 7
080-096	Diseases attributable to viruses .. { M F P	52 40 46	35 25 29	51 40 45	29 25 27	59 43 51	32 27 29	41 36 38	43 36 39	29 27 28	25 24 25	32 27 29
080, 081	Acute poliomyelitis, including late effects .. { M F P	3 2 2	4 2 3	4 3 3	3 3 3	21 13 16	7 4 6	17 13 15	20 15 17	6 4 5	8 5 7	10 6 8
082, 083	Acute infectious encephalitis, including late effects .. { M F P	18 11 14	15 9 12	15 11 13	13 11 11	12 10 11	11 8 9	9 8 9	9 8 8	7 8 8	6 6 6	8 6 7
085	Measles .. { M F P	23 19 20	7 6 6	23 16 19	6 4 5	17 14 15	8 7 8	7 7 7	6 4 5	8 6 7	3 3 3	7 5 6
092	Infectious hepatitis .. { M F P	7 5 6	6 5 5	6 6 6	6 5 5	6 4 5	4 4 4	6 5 5	7 6 6	6 5 6	5 6 6	6 7 7
140-239	II.—NEOPLASMS .. { M F P	2252 1814 2003	2270 1798 2000	2327 1825 2041	2108 1839 1962	2081 1850 1958	2073 1854 1958	2095 1867 1976	2099 1890 1991	2163 1865 2008	2189 1890 2034	2205 1876 2034
140-205	Cancer, including Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2200 1752 1945	2217 1741 1945	2274 1766 1984	2058 1783 1909	2036 1797 1909	2028 1803 1910	2050 1821 1930	2058 1840 1945	2120 1822 1965	2151 1850 1995	2165 1835 1994
140-200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2141 1716 1900	2156 1705 1898	2211 1725 1934	1995 1743 1859	1977 1756 1859	1966 1762 1859	1984 1775 1875	1992 1792 1889	2051 1768 1904	2076 1796 1931	2090 1779 1929
140-148	Malignant neoplasm of buccal cavity and pharynx { M F P	126 26 69	123 26 68	116 26 65	95 25 57	87 25 54	81 24 51	76 26 50	75 27 50	74 28 50	70 28 48	66 25 45
140	Lip .. { M F P	13 1 7	13 1 6	11 1 5	10 1 5	8 1 4	7 1 4	8 1 4	7 1 4	6 1 3	5 1 3	5 0 3
141	Tongue .. { M F P	45 8 24	47 7 24	40 7 21	32 6 18	31 6 18	29 6 17	24 7 15	25 6 15	23 7 15	21 6 13	20 6 13
142-148	Other or unspecified parts of buccal cavity and pharynx .. { M F P	68 17 39	64 18 38	65 19 38	52 18 34	48 18 32	45 17 30	44 18 30	43 20 31	45 20 32	44 22 32	41 18 29
150-159	Malignant neoplasm of digestive organs and peritoneum .. { M F P	1207 812 983	1224 809 987	1244 825 1005	1093 832 952	1052 832 935	1029 826 923	1001 823 908	965 826 893	969 801 882	955 806 878	934 793 861



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
150	Esophagus . . . . . { M F P	93 36 60	93 32 58	91 36 59	77 37 56	79 36 56	74 36 54	70 35 52	71 37 54	71 37 53	70 37 53	63 38 50
151	Stomach . . . . . { M F P	431 266 337	453 269 348	462 270 353	405 280 338	398 280 335	401 278 337	392 273 330	379 284 330	387 286 335	382 278 328	379 271 323
152	Small intestine, including duodenum . . . . . { M F P	8 6 6	7 5 6	7 5 6	7 4 5	5 5 5	5 4 4	5 5 5	5 4 4	4 5 5	5 4 5	5 4 5
153	Large intestine, except rectum . . . . . { M F P	279 260 268	276 263 269	286 264 273	253 269 262	241 272 257	225 261 244	219 263 242	204 257 232	202 240 221	197 248 224	196 243 220
154	Rectum . . . . . { M F P	231 113 164	230 109 161	238 114 167	206 112 155	193 114 151	192 114 151	183 116 148	175 112 142	172 106 138	162 105 132	153 106 129
155	Biliary passages and liver (stated to be primary site) . . . . . { M F P	84 74 78	80 74 77	77 71 73	65 65 65	58 62 60	54 62 58	22 32 28	23 36 30	23 34 28	25 35 30	23 34 29
156	Liver (secondary and unspecified) . . . . . { M F P	78 74 78	77 74 77	73 71 73	65 65 65	60 62 60	58 62 58	29 29 29	28 25 26	27 24 25	26 21 23	25 21 23
157	Pancreas . . . . . { M F P	74 49 60	77 47 60	75 54 63	72 56 63	70 53 61	71 59 65	74 61 67	74 63 68	77 60 68	82 68 75	81 65 73
158	Peritoneum . . . . . { M F P	8 9 9	7 9 8	8 11 10	8 8 8	6 10 8	7 11 9	7 9 8	7 8 7	7 8 8	6 10 8	7 10 8
160-165	Malignant neoplasm of respiratory system . . . . . { M F P	372 72 201	397 74 212	419 80 226	413 81 234	438 89 253	465 95 271	495 98 288	536 104 312	581 107 335	614 113 354	653 113 373
160	Nose, nasal cavities, middle ear, and accessory sinuses . . . . . { M F P	6 4 5	6 4 5	6 4 5	5 4 5	5 3 4	5 4 4	6 4 5	6 5 5	6 4 5	6 4 5	6 4 5
161	Larynx . . . . . { M F P	51 9 27	49 9 26	48 9 26	44 8 25	39 9 23	41 9 24	38 9 23	38 8 23	38 9 23	36 8 21	35 7 21
162	Trachea, and bronchus and lung specified as primary . . . . . { M F P	303 54 162	329 57 174	354 62 188	355 65 198	387 73 220	413 79 238	108 22 63	135 26 79	142 27 83	172 33 99	181 32 104
163	Lung and bronchus, un- specified as to whether primary or secondary . . . . . { M F P	162 54 162	174 57 174	188 62 188	198 65 198	220 73 220	238 79 238	336 60 192	350 61 201	388 64 220	396 65 224	426 66 239
164	Mediastinum . . . . . { M F P	12 4 8	12 4 7	11 4 7	8 4 6	8 3 5	7 3 5	6 3 5	6 3 4	5 2 4	5 2 4	5 2 3
170-181	Malignant neoplasm of breast and genito-urinary organs . . . . . { M F P	279 712 525	261 700 512	275 695 514	259 706 501	262 707 498	258 713 496	270 710 500	274 714 502	277 713 503	282 723 511	285 716 509
170	Breast . . . . . { M F P	6 341 196	4 338 195	4 335 193	4 351 192	4 349 187	3 350 185	4 350 185	3 350 182	3 352 184	3 363 190	4 357 187
171-174	Uterus . . . . . F	212	201	201	195	193	193	189	183	178	176	172
175	Ovary, Fallopian tube and broad ligament . . . . . F	93	98	96	95	100	101	104	110	112	110	112
176	Other and unspecified female genital organs . . . . . F	23	21	20	19	20	19	19	21	19	21	21
177	Prostate . . . . . M	146	135	145	139	143	137	144	146	143	142	149
178	Testis . . . . . M	8	9	9	10	9	10	9	10	9	10	9
179	Other and unspecified male genital organs . . . . . M	12	12	10	9	9	8	8	8	8	7	6
180	Kidney . . . . . { M F P	26 15 20	24 16 20	26 14 19	23 16 19	25 16 20	26 17 21	27 17 22	28 16 22	28 19 23	30 21 25	31 19 25
181	Bladder and other urinary organs . . . . . { M F P	81 28 51	76 27 48	82 28 51	74 30 50	72 29 49	76 32 53	79 31 54	79 34 56	85 32 58	89 33 60	86 35 60

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
190-199	Malignant neoplasm of other and unspecified sites	M 138 F 87 P 109	133 87 107	136 90 110	116 88 101	119 91 104	113 93 103	116 101 108	116 104 110	117 98 107	121 103 112	117 109 113
190, 191	Skin .. ..	M 40 F 22 P 30	36 22 28	37 22 29	30 20 24	29 21 25	27 20 23	25 20 23	26 21 23	23 18 21	23 21 22	22 20 21
192	Eye .. ..	M 3 F 2 P 2	3 2 2	3 2 2	3 2 2	2 2 2	2 2 2	3 2 2	3 2 3	3 2 3	2 3 2	2 2 2
193	Brain and other parts of nervous system ..	M 27 F 15 P 20	25 15 19	29 17 22	24 17 20	28 17 22	30 17 23	32 21 26	32 23 27	35 22 28	39 23 31	38 26 32
194	Thyroid gland ..	M 4 F 9 P 7	5 10 8	5 10 8	4 10 7	5 10 8	4 10 7	4 11 8	3 11 7	4 11 8	5 11 8	4 12 8
195	Other endocrine glands ..	M 3 F 1 P 2	2 2 2	3 2 2	3 2 2	3 2 2	3 1 2	2 3 2	3 2 3	2 2 2	4 2 3	2 2 2
196	Bone (including jaw bone)	M 38 F 20 P 28	37 19 27	35 18 25	30 19 24	28 17 22	24 17 21	24 18 21	21 14 18	21 14 17	19 14 16	19 13 16
197-199	Other and unspecified sites	M 24 F 17 P 20	25 17 21	25 19 22	24 19 21	24 22 23	23 25 24	26 26 26	27 30 29	28 28 28	29 29 29	29 34 32
200-205	Neoplasms of lymphatic and hæmatopoietic tissues ..	M 78 F 43 P 58	79 45 59	84 50 65	82 52 65	78 53 65	81 54 67	92 64 77	92 66 79	101 76 88	109 76 92	110 80 94
200	Lymphosarcoma and reticulosarcoma ..	M 16 F 7 P 11	15 6 10	17 7 11	15 7 11	14 7 11	14 7 10	19 11 15	18 11 14	20 13 16	21 13 17	21 13 17
201	Hodgkin's disease ..	M 21 F 10 P 15	23 10 16	23 11 16	22 10 16	21 10 15	22 11 16	22 11 16	20 11 15	22 12 17	23 12 17	23 13 18
204	Leukæmia and aleukæmia	M } F } P }						44 35 40	47 37 42	47 41 44	52 41 46	53 44 48
	0. Lymphatic leukæmia	M } F } P }	38 25 30	38 26 31	40 29 34	41 30 35	38 32 35	40 31 35	16 10 13	20 14 17	21 13 17	21 14 17
	1. Myeloid leukæmia ..	M } F } P }						15 14 14	19 18 18	19 21 20	21 20 21	22 21 21
	2-4 Other and unspecified leukæmia ..	M } F } P }						13 12 12	8 6 7	7 6 7	10 8 9	10 9 9
210-229	Benign neoplasm ..	M 20 F 41 P 32	23 35 30	21 36 29	19 33 26	18 32 26	19 30 25	18 28 23	18 30 24	18 25 22	16 26 21	17 24 21
214	Uterine fibromyoma ..	F 16	13	11	10	8	9	8	8	6	6	5
216	Ovary .. ..	F 9	10	9	8	8	6	6	7	5	5	5
219	Kidney and other urin- ary organs ..	M 9 F 2 P 5	10 2 5	9 2 5	7 2 5	5 2 4	6 2 4	6 1 3	6 2 4	6 2 4	5 1 3	5 1 3
223	Brain and other parts of nervous system ..	M 6 F 6 P 6	6 5 5	6 6 6	6 6 6	7 7 7	6 7 6	6 7 6	6 7 7	6 7 7	5 7 6	7 7 7
230-239	Neoplasm of unspecified nature .. ..	M 32 F 22 P 26	30 22 25	32 24 28	31 23 26	27 20 24	27 20 24	27 19 23	23 20 21	24 18 21	21 15 18	22 16 19
240-289	III.—ALLERGIC, ENDO- CRINE SYSTEM, META- BOLIC, & NUTRITION- AL DISEASES	M 212 F 252 P 235	197 229 215	205 235 222	174 223 201	165 228 198	136 204 172	151 213 184	152 223 189	166 236 203	139 201 171	132 194 164
240-245	Allergic disorders ..	M 94 F 63 P 76	89 55 70	96 61 76	87 60 72	85 64 74	70 56 63	82 63 72	77 65 70	88 76 82	67 54 60	65 59 62
241	Asthma .. ..	M ? F ? P ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	82 63 72	77 65 70	88 75 81	67 54 60	64 59 62



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
250-254	Diseases of thyroid gland .. { M F P	8 46 30	6 38 25	8 38 25	6 39 24	6 41 25	5 34 20	6 34 20	6 35 21	6 34 21	5 30 18	5 23 14
252	Thyrototoxicosis with or without goitre .. { M F P	7 34 22	5 27 18	5 26 17	4 27 17	4 28 17	3 25 15	4 23 14	3 22 13	4 21 13	3 17 10	3 14 9
253	Myxœdema and cretinism { M F P	1 8 5	1 7 5	1 8 5	1 8 5	2 9 6	1 6 3	1 7 4	1 9 5	1 10 6	1 9 5	1 6 4
260	Diabetes mellitus .. { M F P	93 129 114	87 122 107	83 122 106	68 111 91	59 107 84	51 98 76	53 104 80	58 109 84	58 109 85	52 98 76	50 93 72
270-277	Diseases of other endocrine glands .. { M F P	9 9 9	8 8 8	9 9 9	7 8 7	7 10 8	5 8 7	6 8 7	7 8 7	8 10 9	7 9 8	6 8 7
272	Diseases of pituitary gland .. { M F P	1 2 2	1 1 1	2 2 2	1 1 1	1 2 1	1 2 1	1 2 2	2 2 2	2 3 3	2 3 2	1 3 2
274	Diseases of adrenal glands { M F P	4 5 5	3 5 4	4 5 5	4 4 4	4 6 5	2 5 4	3 5 4	3 4 4	3 5 4	2 5 4	3 3 3
280-289	Avitaminoses, and other metabolic diseases .. { M F P	7 5 6	7 5 6	8 5 7	7 6 6	7 6 6	5 6 6	4 5 5	6 6 6	7 7 7	9 9 9	6 10 8
290-299	IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS ... { M F P	76 91 84	70 83 77	76 93 85	49 75 63	52 73 63	44 64 54	42 65 54	38 67 53	40 64 53	39 60 50	35 54 45
290	Pernicious and other hyperchromic anæmias { M F P	49 63 57	45 56 51	50 64 58	28 46 38	29 45 38	23 36 30	21 37 30	19 37 28	18 34 27	15 29 22	13 26 20
	0. Pernicious anæmia .. { M F P	48 62 56	45 55 50	49 63 57	28 46 38	28 45 37	22 36 29	20 35 28	16 33 25	16 31 24	13 26 20	12 23 17
	1. Subacute combined degeneration of spinal cord .. { M F P	56	50	57	38	37	29	1	2	2	2	1
291	Iron deficiency anæmias (hypochromic anæmias) { M F P	1 2 2	1 3 2	2 4 3	1 3 2	1 4 3	1 4 3	2 4 3	2 6 4	2 7 5	3 6 5	3 7 5
292, 293	Other anæmias .. { M F P	10 13 12	10 11 11	9 12 11	8 12 10	10 12 11	9 11 10	9 13 11	8 14 11	10 11 11	10 15 13	11 12 12
300-326	V.—MENTAL, PSYCHO- NEUROTIC, AND PER- SONALITY DISORDERS { M F P	38 40 39	40 43 42	33 42 38	29 36 33	27 39 33	23 31 27	22 32 27	23 35 29	25 36 31	23 30 26	20 31 25
300-309	Psychoses .. { M F P	28 35 32	30 37 34	24 36 31	20 31 26	19 32 25	15 24 20	16 25 20	15 28 22	18 28 23	16 23 20	14 25 20
320-326	Disorders of character, be- haviour, and intelligence { M F P	9 6 7	10 6 8	9 6 7	9 6 7	8 7 8	8 7 7	5 5 5	7 4 6	6 5 6	6 5 5	5 4 4
25	Mental deficiency .. { M F P	?	?	?	?	?	?	4	5	5	4	3
330-398	VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS { M F P	1522 1473 1494	1594 1508 1545	1596 1537 1562	1436 1590 1519	1464 1681 1579	1266 1546 1412	1379 1684 1538	1436 1796 1622	1521 1873 1704	1513 1887 1707	1484 1846 1672
330-334	Vascular lesions affecting central nervous system .. { M F P	1290 1307 1300	1365 1344 1353	1381 1374 1377	1249 1440 1352	1284 1524 1411	1125 1413 1275	1228 1544 1393	1284 1656 1476	1378 1734 1563	1381 1763 1579	1356 1718 1544
330	Subarachnoid hæmorrhage { M F P	784 824 807	830 837 834	831 846 839	745 885 821	730 902 821	635 832 738	26 35 31	32 44 38	39 54 47	48 72 60	50 71 61
331	Cerebral hæmorrhage .. { M F P	646 843 749	644 864 758	653 857 759	621 823 726	605 799 705						
332	Cerebral embolism and thrombosis .. { M F P	432 419 425	458 445 451	475 465 469	435 487 463	482 552 519	427 517 474	489 595 544	544 677 612	602 726 667	619 763 694	609 744 679

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
333,334	Spasm of cerebral arteries, and other and ill-defined vascular lesions affecting central nervous system ..	M 73 F 64 P 68	78 62 69	76 64 69	70 67 68	71 70 71	63 64 63	67 72 70	64 71 67	83 96 90	92 105 99	92 104 99
340-345	Inflammatory diseases of central nervous system ..	M 60 F 44 P 51	60 44 51	55 43 48	48 35 41	43 40 42	35 34 34	39 34 36	37 34 36	36 38 37	32 32 32	32 35 34
340	Meningitis, except menin- gococcal and tuberculous	M 22 F 13 P 17	23 13 17	19 12 15	16 8 12	16 10 13	12 8 10	13 9 11	11 8 9	11 7 9	9 6 8	11 8 9
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ..	M 8 F 6 P 7	7 6 6	7 6 6	6 4 5	6 5 5	4 5 4	5 5 5	5 3 4	4 3 3	3 2 3	3 2 3
345	Multiple sclerosis ..	M 23 F 22 P 22	23 22 22	22 23 23	19 20 20	17 22 19	14 19 16	16 18 17	15 20 18	17 25 21	15 20 18	13 22 18
350-357	Other diseases of central nervous system ..	M 127 F 98 P 111	126 97 109	123 98 109	109 96 102	105 98 101	85 84 84	91 92 92	97 94 96	91 91 91	87 83 85	82 84 83
350	Paralysis agitans ..	M 36 F 27 P 31	37 30 33	39 34 36	33 31 32	32 33 33	25 31 28	30 36 33	30 36 33	34 39 37	31 38 35	31 36 34
351, 352	Cerebral spastic infantile paralysis and other cerebral paralysis ..	M 20 F 24 P 22	21 21 21	19 21 20	17 21 19	17 21 19	14 19 17	16 20 18	23 23 23	14 19 17	14 13 13	12 14 13
353	Epilepsy ..	M 46 F 29 P 36	41 30 35	38 27 32	35 26 31	33 26 29	25 21 23	23 20 21	22 20 21	22 19 21	22 18 20	19 18 19
356	Motor neurone disease and muscular atrophy ..	M 17 F 11 P 14	19 10 14	19 10 14	17 10 13	16 11 13	16 8 12	16 11 14	15 10 12	14 8 11	15 9 12	14 9 12
	0. Progressive muscular atrophy ..	M ? F ? P ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 8 10	10 7 8	10 6 8	10 6 8	11 6 8
360-369	Diseases of nerves and peripheral ganglia ..	M 4 F 4 P 4	4 3 3	4 3 3	4 3 3	6 4 5	4 3 3	4 4 4	4 3 3	4 2 3	3 2 2	3 2 2
390-398	Diseases of ear and mastoid process ..	M 39 F 19 P 28	36 19 26	32 17 23	26 15 20	25 14 19	17 11 14	15 8 11	14 7 10	12 7 9	10 5 8	11 5 8
391	Otitis media without men- tion of mastoiditis ..	M ? F ? P ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	11 6 8	10 5 8	9 5 7	7 4 6	8 4 6
392, 393	Otitis media with mastoid- itis, and mastoiditis with- out mention of otitis media	M 17 F 7 P 12	16 10 12	14 8 11	10 6 8	11 6 8	6 3 4	4 2 3	4 2 3	3 1 2	3 1 2	2 1 2
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM	M 4195 F 3322 P 3699	4429 3337 3804	4437 3465 3883	4121 3570 3823	4320 3780 4033	3879 3522 3692	4325 4068 4191	4378 4143 4256	4651 4366 4503	4383 3961 4164	4311 3967 4133
400-402	Rheumatic fever ..	M 25 F 29 P 27	28 26 27	25 24 25	19 19 19	18 19 19	18 20 19	15 17 16	12 14 13	8 9 9	7 8 7	7 7 7
410-416	Chronic rheumatic heart disease ..	M 241 F 294 P 271	260 290 277	246 286 269	208 272 243	203 272 240	181 257 220	181 270 228	201 306 255	194 298 248	164 247 207	157 241 200
410	Diseases of mitral valve ..	M 182 F 231 P 210	195 228 214	184 224 207	148 213 183	150 214 184	132 201 168	132 214 175	134 224 181	130 218 176	113 192 154	108 187 149
411	Diseases of aortic valve specified as rheumatic ..	M 11 F 5 P 8	12 5 8	12 5 8	11 5 8	10 5 7	9 5 7	10 5 7	13 5 9	14 6 10	14 6 10	14 6 10
412-414	Dis: of tricuspid v: pulm: v: specified as rh: & other en- docarditis specified as rh:	M 23 F 29 P 26	25 29 28	25 31 28	23 27 25	21 26 24	19 27 23	21 28 25	31 47 39	27 40 34	15 22 19	13 18 16
415	Other myocarditis specified as rheumatic ..	M 16 F 21 P 19	19 19 19	16 18 17	16 19 18	13 16 15	11 13 12	8 11 10	9 12 11	7 11 9	6 8 7	6 7 6
416	Other heart disease specified as rheumatic ..	M 9 F 9 P 9	9 8 9	9 8 8	9 9 9	10 11 10	10 11 11	10 11 11	14 18 16	16 23 20	16 20 18	16 23 20



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
420-422	Arteriosclerotic and degener- ative heart disease ..	M 3105 F 2348 P 2675	3285 2371 2762	3323 2484 2845	3099 2566 2811	3266 2725 2979	2929 2521 2715	3293 2931 3104	3266 2903 3078	3466 3067 3259	3306 2779 3032	3217 2762 2981
420	Arteriosclerotic heart disease, including coronary disease ..	M 954 F 396 P 637	1065 425 699	1137 466 754	1129 522 800	1245 586 895	1264 652 943	1453 765 1093	1640 885 1249	1756 938 1331	1847 983 1398	1837 996 1401
	0. Arteriosclerotic heart disease so described ..	M } F } P }	857 362 575	964 387 634	1040 430 693	1048 488 745	1172 554 844	1203 622 899	5 3 4	4 5 4	8 7 7	8 7 9
	1. Heart disease specified as involving coronary arteries ..	M } F } P }	575 362 575	634 387 634	693 430 693	745 488 745	844 554 844	899 622 899	1388 731 1045	1588 855 1209	1708 909 1293	1807 959 1367
	2. Angina pectoris without mention of coronary disease ..	M } F } P }	97 34 62	101 38 65	97 35 62	81 34 56	72 32 51	61 30 45	60 31 45	47 25 36	40 22 31	31 17 24
421	Chronic endocarditis not specified as rheumatic ..	M } F } P }	202 150 172	200 148 170	182 138 157	150 123 135	132 114 122	106 97 101	112 95 103	72 54 62	62 45 53	71 61 66
	0. Of mitral valve, speci- fied as non-rheumatic ..	M } F } P }	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	1 1 1	1 1 1	4 4 4
	1. Of aortic valve, not specified as rheumatic ..	M } F } P }	74 30 49	70 29 46	66 26 43	56 26 40	52 24 37	44 24 33	50 25 37	46 26 36	44 24 34	43 23 33
	2-4 Of tricuspid v: specified as non-rh.; pulm: v: not specified as rh.; & other & ill-def: not specified as rh:	M } F } P }	128 120 123	130 120 124	116 112 114	94 97 95	79 90 85	63 73 68	62 70 66	24 26 25	17 20 18	24 34 29
422	Other myocardial degener- ation ..	M } F } P }	1950 1802 1866	2020 1798 1893	2004 1881 1934	1821 1921 1875	1890 2026 1962	1559 1772 1671	1728 2071 1907	1555 1965 1767	1648 2084 1874	1388 1735 1518
	0. Fatty degeneration ..	M } F } P }	23 28 26	24 26 25	19 24 22	16 22 19	15 20 17	11 17 14	11 21 16	10 17 14	10 14 12	6 10 8
	1. With arteriosclerosis ..	M } F } P }	524 424 467	558 442 492	576 480 521	553 523 537	598 579 588	522 534 528	585 646 617	580 666 624	633 733 685	555 643 595
	2. Other ..	M } F } P }	1403 1349 1373	1438 1330 1376	1409 1378 1391	1252 1376 1319	1277 1427 1357	1026 1221 1129	1132 1405 1274	965 1282 1129	1005 1338 1178	827 1082 959
430-434	Other diseases of heart ..	M } F } P }	155 142 148	148 135 141	140 134 136	120 130 125	119 131 125	100 119 110	119 132 126	122 135 129	159 165 162	155 161 171
430	Acute and subacute endocarditis ..	M } F } P }	28 23 25	25 20 22	21 15 18	16 13 14	16 11 13	14 10 12	12 10 11	11 7 9	10 7 8	9 6 8
431	Acute myocarditis not specified as rheumatic ..	M } F } P }	5 5 5	5 4 4	6 4 5	5 5 5	5 6 6	5 5 5	5 6 5	5 4 5	5 3 4	4 4 4
432	Acute pericarditis specified as non-rheumatic ..	M } F } P }	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 0 0	1 1 1	1 0 1
433	Functional disease of heart	M } F } P }	60 68 65	59 68 64	54 72 64	55 76 66	56 76 67	48 71 60	55 77 66	46 72 60	57 82 70	54 77 66
434	Other and unspecified diseases of heart ..	M } F } P }	61 44 51	60 41 49	58 42 49	43 36 39	41 36 38	32 32 32	46 39 42	59 51 55	86 71 78	88 74 81
440-447	Hypertensive disease ..	M } F } P }	338 253 289	354 260 300	358 269 307	348 293 318	375 331 352	351 324 337	389 388 389	445 452 448	476 480 478	426 437 432
440	Essential benign hyperten- sion with heart disease ..	M } F } P }	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 1 1	6 6 6	6 5 6	4 4 4
441	Essential malignant hyper- tension with heart disease	M } F } P }	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	2 1 1	7 5 6	8 6 7	4 3 4
442	Hypertensive heart disease with arteriolar nephro- sclerosis ..	M } F } P }	17 14 15	17 14 15	17 14 15	16 14 15	16 15 16	14 13 13	14 14 14	12 14 13	16 16 16	8 9 8

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
443	Other & unspecified hyper- tensive heart disease .. { M F P	154 117 133	165 123 141	169 131 147	164 143 153	179 162 170	165 157 161	187 191 189	324 338 331	351 365 358	225 244 235	229 251 240
444	Essential benign hyperten- sion without mention of heart .. .. . { M F P	127 92 107	134 95 112	133 96 112	132 106 118	144 123 133	141 128 134	98 102 100	33 37 35	34 36 35	100 101 101	98 104 101
445	Essential malignant hyper- tension without mention of heart .. .. . { M F P	107	112	112	118	133	134	15 10 12	13 8 10	12 8 10	17 9 13	20 9 14
446	Hypertension with arter- iolar nephrosclerosis with- out mention of heart .. { M F P	39 29 34	38 29 33	39 29 33	37 30 33	36 31 34	31 26 29	31 28 29	30 25 27	27 24 26	25 23 24	27 22 25
447	Other hypertensive disease without mention of heart .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	43 42 42	21 19 20	21 20 20	44 45 44	44 45 44
450-456	Diseases of arteries .. { M F P	306 227 261	323 224 267	319 235 271	299 252 274	312 266 287	272 244 257	293 282 288	293 281 287	311 300 305	289 278 283	287 284 286
450	General arteriosclerosis .. { M F P							259 249 254	269 260 264	287 280 283	252 250 251	247 256 252
	0. Without mention of gangrene .. .. { M F P	272 196 229	285 194 233	279 207 238	264 224 243	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 228 225	220 235 227
	1. With gangrene .. { M F P							26 18 22	30 24 27	33 25 29	29 22 25	27 22 24
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	8 8 8	10 9 9	11 10 11	26 20 23	28 19 23
460-468	Diseases of veins and other diseases of circulatory system .. .. . { M F P	26 31 29	31 31 31	27 33 30	27 37 33	27 37 32	28 38 33	34 47 41	38 52 45	37 48 43	36 51 44	38 56 47
460	Varicose veins of lower extremities .. .. { M F P							4 9 7	4 10 7	4 10 7	4 10 7	2 7 5
461	Hæmorrhoids .. .. { M F P	7 12 10	7 11 10	8 12 10	6 11 9	4 11 8	4 10 7	1 1 1	1 1 1	1 0 1	1 0 1	1 1 1
462	Varicose veins of other specified sites .. { M F P							1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
463	Phlebitis and thrombo- phlebitis of lower extre- mities .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 7 6	7 13 10	6 10 8	7 10 8	6 10 8
464	Phlebitis and thrombo- phlebitis of other sites .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 4 3	1 1 1	1 1 1	0 1 1	0 1 1
465	Pulmonary embolism and infarction .. .. { M F P	7 6 6	10 6 8	7 7 7	9 9 9	11 10 10	11 10 11	14 14 14	15 15 15	16 14 15	15 16 15	18 19 18
466	Other venous embolism and thrombosis .. { M F P	9 11 10	11 11 11	10 14 12	10 15 13	9 14 12	11 16 13	7 9 8	8 10 9	7 11 9	7 12 10	9 15 12
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM { M F P	2374 1515 1886	1928 1025 1412	1923 1055 1428	1700 1090 1369	1774 1116 1425	1371 817 1081	1643 1137 1379	1501 1002 1243	2149 1552 1839	1493 906 1188	1715 1135 1414
470-475	Acute upper respiratory infections .. .. { M F P	9 5 6	8 5 6	7 4 5	5 3 4	5 3 4	4 3 3	5 3 4	6 6 6	6 6 6	4 4 4	4 4 4
480-483	Influenza .. .. { M F P	359 312 333	125 86 103	85 59 70	132 128 130	87 72 79	33 25 29	128 132 130	88 90 89	351 370 361	42 38 40	137 156 147
480	Influenza with pneumonia { M F P	169 130 147	57 35 44	39 22 29	62 56 59	40 29 35	15 10 13	59 57 58	44 41 43	176 178 177	21 19 20	68 77 73
481	Influenza with other res- piratory manifestations, & influenza unqualified { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	67 73 70	42 47 45	173 189 181	19 18 19	67 77 72



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
490-493 763	Pneumonia .. .. .	M 829 F 528 P 658	M 705 F 406 P 534	M 677 F 414 P 527	M 594 F 426 P 503	M 639 F 468 P 548	M 483 F 357 P 417	M 535 F 443 P 487	M 453 F 390 P 420	M 578 F 496 P 535	M 488 F 403 P 444	M 530 F 454 P 491
490	Lobar pneumonia (age 4 weeks and over) ..	M 231 F 123 P 170	M 201 F 93 P 139	M 176 F 89 P 127	M 151 F 89 P 117	M 147 F 89 P 116	M 119 F 69 P 93	M 117 F 79 P 97	M 105 F 70 P 87	M 113 F 75 P 93	M 103 F 63 P 82	M 102 F 66 P 84
491	Bronchopneumonia (age 4 weeks and over) ..	M 485 F 339 P 402	M 398 F 254 P 315	M 407 F 269 P 328	M 354 F 280 P 314	M 404 F 322 P 361	M 300 F 246 P 272	M 353 F 317 P 334	M 290 F 280 P 285	M 395 F 372 P 383	M 326 F 295 P 310	M 366 F 345 P 355
492	Primary atypical pneu- monia (age 4 weeks and over) .. .. .	M } F } P } 77 46 60	M } F } P } 67 39 51	M } F } P } 57 35 44	M } F } P } 50 32 40	M } F } P } 47 31 38	M } F } P } 36 25 30	M } F } P } 1 0 1	M } F } P } 3 2 2	M } F } P } 4 3 3	M } F } P } 4 2 3	M } F } P } 3 2 3
493	Pneumonia, other and unspecified .. .. .	M } F } P } 60	M } F } P } 51	M } F } P } 44	M } F } P } 40	M } F } P } 38	M } F } P } 30	M } F } P } 40 32 36	M } F } P } 31 23 27	M } F } P } 38 30 34	M } F } P } 31 27 29	M } F } P } 33 25 29
763	Pneumonia of the newborn* .. .. .	M 1.66 F 1.29 P 1.48	M 1.64 F 1.28 P 1.47	M 1.74 F 1.35 P 1.55	M 1.77 F 1.40 P 1.59	M 1.76 F 1.35 P 1.56	M 1.42 F 0.97 P 1.20	M 1.38 F 0.95 P 1.17	M 1.43 F 0.98 P 1.21	M 1.63 F 1.14 P 1.39	M 1.55 F 1.16 P 1.36	M 1.57 F 1.01 P 1.30
500-502	Bronchitis .. .. .	M 1043 F 617 P 801	M 966 F 485 P 691	M 1028 F 534 P 746	M 867 F 497 P 666	M 935 F 535 P 723	M 744 F 390 P 559	M 851 F 509 P 672	M 830 F 472 P 645	M 1079 F 627 P 844	M 838 F 420 P 621	M 919 F 476 P 689
500	Acute bronchitis .. ..	M 233 F 208 P 219	M 185 F 136 P 157	M 196 F 159 P 175	M 156 F 145 P 150	M 171 F 160 P 165	M 108 F 96 P 102	M 127 F 135 P 131	M 93 F 110 P 102	M 134 F 156 P 146	M 89 F 90 P 90	M 101 F 108 P 105
501	Bronchitis unqualified ..	M } F } P } 84 75 80	M } F } P } 65 57 61	M } F } P } 79 76 77	M } F } P } 53 48 50	M } F } P } 59 51 55	M } F } P } 640 299 462	M } F } P } 672 304 482	M } F } P } 866 395 621	M } F } P } 696 282 481	M } F } P } 760 317 530	M } F } P } 320 62 186
502	Chronic bronchitis .. ..	M 810 F 408 P 582	M 780 F 349 P 534	M 832 F 375 P 571	M 710 F 352 P 516	M 764 F 375 P 558	M 636 F 294 P 457	M 203 F 41 P 119	M 231 F 44 P 134	M 308 F 64 P 181	M 285 F 56 P 166	M 320 F 62 P 186
	0. Bronchitis with em- physema .. .. .	M } F } P } 437 257 343	M } F } P } 441 260 348	M } F } P } 558 457	M } F } P } 440	M } F } P } 410 226 314	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440
	1. Other .. .. .	M } F } P } 437 257 343	M } F } P } 441 260 348	M } F } P } 558 457	M } F } P } 440	M } F } P } 410 226 314	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440	M } F } P } 440
510-527	Other diseases of respiratory system .. .. .	M 171 F 73 P 115	M 164 F 64 P 107	M 164 F 66 P 108	M 141 F 61 P 98	M 150 F 64 P 104	M 135 F 58 P 95	M 150 F 65 P 105	M 149 F 59 P 102	M 162 F 70 P 114	M 147 F 58 P 100	M 151 F 60 P 104
518	Empyema .. .. .	M 13 F 4 P 8	M 13 F 4 P 8	M 11 F 4 P 7	M 8 F 3 P 5	M 8 F 3 P 5	M 6 F 2 P 4	M 6 F 2 P 4	M 5 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3	M 5 F 3 P 4
519	Pleurisy .. .. .	M 14 F 8 P 11	M 12 F 6 P 8	M 11 F 7 P 9	M 8 F 5 P 6	M 8 F 5 P 6	M 7 F 5 P 6	M 4 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3	M 3 F 2 P 2	M 3 F 2 P 2
522	Pulmonary congestion and hypostasis .. .. .	M 21 F 21 P 21	M 18 F 17 P 17	M 17 F 18 P 17	M 14 F 19 P 17	M 15 F 20 P 17	M 12 F 17 P 15	M 16 F 22 P 19	M 12 F 19 P 16	M 15 F 21 P 18	M 10 F 15 P 13	M 7 F 17 P 12
523, 524	Silicosis, and occupational pulmonary fibrosis ..	M 19 F 0 P 8	M 21 F 0 P 9	M 24 F 0 P 10	M 21 F 0 P 10	M 22 F 0 P 11	M 21 F 0 P 10	M 26 F 0 P 13	M 27 F 0 P 13	M 29 F 0 P 14	M 27 F 0 P 13	M 28 F 0 P 13
525	Other chronic interstitial pneumonia .. .. .	M 10 F 3 P 6	M 10 F 4 P 7	M 9 F 3 P 6	M 9 F 3 P 6	M 8 F 3 P 6	M 9 F 4 P 6	M 8 F 3 P 6	M 9 F 3 P 6	M 9 F 4 P 6	M 9 F 4 P 6	M 8 F 3 P 6
526	Bronchiectasis .. .. .	M 56 F 22 P 37	M 56 F 20 P 35	M 60 F 22 P 38	M 52 F 21 P 35	M 57 F 22 P 38	M 49 F 18 P 33	M 56 F 24 P 39	M 54 F 22 P 38	M 55 F 27 P 40	M 51 F 21 P 36	M 53 F 21 P 36
527	Other diseases of lung and pleural cavity .. .. .	M 18 F 3 P 10	M 18 F 3 P 9	M 18 F 4 P 10	M 16 F 4 P 9	M 19 F 4 P 11	M 20 F 5 P 12	M 26 F 6 P 15	M 29 F 6 P 17	M 39 F 9 P 23	M 36 F 9 P 22	M 40 F 10 P 25
	1. Emphysema without mention of bronchitis	M 16 F 2 P 8	M 16 F 2 P 8	M 17 F 3 P 9	M 15 F 3 P 8	M 17 F 3 P 10	M 19 F 3 P 11	M 23 F 4 P 13	M 27 F 4 P 15	M 36 F 8 P 21	M 34 F 7 P 20	M 38 F 8 P 22
530-587	IX.—DISEASES OF THE DIGESTIVE SYSTEM ..	M 697 F 413 P 535	M 701 F 403 P 530	M 703 F 389 P 524	M 603 F 384 P 485	M 593 F 392 P 487	M 483 F 325 P 401	M 469 F 323 P 393	M 446 F 318 P 380	M 456 F 318 P 385	M 438 F 308 P 370	M 417 F 305 P 359
530-539	Diseases of buccal cavity and œsophagus .. ..	M 9 F 8 P 9	M 10 F 6 P 8	M 9 F 6 P 8	M 7 F 6 P 6	M 6 F 5 P 5	M 5 F 5 P 5	M 6 F 6 P 6	M 5 F 7 P 6	M 6 F 6 P 6	M 5 F 6 P 5	M 6 F 5 P 5

\*Rates per 1,000 related live births.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
540-545	Diseases of stomach and duodenum .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 247 57 139	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 252 60 142	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 258 57 143	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 217 54 129	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 201 58 125	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 188 55 119	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 192 57 122	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 193 60 125	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 214 65 137	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 201 64 130	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 188 64 123
540	Ulcer of stomach .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$
	0. Without mention of perforation .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 142 33 80	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 144 37 83	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 141 34 80	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 120 35 74	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 109 38 71	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 102 35 67	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 66 27 46	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 77 28 52	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 70 31 49	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 65 30 47	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 62 30 45
	1. With perforation .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$
541	Ulcer of duodenum .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$
	0. Without mention of perforation .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 89 12 45	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 93 11 46	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 102 14 52	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 85 10 45	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 83 11 45	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 79 12 44	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 53 9 30	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 55 11 32	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 64 12 37	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 64 11 36	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 59 12 35
	1. With perforation .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$
550-553	Appendicitis .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 60 42 50	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 63 40 50	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 58 35 45	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 47 30 38	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 44 29 36	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 35 24 29	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 36 23 29	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 35 24 30	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 32 22 27	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 28 20 24	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 26 16 21
560, 561	Hernia of abdominal cavity	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 71 58 64	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 61 52 56	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 63 50 55	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 62 55 58	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 52 54 53	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 46 42 44	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 41 39 40	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 39 38 39	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 39 39 39	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 39 37 38	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 36 36 36
560	Hernia of abdominal cavity without mention of obstruction .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 15 7 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 6 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 6 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 7 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 12 7 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 5 8	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 6 7	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 6 7	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 8 5 7	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 6 8	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 6 7
561	Hernia of abdominal cavity with obstruction .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 57 51 53	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 48 46 47	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 49 44 46	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 49 48 49	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 40 47 44	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 36 36 36	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 32 34 33	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 32 32 32	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 31 33 32	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 30 31 30	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 27 29 28
570-578	Other diseases of intestines and peritoneum .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 238 169 199	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 246 169 202	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 247 166 201	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 210 161 184	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 230 174 201	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 153 126 139	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 134 119 126	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 111 101 106	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 102 100 101	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 95 97 96	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 94 96 95
570	Intestinal obstruction with- out mention of hernia	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 63 44 52	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 67 44 54	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 57 39 46	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 55 42 48	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 57 44 50	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 45 38 41	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 40 36 38	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 35 29 32	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 34 31 33	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 36 31 34	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 34 30 32
	2. Mesenteric infarction	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 1 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 1 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 2 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 2 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 2 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 2 2 2	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 3 3 3	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 6 6 6	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 8 7 7	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 8 8	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 8 8
	3. Volvulus .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 16 9 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 16 10 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 14 8 11	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 9 11	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 14 10 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 8 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 8 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 6 8	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 7 8	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 7 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 8 8
571	Gastro-enteritis and colitis except ulcerative, (age 4 weeks and over) .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 134 83 105	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 140 87 110	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 151 89 116	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 122 81 100	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 145 97 119	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 77 55 65	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 65 48 56	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 44 33 38	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 34 28 31	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 28 25 26	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 26 24 25
	0. Ages between 4 weeks and 2 years * .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 1434 1039 1242	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 971 624 802	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 689 487 590	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 591 442 518	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 574 412 495
	1. Age 2 years and over	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 15 13	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 14 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 14 13	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 12 11	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 8 12 10
572	Chronic enteritis and ulcerative colitis .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ ? ? ?	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 21 26 23	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 21 29 26	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 21 30 25	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 20 30 25	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 21 30 26
	1. Diverticulitis .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 11 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 13 11 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 14 12 13	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 13 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 12 11	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 12 12 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 12 13 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 12 15 13	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 12 15 14	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 14 13	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 11 16 14
	2. Ulcerative colitis † .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 16 14	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 13 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 10 13 12	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 9 13 11	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 11 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 8 12 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 11 9	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 12 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 12 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 7 13 10	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 8 12 10
580-587	Diseases of liver, gall bladder, and pancreas .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 71 79 76	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 69 76 73	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 68 77 73	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 59 78 69	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 60 73 67	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 56 73 65	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 59 79 70	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 62 86 75	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 63 87 76	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 69 85 77	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 68 89 79
581	Cirrhosis of liver .. .. .	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 33 14 22	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 30 13 20	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 31 13 21	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 26 14 19	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 27 15 21	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 25 14 19	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 27 16 21	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 27 19 23	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 29 22 26	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 31 21 26	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$ 31 22 26

\*571.0 Rates per million population aged under 2 years.

†572.2 includes 572.3 and 573 for years up to 1948 inclusive.



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
584	Cholelithiasis .. .. . { M F P	13 27 21	13 24 19	12 25 20	11 25 19	10 23 17	10 23 17	10 23 17	12 27 20	10 26 18	11 25 18	11 27 19
585	Cholecystitis without men- tion of calculi .. .. . { M F P	14 24 20	13 25 20	11 23 18	8 24 17	9 20 15	8 20 14	8 21 15	8 20 15	8 20 14	9 19 14	10 19 14
587	Diseases of pancreas .. .. . { M F P	7 6 6	7 7 7	8 8 8	7 8 8	7 8 8	7 9 8	8 10 9	9 12 10	10 12 11	12 12 12	10 13 12
	0. Acute pancreatitis .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 7 7	6 9 7	6 8 7	7 8 8	6 10 8
590-637	X.—DISEASES OF THE GENITO-URINARY SYS- TEM .. .. . { M F P	670 260 437	665 253 430	644 242 415	561 236 385	521 233 368	464 207 329	467 200 327	455 211 329	439 201 315	410 183 292	393 175 280
590-594	Nephritis and nephrosis .. .. . { M F P	245 198 218	245 194 216	240 186 209	211 183 196	194 175 184	166 153 159	165 147 156	162 152 157	154 144 149	142 126 134	132 115 123
590	Acute nephritis .. .. . { M F P	15 12 13	17 11 14	16 11 13	13 9 11	12 9 10	10 8 9	9 7 8	9 7 8	8 6 7	6 4 5	7 4 5
591	Nephritis with œdema, including nephrosis .. .. . { M F P	9 7 8	10 7 8	9 7 8	8 6 7	8 6 7	7 5 6	6 5 6	11 10 11	10 8 9	9 6 8	9 6 7
592	Chronic nephritis .. .. . { M F P	198 163 178	198 161 177	195 155 172	174 155 163	160 149 154	138 129 133	140 125 132	133 128 130	125 121 123	114 105 110	105 96 100
593	Nephritis not specified as acute or chronic .. .. . { M F P	20 15 17	18 14 16	17 12 14	14 12 13	13 11 12	10 10 10	10 9 10	8 6 7	11 8 9	11 9 10	11 8 9
600-609	Other diseases of urinary system .. .. . { M F P	80 43 59	79 41 57	73 40 54	63 39 50	63 42 52	57 39 48	54 40 47	56 46 51	58 45 51	55 45 50	59 47 53
600	Infections of kidney .. .. . { M F P	26 23 24	26 20 23	25 21 23	20 21 20	25 23 24	19 23 21	20 23 22	22 26 24	24 25 25	24 26 25	26 28 27
	0. Pyelitis, pyelocystitis and pyelonephritis .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	19 21 20	20 25 23	22 24 23	22 24 23	25 27 26
602	Calculi of kidney and ureter .. .. . { M F P	10 8 9	9 7 8	9 7 8	10 7 8	7 7 7	8 6 7	7 5 6	7 6 6	8 6 7	7 6 7	7 6 7
605	Cystitis .. .. . { M F P	17 9 12	17 9 13	14 8 11	13 8 10	12 8 10	12 6 9	11 8 9	9 8 9	9 7 8	8 7 7	8 7 8
608	Stricture of urethra .. .. . { M F P	16 0 7	14 0 6	12 0 5	10 0 5	10 0 5	8 — 4	8 0 4	6 0 3	6 0 3	5 0 3	4 0 2
610-617	Diseases of male genital organs M	345	341	331	288	264	241	247	237	227	213	202
610	Hyperplasia of prostate M	330	327	317	277	254	234	240	225	216	206	197
611	Prostatitis .. .. . M	?	?	?	?	?	?	5	6	6	5	4
620-626	Diseases of breast, ovary, Fal- lopian tube, and parametrium F	7	8	6	4	5	4	4	3	3	3	3
630-637	Diseases of uterus and other female genital organs .. F	12	11	10	10	10	10	9	10	10	9	10
631	Uterovaginal prolapse .. F	5	5	6	5	6	6	5	6	6	6	6
640-689	XI—DELIVERIES & COM- PLICATIONS OF PREG- NANCY, CHILDBIRTH & THE PUERPERIUM .. F	2·30	1·93	1·80	1·43	1·17	1·02	0·97	0·87	0·82	0·72	0·75
* 640-649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion F	1·84	1·53	1·47	1·25	1·02	0·86	0·81	0·72	0·66	0·59	0·64
640-648	Complications of pregnancy F	0·62	0·49	0·50	0·50	0·36	0·33	0·26	0·32	0·30	0·26	0·30
642	Toxæmias of pregnancy .. F	0·46	0·36	0·37	0·37	0·28	0·26	0·16	0·21	0·22	0·19	0·22
645	Ectopic pregnancy .. F	0·08	0·06	0·05	0·07	0·04	0·04	0·05	0·05	0·03	0·03	0·05
650-652	Abortion .. .. . F	33	33	24	16	15	13	12	11	11	10	8
650	Without mention of sepsis or toxæmia .. .. . F	6	4	4	3	3	3	3	3	4	3	3
651	With sepsis .. .. . F	25	25	18	11	9	9	8	7	7	5	4
652	With toxæmia, without mention of sepsis .. F	3	3	2	2	3	1	1	1	0	1	1

\* Rates per 1,000 total (live and still) births.

† Rates per million women aged 15-44 years.



TABLE 8—continued.

Inter-national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
670-678	Delivery with specified complication .. .. F	0·74	0·66	0·61	0·50	0·41	0·34	0·32	0·22	0·23	0·19	0·22
670	Placenta prævia or antepartum hæmorrhage .. F	0·09	0·09	0·07	0·07	0·05	0·05	0·03	0·03	0·04	0·02	0·05
671, 672	Retained placenta, and other postpartum hæmorrhage .. F	0·27	0·23	0·23	0·19	0·17	0·14	0·12	0·05	0·08	0·06	0·07
673-675	Abnormality of bony pelvis, disproportion or malposition of fœtus, and prolonged labour of other origin .. F	0·23	0·23	0·21	0·14	0·12	0·08	0·09	0·06	0·06	0·05	0·05
* 680-689	Complications of the puerperium .. .. F	0·47	0·36	0·34	0·24	0·23	0·18	0·23	0·18	0·13	0·13	0·12
681	Sepsis of childbirth and the puerperium .. .. F	0·18	0·13	0·11	0·06	0·04	0·04	0·03	0·03	0·02	0·01	0·02
682	Puerperal phlebitis and thrombosis .. .. F	0·08	0·06	0·07	0·06	0·06	0·04	0·04	0·05	0·04	0·04	0·04
684	Puerperal pulmonary embolism .. .. F	0·11	0·08	0·06	0·07	0·06	0·05	0·03	0·04	0·03	0·04	0·03
685	Puerperal eclampsia .. .. F	0·05	0·05	0·06	0·04	0·05	0·04	0·08	0·04	0·02	0·02	0·01
690-716	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE .. .. M	36	34	28	21	18	16	14	14	14	12	13
		F	22	25	20	16	13	13	14	16	16	16
		P	28	29	24	19	14	14	14	15	14	14
690-698	Infections of skin and subcutaneous tissue .. .. M	23	22	16	12	9	8	7	6	5	4	5
		F	13	14	10	7	6	5	5	6	5	5
		P	17	17	12	9	7	6	5	6	5	5
700-716	Other diseases of skin and subcutaneous tissue .. .. M	14	13	12	9	9	8	7	8	8	7	9
		F	10	11	10	10	8	8	10	10	11	10
		P	11	12	11	10	8	8	9	9	9	10
720-749	XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT .. .. M	53	55	50	41	37	34	33	25	26	25	27
		F	71	67	67	62	57	61	42	46	42	43
		P	63	62	60	52	48	48	34	36	34	35
720-727	Arthritis and rheumatism, except rheumatic fever .. .. M	33	33	34	26	24	21	22	14	14	12	14
		F	59	55	56	53	50	52	33	34	32	34
		P	48	46	47	41	38	36	24	25	22	24
722	Rheumatoid arthritis and allied conditions .. .. M	20	20	19	16	15	13	13	8	9	7	10
		F	45	42	44	39	38	40	25	25	24	24
		P	34	33	33	28	27	26	17	17	16	17
	0. Rheumatoid arthritis .. .. M	20	20	19	16	15	12	13	7	8	6	8
		F	45	42	44	39	38	40	25	25	24	24
		P	34	32	33	28	27	26	16	17	15	17
723	Osteo-arthritis (arthrosis) and allied conditions .. .. M	7	5	7	6	5	5	6	4	4	3	4
		F	7	8	8	9	7	8	7	8	7	7
		P	7	7	7	8	7	6	7	5	6	6
	0. Osteo-arthritis (arthrosis) .. .. M	6	5	7	6	5	5	5	4	3	2	3
		F	7	8	7	9	8	7	6	7	6	7
		P	7	7	7	7	6	6	5	5	4	5
730-738	Osteomyelitis and other diseases of bone and joint .. .. M	15	16	12	10	9	8	7	7	8	8	8
		F	9	8	7	6	5	6	6	8	6	6
		P	11	12	9	8	7	7	7	8	7	7
730	Osteomyelitis & periostitis .. .. M	11	12	8	6	5	5	3	3	2	2	3
		F	5	5	4	3	3	2	1	2	1	1
		P	7	8	6	4	4	3	2	2	2	2
750-759	XIV.—CONGENITAL MALFORMATIONS .. .. M	163	174	159	159	152	124	117	119	115	110	104
		F	108	107	105	109	94	99	98	97	93	89
		P	131	135	128	132	108	108	108	106	101	97
750	Monstrosity .. .. M	3	2	2	3	3	2	2	2	2	3	2
		F	2	3	3	3	2	2	2	2	3	3
		P	2	2	2	3	2	2	2	2	3	2
751	Spina bifida and meningocele .. .. M	35	33	27	30	21	18	17	16	17	18	17
		F	36	36	32	33	23	24	19	21	24	22
		P	36	35	30	31	21	21	18	19	21	19
752	Congenital hydrocephalus .. .. M	9	8	9	8	9	6	6	6	5	6	4
		F	5	5	4	5	5	5	6	3	5	4
		P	7	6	6	6	5	5	6	4	5	4
753	Other congenital malformations of nervous system and sense organs .. .. M	3	2	3	3	2	3	2	2	2	3	2
		F	2	1	2	2	3	3	3	3	2	3
		P	2	2	2	3	3	3	2	3	2	2
754	Congenital malformations of circulatory system .. .. M	63	71	66	62	64	53	51	55	50	42	43
		F	40	39	41	41	39	41	43	42	35	34
		P	50	53	52	51	55	46	49	46	39	39
756	Congenital malformations of digestive system .. .. M	32	36	31	31	31	22	22	19	17	16	15
		F	11	11	12	12	11	11	10	9	9	9
		P	20	22	20	21	22	16	14	13	12	12
757	Congenital malformations of genito-urinary system .. .. M	10	11	11	11	12	11	10	12	12	13	12
		F	6	6	6	7	7	7	9	8	8	7
		P	7	8	8	9	8	8	10	10	10	10

\*Rates per 1,000 total (live and still) births.



TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
760-776†	XV.—CERTAIN DISEASES OF EARLY INFANCY* { M F P	24·14 18·62 21·46	23·04 18·01 20·61	23·76 17·89 20·92	23·44 17·27 20·45	21·96 16·45 19·29	19·17 14·10 16·71	18·68 13·49 16·16	17·79 12·73 15·33	18·39 12·94 15·74	17·28 12·58 14·99	16·60 12·22 14·47
780-795	XVI.—SYMPTOMS, SEN- ILITY, & ILL-DEFINED CONDITIONS .. .. { M F P	444 474 461	438 457 449	437 475 458	357 448 406	326 426 379	243 341 294	239 352 298	181 271 228	178 262 222	142 208 176	132 211 173
780-789	Symptoms referable to systems or organs .. { M F P	47 25 35	45 23 32	38 20 28	30 18 23	26 15 20	19 13 16	12 9 11	6 5 6	7 4 5	4 3 4	4 4 4
790-795	Senility and ill-defined diseases .. .. { M F P	397 449 427	393 434 416	399 454 430	327 430 383	300 411 359	224 328 279	227 343 288	174 266 222	172 258 216	137 205 172	129 208 170
794	Senility without mention of psychosis .. .. { M F P	386 444 419	382 429 409	390 450 424	319 426 377	293 407 353	219 324 274	222 340 284	171 264 219	168 256 214	134 203 170	126 206 167
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, & VIOLENCE (EXTERNAL CAUSE) { M F P	814 381 568	996 541 736	755 380 541	624 325 463	632 333 473	558 306 426	569 302 430	562 308 431	591 321 451	568 298 428	581 329 451
E800-E802	Railway accidents .. { M F P	27 3 13	28 3 14	25 3 12	22 3 11	23 2 12	17 3 10	16 1 8	16 2 8	14 1 8	18 3 10	16 7 8
E810-E835	Motor vehicle accidents .. { M F P	165 46 97	178 55 107	158 49 96	153 47 96	147 47 94	128 44 84	141 41 89	151 46 97	161 49 103	149 43 94	158 45 99
E840-E845	Other road vehicle accidents { M F P	26 8 16	24 5 13	17 6 11	14 4 8	13 4 8	13 4 8	12 4 8	14 4 9	11 3 7	11 3 7	9 3 6
E850-E858	Water transport accidents { M F P	9 0 4	9 0 4	9 0 4	9 0 4	8 0 4	6 0 3	7 0 4	9 0 4	7 0 3	6 0 3	7 0 3
E860-E866	Aircraft accidents .. { M F P	2 0 1	2 0 1	1 0 1	1 0 0	3 0 1	4 1 3	4 1 2	11 0 5	13 1 7	14 1 7	9 0 4
E870-E888	Accidental poisoning by solid and liquid substances .. { M F P	4 2 3	4 3 3	5 4 4	5 4 4	5 5 5	6 4 5	5 4 5	5 6 6	6 6 6	7 6 7	6 7 7
E890-E895	Accidental poisoning by gases and vapours .. { M F P	8 6 7	10 7 8	13 9 11	10 10 10	11 12 11	10 9 9	11 10 11	10 11 11	12 13 13	12 13 12	15 14 15
E900-E904	Accidental falls .. { M F P	118 114 116	107 111 109	103 110 107	88 110 100	94 110 103	78 100 89	81 105 93	74 113 94	86 117 102	79 105 93	84 123 104
E910-E936	Other accidents .. { M F P	218 68 133	215 71 133	205 72 129	167 68 113	180 72 123	140 58 97	136 53 93	123 49 85	131 53 91	125 50 86	121 53 86
E910	Blow from falling object .. { M F P	37 1 17	32 0 14	29 1 13	26 1 12	24 1 12	20 0 10	21 1 11	18 0 9	19 1 9	17 1 9	16 1 8
E912	Caused by machinery .. { M F P	16 1 7	16 1 7	13 1 6	11 0 5	11 0 5	12 0 6	10 0 5	8 0 4	9 0 4	9 0 4	8 0 4
E916	Caused by fire and explosion of combustible material .. .. { M F P	32 32 32	31 32 32	27 31 29	20 27 24	27 27 27	13 20 17	9 16 13	**9 16 12	15 19 17	**13 19 16	10 16 13
E921-E925	Accidental mechanical obstruction or suffocation { M F P	24 11 17	27 16 21	29 15 21	30 18 23	34 21 27	26 17 21	25 16 20	23 14 18	23 14 18	22 13 17	19 13 16
E929	Accidental drowning and submersion .. { M F P	60 11 32	63 10 32	65 11 34	44 11 26	50 10 29	39 11 24	40 8 23	36 9 22	36 9 22	34 8 20	34 8 21
E960-E965	Late effects of injury and poisoning .. .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 0 2	8 1 5	10 1 5	9 1 5	8 1 5
E970-E979	Suicide and self-inflicted injury .. .. { M F P	134 63 93	135 58 91	136 66 96	144 75 106	137 76 105	145 79 110	147 75 110	136 70 102	134 72 102	132 68 99	142 76 108
E970	Poisoning by analgesic and soporific substances .. { M F P	2 3 3	2 3 3	3 4 3	3 5 4	5 6 6	7 10 8	7 9 8	8 11 10	7 10 9	11 13 12	9 11 10

† Rates per 1,000 related live births.

\* For detail of causes 760-776, see Table 11.

\*\* E916 See footnote to this cause in Table 7.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
E971	Poisoning by other solid and liquid substances .. { M F P	7 5 6	7 5 5	7 5 6	7 5 6	6 5 6	6 3 5	6 4 5	5 4 4	5 3 4	5 3 4	5 3 4
E972	Poisoning by gases in domestic use .. { M F P	41 29 34	46 28 36	45 31 37	46 36 40	47 39 42	54 40 47	53 38 45	49 33 41	51 39 45	52 34 43	60 41 50
E974	Hanging and strangu- lation .. { M F P	27 6 15	24 5 13	29 6 16	32 8 19	30 7 18	29 6 17	31 6 18	27 6 16	25 6 15	25 5 15	25 6 15
E975	Submersion (drowning) { M F P	18 13 15	19 11 14	18 12 15	18 12 15	15 11 13	17 11 14	17 10 14	16 10 13	15 10 12	13 8 10	12 9 11
E976	Firearms and explosives .. { M F P	14 1 7	12 1 5	11 1 5	11 0 5	12 1 6	10 1 5	11 0 5	9 0 5	9 1 5	8 0 4	10 0 5
E977	Cutting and piercing instruments .. { M F P	15 3 8	15 2 8	14 2 7	15 3 8	11 2 6	9 2 5	11 2 6	9 2 5	8 1 4	7 1 4	9 1 5
E978	Jumping from high place { M F P	4 2 3	4 2 3	3 3 3	4 3 3	4 3 3	5 3 4	4 3 3	4 2 3	4 2 3	3 2 2	3 2 3
E979	Other and unspecified means .. { M F P	5 2 3	6 2 4	5 2 3	7 3 5	7 2 4	7 3 5	6 2 4	8 2 5	7 2 4	7 1 4	7 1 4
E980-E985	Homicide and injury pur- posely inflicted by other persons (not in war) .. { M F P	6 5 6	5 5 5	8 6 7	5 5 5	5 6 5	6 5 5	4 5 5	5 5 5	5 4 4	5 4 4	4 4 4
N800-N999	NXVII.—ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISON- INGS, & VIOLENCE (NATURE OF INJURY) { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	569 302 430	562 308 431	591 321 451	568 298 428	581 329 451
N800-N804	Fracture of skull .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	145 40 90	153 42 96	165 42 101	151 37 92	148 37 91
N805-N809	Fracture of spine and trunk { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	37 9 22	33 11 22	32 11 21	32 12 22	34 13 23
N810-N829	Fracture of limbs ... { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	41 80 61	40 88 65	46 91 69	38 78 59	45 95 71
N830-N839	Dislocation without fracture { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	1 0 1	2 1 2	2 1 1	2 1 1
N840-N848	Sprains and strains of joints and adjacent muscles .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
N850-N856	Head injury (excluding fracture) .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	40 17 28	43 17 29	46 18 31	40 16 27	41 16 28
N860-N869	Internal injury of chest, abdomen and pelvis .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	28 6 16	35 7 20	40 7 23	45 8 26	40 9 24
N870-N908	Laceration and open wounds .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	24 4 13	19 4 11	17 3 10	22 5 13	24 4 13
N910-N929	Superficial injury, contusion and crushing with intact skin surface .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 3 3	2 3 2	2 3 3	2 3 2	2 3 3
N930-N936	Effects of foreign body entering through orifice { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	14 9 11	13 9 11	13 9 11	13 8 11	12 8 10
N940-N949	Burns .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	13 20 17	12 19 16	15 21 18	12 22 17	14 17 15
N960-N979	Effects of poisons .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	85 68 77	83 67 75	90 73 81	97 71 83	102 79 90
N950- N959 N980- N999	All other and unspecified effects of external causes .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	140 47 91	129 41 83	123 41 81	114 39 75	119 48 82



TABLE 9.—Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes of Death, 1943-1953. } England and Wales.

Notes: (1) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as a base, after adjustment for age differences in the populations exposed to risk. For years prior to 1950, including the base year 1938, mortality has been adjusted to the new (1948) method of classification to eliminate the effects of changing methods of cause assignment through those years. Owing to the degree of estimation thus involved, C.M.I.'s are shown to two decimal places only instead of three as in past years.

- (2) In years up to 1949, C.M.I.'s are based on civilian death rates and age distribution.  
(3) Footnotes to Table 7 for individual causes apply also to this table.  
(4) See Explanatory notes on page v.

Inter-national List No.	Causes of Death			1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	ALL CAUSES ..	M		0.98	0.95	0.92	0.89	0.92	0.82	0.86	0.85	0.92	0.84	0.84
		F		0.94	0.89	0.87	0.88	0.89	0.79	0.85	0.83	0.88	0.78	0.78
		P		0.96	0.92	0.89	0.88	0.91	0.80	0.86	0.84	0.90	0.81	0.81
001-019	Tuberculosis (all forms) ..	M		1.26	1.20	1.17	0.94	0.90	0.83	0.76	0.62	0.55	0.44	0.37
		F		0.98	0.92	0.92	0.85	0.89	0.82	0.72	0.55	0.45	0.31	0.26
001-008	Respiratory system ..	M		1.33	1.27	1.23	0.97	0.93	0.87	0.80	0.66	0.58	0.47	0.39
		F		0.96	0.91	0.91	0.86	0.92	0.85	0.77	0.58	0.46	0.32	0.27
010-019	Other forms ..	M		1.14	1.06	1.03	0.80	0.74	0.61	0.52	0.40	0.37	0.28	0.21
		F		1.05	0.97	0.92	0.81	0.77	0.65	0.50	0.41	0.39	0.26	0.21
010	Meninges and central nervous system ..	M		1.13	1.05	1.01	0.87	0.81	0.64	0.55	0.42	0.43	0.26	0.18
		F		1.14	1.02	1.04	0.89	0.81	0.70	0.56	0.48	0.46	0.26	0.18
011	Intestines, peritoneum, mesenteric glands ..	M		1.02	0.97	0.93	0.69	0.56	0.45	0.39	0.23	0.21	0.17	0.15
		F		0.96	0.81	0.71	0.53	0.62	0.51	0.37	0.25	0.24	0.16	0.14
020-029	Syphilis and its sequelæ ..	M		0.76	0.68	0.64	0.62	0.56	0.49	0.48	0.44	0.47	0.40	0.36
		F		0.78	0.70	0.63	0.63	0.58	0.50	0.48	0.50	0.48	0.49	0.41
040, 041	Typhoid and paratyphoid fevers ..	M		0.41	0.37	0.20	0.25	0.22	0.25	0.16	0.08	0.06	0.10	0.01
		F		0.55	0.36	0.41	0.40	0.14	0.35	0.23	0.11	0.20	0.15	0.05
050	Scarlet fever ..	M		0.45	0.36	0.22	0.12	0.11	0.10	0.06	0.09	0.08	0.05	0.05
		F		0.42	0.34	0.31	0.14	0.15	0.12	0.05	0.10	0.13	0.08	0.11
052	Erysipelas ..	M		0.30	0.30	0.21	0.20	0.13	0.12	0.12	0.09	0.04	0.03	0.04
		F		0.37	0.34	0.42	0.21	0.18	0.12	0.13	0.10	0.04	0.05	0.06
055	Diphtheria ..	M		0.50	0.32	0.25	0.14	0.08	0.05	0.03	0.02	0.01	0.01	0.01
		F		0.47	0.33	0.24	0.17	0.08	0.05	0.02	0.01	0.01	0.01	0.01
056	Whooping cough ..	M		1.00	0.88	0.55	0.65	0.63	0.54	0.41	0.29	0.38	0.16	0.20
		F		1.00	0.90	0.59	0.66	0.67	0.52	0.38	0.32	0.35	0.15	0.21
057	Meningococcal infections ..	M		1.24	0.90	0.84	0.64	0.65	0.35	0.34	0.34	0.35	0.37	0.38
		F		1.17	0.88	0.79	0.80	0.77	0.44	0.43	0.42	0.47	0.44	0.42
080, 081	Acute poliomyelitis incl. late effects ..	M		0.37	0.53	0.69	0.45	3.19	1.07	2.61	2.95	0.83	1.24	1.45
		F		0.40	0.33	0.47	0.51	2.35	0.81	2.39	2.73	0.79	0.98	1.06
082, 083	Acute infectious encephalitis incl. late effects ..	M		1.18	1.03	1.03	0.81	0.80	0.69	0.57	0.59	0.48	0.41	0.53
		F		0.92	0.75	0.93	0.85	0.77	0.68	0.66	0.61	0.62	0.51	0.52
085	Measles ..	M		0.45	0.13	0.42	0.12	0.33	0.15	0.15	0.13	0.17	0.07	0.15
		F		0.55	0.16	0.44	0.12	0.35	0.18	0.17	0.10	0.17	0.08	0.12
140-205	Neoplasms, malignant, & of lymphatic and hæmopoietic tissues ..	M		1.03	1.01	1.03	1.03	1.05	1.06	1.07	1.09	1.12	1.13	1.13
		F		0.96	0.94	0.94	0.95	0.96	0.95	0.95	0.95	0.93	0.94	0.92
140-200, 202, 203, 205	Neoplasms, malignant excl. Hodgkin's disease & leukaemia and aleukæmia ..	M		1.02	1.01	1.02	1.02	1.05	1.06	1.06	1.08	1.11	1.12	1.12
140-148	Buccal cavity and pharynx ..	F		0.96	0.94	0.94	0.95	0.95	0.94	0.94	0.94	0.92	0.92	0.90
		M		0.81	0.77	0.71	0.65	0.62	0.58	0.54	0.54	0.54	0.50	0.47
		F		0.92	0.89	0.89	0.83	0.84	0.79	0.85	0.89	0.89	0.90	0.78
150-159	Digestive organs and peritoneum ..	M		0.98	0.97	0.98	0.95	0.95	0.94	0.91	0.89	0.89	0.87	0.85
		F		0.93	0.91	0.91	0.92	0.91	0.89	0.88	0.87	0.84	0.83	0.81
160-165	Respiratory system ..	M		1.34	1.40	1.48	1.60	1.76	1.90	2.02	2.22	2.39	2.51	2.65
		F		1.15	1.18	1.25	1.28	1.39	1.47	1.51	1.59	1.62	1.69	1.68
170	Breast ..	M		1.55	1.02	1.12	1.12	1.11	0.98	1.19	0.97	0.96	0.88	1.22
		F		0.99	0.97	0.95	1.00	0.99	0.98	0.97	0.96	0.96	0.98	0.96



TABLE 9—continued.

Inter- national List No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
171-174	Uterus .. .. . F	0·96	0·90	0·89	0·87	0·85	0·85	0·82	0·79	0·77	0·75	0·73
175, 176	Other female genital organs F	1·02	1·03	1·00	0·99	1·03	1·03	1·05	1·11	1·10	1·08	1·09
177-179	Male genital organs .. M	1·07	0·98	1·02	1·08	1·14	1·10	1·14	1·18	1·15	1·13	1·16
180, 181	Kidney, bladder and other urinary organs .. .. {M F	1·13 1·18	1·04 1·14	1·10 1·10	1·10 1·21	1·38 1·18	1·21 1·26	1·26 1·22	1·29 1·26	1·36 1·28	1·42 1·31	1·38 1·33
190, 191	Skin .. . . . {M F	0·93 0·89	0·81 0·87	0·83 0·86	0·73 0·75	0·74 0·79	0·70 0·72	0·64 0·74	0·67 0·76	0·59 0·66	0·58 0·74	0·56 0·70
193	Brain and other parts of nervous system .. .. {M F	1·10 0·95	1·03 0·98	1·18 1·07	1·02 1·09	1·20 1·11	1·30 1·12	1·37 1·33	1·39 1·48	1·51 1·40	1·69 1·48	1·64 1·65
201	Hodgkin's disease .. {M F	1·22 0·96	1·30 0·93	1·27 1·04	1·23 0·95	1·15 0·93	1·20 0·96	1·22 1·00	1·09 0·99	1·25 1·10	1·27 1·10	1·28 1·13
204	Leukæmia & aleukæmia {M F	1·22 1·08	1·21 1·15	1·29 1·25	1·36 1·30	1·28 1·37	1·34 1·30	1·49 1·51	1·61 1·57	1·60 1·75	1·77 1·72	1·78 1·83
240, 241	Hay fever, asthma .. .. {M F	1·12 1·07	1·04 0·94	1·12 1·02	1·10 1·01	1·11 1·08	0·92 0·94	1·07 1·04	1·02 1·05	1·16 1·22	0·88 0·87	0·85 0·95
252	Thyrotoxicosis .. .. {M F	0·70 0·56	0·54 0·45	0·57 0·43	0·44 0·45	0·43 0·46	0·36 0·41	0·42 0·37	0·33 0·36	0·44 0·34	0·33 0·28	0·34 0·22
260	Diabetes mellitus .. .. {M F	0·84 0·84	0·76 0·78	0·72 0·77	0·63 0·70	0·57 0·66	0·50 0·60	0·52 0·63	0·56 0·65	0·57 0·65	0·50 0·57	0·49 0·53
290·0 290·1	Pernicious anæmias and sub- acute combined degener- ation of spinal cord .. {M F	1·05 1·05	0·95 0·92	1·03 1·04	0·64 0·75	0·68 0·72	0·54 0·57	0·50 0·58	0·44 0·56	0·42 0·51	0·36 0·42	0·31 0·36
330-334	Vascular lesions affecting central nervous system .. {M F	0·94 1·00	0·97 1·01	0·96 1·01	0·97 1·05	1·03 1·10	0·92 1·00	0·99 1·08	1·05 1·14	1·13 1·18	1·12 1·18	1·09 1·13
345	Multiple sclerosis .. .. {M F	1·07 1·20	1·04 1·20	1·00 1·24	0·90 1·11	0·80 1·19	0·65 1·04	0·74 0·98	0·74 1·10	0·81 1·33	0·71 1·12	0·63 1·22
350	Paralysis agitans .. .. {M F	1·02 0·94	1·03 1·01	1·07 1·13	1·02 1·04	1·01 1·09	0·80 0·99	0·95 1·13	0·97 1·13	1·10 1·22	1·01 1·15	0·99 1·09
353	Epilepsy .. .. . {M F	1·12 0·89	1·02 0·91	0·96 0·84	0·86 0·80	0·79 0·80	0·60 0·63	0·55 0·59	0·53 0·59	0·52 0·58	0·51 0·54	0·45 0·56
400-468	Diseases of the circulatory system .. .. . {M F	0·95 0·91	0·97 0·90	0·96 0·91	0·98 0·93	1·06 0·97	0·97 0·89	1·07 1·01	1·09 1·01	1·16 1·06	1·08 0·94	1·06 0·93
430	Acute and subacute endo- carditis .. .. . {M F	1·04 0·87	0·90 0·77	0·77 0·57	0·54 0·47	0·54 0·43	0·48 0·38	0·42 0·36	0·37 0·28	0·34 0·26	0·29 0·22	0·32 0·23
480-483	Influenza .. .. . {M F	2·37 3·02	0·81 0·82	0·53 0·55	0·91 1·19	0·61 0·67	0·24 0·23	0·90 1·17	0·63 0·79	2·51 3·24	0·29 0·33	0·96 1·32
490-493, 763	Pneumonia .. .. . {M F	0·82 0·92	0·68 0·70	0·64 0·70	0·60 0·71	0·66 0·76	0·50 0·56	0·55 0·69	0·47 0·60	0·60 0·76	0·51 0·62	0·56 0·69
490	Lobar pneumonia .. {M F	0·62 0·71	0·53 0·53	0·46 0·50	0·42 0·50	0·41 0·49	0·34 0·37	0·33 0·42	0·30 0·37	0·32 0·39	0·29 0·33	0·29 0·34
491	Bronchopneumonia .. {M F	0·94 1·00	0·75 0·74	0·75 0·76	0·71 0·78	0·82 0·87	0·61 0·65	0·71 0·82	0·59 0·72	0·81 0·95	0·67 0·75	0·75 0·87
500-502	Bronchitis .. .. . {M F	1·12 1·05	1·01 0·81	1·06 0·87	0·98 0·80	1·09 0·85	0·88 0·60	1·00 0·78	0·99 0·71	1·29 0·94	0·99 0·61	1·08 0·68
500	Acute bronchitis .. .. {M F	1·40 1·34	1·08 0·85	1·12 0·97	0·98 0·87	1·09 0·95	0·70 0·55	0·81 0·77	0·60 0·62	0·87 0·87	0·57 0·49	0·65 0·58
501, 502	Chronic and unqualified {M F	1·10 0·99	1·05 0·84	1·11 0·90	1·07 0·84	1·20 0·89	1·04 0·72	1·18 0·90	1·22 0·86	1·56 1·11	1·22 0·76	1·33 0·84
530-587	Diseases of the digestive system .. .. . {M F	0·87 0·82	0·86 0·79	0·85 0·75	0·78 0·74	0·78 0·74	0·65 0·60	0·63 0·59	0·60 0·58	0·61 0·58	0·59 0·55	0·56 0·54
540	Ulcer of stomach .. .. {M F	0·98 0·78	0·98 0·88	0·95 0·78	0·87 0·81	0·81 0·88	0·77 0·80	0·76 0·80	0·73 0·82	0·74 0·88	0·69 0·85	0·63 0·82
541	Ulcer of duodenum .. {M F	1·13 1·02	1·17 0·93	1·27 1·14	1·12 0·85	1·12 0·95	1·08 1·03	1·16 1·12	1·21 1·33	1·43 1·52	1·35 1·45	1·26 1·51
550-553	Appendicitis .. .. . {M F	0·63 0·70	0·66 0·65	0·60 0·57	0·49 0·50	0·47 0·47	0·38 0·39	0·38 0·36	0·37 0·39	0·34 0·34	0·30 0·30	0·27 0·24



TABLE 9—continued.

Inter- national List No.	Causes of Death		1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
560, 561	Hernia of abdominal cavity	{ M F	1·11 1·13	0·92 0·99	0·94 0·93	1·01 1·03	0·88 1·00	0·78 0·76	0·69 0·71	0·67 0·68	0·67 0·69	0·66 0·65	0·61 0·62
570	Intestinal obstruction, with- out mention of hernia	{ M F	1·10 1·09	1·14 1·09	0·95 0·94	0·98 1·01	1·13 1·06	0·83 0·88	0·74 0·84	0·64 0·67	0·64 0·71	0·67 0·71	0·64 0·67
581	Cirrhosis of liver	{ M F	0·64 0·63	0·58 0·57	0·58 0·55	0·55 0·60	0·59 0·63	0·55 0·59	0·59 0·68	0·60 0·81	0·65 0·92	0·67 0·86	0·67 0·90
584	Cholelithiasis	{ M F	0·60 0·64	0·60 0·56	0·57 0·57	0·58 0·57	0·54 0·53	0·55 0·51	0·55 0·51	0·63 0·59	0·55 0·55	0·61 0·53	0·60 0·56
585	Cholecystitis without mention of calculi	{ M F	0·65 0·57	0·59 0·57	0·51 0·52	0·42 0·53	0·46 0·45	0·42 0·44	0·43 0·45	0·44 0·43	0·40 0·42	0·47 0·40	0·50 0·38
587	Diseases of pancreas	{ M F	0·55 0·55	0·58 0·65	0·69 0·68	0·62 0·72	0·65 0·70	0·62 0·76	0·76 0·87	0·80 0·97	0·86 0·95	1·07 0·98	0·86 1·09
605	Cystitis	{ M F	0·49 0·48	0·49 0·48	0·40 0·42	0·39 0·38	0·37 0·40	0·38 0·31	0·34 0·37	0·30 0·39	0·28 0·34	0·25 0·31	0·27 0·31
608	Stricture of urethra	M	0·74	0·64	0·54	0·51	0·50	0·44	0·42	0·33	0·29	0·28	0·23
610-612	Diseases of prostate	M	1·04	0·99	0·94	0·91	0·86	0·79	0·81	0·78	0·75	0·69	0·65
750-759	Congenital malformations	{ M F	1·08 1·09	1·11 1·06	1·00 1·02	1·06 1·02	1·00 1·02	0·82 0·82	0·77 0·86	0·80 0·85	0·77 0·84	0·77 0·85	0·75 0·84
E800-E999	Accidents, poisonings and violence	{ M F	1·01 1·00	1·22 1·41	0·92 0·97	0·77 0·82	0·79 0·82	0·70 0·75	0·71 0·73	0·71 0·74	0·74 0·77	0·71 0·71	0·73 0·77
E810-E825 E830-E835	Motor vehicle accidents	{ M F	0·77 0·70	0·82 0·84	0·75 0·75	0·74 0·70	0·70 0·70	0·61 0·64	0·68 0·61	0·72 0·67	0·77 0·71	0·71 0·62	0·75 0·65
E870-E888	Accidental poisoning by solid or liquid substances	{ M F	0·76 0·58	0·68 0·67	0·91 1·00	0·84 0·92	0·87 1·22	1·07 1·13	0·85 1·13	1·02 1·58	1·09 1·58	1·40 1·55	1·23 1·67
E890-E895	Accidental poisoning by gases and vapours	{ M F	1·02 1·12	1·26 1·36	1·61 1·74	1·22 1·78	1·34 2·21	1·19 1·66	1·38 1·84	1·23 1·96	1·50 2·32	1·46 2·26	1·89 2·37
E900-E904	Accidental falls	{ M F	0·95 0·83	0·85 0·79	0·81 0·77	0·71 0·76	0·77 0·75	0·64 0·66	0·66 0·69	0·61 0·73	0·71 0·75	0·64 0·66	0·68 0·75
E970-E979	Suicide and self-inflicted wounds	{ M F	0·67 0·75	0·67 0·69	0·67 0·78	0·72 0·89	0·71 0·90	0·76 0·93	0·76 0·89	0·71 0·82	0·70 0·84	0·69 0·79	0·74 0·89

**TABLE 10.—Deaths under One Year of Age from } England and Wales.  
Certain Causes, 1943-1953.**

*Note:* For years 1942-48 inclusive, deaths and rates classified in this table and in Table 11 according to the 1948 International Statistical Classification have been estimated from available material based on the 1938 International List in the light of experience gained in 1949, when both lists were employed. For those years, therefore, figures must be regarded as approximate.

*See Explanatory notes on page v.*

Inter- national Classifica- tion No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	<b>ALL CAUSES .. ..</b>	<b>33,431</b>	<b>33,455</b>	<b>31,959</b>	<b>33,541</b>	<b>36,849</b>	<b>26,766</b>	<b>23,882</b>	<b>20,817</b>	<b>20,223</b>	<b>18,555</b>	<b>18,324</b>
010	Tuberculosis of meninges and central nervous system ..	179	164	181	149	153	113	85	52	56	38	16
001-008, 011-019	Other tuberculosis .. ..	174	150	131	140	191	138	81	74	43	30	47
020	Congenital syphilis .. ..	156	110	108	124	84	76	62	31	19	20	8
055	Diphtheria .. .. .	57	26	18	23	16	6	2	—	1	—	—
056	Whooping cough .. ..	621	686	412	512	564	484	357	277	273	111	167
057	Meningococcal infections ..	187	159	190	142	182	98	112	103	104	115	123
080, 081	Acute poliomyelitis .. ..	8	2	6	7	39	5	25	48	6	12	6
085	Measles .. .. .	256	89	252	88	252	107	86	70	98	37	57
Rem. of 001-138	Other infective and parasitic diseases .. .. .	204	212	183	152	192	125	106	86	81	80	100
295,296,771	Hæmorrhagic conditions ..	349	352	321	301	399	234	192	198	239	190	207
340-343	Inflammatory diseases of central nervous system ..	261	253	278	225	290	223	197	203	171	141	180
365	Pink disease .. .. .	35	32	31	35	75	49	47	33	39	18	27
390-396	Diseases of ear and mastoid process .. .. .	317	351	348	329	335	231	151	146	114	68	100
480-483	Influenza .. .. .	257	148	129	174	135	76	115	77	161	37	77
490-493,763	Pneumonia .. .. .	6,006	5,392	5,747	5,439	6,462	4,615	4,012	3,276	3,469	3,009	2,940
500-502	Bronchitis .. .. .	1,173	1,041	1,022	833	807	621	484	477	455	375	430
470-475, 510-527	Other respiratory diseases	*	*	*	*	*	*	91	119	114	91	95
543	Gastritis and duodenitis ..	94	92	84	61	79	37	25	17	16	21	14
571, 764	Gastro-enteritis .. ..	3,324	3,493	3,559	3,317	4,571	2,289	1,945	1,160	831	676	665
690-716	Diseases of the skin and sub-cutaneous tissue .. ..	212	198	159	97	117	63	45	51	43	46	34
751	Spina bifida & meningocele	1,303	1,251	1,074	1,224	1,006	833	843	727	797	855	801
752	Congenital hydrocephalus ..	187	189	188	187	230	162	164	198	117	152	122
754·0- 754·4	Congenital malformations of heart .. ..	1,248	1,277	1,253	1,331	1,462	1,108	1,049	1,085	981	1,009	1,045
757	Congenital malformations of genito-urinary system ..	81	88	87	109	106	91	105	106	92	104	97
Rem. of 750-759	Other congenital malformations .. ..	930	1,012	1,010	1,151	1,260	1,066	993	920	877	946	869
760, 761	Injury at birth .. ..	1,614	1,774	1,830	2,204	2,433	2,028	1,915	1,820	1,953	1,869	1,836
762	Postnatal asphyxia and atelectasis .. .. .	1,216	1,476	1,898	2,367	2,567	2,138	2,401	2,340	2,441	2,452	2,490
766-768	Pemphigus and sepsis of newborn .. .. .	151	187	132	100	154	94	58	64	61	66	74
770	Hæmolytic disease of newborn	456	498	527	593	704	591	552	502	505	435	408
774, 776	Immaturity .. .. .	7,796	7,889	6,727	7,883	7,533	5,817	4,975	4,185	3,886	3,602	3,546
780·2	Convulsions .. .. .	456	408	350	297	270	185	118	59	42	20	16
E900-E904	Accidental falls .. ..	19	20	15	14	32	15	16	13	14	16	9
E916, E917	Accident by fire or hot substance .. .. .	60	63	48	45	46	33	34	19	18	23	14
E921, E922	Obstruction by inhalation or ingestion .. .. .	121	182	185	273	389	315	309	306	281	263	219
E924, E925	Accidental mechanical suffocation .. ..	360	452	409	446	515	376	343	286	294	243	202
E926	Lack of care of newborn ..	178	189	195	147	154	131	130	92	104	96	83
Rem. of E800-E965]	Other accidents] .. ..	49	45	60	38	56	41	28	24	34	37	44
	All other causes .. ..	*	*	*	*	*	*	1,629	1,573	1,393	1,252	1,156

\* Not available



**TABLE 11.—Infant Mortality (Deaths under 1 Year per 1,000 Related Live Births) from Certain Causes, 1943-1953.** } **England and Wales.**

*See Note at head of Table 10.*

Inter- national Classifica- tion No.	Causes of Death	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
	<b>ALL CAUSES .. ..</b>	<b>49·12</b>	<b>45·44</b>	<b>46·00</b>	<b>42·85</b>	<b>41·37</b>	<b>33·93</b>	<b>32·37</b>	<b>29·63</b>	<b>29·66</b>	<b>27·59</b>	<b>26·82</b>
010	Tuberculosis of meninges and central nervous system ..	0·27	0·23	0·25	0·21	0·18	0·13	0·11	0·06	0·08	0·06	0·02
001-008, 011-019	Other tuberculosis .. ..	0·25	0·22	0·18	0·20	0·21	0·17	0·10	0·11	0·06	0·04	0·07
020	Congenital syphilis .. ..	0·23	0·16	0·15	0·15	0·09	0·09	0·08	0·04	0·03	0·03	0·01
055	Diphtheria .. .. .	0·08	0·04	0·02	0·03	0·01	0·00	0·00	—	0·00	—	—
056	Whooping cough .. ..	0·92	0·96	0·57	0·69	0·63	0·59	0·48	0·38	0·40	0·17	0·24
057	Meningococcal infections ..	0·27	0·22	0·27	0·20	0·21	0·11	0·15	0·14	0·15	0·17	0·18
080, 081	Acute poliomyelitis .. ..	0·01	0·00	0·01	0·01	0·04	0·01	0·03	0·08	0·01	0·02	0·01
085	Measles .. .. .	0·38	0·12	0·34	0·12	0·27	0·13	0·11	0·10	0·14	0·05	0·08
Rem. of 001-138	Other infective and parasitic diseases .. .. .	0·30	0·29	0·26	0·19	0·22	0·16	0·14	0·12	0·12	0·12	0·14
295,296,771	Hæmorrhagic conditions ..	0·52	0·49	0·46	0·37	0·45	0·32	0·27	0·29	0·35	0·28	0·30
340-343	Inflammatory diseases of central nervous system ..	0·38	0·34	0·40	0·29	0·33	0·28	0·26	0·28	0·25	0·21	0·26
365	Pink disease .. .. .	0·05	0·04	0·05	0·05	0·08	0·06	0·06	0·05	0·06	0·03	0·04
390-396	Diseases of ear and mastoid process .. .. .	0·47	0·50	0·49	0·44	0·38	0·29	0·21	0·20	0·17	0·10	0·14
480-483	Influenza .. .. .	0·38	0·21	0·18	0·24	0·14	0·10	0·16	0·11	0·24	0·05	0·11
490-493, 763	Pneumonia .. .. .	8·87	7·42	8·17	7·20	7·22	5·77	5·40	4·63	5·09	4·48	4·31
500-502	Bronchitis .. .. .	1·73	1·43	1·45	1·11	0·89	0·76	0·65	0·67	0·67	0·56	0·63
470-475, 510-527	Other respiratory diseases	*	*	*	*	*	*	0·13	0·17	0·17	0·13	0·14
543	Gastritis and duodenitis ..	0·14	0·13	0·12	0·08	0·09	0·04	0·03	0·02	0·02	0·03	0·02
571, 764	Gastro-enteritis .. ..	4·89	4·75	5·12	4·24	5·13	2·90	2·59	1·63	1·22	1·01	0·97
690-716	Diseases of the skin and sub-cutaneous tissue .. ..	0·31	0·27	0·23	0·12	0·13	0·08	0·06	0·07	0·06	0·07	0·05
751	Spina bifida & meningocele	1·92	1·70	1·55	1·56	1·13	1·06	1·15	1·03	1·17	1·27	1·17
752	Congenital hydrocephalus ..	0·27	0·26	0·27	0·24	0·26	0·21	0·22	0·29	0·17	0·23	0·18
754·0- 754·4	Congenital malformations of heart .. .. .	1·83	1·73	1·80	1·70	1·64	1·40	1·43	1·55	1·44	1·50	1·53
757	Congenital malformations of genito-urinary system ..	0·12	0·12	0·13	0·14	0·12	0·12	0·14	0·16	0·13	0·15	0·14
Rem. of 750-759	Other congenital malformations .. .. .	1·37	1·38	1·45	1·47	1·41	1·35	1·34	1·31	1·29	1·41	1·27
760, 761	Injury at birth .. .. .	2·36	2·37	2·66	2·72	2·74	2·60	2·61	2·61	2·87	2·78	2·68
762	Postnatal asphyxia and atelectasis .. .. .	1·77	1·96	2·77	2·92	2·90	2·75	3·28	3·34	3·58	3·64	3·64
766-768	Pemphigus and sepsis of newborn .. .. .	0·22	0·25	0·19	0·13	0·17	0·12	0·08	0·08	0·09	0·10	0·11
770	Hæmolytic disease of newborn	0·67	0·68	0·76	0·76	0·79	0·75	0·75	0·71	0·74	0·65	0·59
774, 776	Immaturity .. .. .	11·46	10·72	9·69	10·07	8·46	7·38	6·79	5·99	5·70	5·35	5·18
780·2	Convulsions .. .. .	0·67	0·55	0·50	0·38	0·30	0·23	0·15	0·08	0·06	0·03	0·02
E900-E904	Accidental falls .. .. .	0·03	0·03	0·02	0·02	0·04	0·02	0·02	0·01	0·02	0·02	0·01
E916, E917	Accident by fire or hot substance .. .. .	0·09	0·09	0·07	0·06	0·05	0·04	0·04	0·02	0·03	0·03	0·02
E921, E922	Obstruction by inhalation or ingestion .. .. .	0·18	0·25	0·27	0·35	0·44	0·40	0·41	0·44	0·41	0·39	0·32
E924, E925	Accidental mechanical suffocation .. .. .	0·53	0·61	0·59	0·57	0·58	0·48	0·47	0·40	0·43	0·36	0·29
E926	Lack of care of newborn ..	0·26	0·25	0·28	0·18	0·17	0·16	0·18	0·12	0·15	0·14	0·12
Rem. of E800-E965	Other accidents .. .. .	0·07	0·06	0·09	0·05	0·06	0·05	0·03	0·03	0·05	0·05	0·06
	All other causes .. ..	*	*	*	*	*	*	2·26	2·23	2·04	1·86	1·69

\* Not available.

TABLE 12.—Home Population, Births, Deaths and { England and Wales, Standard Regions, Conurbations, Counties, Boroughs, Infant Mortality, 1953. other Urban Districts and Rural Districts

See Explanatory notes on page vi.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
ENGLAND AND WALES	44,090,000	335,294	316,575	16,743	15,760	684,372	15.5	1.00	1.00	259,490	244,039	503,529	11.4	1.00	1.00	18,324	27	12,088	15,681
Regional Summary :																			
Northern	3,139,000	27,259	25,705	1,023	1,000	54,987	17.5	1.02	1.15	19,100	16,474	35,574	11.3	1.07	1.06	1,697	31	1,059	1,309
Tyneside conurbation	836,550	7,265	6,958	270	268	14,761	17.6	0.95	1.08	5,111	4,295	9,406	11.2	1.11	1.09	441	30	292	363
Remainder of Northern	2,302,450	19,994	18,747	753	732	40,226	17.5	1.04	1.17	13,989	12,179	26,168	11.4	1.07	1.07	1,256	31	767	946
East and West Ridings	4,087,000	31,678	29,839	1,552	1,406	64,475	15.8	1.00	1.02	25,466	23,260	48,726	11.9	1.04	1.09	1,961	30	1,274	1,556
West Yorkshire conurbation	1,679,034	12,414	11,765	737	639	25,555	15.2	1.01	0.99	11,037	10,910	21,947	13.1	1.00	1.15	777	30	500	574
Remainder of East and West Ridings	2,407,966	19,264	18,074	815	767	38,920	16.2	0.99	1.03	14,429	12,350	26,779	11.1	1.07	1.04	1,184	30	774	982
North Western	6,427,000	50,793	47,568	2,468	2,324	103,153	16.0	1.00	1.03	39,826	37,948	77,774	12.1	1.04	1.10	3,077	30	2,056	2,646
South East Lancashire conurbation	2,407,246	18,589	17,171	1,009	907	37,676	15.7	1.00	1.01	15,191	14,824	30,015	12.5	1.05	1.15	1,054	28	729	973
Merseyside conurbation	1,388,292	13,016	12,302	669	639	26,626	19.2	0.95	1.18	7,623	6,985	14,608	10.5	1.15	1.06	871	33	553	662
Remainder of North Western	2,631,462	19,188	18,095	790	778	38,851	14.8	1.04	0.99	17,012	16,139	33,151	12.6	0.98	1.08	1,152	30	774	1,011
North Midland	3,416,000	26,848	25,445	1,327	1,284	54,904	16.1	1.02	1.06	19,378	17,378	36,756	10.8	1.01	0.96	1,521	28	989	1,287
Midland	4,470,000	35,656	33,655	1,633	1,594	72,538	16.2	0.99	1.03	24,398	22,286	46,684	10.4	1.09	0.99	2,014	28	1,373	1,727
West Midlands conurbation	2,248,430	17,979	17,003	847	813	36,642	16.3	0.94	0.99	12,183	10,810	22,993	10.2	1.16	1.04	1,018	28	661	915
Remainder of Midland	2,221,570	17,677	16,652	786	781	35,896	16.2	1.02	1.07	12,215	11,476	23,691	10.7	1.05	0.99	996	28	712	812
Eastern	3,206,000	24,446	23,270	1,260	1,202	50,178	15.7	1.04	1.05	18,251	17,586	35,837	11.2	0.92	0.90	1,166	23	787	1,026
London and South Eastern	10,945,000	75,160	70,939	4,323	3,965	154,387	14.1	0.95	0.86	61,910	61,474	123,384	11.3	0.98	0.97	3,477	23	2,323	3,183
Greater London	8,334,400	57,387	54,120	3,352	3,032	117,891	14.1	0.93	0.85	45,682	43,982	89,664	10.8	1.02	0.97	2,645	22	1,777	2,475
Remainder of South Eastern	2,610,600	17,773	16,819	971	933	36,496	14.0	1.06	0.96	16,228	17,492	33,720	12.9	0.83	0.94	832	23	546	708
Southern	2,753,000	20,467	19,361	1,177	1,125	42,130	15.3	1.05	1.04	15,499	14,931	30,430	11.1	0.93	0.91	982	23	647	905
South Western	3,053,000	22,385	21,521	1,102	1,084	46,092	15.1	1.06	1.03	18,545	18,427	36,972	12.1	0.89	0.94	1,130	25	761	962



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Wales ...	2,594,000	20,602	19,272	878	776	41,528	16.0	1.03	1.06	17,117	14,275	31,392	12.1	1.00	1.06	1,299	31	819	1,080
Wales I ...	1,853,700	15,003	14,166	580	510	30,259	16.3	1.02	1.07	12,234	9,721	21,955	11.8	1.05	1.09	957	32	594	802
Wales II ...	740,300	5,599	5,106	298	266	11,269	15.2	1.07	1.05	4,883	4,554	9,437	12.7	0.89	0.99	342	31	225	278
<b>Density Aggregates Summary :</b>																			
Conurbations ...	16,893,952	126,650	119,319	6,884	6,298	259,151	15.3	0.95	0.94	96,827	91,806	188,633	11.2	1.05	1.03	6,806	26	4,512	5,962
Areas outside the conurbations ...	27,196,048	208,644	197,256	9,859	9,462	425,221	15.6	1.03	1.04	162,663	152,233	314,896	11.6	0.96	0.98	11,518	27	7,576	9,719
Urban areas, with populations of 100,000 and over...	5,824,850	44,746	42,601	2,504	2,293	92,144	15.8	1.00	1.02	34,912	32,262	67,174	11.5	1.03	1.04	2,595	28	1,681	2,202
Urban areas, with populations of 50,000 and under 100,000	3,364,580	25,504	23,885	1,320	1,317	52,026	15.5	1.02	1.02	19,941	19,435	39,376	11.7	0.96	0.99	1,484	29	986	1,196
Urban areas, with populations under 50,000...	9,440,767	72,478	68,454	3,142	3,108	147,182	15.6	1.03	1.04	59,126	56,316	115,442	12.2	0.95	1.02	3,970	27	2,595	3,421
Rural areas ...	8,565,851	65,916	62,316	2,893	2,744	133,869	15.6	1.08	1.09	48,684	44,220	92,904	10.8	0.95	0.90	3,469	26	2,314	2,900
<b>ENGLAND (excluding Monmouth)</b>																			
<b>BEDFORDSHIRE :</b>	<b>320,200</b>	<b>2,311</b>	<b>2,271</b>	<b>138</b>	<b>107</b>	<b>4,827</b>	<b>15.1</b>	<b>1.00</b>	<b>0.97</b>	<b>1,614</b>	<b>1,472</b>	<b>3,086</b>	<b>9.6</b>	<b>1.01</b>	<b>0.85</b>	<b>118</b>	<b>24</b>	<b>72</b>	<b>115</b>
Admin. County ...																			
Urban Districts ...	216,000	1,585	1,521	98	69	3,273	15.2	0.97	0.95	1,025	995	2,020	9.4	1.03	0.85	88	27	56	83
Amphill ...	3,039	33	20	2	—	55	18.1	1.12	1.31	23	20	43	14.1	0.70	0.87	2	36	1	1
Bedford M.B. ...	54,770	418	388	27	19	852	15.6	1.00	1.01	233	247	480	8.8	0.94	0.73	19	22	11	18
Biggleswade ...	7,445	45	45	—	1	91	12.2	1.03	0.81	58	57	115	15.4	0.89	1.20	1	17	1	2
Dunstable M.B. ...	17,270	121	110	3	7	241	14.0	0.94	0.85	74	79	153	8.9	1.06	0.83	7	29	6	7
Kempston ...	9,340	71	63	3	3	140	15.0	1.00	0.97	37	34	71	7.6	1.05	0.70	4	29	3	4
Leighton Buzzard ...	9,180	100	80	4	4	188	20.5	0.96	1.27	51	43	94	10.2	0.91	0.81	7	37	4	6
Luton M.B. ...	111,200	770	781	54	34	1,639	14.7	0.95	0.90	529	503	1,032	9.3	1.12	0.91	47	29	30	45
Sandy ...	3,756	27	34	5	1	67	17.8	1.04	1.19	20	12	32	8.5	0.84	0.63	1	15	—	—
Rural Districts ...	104,200	726	750	40	38	1,554	14.9	1.09	1.05	589	477	1,066	10.2	0.96	0.86	30	19	16	32
Amphill ...	23,590	172	182	6	7	367	15.6	1.05	1.06	118	131	249	10.6	0.90	0.84	12	33	7	8
Bedford ...	34,560	231	234	17	13	495	14.3	1.19	1.10	219	122	341	9.9	0.95	0.83	8	16	4	8
Biggleswade ...	26,280	178	188	11	5	382	14.5	1.11	1.04	147	132	279	10.6	1.01	0.94	6	16	3	9
Luton ...	19,770	145	146	6	13	310	15.7	0.98	0.99	105	92	197	10.0	0.98	0.86	4	13	2	7
<b>BERKSHIRE</b>	<b>427,300</b>	<b>3,247</b>	<b>3,068</b>	<b>177</b>	<b>197</b>	<b>6,689</b>	<b>15.7</b>	<b>1.02</b>	<b>1.03</b>	<b>2,325</b>	<b>2,276</b>	<b>4,601</b>	<b>10.8</b>	<b>0.94</b>	<b>0.89</b>	<b>147</b>	<b>22</b>	<b>99</b>	<b>139</b>
County Borough :																			
Reading ...	117,700	829	754	51	52	1,686	14.3	0.99	0.91	626	629	1,255	10.7	0.94	0.88	33	20	21	40
Admin. County ...	<b>309,600</b>	<b>2,418</b>	<b>2,314</b>	<b>126</b>	<b>145</b>	<b>5,003</b>	<b>16.2</b>	<b>1.04</b>	<b>1.09</b>	<b>1,699</b>	<b>1,647</b>	<b>3,346</b>	<b>10.8</b>	<b>0.94</b>	<b>0.89</b>	<b>114</b>	<b>23</b>	<b>78</b>	<b>99</b>
Urban Districts ...	99,200	774	764	43	39	1,620	16.3	1.00	1.05	721	719	1,440	14.5	0.88	1.12	37	23	23	32
Abingdon M.B. ...	11,440	96	105	5	8	214	18.7	1.05	1.27	45	42	87	7.6	1.00	0.67	2	9	2	4
Maidenhead M.B. ...	27,630	189	209	11	12	421	15.2	0.99	0.97	256	219	475	17.2	0.88	1.33	10	24	6	12
Newbury M.B. ...	18,310	158	141	11	5	315	17.2	1.03	1.14	122	129	251	13.7	0.85	1.02	9	29	5	10
New Windsor M.B. ...	23,770	177	165	13	9	364	15.3	0.92	0.91	100	118	218	9.2	0.96	0.77	10	28	6	2
Wallingford M.B. ...	3,725	40	32	—	1	73	19.6	1.08	1.37	53	80	133	35.7	0.81	2.54	1	14	—	3
Wantage ...	5,430	45	43	—	—	88	16.2	1.11	1.16	24	30	54	9.9	0.81	0.70	3	34	3	1
Wokingham M.B. ...	8,895	69	69	3	4	145	16.3	1.12	1.18	121	101	222	25.0	0.70	1.54	2	14	1	—

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		Legitimate.		TOTAL.	Illegitimate.		TOTAL.													
		M.	F.		M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
BERKSHIRE—contd.																				
Rural Districts	210,400	1,644	1,550	83	106	3,383	16.1	1.06	1.10	978	928	1,906	9.1	0.97	0.77	77	23	55	67	
Abingdon	23,880	182	204	8	9	403	16.9	1.07	1.17	86	72	158	6.6	1.21	0.70	12	30	7	11	
Bradfield	20,860	166	167	11	9	353	16.9	0.98	1.07	105	90	195	9.3	0.92	0.75	9	26	5	8	
Cookham	14,360	102	110	4	9	225	15.7	0.98	0.99	53	52	105	7.3	0.97	0.62	3	13	1	4	
Easthampstead	26,710	168	173	9	13	363	13.6	1.14	1.00	120	131	251	9.4	0.89	0.73	6	17	6	13	
Faringdon	13,790	142	116	3	6	267	19.4	1.00	1.25	52	41	93	6.7	1.01	0.59	2	8	2	3	
Hungerford	9,820	85	65	6	3	159	16.2	1.19	1.24	58	56	114	11.6	0.88	0.90	5	32	3	1	
Newbury	17,310	142	114	16	16	288	16.6	1.06	1.14	72	51	123	7.1	0.92	0.57	8	28	7	4	
Wallingford	16,660	133	114	5	11	263	15.8	1.08	1.10	100	108	208	12.5	1.01	1.11	9	34	7	6	
Wantage	15,050	147	8	8	8	315	20.9	1.07	1.44	55	66	121	8.0	0.96	0.67	6	19	5	7	
Windsor	11,960	95	93	1	8	197	16.5	1.06	1.13	88	92	180	15.1	0.92	1.22	5	25	5	3	
Wokingham	40,000	277	247	12	14	550	13.8	1.06	0.94	189	169	358	9.0	0.99	0.78	12	22	7	7	
BUCKINGHAMSHIRE :																				
Admin. County	398,200	2,868	2,821	141	134	5,964	15.0	1.01	0.98	2,008	1,836	3,844	9.7	0.97	0.83	119	20	74	106	
Urban Districts	197,500	1,414	1,408	78	73	2,973	15.1	0.97	0.95	960	892	1,852	9.4	1.04	0.86	56	19	33	60	
Aylesbury M.B.	21,100	168	187	11	11	377	17.9	0.87	1.00	112	81	193	9.1	1.07	0.85	14	37	11	3	
Beaconsfield	8,240	57	50	2	3	112	13.6	1.01	0.89	45	48	93	11.3	0.93	0.92	3	27	—	1	
Bletchley	11,410	101	105	2	5	213	18.7	1.02	1.23	48	34	82	7.2	1.10	0.69	3	14	1	9	
Buckingham M.B.	4,027	25	35	3	2	65	16.1	1.07	1.11	18	16	34	8.4	0.90	0.66	—	—	—	1	
Chesham	11,460	77	70	4	6	157	13.7	1.01	0.89	65	60	125	10.9	0.87	0.83	—	—	—	2	
Eton	4,723	28	33	1	—	62	13.1	1.14	0.96	13	14	27	5.7	1.30	0.65	1	16	1	1	
High Wycombe M.B.	41,890	312	308	18	13	651	15.5	0.97	0.97	207	175	382	9.1	1.06	0.85	8	12	4	19	
Linslade	3,359	19	26	—	—	45	13.4	1.02	0.88	16	18	34	10.1	0.83	0.74	—	9	—	2	
Marlow	6,533	64	51	2	—	117	17.9	0.98	1.13	37	24	61	9.3	0.91	0.74	1	—	—	—	
Newport Pagnell	4,268	27	24	1	—	52	12.2	1.06	0.83	51	81	132	30.9	0.66	1.79	3	58	2	—	
Slough M.B.	66,950	447	453	30	29	959	14.3	0.92	0.85	265	249	514	7.7	1.23	0.83	22	23	13	16	
Wolverton	13,540	89	66	4	4	163	12.0	1.14	0.88	83	92	175	12.9	0.75	0.85	1	6	—	6	
Rural Districts	200,700	1,454	1,413	63	61	2,991	14.9	1.05	1.01	1,048	944	1,992	9.9	0.91	0.79	63	21	41	46	
Amersham	43,090	304	280	5	11	600	13.9	1.04	0.93	212	197	409	9.5	0.88	0.73	7	12	2	10	
Aylesbury	31,520	213	213	10	13	449	14.2	1.11	1.02	177	165	342	10.9	0.95	0.91	11	25	9	12	
Buckingham	10,180	73	63	3	3	140	13.8	1.38	1.23	38	31	69	6.8	1.01	0.60	1	7	—	3	
Eton	44,170	351	320	14	17	702	15.9	0.94	0.96	215	199	414	9.4	0.98	0.81	23	33	17	11	
Newport Pagnell	14,050	80	104	3	3	190	13.5	1.17	1.02	67	76	143	10.2	0.75	0.67	3	16	3	—	
Wing	9,030	76	73	3	1	153	16.9	1.07	1.17	54	45	99	11.0	0.92	0.89	5	33	3	—	



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Winslow	7,550	52	51	6	3	112	14.8	1.13	1.08	65	68	133	17.6	0.73	1.13	—	—	—	3
Wycombe	41,110	305	309	19	12	645	15.7	1.02	1.03	220	163	383	9.3	0.94	0.77	13	20	7	7
<b>CAMBRIDGESHIRE :</b>																			
Admin. County	177,100	1,367	1,273	60	69	2,769	15.6	1.05	1.06	897	910	1,807	10.2	0.91	0.81	54	20	34	56
Urban District :																			
Cambridge M.B.	90,910	650	579	36	40	1,305	14.4	1.04	0.97	442	445	887	9.8	0.98	0.84	31	24	21	23
Rural Districts																			
Chesterton	86,190	717	694	24	29	1,464	17.0	1.07	1.17	455	465	920	10.7	0.85	0.80	23	16	13	33
Newmarket	39,450	293	310	10	14	627	15.9	1.05	1.08	205	210	415	10.5	0.86	0.79	7	11	4	16
South Cambridgeshire	20,110	169	152	7	6	334	16.6	1.10	1.18	104	96	200	9.9	0.86	0.75	5	15	3	4
	26,630	255	232	7	9	503	18.9	1.07	1.30	146	159	305	11.5	0.82	0.83	11	22	6	13
<b>CHESHIRE</b>																			
	1,264,700	9,661	9,019	412	407	19,499	15.4	1.03	1.02	7,505	7,194	14,699	11.6	0.99	1.01	498	26	327	439
County Boroughs																			
Birkenhead	433,000	3,557	3,362	198	170	7,287	16.8	0.99	1.07	2,753	2,584	5,337	12.3	1.02	1.10	207	28	129	169
Chester	141,700	1,281	1,233	79	53	2,646	18.7	0.97	1.17	874	714	1,588	11.2	1.08	1.06	75	28	46	61
Stockport	48,200	391	385	31	17	824	17.1	0.94	1.04	264	257	521	10.8	1.03	0.98	27	33	17	18
Wallasey	141,000	1,068	986	48	60	2,162	15.3	1.03	1.02	1,020	1,024	2,044	14.5	1.01	1.28	64	30	37	47
	102,100	817	758	40	40	1,655	16.2	1.01	1.06	595	589	1,184	11.6	0.95	0.97	41	25	29	43
Admin. County	831,700	6,104	5,657	214	237	12,212	14.7	1.04	0.99	4,752	4,610	9,362	11.3	0.98	0.97	291	24	198	270
Urban Districts																			
Alderley Edge	636,400	4,569	4,194	168	182	9,113	14.3	1.05	0.97	3,645	3,602	7,247	11.4	0.98	0.98	216	24	152	208
Alkager	3,722	29	16	3	—	48	12.9	0.94	0.78	20	22	42	11.3	0.84	0.83	3	63	3	1
Altrincham M.B.	5,679	43	41	2	—	86	15.1	0.91	0.80	27	19	46	8.1	1.13	0.80	7	82	5	1
Bebington M.B.	39,780	255	253	11	7	526	13.2	1.04	0.89	236	226	462	11.6	1.01	1.03	6	11	4	11
Bollington	48,220	333	289	16	8	646	13.4	1.05	0.91	255	244	499	10.3	1.04	0.94	21	33	15	18
	5,390	39	37	1	1	78	14.5	1.09	1.02	37	32	69	12.8	0.90	1.01	1	13	—	4
Bowdon	3,598	26	31	1	1	59	16.4	0.93	0.98	18	33	51	14.2	0.73	0.91	—	—	—	3
Bredbury and Romiley	17,590	145	106	3	3	257	14.6	1.07	1.01	105	81	186	10.6	1.04	0.97	5	19	4	4
Cheadle and Gatley	31,540	206	184	5	4	399	12.7	1.08	0.89	162	193	355	11.3	0.99	0.98	11	28	8	7
Congleton M.B.	15,540	111	112	3	5	231	14.9	0.99	0.95	103	83	186	12.0	1.02	1.07	7	30	4	7
Crewe M.B.	52,150	411	345	20	35	811	15.6	1.00	1.01	301	212	513	9.8	1.05	0.90	28	35	21	23
Dukinfield M.B.	18,420	132	112	3	2	249	13.5	1.01	0.88	93	111	204	11.1	1.08	1.05	7	28	6	8
Ellesmere Port	34,470	350	346	12	7	715	20.7	0.96	1.28	128	105	233	6.8	1.38	0.82	16	22	11	15
Hale	11,800	61	63	1	1	126	10.7	1.16	0.80	72	61	133	11.3	0.76	0.75	3	24	2	3
Hazel Grove and Bramhall	20,010	106	123	4	5	238	11.9	1.16	0.89	107	129	236	11.8	0.90	0.93	5	21	4	5
Hooke	9,286	64	69	3	4	140	15.1	0.99	0.96	51	46	97	10.4	0.99	0.90	3	21	2	4
Hoylake	30,620	179	183	4	9	375	12.2	1.25	0.98	151	200	351	11.5	0.84	0.85	10	27	8	6
Hyde M.B.	31,780	209	180	10	9	408	12.8	1.08	0.89	206	207	413	13.0	0.92	1.05	9	22	6	6
Knutsford	6,805	56	48	5	2	111	16.3	1.06	1.11	71	86	157	23.1	0.82	1.66	—	—	—	3
Longendale	4,450	30	34	2	1	67	15.1	1.13	1.10	37	26	63	14.2	0.76	0.95	1	15	—	1
Lymm	6,371	42	37	—	5	84	13.2	0.98	0.83	43	41	84	13.2	0.91	1.05	1	12	—	—
Macclesfield M.B.	35,440	248	216	10	16	490	13.8	1.04	0.93	225	251	476	13.4	0.88	1.03	10	20	4	10
Marple	13,160	102	91	2	7	202	15.3	1.09	1.08	87	85	172	13.1	0.82	0.94	5	25	5	3
Middlewich	6,813	57	59	1	1	118	17.3	0.99	1.11	45	29	74	10.9	1.11	1.06	—	—	—	3
Nantwich	9,034	58	58	—	—	116	12.8	1.02	0.84	122	167	289	32.0	0.91	2.55	4	35	3	4
Neston	9,922	80	68	2	4	154	15.5	1.05	1.05	50	53	103	10.4	0.90	0.82	5	33	5	5
Northwich	16,470	99	84	1	3	187	11.4	1.06	0.78	109	87	196	11.9	0.95	0.99	7	38	5	4
Runcorn	24,350	210	210	7	5	432	17.7	0.98	1.12	114	107	221	9.1	1.17	0.93	9	21	4	9

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	
		F.		M.	F.		M.														TOTAL.
		M.	F.		M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
CHESHIRE—contd.																					
Urban Districts—contd.																					
Sale M.B.	43,130	327	263	11	10	611	14.2	1.07	0.98	237	207	444	10.3	1.00	0.90	9	15	7	14		
Sandbach	9,580	61	67	2	1	131	13.7	1.00	0.88	47	44	91	9.5	1.00	0.83	5	38	3	3		
Stalybridge M.B.	22,510	158	159	11	7	335	14.9	1.02	0.98	147	146	293	13.0	1.00	1.14	8	24	5	8		
Wilmslow	18,870	107	112	6	6	231	12.2	1.06	0.83	83	91	174	9.2	1.03	0.83	2	9	2	2		
Winsford	12,860	120	87	4	8	219	17.0	0.95	1.04	68	69	137	10.7	1.07	1.00	3	14	3	8		
Wirral ...	17,040	115	111	2	5	233	13.7	1.09	0.96	88	109	197	11.6	0.88	0.90	5	22	3	5		
Rural Districts	195,300	1,535	1,463	46	55	3,099	15.9	1.04	1.07	1,107	1,008	2,115	10.8	0.99	0.94	75	24	46	62		
Bucklow	11,650	103	99	5	6	213	18.3	1.06	1.25	58	57	115	9.9	1.03	0.89	3	14	2	2		
Chester	26,250	187	159	2	1	349	13.3	1.19	1.02	155	182	337	12.8	1.05	1.18	10	29	8	13		
Congleton	13,320	97	89	—	3	189	14.2	1.02	0.93	129	127	256	19.2	0.94	1.58	2	11	1	6		
Disley ...	2,936	9	19	—	1	29	9.9	1.20	0.77	13	18	31	10.6	0.81	0.75	2	69	1	1		
Macclesfield	19,800	134	123	2	7	266	13.4	1.07	0.93	106	97	203	10.3	0.88	0.80	4	15	3	8		
Nantwich	27,530	198	176	5	4	383	13.9	1.07	0.96	165	122	287	10.4	0.95	0.87	13	34	9	6		
Northwich	41,920	444	430	12	17	903	21.5	0.91	1.26	186	159	345	8.2	1.19	0.86	26	29	13	15		
Runcorn	35,800	220	252	14	9	495	13.8	1.05	0.93	207	161	368	10.3	0.92	0.83	11	22	8	6		
Tarvin ...	14,640	131	102	6	7	246	16.8	1.07	1.16	81	78	159	10.9	0.91	0.87	4	16	1	5		
Tintwistle	1,454	12	14	—	—	26	17.9	1.05	1.21	7	7	14	9.6	0.84	0.71	—	—	—	—		
CORNWALL:	343,300	2,331	2,239	95	134	4,799	14.0	1.07	0.97	2,208	2,336	4,544	13.2	0.83	0.96	128	27	97	118		
Admin. County ...																					
Urban Districts	186,900	1,286	1,196	47	72	2,601	13.9	1.06	0.95	1,289	1,458	2,747	14.7	0.83	1.07	73	28	56	63		
Bodmin M.B....	6,508	51	32	1	2	86	13.2	1.56	1.33	95	111	206	31.7	0.89	2.48	2	23	1	1		
Bude-Stratton	5,112	31	27	3	3	64	12.5	1.09	0.88	38	43	81	15.8	0.73	1.01	1	16	1	2		
Camborne-Redruth	35,380	243	221	11	13	488	13.8	0.99	0.88	279	286	565	16.0	0.87	1.22	11	23	9	16		
Falmouth M.B.	16,490	125	108	11	8	252	15.3	1.04	1.03	91	112	203	12.3	0.86	0.93	4	16	2	7		
Fowey M.B. ...	2,270	9	17	—	1	27	11.9	1.10	0.84	14	16	30	13.2	0.76	0.88	2	74	2	2		
Helston M.B....	5,787	68	58	—	3	129	22.3	1.07	1.54	60	49	109	18.8	0.74	1.22	5	39	5	2		
Launceston M.B.	4,623	27	29	1	2	59	12.8	1.11	0.92	40	55	95	20.5	0.77	1.38	—	—	—	1		
Liskeard M.B.	4,321	26	28	—	2	56	13.0	1.05	0.88	52	66	118	27.3	0.68	1.63	—	—	—	2		



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Looe ...	3,591	28	15	1	2	46	12.8	1.08	0.89	20	24	44	12.3	0.74	0.80	1	22	1	2
Lostwithiel M.B.	2,052	13	14	1	1	29	14.1	1.14	1.04	12	15	27	13.2	0.69	0.80	1	35	—	1
Newquay ...	9,763	74	45	2	1	122	12.5	0.94	0.76	44	52	96	9.8	0.77	0.66	5	41	4	1
Padstow ...	2,783	33	26	—	1	60	21.6	0.98	1.37	16	23	39	14.0	0.72	0.88	1	17	1	2
Penryn M.B. ...	4,232	40	31	—	2	73	17.2	1.00	1.11	28	30	58	13.7	0.96	1.15	2	27	1	1
Penzance M.B.	20,000	117	111	5	9	242	12.1	1.02	0.80	135	148	283	14.2	0.82	1.02	11	46	11	2
St. Austell ...	23,480	161	139	3	3	306	13.0	1.10	0.92	144	172	316	13.5	0.78	0.92	10	33	7	9
St. Ives M.B. ...	8,490	49	70	1	7	127	15.0	1.02	0.99	56	51	107	12.6	0.71	0.78	—	—	—	1
St. Just ...	4,007	26	34	—	1	61	15.2	1.14	1.12	29	31	60	15.0	0.85	1.12	2	33	2	1
Saltash M.B. ...	7,950	54	64	5	5	128	16.1	1.02	1.06	47	61	108	13.6	0.76	0.91	5	39	4	1
Torpoint ...	6,714	26	24	1	1	52	7.7	1.50	0.75	19	23	42	6.3	1.49	0.82	2	39	—	1
Truro M.B. ...	13,350	85	103	1	5	194	14.5	1.01	0.94	70	90	160	12.0	1.01	1.06	8	41	5	8
Rural Districts	156,400	1,045	1,043	48	62	2,198	14.1	1.08	0.98	919	878	1,797	11.5	0.82	0.83	55	25	41	55
Camelford ...	7,330	49	39	4	3	95	13.0	1.11	0.93	43	44	87	11.9	0.80	0.84	4	42	4	3
Kerrier ...	21,510	129	165	8	3	305	14.2	1.03	0.94	120	115	235	10.9	0.88	0.84	8	26	7	7
Launceston ...	6,493	39	44	2	1	86	13.2	1.12	0.95	33	33	76	11.7	0.83	0.85	2	23	2	2
Liskeard ...	14,070	89	106	5	6	206	14.6	1.16	1.09	86	83	169	12.0	0.77	0.81	7	34	4	2
St. Austell ...	22,030	173	141	10	12	336	15.3	1.03	1.02	108	108	216	9.8	0.87	0.75	8	24	3	7
St. Germans ...	16,630	120	95	3	3	221	13.3	1.11	0.95	106	79	185	11.1	0.78	0.76	4	18	3	5
Scilly, Isles of	1,837	25	21	1	—	47	25.6	1.00	1.65	15	14	29	15.8	0.90	1.25	—	—	—	—
Stratton ...	5,630	40	42	2	6	90	16.0	1.15	1.19	26	25	51	9.1	0.88	0.70	2	22	2	1
Truro ...	26,880	153	168	6	13	340	12.6	1.10	0.89	156	164	320	11.9	0.76	0.79	10	29	8	8
Wadebridge ...	16,410	104	105	5	8	222	13.5	1.13	0.98	107	104	211	12.9	0.89	1.01	6	27	5	10
West Penwith...	17,580	124	117	2	7	250	14.2	1.04	0.95	109	109	218	12.4	0.82	0.89	4	16	3	10
CUMBERLAND	284,200	2,353	2,256	86	103	4,798	16.9	1.05	1.14	1,755	1,652	3,407	12.0	1.02	1.07	130	27	94	130
County Borough :	68,100	582	526	33	35	1,176	17.3	1.03	1.15	414	422	836	12.3	1.09	1.18	33	28	24	32
Carlisle ...	216,100	1,771	1,730	53	68	3,622	16.8	1.05	1.14	1,341	1,230	2,571	11.9	1.00	1.04	97	27	70	98
Admin. County ...	86,780	724	749	22	34	1,529	17.6	1.02	1.16	524	502	1,026	11.8	1.03	1.07	46	30	37	39
Urban Districts ...	5,250	36	48	—	—	84	16.0	0.98	1.01	28	34	62	11.8	0.94	0.97	3	36	3	3
Cockermouth ...	4,740	28	12	—	2	42	8.9	1.00	0.57	28	24	52	11.0	0.79	0.76	1	24	1	—
Keswick ...	12,580	108	115	1	8	232	18.4	1.03	1.22	69	81	150	11.9	1.01	1.05	8	35	5	3
Maryport ...	10,470	76	86	5	2	169	16.1	1.03	1.07	65	65	128	12.2	0.92	0.98	4	24	4	6
Penrith ...	24,940	250	259	7	14	530	21.3	1.01	1.39	155	148	303	12.1	1.13	1.20	16	30	11	17
Whitehaven M.B.	28,800	226	229	9	8	472	16.4	1.03	1.09	181	150	331	11.5	1.08	1.09	14	30	13	10
Workington M.B.	129,320	1,047	981	31	34	2,093	16.2	1.08	1.13	817	728	1,545	11.9	0.98	1.02	51	24	33	59
Rural Districts ...	2,290	16	18	1	—	35	15.3	1.10	1.09	10	12	22	9.6	0.85	0.72	2	57	1	2
Alston with Garrigill	30,070	212	194	5	8	419	13.9	1.07	0.96	193	184	377	12.5	0.94	1.03	8	19	5	12
Border...	19,350	151	135	2	2	290	15.0	1.08	1.05	121	111	232	12.0	0.96	1.01	8	28	6	8
Cockermouth...	28,380	238	249	10	10	507	17.9	1.09	1.26	201	140	341	12.0	1.07	1.13	13	26	8	19
Ennerdale ...	14,370	110	123	5	4	242	16.8	1.05	1.14	80	74	154	10.7	0.94	0.88	5	21	2	3
Millom ...	11,450	102	83	2	3	190	16.6	1.07	1.14	57	59	116	10.1	0.91	0.81	6	32	4	6
Penrith ...	23,410	218	179	6	7	410	17.5	1.08	1.22	155	148	303	12.9	1.00	1.13	9	22	7	9
Wigton ...																			

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		M.		F.	M.		F.												
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DERBYSHIRE ...	831,100	6,306	5,995	261	245	12,807	15.4	0.99	0.98	4,652	4,042	8,694	10.5	1.06	0.98	359	28	228	295
County Borough : Derby ...	139,400	1,055	981	75	51	2,162	15.5	0.98	0.98	866	768	1,634	11.7	1.03	1.06	52	24	36	54
Admin. County ...	691,700	5,251	5,014	186	194	10,645	15.4	1.00	0.99	3,786	3,274	7,060	10.2	1.07	0.96	307	29	192	241
Urban Districts ...	360,200	2,674	2,517	108	116	5,415	15.0	0.99	0.96	2,074	1,799	3,873	10.8	1.05	0.99	164	30	94	128
Alfreton ...	23,220	189	166	8	6	369	15.9	0.97	0.99	135	105	240	10.3	1.09	0.98	15	41	10	11
Ashbourne ...	5,226	44	49	—	3	96	18.4	1.04	1.23	56	44	100	19.1	0.96	1.61	3	31	2	3
Bakewell ...	3,432	20	24	3	1	48	14.0	1.06	0.96	50	24	74	21.6	0.82	1.55	5	104	2	2
Belper ...	15,700	99	116	8	3	226	14.4	0.99	0.92	80	80	160	10.2	0.98	0.88	6	27	5	2
Bolsover ...	10,850	92	93	6	6	197	18.2	1.00	1.17	47	47	94	8.7	1.22	0.93	3	15	1	5
Buxton M.B....	19,200	142	138	4	4	288	15.0	1.05	1.02	101	105	206	10.7	0.90	0.84	9	31	2	8
Chesterfield M.B.	67,450	460	459	19	21	959	14.2	0.96	0.88	413	348	761	11.3	1.06	1.05	28	29	21	11
Clay Cross ...	8,707	94	60	3	1	158	18.1	0.94	1.10	55	36	91	10.5	1.12	1.03	6	38	4	2
Dronfield ...	7,518	52	49	1	2	104	13.8	0.94	0.84	33	36	69	9.2	1.05	0.85	1	10	—	5
Glossop M.B.	17,770	119	133	6	7	265	14.9	1.04	1.00	143	147	290	16.3	0.86	1.23	4	15	2	5
Heanor ...	24,130	175	191	4	10	380	15.7	0.98	0.99	149	109	258	10.7	1.14	1.07	15	40	8	13
Ilkeston M.B.	34,210	241	220	11	14	486	14.2	0.99	0.91	148	147	295	8.6	1.20	0.91	15	31	4	15
Long Eaton ...	29,230	213	193	8	13	427	14.6	0.99	0.93	159	138	297	10.2	1.06	0.95	22	52	15	7
Matlock ...	18,440	154	122	7	6	289	15.7	1.03	1.04	97	101	198	10.2	0.92	0.86	6	21	2	3
New Mills ...	8,340	55	54	2	3	114	13.7	1.06	0.94	52	53	105	12.6	0.94	1.04	4	35	4	4
Ripley ...	17,970	138	139	3	2	282	15.7	1.01	1.02	89	65	154	8.6	1.06	0.80	5	18	2	7
Staveley ...	17,940	135	115	4	3	257	14.3	0.97	0.89	80	53	133	7.4	1.25	0.81	4	16	1	9
Swadlincote ...	20,650	164	139	6	7	316	15.3	0.98	0.97	120	92	212	10.3	1.11	1.00	9	29	7	11
Whaley Bridge ...	5,290	38	30	2	—	70	13.2	1.04	0.89	34	37	71	13.4	0.96	1.13	2	29	1	4
Wirksworth ...	4,927	50	27	3	4	84	17.0	1.04	1.14	33	32	65	13.2	0.95	1.10	2	24	1	1
Rural Districts ...	331,500	2,577	2,497	78	78	5,230	15.8	1.00	1.02	1,712	1,475	3,187	9.6	1.09	0.92	143	27	98	113
Ashbourne ...	11,700	80	94	2	6	182	15.6	1.12	1.13	61	57	118	10.1	1.00	0.89	3	17	3	4
Bakewell ...	18,950	133	116	1	5	255	13.5	1.10	0.96	96	101	197	10.4	0.86	0.78	9	35	8	6
Belper ...	28,290	194	182	7	9	389	13.8	1.06	0.94	146	150	296	10.5	0.94	0.87	13	33	10	10
Blackwell ...	42,810	386	363	16	6	774	18.1	0.97	1.13	230	177	407	9.5	1.17	0.98	23	30	16	14
Chapel en le Frith	18,700	130	109	3	3	245	13.1	1.13	0.95	135	113	248	13.3	0.95	1.11	11	45	8	6



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Chesterfield ...	81,550	717	656	15	20	1,408	17.3	0.96	1.07	390	321	711	8.7	1.21	0.92	36	26	22	36
Clowne ...	19,200	162	160	8	5	335	17.4	1.02	1.15	91	73	164	8.5	1.09	0.81	7	21	4	4
Repton ...	31,950	249	239	6	7	501	15.7	1.03	1.04	182	164	346	10.8	1.04	0.99	18	36	14	7
Shardlow ...	78,350	526	578	20	17	1,141	14.6	0.97	0.91	381	319	700	8.9	1.14	0.89	23	20	13	26
DEVON ...	806,000	5,633	5,373	332	291	11,629	14.4	1.08	1.00	5,333	5,320	10,653	13.2	0.83	0.96	320	28	219	255
County Boroughs ...	298,100	2,313	2,161	168	139	4,781	16.0	1.04	1.07	1,819	1,638	3,457	11.6	1.01	1.03	146	31	97	101
Exeter ...	76,700	563	521	30	30	1,144	14.9	1.00	0.96	516	500	1,016	13.2	0.90	1.04	48	42	36	20
Plymouth ...	221,400	1,750	1,640	138	109	3,637	16.4	1.05	1.11	1,303	1,138	2,441	11.0	1.06	1.02	98	27	61	81
Admin. County ...	507,900	3,320	3,212	164	152	6,848	13.5	1.10	0.96	3,514	3,682	7,196	14.2	0.76	0.95	174	25	122	154
Urban Districts ...	260,100	1,601	1,558	74	92	3,325	12.8	1.07	0.88	1,979	2,230	4,209	16.1	0.71	1.00	69	21	44	80
Ashburton ...	2,680	—	—	—	—	—	15.7	1.09	1.10	20	19	39	14.6	0.79	1.01	—	—	—	1
†Axminster ...	16,090	141	104	5	5	255	15.8	0.99	1.01	132	182	314	19.5	0.79	1.35	3	12	—	4
Barnstaple M.B. ...	10,210	62	77	4	8	151	14.8	1.08	1.03	70	83	153	15.0	0.80	1.05	5	33	4	2
Bideford M.B. ...	8,806	54	52	3	3	112	12.7	1.09	0.89	65	68	133	15.1	0.76	1.01	4	36	3	2
Brixham ...	2,556	20	22	—	—	42	16.4	1.21	1.28	10	16	26	10.2	0.73	0.65	1	24	—	1
Buckfastleigh ...	3,790	20	20	3	—	43	11.3	1.20	0.87	26	44	70	18.5	0.56	0.91	1	23	—	—
Budleigh Salterton ...	4,141	26	27	—	3	56	13.5	1.04	0.91	30	21	51	12.3	0.82	0.88	1	18	—	—
Crediton ...	5,853	37	36	1	1	75	12.8	1.15	0.95	43	32	75	12.8	0.84	0.94	—	—	—	3
Dartmouth M.B. ...	7,030	29	37	3	1	70	10.0	1.15	0.74	63	53	116	16.5	0.70	1.01	1	14	1	2
Dawlish ...	17,300	122	107	10	6	245	14.2	1.06	0.97	124	146	270	15.6	0.65	0.89	12	49	9	4
Exmouth ...	2,828	24	20	—	—	44	15.6	1.05	1.06	17	27	44	15.6	0.79	1.08	2	46	2	1
Great Torrington M.B. ...	1,571	22	11	—	2	35	22.3	1.05	1.51	15	13	28	17.8	0.74	1.16	—	—	—	—
Holsworthy ...	5,058	33	23	2	2	60	11.9	1.36	1.04	64	103	167	33.0	0.97	2.81	1	17	1	3
Honiton M.B. ...	8,991	51	58	2	3	114	12.7	1.10	0.90	50	54	104	11.6	0.69	0.70	1	9	—	7
Ilfracombe ...	3,119	28	28	1	—	57	18.3	1.02	1.20	15	19	34	10.9	0.76	0.73	—	—	—	2
Kingsbridge ...	1,754	10	14	—	1	25	14.3	0.97	0.89	10	6	16	9.1	0.76	0.61	1	40	—	1
Lynton ...	16,980	119	98	6	1	224	13.2	1.06	0.90	177	143	320	18.8	0.80	1.32	5	22	3	4
Newton Abbot ...	6,562	35	42	1	2	80	12.2	1.04	0.82	42	40	82	12.5	0.74	0.81	2	25	1	2
Northam ...	3,840	25	20	—	1	46	12.0	0.98	0.76	64	48	112	29.2	0.80	2.05	1	22	1	4
Okehampton M.B. ...	4,023	25	25	2	1	53	13.2	1.08	0.92	22	33	55	13.7	0.75	0.90	—	—	—	4
Ottery St. Mary ...	25,240	112	123	2	8	245	9.7	1.09	0.68	191	229	420	16.6	0.64	0.93	6	25	4	6
Paignton ...	2,444	8	17	—	—	25	10.2	1.10	0.72	22	14	36	14.7	0.66	0.85	1	40	1	—
Salcombe ...	2,907	12	13	1	1	27	9.3	1.07	0.64	24	28	52	17.9	0.58	0.91	—	—	—	1
Seaton ...	9,783	34	53	2	2	91	9.3	1.15	0.69	75	93	168	17.2	0.59	0.89	—	—	—	4
Sidmouth ...	3,105	16	20	1	—	37	11.9	1.18	0.91	18	24	42	13.5	0.78	0.92	2	54	2	—
South Molton M.B. ...	6,173	52	32	—	2	86	13.9	1.16	1.04	49	55	104	16.8	0.73	1.08	1	12	1	1
Tavistock ...	10,440	60	67	6	1	134	12.8	1.12	0.92	81	88	169	16.2	0.62	0.88	3	22	3	3
Teignmouth ...	11,320	75	90	1	6	172	15.2	1.08	1.06	73	84	157	13.9	0.87	1.06	3	17	2	7
Tiverton M.B. ...	49,990	297	256	17	29	599	12.0	1.04	0.81	326	392	718	14.4	0.69	0.87	9	15	3	9
Torquay M.B. ...	5,516	35	41	1	3	80	14.5	1.00	0.94	61	73	134	24.3	0.80	1.70	3	38	2	2
Totnes M.B. ...	247,800	1,719	1,654	90	60	3,523	14.2	1.13	1.04	1,535	1,452	2,987	12.1	0.81	0.86	105	30	78	74
Rural Districts ...	14,320	86	75	7	1	169	11.8	1.11	0.85	85	81	166	12.2	0.71	0.76	3	18	3	2
*Axminster ...	23,360	147	162	8	4	321	13.7	1.10	0.97	128	129	257	11.0	0.79	0.76	3	9	2	6
Barnstaple ...	5,315	45	47	3	1	96	18.1	1.08	1.26	24	32	56	10.5	0.80	0.74	1	10	1	2
Bideford ...	2,039	15	18	1	—	34	16.7	1.07	1.15	9	15	24	11.8	0.96	0.99	1	29	—	2
Broadwood ...	9,905	93	77	2	1	173	17.5	1.16	1.31	54	44	98	9.9	0.81	0.70	6	35	6	2
Widger ...																			
Crediton ...																			

† Abolished 1/4/53. Figures included in those of Axminster R.D. from 1/1/53.  
 \* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.						
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.		Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	
		M.		F.	M.		F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
DEVON—contd.																						
Rural Districts—contd.																						
Holsworthy ...	5,999	47	49	6	2	104	17.3	1.15	1.28	33	25	58	9.7	0.80	0.68	4	39	2	4			
Honiton ...	6,898	60	48	3	1	112	16.2	1.16	1.21	26	21	47	6.8	0.82	0.49	4	36	3	—			
Kingsbridge ...	11,690	88	71	5	2	166	14.2	1.09	1.00	70	56	126	10.8	0.75	0.71	4	24	2	2			
Newton Abbot ...	25,330	145	155	10	7	317	12.5	1.10	0.89	151	160	311	12.3	0.77	0.83	10	32	10	10			
Okehampton ...	12,280	82	88	4	2	176	14.3	1.19	1.10	61	72	133	10.8	0.76	0.72	9	51	7	4			
Plympton St. Mary ...	31,870	211	207	8	5	431	13.5	1.07	0.93	200	209	409	12.8	0.89	1.00	16	37	12	8			
St. Thomas ...	31,870	219	207	13	13	452	14.2	1.26	1.15	242	236	478	15.0	0.84	1.11	13	29	10	12			
South Molton ...	9,063	65	67	1	2	135	14.9	1.15	1.11	50	44	94	10.4	0.88	0.80	4	30	3	1			
Tavistock ...	16,050	109	92	5	6	212	13.2	1.12	0.95	108	78	186	11.6	0.80	0.81	8	38	4	4			
Tiverton ...	20,650	160	138	10	3	311	15.1	1.09	1.06	121	108	229	11.1	0.84	0.82	10	32	5	8			
Torrington ...	7,241	66	62	1	3	132	18.2	1.20	1.41	40	48	88	12.2	0.84	0.90	5	38	5	4			
Totnes... ..	13,920	81	91	3	7	182	13.1	1.11	0.94	133	94	227	16.3	0.78	1.12	4	22	3	3			
DORSET :																						
Admin. County ...	299,360	2,078	2,049	121	97	4,345	14.5	1.10	1.03	1,810	1,805	3,615	12.1	0.85	0.90	104	24	75	104			
Urban Districts ...																						
Blandford Forum M.B. ...	185,800	1,254	1,167	73	63	2,557	13.8	1.08	0.96	1,136	1,227	2,363	12.7	0.85	0.95	60	24	42	60			
Bridport M.B. ...	3,657	28	26	3	—	57	15.6	1.03	1.04	26	33	59	16.1	0.81	1.14	3	53	3	1			
Dorchester M.B. ...	6,397	37	39	2	2	80	12.5	1.05	0.85	51	78	129	20.2	0.75	1.33	2	25	2	2			
Lyme Regis M.B. ...	11,610	82	80	2	4	168	14.5	1.04	0.97	102	98	200	17.2	0.89	1.34	1	6	—	4			
Poole M.B. ...	2,995	12	20	1	—	33	11.0	1.08	0.77	19	13	32	10.7	0.71	0.67	2	61	2	4			
	83,520	566	495	34	31	1,126	13.5	1.03	0.90	525	539	1,064	12.7	0.84	0.94	28	25	20	19			
Portland ...	15,840	86	71	4	5	166	10.5	1.66	1.12	51	48	99	6.3	1.36	0.75	3	18	2	3			
Shaftesbury ...	3,445	38	30	1	1	70	20.3	1.16	1.52	12	23	35	10.2	0.73	0.65	1	14	1	1			
Sherborne ...	7,193	41	51	3	1	96	13.3	1.38	1.18	33	43	76	10.6	0.98	0.91	4	42	2	1			
Swanage ...	6,874	36	26	3	4	69	10.0	1.13	0.73	39	53	92	13.4	0.72	0.85	1	15	1	2			
Wareham M.B. ...	2,754	18	14	—	1	33	12.0	1.08	0.84	31	30	61	22.1	0.75	1.45	1	30	1	2			
Weymouth and Melcombe Regis M.B....	37,040	281	281	18	13	593	16.0	1.00	1.03	204	209	413	11.2	0.81	0.80	12	20	7	18			
Wimborne Minster ...	4,475	29	34	2	1	66	14.7	1.15	1.09	43	60	103	23.0	0.71	1.43	2	30	1	3			



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	113,560	824	882	48	34	1,788	15.7	1.16	1.17	674	578	1,252	11.0	0.86	0.83	44	25	33	44
Beaminster ...	8,091	76	62	6	1	145	17.9	1.11	1.28	61	44	105	13.0	0.80	0.91	8	55	6	1
Blairford ...	13,510	96	96	2	3	197	14.6	1.54	1.63	66	35	101	7.5	1.24	0.82	5	25	5	7
Bridport ...	7,669	44	55	1	2	102	13.3	1.14	0.98	69	34	103	13.4	0.70	0.82	2	20	2	2
Dorchester ...	17,490	130	136	11	8	285	16.3	1.18	1.24	104	106	210	12.0	0.87	0.92	12	42	7	7
Shaftesbury ...	10,240	82	71	6	3	162	15.8	1.18	1.20	56	56	112	10.9	0.79	0.76	4	25	4	5
Sherborne ...	5,850	32	39	2	—	73	12.5	0.90	0.73	25	29	54	9.2	0.93	0.75	—	—	—	1
Sturminster ...	9,710	83	85	3	4	175	18.0	1.11	1.29	55	64	119	12.3	0.74	0.80	—	—	—	2
Wareham and Purbeck ...	19,310	136	191	11	3	341	17.7	1.07	1.22	95	77	172	8.9	1.04	0.81	7	21	5	12
Wimborne and Cranborne ...	21,690	145	147	6	10	308	14.2	1.16	1.06	143	133	276	12.7	0.75	0.84	6	20	4	7
DURHAM ...	1,465,000	13,148	12,394	479	440	26,461	18.1	0.96	1.12	8,903	7,314	16,217	11.1	1.14	1.11	861	33	499	610
County Boroughs ...	558,500	5,049	4,837	229	197	10,312	18.5	0.95	1.13	3,348	2,897	6,245	11.2	1.12	1.10	363	35	197	222
Darlington ...	83,820	656	582	38	34	1,310	15.6	0.99	1.00	498	496	994	11.9	1.01	1.05	51	39	29	31
Gateshead ...	113,500	981	994	38	31	2,044	18.0	0.95	1.10	709	591	1,300	11.5	1.16	1.17	67	33	38	49
South Shields ...	107,300	957	955	45	41	1,998	18.6	0.93	1.12	649	574	1,223	11.4	1.11	1.11	56	28	32	37
Sunderland ...	181,550	1,730	1,696	71	55	3,552	19.6	0.94	1.19	1,069	865	1,934	10.7	1.16	1.09	134	38	67	78
West Hartlepool ...	72,330	725	610	37	36	1,408	19.5	0.97	1.22	423	371	794	11.0	1.15	1.11	55	39	31	27
Admin. County ...	906,500	8,099	7,557	250	243	16,149	17.8	0.97	1.11	5,555	4,417	9,972	11.0	1.15	1.11	498	31	302	388
Urban Districts ...	621,000	5,571	5,228	191	175	11,165	18.0	0.96	1.11	3,751	3,016	6,767	10.9	1.15	1.10	339	30	211	285
Barnard Castle ...	4,816	42	34	2	6	84	17.4	0.99	1.11	53	40	93	19.3	0.76	1.29	3	36	2	4
Billingham ...	24,440	254	252	6	9	521	21.3	0.90	1.24	115	82	197	8.1	1.57	1.12	19	37	13	19
Bishop Auckland ...	35,590	315	295	12	13	635	17.8	0.96	1.10	220	188	408	11.5	1.09	1.10	13	21	6	18
Blaydon ...	30,380	238	258	9	9	514	16.9	0.96	1.05	173	123	296	9.7	1.14	0.97	18	35	10	13
Boldon ...	17,440	170	174	7	2	353	20.2	0.96	1.25	104	83	187	10.7	1.06	0.99	14	40	11	7
Brandon and Byshottles ...	19,840	199	152	4	5	360	18.1	0.99	1.16	120	103	223	11.2	1.10	1.08	10	28	5	5
Chester le Street ...	18,280	136	146	3	4	389	15.8	1.01	1.03	126	108	234	12.8	1.05	1.18	8	23	4	6
Consett ...	38,740	335	309	8	2	654	16.9	0.99	1.08	225	188	413	10.7	1.17	1.10	20	31	10	12
Crook and Willington ...	27,270	197	180	13	7	397	14.6	1.02	0.96	195	147	342	12.5	1.04	1.14	13	33	8	15
Durham M.B. ...	19,940	140	144	7	7	298	14.9	0.97	0.93	108	105	213	10.7	1.01	0.95	8	27	5	7
Felling ...	26,020	226	210	6	5	447	17.2	0.95	1.05	155	119	274	10.5	1.16	1.07	13	29	5	14
Hartlepool M.B. ...	16,940	186	162	3	4	355	21.0	0.91	1.23	104	81	185	10.9	1.27	1.21	13	37	9	8
Hebburn ...	23,440	233	196	9	5	443	18.9	0.89	1.09	147	105	252	10.8	1.27	1.20	17	38	11	18
Hetton ...	18,390	134	149	4	6	293	15.9	1.03	1.06	114	105	219	11.9	1.23	1.28	7	24	3	3
Houghton le Spring ...	30,890	294	288	7	7	596	19.3	0.93	1.16	175	162	337	10.9	1.14	1.09	16	27	12	6
Jarrow M.B. ...	28,930	288	307	14	12	621	21.5	0.91	1.26	199	160	359	12.4	1.15	1.25	20	32	15	19
Ryton ...	13,640	118	91	1	3	213	15.6	1.00	1.01	81	67	148	10.9	1.02	0.98	6	28	6	4
Seaham ...	25,690	268	224	14	9	515	20.0	0.99	1.28	142	102	244	9.5	1.26	1.05	14	27	7	6
Shildon ...	14,340	113	108	6	4	231	16.1	0.97	1.01	96	69	165	11.5	1.08	1.09	6	26	6	11
Spennymoor ...	20,050	175	168	8	4	355	17.7	0.92	1.05	102	111	213	10.6	1.15	1.07	7	20	7	9
Stanley ...	48,060	385	385	12	16	798	16.6	1.00	1.07	293	212	505	10.5	1.11	1.02	27	34	15	18
Stockton on Tees M.B. ...	74,240	725	656	25	26	1,432	19.3	0.95	1.18	435	370	805	10.8	1.17	1.11	44	31	28	47
Tow Law ...	3,144	40	28	—	3	71	22.6	1.00	1.46	28	26	54	17.2	1.05	1.58	2	28	2	—
Washington ...	17,660	174	144	6	2	326	18.5	0.93	1.11	78	77	155	8.8	1.25	0.96	12	37	7	7
Whickham ...	22,830	186	168	5	5	364	15.9	0.98	1.01	163	83	246	10.8	1.15	1.09	9	25	4	9
Rural Districts ...	285,500	2,528	2,329	59	68	4,984	17.5	0.99	1.12	1,804	1,401	3,205	11.2	1.16	1.14	159	32	91	103
Barnard Castle ...	18,600	139	136	9	5	289	15.5	1.09	1.09	109	88	197	10.6	1.05	0.98	4	14	3	1
Chester le Street ...	41,430	340	343	5	10	698	16.8	0.97	1.05	255	173	428	10.3	1.17	1.06	21	30	14	15

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.														
		(3)	(4)	(5)	(6)	(7)	(8)														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
DURHAM—contd.																					
Rural Districts—contd.																					
...	...	177	152	5	4	338	23.2	0.91	1.36	76	74	150	10.3	1.23	1.11	8	24	5	8		
Darlington	14,600	294	300	8	13	615	17.9	0.98	1.13	184	140	324	9.4	1.18	0.97	24	39	14	12		
Durham	34,430	746	711	17	16	1,490	18.2	0.99	1.16	490	344	834	10.2	1.29	1.15	59	40	30	31		
Easington	81,870																				
...	...	126	118	2	2	248	16.3	1.03	1.08	122	91	213	14.0	1.05	1.29	6	24	4	6		
Lanchester	15,210	313	242	8	7	570	15.7	1.00	1.01	266	243	509	14.1	1.14	1.41	18	32	11	20		
Sedgefield	36,210	81	67	—	4	152	18.4	0.98	1.16	45	42	87	10.5	1.03	0.95	5	33	3	2		
Stockton	8,270	258	215	4	6	483	18.7	0.95	1.15	190	147	337	13.1	1.12	1.29	14	29	7	8		
...	...	54	45	1	1	101	11.1	1.18	0.85	67	59	126	13.8	0.88	1.07	—	—	—	—		
Sunderland	25,770																				
Weardale	9,110																				
...	...																				
ELY, ISLE OF :																					
Admin. County	88,420	731	681	43	50	1,505	17.0	1.06	1.16	555	520	1,075	12.2	0.95	1.02	27	18	21	38		
...	...																				
Urban Districts	54,430	445	400	27	29	901	16.6	1.05	1.12	377	376	753	13.8	0.95	1.15	19	21	15	24		
Chatteris	5,553	57	41	—	2	100	18.0	1.08	1.25	29	33	62	11.2	0.88	0.86	3	30	3	3		
Ely	10,050	77	66	5	2	150	14.9	1.05	1.01	88	106	194	19.3	0.96	1.63	1	7	1	3		
...	...																				
March...	13,080	102	85	2	6	195	14.9	1.07	1.03	71	56	127	9.7	1.02	0.87	7	36	3	5		
...	...																				
Whittlesey	8,577	73	85	5	8	171	19.9	1.02	1.31	49	42	91	10.6	0.99	0.92	3	18	3	6		
...	...																				
Wisbech M.B.	17,170	136	123	15	11	285	16.6	1.05	1.12	140	139	279	16.2	0.89	1.26	5	18	5	7		
...	...																				
Rural Districts	33,990	286	281	16	21	604	17.8	1.07	1.23	178	144	322	9.5	0.95	0.79	8	13	6	14		
Ely	14,430	126	113	10	11	260	18.0	1.09	1.27	82	70	152	10.5	0.90	0.83	5	19	4	6		
...	...																				
North Witchford	4,845	30	24	—	2	56	11.6	1.08	0.81	21	28	49	10.1	0.90	0.80	—	—	—	1		
Thorney	2,435	19	23	—	3	45	18.5	0.92	1.10	11	5	16	6.6	1.20	0.69	1	22	1	1		
...	...																				
Wisbech	12,280	111	121	6	5	243	19.8	1.07	1.37	64	41	105	8.6	0.98	0.74	2	8	1	6		
...	...																				
ESSEX																					
...	2,085,000	15,261	14,409	623	611	30,904	14.8	0.98	0.94	11,676	10,982	22,658	10.9	1.01	0.97	752	24	509	648		
...	...																				
County Boroughs	440,900	3,181	2,994	172	148	6,495	14.7	0.97	0.92	2,380	2,324	4,704	10.7	0.98	0.92	162	25	106	130		
East Ham	119,000	778	770	27	34	1,609	13.5	0.95	0.83	569	525	1,094	9.2	1.05	0.85	46	29	30	28		
...	...																				
Southend-on-Sea	152,800	994	938	68	49	2,049	13.4	1.07	0.93	957	1,161	2,118	13.9	0.79	0.96	34	17	22	33		
...	...																				
West Ham	169,100	1,409	1,286	77	65	2,837	16.8	0.91	0.99	854	638	1,492	8.8	1.17	0.90	82	29	54	69		
...	...																				



Admin. County	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>*Urban Districts</b>	<b>1,644,100</b>	<b>12,080</b>	<b>11,415</b>	<b>451</b>	<b>463</b>	<b>24,409</b>	<b>14.8</b>	<b>0.98</b>	<b>0.94</b>	<b>9,296</b>	<b>8,658</b>	<b>17,954</b>	<b>10.9</b>	<b>1.02</b>	<b>0.98</b>	<b>590</b>	<b>24</b>	<b>403</b>	<b>518</b>
Barking M.B.	1,406,220	10,210	9,658	375	377	20,620	14.7	0.97	0.92	7,853	7,292	15,145	10.8	1.06	1.00	516	25	346	429
Barnet M.B.	76,800	531	531	14	14	1,090	14.2	0.93	0.85	369	276	645	8.4	1.33	0.98	29	27	22	33
Benfleet	19,770	119	130	9	7	265	13.4	1.14	0.99	148	139	287	14.5	0.73	0.93	9	34	3	4
Billericay	46,860	443	384	14	16	857	18.3	1.06	1.25	313	262	575	12.3	0.82	0.88	32	37	19	15
Braintree and Bocking	17,710	154	129	9	13	305	17.2	1.01	1.12	112	93	205	11.6	0.85	0.86	6	20	6	3
Brentwood	33,410	221	219	8	3	451	13.5	1.01	0.88	189	266	455	13.6	0.90	1.07	9	20	5	10
Brightlingsea	4,515	22	25	—	—	47	10.4	1.19	0.80	46	26	72	15.9	0.64	0.89	2	43	1	—
Burnham on Crouch	3,800	27	33	1	2	63	16.6	1.19	1.27	24	21	45	11.8	0.73	0.76	—	—	—	3
Canvey Island	11,750	87	77	7	7	178	15.1	1.14	1.11	132	109	241	20.5	0.81	1.46	4	23	2	5
Chelmsford M.B.	38,760	331	271	15	10	627	16.2	0.96	1.00	190	156	346	8.9	1.03	0.80	7	11	7	13
Chigwell	57,250	453	425	14	18	910	15.9	0.94	0.96	191	192	383	6.7	1.35	0.79	15	17	9	8
Chingford M.B.	47,770	292	295	8	9	604	12.6	1.02	0.83	198	188	386	8.1	1.21	0.86	8	13	6	18
Clacton	23,880	114	120	9	17	260	10.9	1.23	0.87	176	188	364	15.2	0.66	0.88	6	23	3	1
Colchester M.B.	58,800	420	370	27	19	836	14.2	1.00	0.92	342	327	729	12.4	0.95	1.03	20	24	11	12
Dagenham M.B.	114,000	894	841	37	30	1,802	15.8	0.91	0.93	439	388	767	6.7	1.64	0.96	50	28	30	38
Epping	6,968	59	43	—	1	103	14.8	0.96	0.92	36	43	79	11.3	0.73	0.72	—	—	—	6
Frinton and Walton	8,194	40	43	3	4	90	11.0	1.29	0.92	64	63	127	15.5	0.65	0.88	—	—	—	1
Halstead	6,219	49	47	—	2	98	15.8	1.11	1.13	31	39	70	11.3	0.75	0.74	2	20	1	3
Harwich M.B.	14,590	93	113	6	4	216	14.8	1.09	1.04	90	71	161	11.0	1.07	1.03	6	28	5	4
Hornchurch	105,100	774	776	15	19	1,584	15.1	0.98	0.95	648	557	1,205	11.5	1.15	1.16	48	30	35	28
Ilford M.B.	181,200	1,120	1,056	37	33	2,246	12.4	0.97	0.78	995	947	1,942	10.7	1.03	0.97	45	20	34	58
Leyton M.B.	103,200	641	593	19	22	1,275	12.4	0.96	0.77	986	1,043	2,029	19.7	0.91	1.57	30	24	21	28
Maldon M.B.	9,749	67	54	5	6	132	13.5	1.07	0.93	111	126	237	24.3	0.75	1.60	4	30	3	1
Rayleigh	9,539	56	50	3	3	112	11.7	1.10	0.83	66	76	142	14.9	0.75	0.98	2	18	2	3
Romford M.B.	104,100	992	906	33	40	1,971	18.9	0.84	1.02	420	349	769	7.4	1.42	0.92	62	32	45	43
Saffron Walden M.B.	7,170	60	61	1	4	126	17.6	1.06	1.20	45	66	111	15.5	0.69	0.94	1	8	1	3
Thurrock	91,140	838	835	33	37	1,743	19.1	0.90	1.11	385	312	697	7.6	1.28	0.85	51	29	31	36
Waltham Holy Cross	8,940	71	70	—	2	143	16.0	0.93	0.96	48	34	82	9.2	1.04	0.84	3	21	2	1
Walthamstow M.B.	119,400	722	698	27	21	1,468	12.3	0.98	0.78	649	534	1,183	9.9	1.02	0.89	41	28	27	37
Wanstead and Woodford M.B.	61,540	421	356	15	9	801	13.0	1.01	0.85	318	325	643	10.4	0.92	0.84	20	25	12	12
*West Mersea	2,971	19	22	1	2	44	14.8	1.25	1.19	25	20	45	15.1	0.64	0.85	2	46	2	1
Witham	8,633	59	60	4	2	125	14.5	1.09	1.02	53	37	90	10.4	1.01	0.92	1	8	—	1
Wivenhoe	2,492	21	25	1	1	48	19.3	1.12	1.39	14	19	33	13.2	0.76	0.88	1	21	1	—
<b>*Rural Districts</b>	<b>237,880</b>	<b>1,870</b>	<b>1,757</b>	<b>76</b>	<b>86</b>	<b>3,789</b>	<b>15.9</b>	<b>1.07</b>	<b>1.10</b>	<b>1,443</b>	<b>1,366</b>	<b>2,809</b>	<b>11.8</b>	<b>0.84</b>	<b>0.87</b>	<b>74</b>	<b>20</b>	<b>57</b>	<b>89</b>
Braintree	20,360	145	150	5	7	307	15.1	1.12	1.09	117	110	227	11.1	0.89	0.87	7	23	6	9
Chelmsford	39,430	314	294	16	16	640	16.2	1.03	1.08	217	253	470	11.9	0.88	0.92	13	20	10	16
Dunmow	19,040	149	135	10	12	306	16.1	1.05	1.09	108	121	229	12.0	0.82	0.86	4	13	4	6
Epping	27,100	303	306	9	5	623	23.0	0.86	1.28	127	100	227	8.4	1.19	0.88	10	16	7	11
Halstead	17,060	118	102	4	8	232	13.6	1.17	1.03	132	100	232	13.6	0.76	0.91	7	30	6	5
<b>*Lexden and Winstree</b>	<b>22,440</b>	<b>158</b>	<b>146</b>	<b>8</b>	<b>7</b>	<b>319</b>	<b>14.2</b>	<b>1.15</b>	<b>1.05</b>	<b>140</b>	<b>153</b>	<b>293</b>	<b>13.1</b>	<b>0.77</b>	<b>0.88</b>	<b>11</b>	<b>35</b>	<b>8</b>	<b>7</b>
Maldon	14,970	102	95	5	3	205	13.7	1.14	1.01	94	81	175	11.7	0.76	0.78	1	5	—	5
Ongar	14,900	115	123	4	4	246	16.5	1.07	1.14	88	77	165	11.1	0.98	0.95	3	12	1	9
Rochford	19,540	144	118	8	7	277	14.2	1.10	1.01	128	117	245	12.5	0.71	0.78	6	22	5	5
Saffron Walden	18,230	169	113	3	9	294	16.1	1.13	1.17	92	95	187	10.3	0.81	0.73	7	24	6	4
Tendring	24,810	153	175	4	8	340	13.7	1.13	1.00	200	159	359	14.5	0.77	0.98	5	15	4	12

\*Change of boundary. See Appendix on page 361.

TABLE 12 — continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year		Deaths under 4 weeks.	Stillbirths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.			F.					TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		M.	F.	M.	F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
HEREFORDSHIRE : Admin. County ...	127,600	1,033	955	45	43	2,076	16.3	1.07	1.13	788	759	1,547	12.1	0.88	0.93	32	15	25	42
Urban Districts ...	51,440	431	395	12	16	854	16.6	0.98	1.05	334	320	654	12.7	0.90	1.00	12	14	10	15
Bromyard ...	1,658	9	17	—	—	26	15.7	1.06	1.07	9	11	20	12.1	0.88	0.93	1	39	—	1
Hereford M.B. ...	32,810	266	225	9	—	509	15.5	0.95	0.95	191	176	367	11.2	0.96	0.94	5	10	4	9
Kington ...	1,854	14	15	2	—	31	16.7	1.03	1.11	11	11	22	11.9	0.82	0.86	—	—	—	—
Ledbury ...	3,713	29	35	—	1	65	17.5	1.05	1.19	27	20	47	12.7	0.78	0.87	—	—	—	—
Leominster M.B. ...	6,120	61	56	1	3	121	19.8	1.02	1.30	45	51	96	15.7	0.84	1.16	4	33	4	1
Ross on Wye ...	5,285	52	47	—	3	102	19.3	1.05	1.31	51	51	102	19.3	0.79	1.34	2	20	2	4
Rural Districts ...	76,160	602	560	33	27	1,222	16.0	1.14	1.18	454	439	893	11.7	0.86	0.88	20	16	15	27
Bromyard ...	7,055	57	65	1	4	127	18.0	1.17	1.36	64	31	95	13.5	0.84	0.99	1	8	1	—
Dore and Bredwardine ...	8,341	78	79	3	2	162	19.4	1.14	1.43	51	39	90	10.8	0.88	0.83	3	19	3	1
Hereford ...	18,030	117	102	6	4	229	12.7	1.16	0.95	105	130	235	13.0	0.98	1.12	4	18	2	9
Kington ...	4,937	39	34	3	3	79	16.0	1.16	1.20	28	25	53	10.7	0.78	0.73	1	13	1	1
Ledbury ...	8,688	59	56	9	3	127	14.6	1.16	1.09	45	53	98	11.3	0.89	0.88	—	—	—	1
Leominster and Wigmore ...	10,380	98	73	3	4	178	17.1	1.14	1.26	64	50	114	11.0	0.78	0.75	2	11	1	5
Ross and Whitchurch ...	11,790	86	80	5	4	175	14.8	1.14	1.09	65	59	124	10.5	0.79	0.73	2	11	—	4
Weobley ...	6,939	68	71	3	3	145	20.9	1.01	1.36	32	52	84	12.1	0.86	0.91	7	48	7	6
HERTFORDSHIRE : Admin. County ...	651,500	4,827	4,621	188	192	9,828	15.1	0.98	0.95	3,495	3,378	6,873	10.5	1.01	0.93	225	23	148	180
*Urban Districts ...	455,760	3,251	3,147	117	130	6,645	14.6	0.98	0.92	2,351	2,270	4,621	10.1	0.99	0.88	155	23	102	125
Baldock ...	6,576	54	44	1	3	102	15.5	0.90	0.90	30	19	49	7.5	1.20	0.79	2	20	1	1
Barnet ...	25,150	164	122	5	11	302	12.0	1.01	0.78	125	145	270	10.7	0.95	0.89	7	23	6	5
Berkhamsted ...	11,450	91	80	1	3	175	15.3	1.04	1.03	64	43	107	9.3	0.90	0.73	5	29	3	7
Bishop's Stortford ...	13,210	95	81	5	3	184	13.9	1.01	0.91	76	70	146	11.1	0.86	0.84	7	38	3	2
Bushey ...	16,550	116	95	2	6	219	13.2	0.97	0.83	78	70	148	8.9	0.96	0.75	6	27	3	—
Cheshunt ...	24,670	163	178	9	8	358	14.5	0.95	0.89	101	78	179	7.3	1.11	0.71	10	28	5	9
Chorleywood ...	4,648	24	32	—	—	56	12.0	1.11	0.86	24	23	47	10.1	0.78	0.69	2	35	2	1
East Barnet ...	40,670	243	242	—	8	493	12.1	1.05	0.82	193	158	351	8.6	1.06	0.80	11	22	7	9
Harpندن ...	14,710	89	108	3	—	200	13.6	1.07	0.94	79	79	158	10.7	0.90	0.84	6	30	5	5
Hemel Hempstead M.B. ...	30,380	266	267	10	14	557	18.3	0.87	1.03	148	164	312	10.3	1.13	1.02	7	13	6	15
Hertford M.B. ...	14,460	87	110	3	4	204	14.1	0.99	0.90	50	70	120	8.3	0.96	0.70	1	5	—	2
Hitchin ...	20,110	123	106	9	4	242	12.0	0.97	0.75	129	131	260	12.9	0.88	1.00	6	25	4	5
Hoddesdon ...	14,560	112	135	4	5	256	17.6	1.04	1.18	61	49	110	7.6	0.97	0.65	7	27	3	5
Letchworth ...	21,260	156	161	3	4	324	15.2	1.00	0.98	101	99	200	9.4	1.04	0.86	7	22	5	3
Rickmansworth ...	25,360	167	159	1	4	331	13.1	1.03	0.87	100	109	209	8.2	1.11	0.80	4	12	3	12
Royston ...	4,772	27	43	2	6	78	16.3	1.10	1.16	34	28	62	13.0	0.81	0.92	6	77	1	2
St. Alban M.B. ...	45,060	340	341	14	14	709	15.7	0.98	0.99	273	246	519	11.5	0.94	0.95	21	30	16	10
Sawbridgeworth ...	3,901	25	27	1	—	53	13.6	1.04	0.91	27	20	47	12.0	0.87	0.92	—	—	—	1
*Stevenage ...	11,170	142	131	7	3	283	25.3	0.81	1.32	45	41	86	7.7	1.26	0.85	8	28	7	3
Tring ...	5,232	41	41	1	1	84	16.1	1.06	1.10	23	28	51	9.7	0.76	0.65	—	—	—	—
Ware ...	8,521	69	58	4	5	136	16.0	1.07	1.10	95	82	177	20.8	0.77	1.40	3	22	2	1
Watford M.B. ...	72,610	492	442	28	17	979	13.5	1.00	0.87	418	446	864	11.9	0.94	0.98	25	26	17	18
Welwyn Garden City ...	20,730	165	144	4	7	320	15.4	0.86	0.85	77	72	149	7.2	1.44	0.91	4	13	3	9

\*Change of boundary. See Appendix on Page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.							
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.		Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	(19)	(20)	
		M.		F.	M.		F.																TOTAL.
		(3)	(4)		(5)	(6)																	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)				
HERTFORDSHIRE—contd.																							
*Rural Districts ...																							
Berkhamsted	195,740	1,576	1,474	71	62	3,183	16.3	0.96	1.01	1,144	1,108	2,252	11.5	1.06	1.07	70	22	46	55				
Braughing	5,772	26	44	1	3	74	12.8	1.02	0.84	29	23	52	9.0	0.84	0.66	2	27	2	—				
Elstree	10,420	82	85	6	6	179	17.2	1.03	1.14	60	65	125	12.0	0.85	0.89	4	22	—	7				
Hatfield	20,260	212	157	9	9	387	19.1	0.85	1.05	131	170	301	14.9	1.30	1.70	11	28	6	6				
Hemel Hempstead	25,920	189	185	8	3	385	14.9	0.94	0.90	126	127	253	9.8	1.15	0.99	5	13	2	1				
	12,000	97	95	5	7	204	17.0	1.04	1.14	59	54	113	9.4	1.02	0.84	3	15	2	1				
*Hertford ...																							
*Hitchin	8,726	70	82	2	2	156	17.9	1.01	1.17	49	37	86	9.9	0.96	0.83	2	13	1	2				
St. Albans	21,890	181	195	7	11	394	18.0	1.04	1.21	133	92	225	10.3	0.88	0.80	6	15	5	15				
Ware	28,980	214	188	11	8	421	14.5	0.99	0.93	251	272	523	18.0	1.05	1.66	12	29	10	7				
Watford	11,560	92	77	3	2	174	15.1	1.03	1.00	78	55	133	11.5	0.87	0.88	5	29	3	5				
Welwyn	44,800	369	326	19	11	725	16.2	0.93	0.97	197	184	381	8.5	1.27	0.95	18	25	13	11				
	5,412	44	40	—	—	84	15.5	0.88	0.88	31	29	60	11.1	0.97	0.94	2	24	2	1				
HUNTINGDONSHIRE :																							
Admin. County	70,680	618	548	30	30	1,226	17.3	1.09	1.22	404	359	763	10.8	0.95	0.90	27	22	19	33				
Urban Districts ...																							
Godmanchester M.B.	30,980	274	235	14	11	534	17.2	1.02	1.13	209	184	393	12.7	0.93	1.04	13	24	7	18				
Huntingdon M.B.	2,413	17	19	1	2	39	16.2	0.98	1.02	14	15	29	12.0	0.89	0.94	—	—	—	2				
Old Fletton	5,397	46	32	3	—	81	15.0	0.95	0.92	84	60	144	26.7	0.87	2.04	2	25	1	3				
Ramsey	9,141	79	57	—	2	138	15.1	1.06	1.03	48	43	91	10.0	1.07	0.94	4	29	2	7				
St. Ives M.B.	5,684	61	50	5	2	118	20.8	1.05	1.41	29	25	54	9.5	0.97	0.81	3	25	1	3				
St. Neots	3,272	35	36	3	2	76	23.2	1.03	1.54	14	20	34	10.4	0.82	0.75	4	53	3	3				
	5,073	36	41	2	3	82	16.2	1.05	1.10	20	21	41	8.1	0.86	0.61	—	—	—	—				
Rural Districts ...																							
Huntingdon	39,700	344	313	16	19	692	17.4	1.15	1.29	195	175	370	9.3	0.97	0.79	14	20	12	15				
Norman Cross	9,647	97	94	2	6	199	20.6	1.21	1.61	40	43	83	8.6	1.01	0.76	7	35	6	7				
St. Ives	8,810	57	75	3	5	140	15.9	0.99	1.02	45	36	81	9.2	1.05	0.85	1	7	—	2				
St. Neots	13,530	116	92	8	4	220	16.3	1.22	1.28	69	58	127	9.4	1.02	0.84	4	18	4	2				
	7,713	74	52	3	4	133	17.2	1.17	1.30	41	38	79	10.2	0.80	0.72	2	15	2	2				
KENT																							
County Borough :	1,588,300	11,420	10,988	572	557	23,537	14.8	1.04	0.99	9,151	9,036	18,187	11.5	0.91	0.92	523	22	332	480				
Canterbury	29,400	235	204	17	14	470	16.0	1.02	1.05	150	155	305	10.4	0.90	0.82	11	23	6	11				

\*Change of boundary. See Appendix on page 361.



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	1,558,900	11,185	10,784	555	543	23,067	14.8	1.04	0.99	9,001	8,881	17,882	11.5	0.91	0.92	512	22	326	469
Urban Districts ...	1,230,700	8,741	8,572	436	416	18,165	14.8	1.03	0.98	6,884	6,989	13,873	11.3	0.92	0.91	414	23	265	367
Ashford	25,460	157	177	9	11	354	13.9	1.03	0.92	124	142	266	10.4	0.87	0.79	9	25	6	6
Beckenham M.B.	75,120	444	415	10	12	881	11.7	1.07	0.81	385	434	819	10.9	0.88	0.84	11	13	10	13
Bexley M.B.	87,990	539	552	20	15	1,126	12.8	1.03	0.85	413	365	778	8.8	1.14	0.88	16	14	6	25
Broadstairs and St. Peters	15,450	87	85	5	8	185	12.0	1.21	0.94	83	104	187	12.1	0.65	0.69	3	16	2	1
Bromley M.B.	64,590	424	431	8	12	875	13.5	1.02	0.89	325	367	692	10.7	0.87	0.82	13	15	6	16
Chatham M.B.	51,580	392	378	36	16	822	15.9	0.97	1.00	249	247	496	9.6	1.01	0.85	25	30	14	22
Chislehurst and Sidcup	85,290	623	629	22	31	1,305	15.3	0.97	0.96	382	350	732	8.6	1.22	0.92	31	24	21	29
Crayford	27,820	206	183	7	3	399	14.3	0.95	0.88	142	131	273	9.8	1.20	1.03	10	25	8	10
Dartford M.B.	40,430	280	272	20	10	582	14.4	0.96	0.89	282	284	566	14.0	0.98	1.20	14	24	10	15
Deal M.B.	23,930	204	198	13	11	426	17.8	1.06	1.22	147	132	279	11.7	0.91	0.93	13	31	7	7
Dover M.B.	34,780	285	298	17	12	612	17.6	1.00	1.14	200	187	387	11.1	0.92	0.90	13	21	10	14
Erith M.B.	45,860	340	310	15	11	676	14.7	1.00	0.95	293	206	499	10.9	1.09	1.04	22	33	16	15
Faversham M.B.	12,250	97	80	5	6	188	15.3	1.05	1.04	121	111	232	18.9	0.71	1.18	4	21	3	3
Folkestone M.B.	43,560	257	287	23	27	594	13.6	1.06	0.93	255	299	554	12.7	0.80	0.89	20	34	14	18
Gillingham M.B.	75,450	525	478	25	27	1,055	14.0	0.96	0.96	398	320	718	9.5	1.00	0.83	28	27	19	20
Gravesend M.B.	45,530	386	364	11	11	772	17.0	0.97	1.06	242	239	481	10.6	1.05	0.98	10	13	5	9
Herne Bay	17,680	104	117	12	11	244	13.8	1.27	1.13	126	166	292	16.5	0.57	0.83	5	21	2	7
Hythe M.B.	9,192	57	48	4	1	110	12.0	1.22	0.94	60	64	124	13.5	0.66	0.78	2	18	2	—
Lydd M.B.	2,595	14	28	2	—	44	17.0	1.11	1.22	16	11	27	10.4	1.01	0.92	1	23	—	5
Maidstone M.B.	52,680	372	356	11	25	764	14.5	1.01	0.94	334	395	729	13.8	0.96	1.16	21	28	10	18
Margate M.B.	42,070	294	314	29	34	671	15.9	1.09	1.12	253	255	508	12.1	0.75	0.80	19	28	13	10
New Romney M.B.	2,225	17	17	1	1	36	16.2	1.04	1.09	22	18	40	18.0	0.83	1.31	1	28	1	—
Northfleet	19,280	174	146	1	4	325	16.9	0.97	1.06	114	91	205	10.6	1.07	0.99	5	15	4	5
Orpington	64,480	443	451	22	9	925	14.3	1.03	0.95	328	306	634	9.8	1.00	0.86	16	17	9	17
Penge ...	25,510	251	253	16	12	532	20.9	0.90	1.21	146	143	289	11.3	0.93	0.92	12	23	11	18
Queenborough M.B.	3,215	30	25	1	2	58	18.0	1.03	1.20	19	12	31	9.6	1.03	0.87	1	17	1	1
Ramsgate M.B.	35,990	293	295	26	25	639	17.8	1.07	1.23	188	204	392	10.9	0.82	0.78	15	24	9	9
Rochester M.B.	44,860	387	362	16	16	781	17.4	0.98	1.10	198	208	406	9.1	1.04	0.83	17	22	11	14
Royal Tunbridge Wells M.B.	38,770	241	226	14	11	492	12.7	1.10	0.90	243	332	575	14.8	0.63	0.82	6	12	3	8
Sandwich M.B.	4,531	28	29	1	—	58	12.8	1.16	0.96	25	28	53	11.7	0.83	0.85	3	52	1	1
Sevenoaks	15,750	94	104	3	2	203	12.9	1.06	0.88	76	115	191	12.1	0.79	0.84	1	5	1	7
Sheerness	16,270	132	125	5	11	273	16.8	1.21	1.18	102	86	188	11.6	1.08	1.00	12	44	6	5
Sittingbourne and Milton	21,930	177	167	7	10	361	16.5	1.03	1.10	220	213	433	19.7	0.91	1.57	16	44	10	6
Southborough	8,665	45	65	1	5	116	13.4	1.15	0.99	43	82	125	14.4	0.74	0.93	5	43	4	1
Swanscombe	8,614	69	61	8	2	140	16.3	0.93	0.98	45	38	83	9.6	1.13	0.95	3	21	2	3
Tenterden M.B.	4,293	30	27	—	3	60	14.0	1.10	0.99	29	46	75	17.5	0.66	1.01	—	—	—	2
Tonbridge	19,790	139	125	5	3	272	13.7	1.04	0.92	121	110	231	11.7	0.84	0.86	6	22	3	5
Whitstable	17,220	104	94	5	6	209	12.1	1.28	1.00	135	148	283	16.4	0.59	0.85	5	24	5	2
Rural Districts	328,200	2,444	2,212	119	127	4,902	14.9	1.06	1.02	2,117	1,892	4,009	12.2	0.87	0.93	98	20	61	102
Bridge Bleas	19,470	134	105	3	5	247	12.7	1.18	0.97	144	148	292	15.0	0.75	0.99	4	16	2	4
Cranbrook	14,610	97	104	3	8	212	14.5	1.04	0.97	70	79	149	10.2	0.83	0.74	4	19	2	8
Dartford	38,610	272	243	8	11	534	13.8	1.00	0.89	213	182	395	10.2	0.99	0.89	7	13	7	9
Dover ...	10,930	82	96	7	4	189	17.3	1.17	1.31	49	52	101	9.2	0.81	0.65	2	11	1	—
East Ashford	10,430	66	69	5	5	145	13.9	1.12	1.00	50	64	114	10.9	0.77	0.74	4	28	3	4

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.					
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.		
		F.		M.																F.	M.
		M.	F.	M.	F.																
(1) KENT—contd.	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
Rural Districts—contd..																					
Eastry ...	24,460	183	163	7	8	361	14.8	1.18	1.13	181	139	320	13.1	0.95	1.09	8	22	4	9		
Elham ...	9,188	72	63	4	4	143	15.6	1.07	1.08	99	103	202	22.0	0.66	1.27	3	21	1	2		
Hollingbourne ...	16,610	129	104	6	3	242	14.6	1.05	0.99	82	96	178	10.7	0.88	0.83	4	17	3	6		
Maidstone ...	18,300	146	109	9	9	273	14.9	1.06	1.02	175	164	339	18.5	0.78	1.27	8	29	5	2		
Malling ...	36,870	287	267	8	16	578	15.7	1.03	1.04	222	185	407	11.0	0.98	0.95	17	29	15	12		
Romney Marsh ...	4,336	39	28	1	—	68	15.7	1.16	1.17	23	18	41	9.5	0.85	0.71	—	—	—	3		
Sevenoaks ...	33,820	262	223	14	14	513	15.2	1.08	1.06	187	164	351	10.4	0.87	0.79	8	16	4	10		
Sheppey ...	9,201	56	55	7	4	122	13.3	1.14	0.98	58	33	91	9.9	0.90	0.78	3	25	2	5		
Strood ...	21,620	175	173	10	9	367	17.0	1.03	1.13	136	116	252	11.7	0.95	0.98	12	33	5	6		
Swale ...	20,010	146	127	5	12	290	14.5	1.04	0.97	122	89	211	10.5	0.91	0.84	4	14	3	3		
Tenterden ...	7,135	58	68	3	2	131	18.4	1.09	1.29	39	46	85	11.9	0.82	0.86	4	31	2	4		
Tonbridge ...	22,530	168	138	13	7	326	14.5	0.99	0.93	146	122	268	11.9	0.87	0.91	4	12	1	8		
West Ashford ...	10,070	72	77	6	6	161	16.0	1.06	1.09	121	92	213	21.2	0.76	1.41	2	12	1	7		
LANCASHIRE ...	5,093,000	40,648	38,085	2,039	1,900	82,672	16.2	1.00	1.05	31,856	30,299	62,155	12.2	1.06	1.13	2,549	31	1,712	2,183		
County Boroughs	3,048,600	25,462	24,006	1,501	1,380	52,349	17.2	0.97	1.08	19,240	18,034	37,274	12.2	1.08	1.16	1,669	32	1,097	1,414		
Barrow-in-Furness	65,470	534	503	28	22	1,087	16.6	1.02	1.09	464	305	769	11.7	1.03	1.06	31	29	22	20		
Blackburn ...	109,200	688	679	28	25	1,420	13.0	1.07	0.90	755	830	1,585	14.5	0.91	1.16	40	28	28	37		
Blackpool ...	146,700	779	720	66	70	1,635	11.1	1.12	0.80	1,030	1,073	2,103	14.3	0.80	1.00	44	27	36	46		
Bolton ...	165,600	1,217	1,127	59	50	2,453	14.8	1.01	0.96	1,075	1,043	2,118	12.8	1.01	1.13	69	28	47	54		
Bootle ...	76,330	780	757	26	32	1,595	20.9	0.93	1.25	327	275	602	7.9	1.41	0.98	46	29	31	44		
Burnley ...	83,290	549	563	44	45	1,201	14.4	1.05	0.98	624	579	1,203	14.4	0.95	1.20	33	28	22	40		
Bury ...	58,150	424	407	23	20	874	15.0	1.04	1.01	382	481	863	14.8	0.95	1.23	16	18	13	25		
Liverpool ...	789,700	7,854	7,435	443	434	16,166	20.5	1.02	1.22	4,500	4,006	8,506	10.8	1.20	1.14	572	35	351	398		
Manchester ...	701,800	5,985	5,521	418	374	12,298	17.5	0.95	1.07	4,431	4,207	8,638	12.3	1.13	1.22	373	30	256	356		
Oldham ...	119,100	890	888	40	44	1,862	15.6	0.99	1.00	963	885	1,848	15.5	1.03	1.40	59	32	36	44		
Preston ...	118,900	936	898	49	42	1,925	16.2	1.00	1.05	677	677	1,354	11.4	1.08	1.08	63	33	34	46		
Rochdale ...	86,350	618	605	47	44	1,314	15.2	1.00	0.98	601	646	1,247	14.4	0.98	1.24	40	31	32	33		
St. Helens ...	108,200	907	917	39	23	1,886	17.4	0.94	1.06	643	502	1,145	10.6	1.24	1.15	83	44	54	63		
Salford ...	173,900	1,444	1,336	115	75	2,970	17.1	0.95	1.05	1,141	1,008	2,149	12.4	1.16	1.26	97	33	68	89		



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Southport ...	82,400	486	418	27	23	954	11.6	1.14	0.85	606	704	1,310	15.9	0.70	0.98	20	21	15	31
Warrington ...	80,250	698	624	36	37	1,395	17.4	0.95	1.07	459	374	833	10.4	1.20	1.09	34	24	22	39
Wigan ...	83,260	673	608	13	20	1,314	15.8	0.97	0.99	562	439	1,001	12.0	1.14	1.20	49	37	30	49
Admin. County ...	2,044,400	15,186	14,079	538	520	30,323	14.8	1.04	0.99	12,616	12,265	24,881	12.2	1.02	1.09	880	29	615	769
Urban Districts ...	1,729,500	12,925	12,024	473	468	25,890	15.0	1.03	1.00	10,781	10,558	21,339	12.3	1.01	1.09	746	29	513	664
Abram ...	6,266	47	54	—	1	102	16.3	0.95	1.00	42	23	65	10.4	1.24	1.13	—	—	—	3
Accrington M.B. ...	39,940	280	253	9	14	556	13.9	1.06	0.95	263	268	531	13.3	0.92	1.07	16	29	12	12
Adlington ...	4,092	27	33	1	3	64	15.6	1.08	1.09	16	22	38	9.3	1.02	0.83	1	16	1	—
Ashton in Makerfield ...	19,280	149	148	—	4	301	15.6	0.97	0.98	111	77	188	9.8	1.12	0.96	17	57	12	10
Ashton under Lyne M.B. ...	45,230	347	310	16	21	694	15.3	1.02	1.01	285	321	606	13.4	0.95	1.12	17	25	13	17
Aspull ...	6,520	57	42	2	1	102	15.6	0.98	0.99	41	36	77	11.8	1.19	1.23	5	49	4	2
Atherton ...	20,220	150	169	4	1	324	16.0	1.00	1.03	237	200	437	21.6	1.07	2.03	14	43	9	2
Audenshaw ...	12,490	71	68	3	6	148	11.8	1.04	0.79	66	92	158	12.7	1.02	1.14	5	34	2	4
Bacup M.B. ...	18,280	152	149	12	6	319	17.5	1.02	1.15	133	120	253	13.8	1.02	1.23	10	31	6	13
Barrowford ...	4,747	25	25	1	—	51	10.7	1.13	0.78	40	35	75	15.8	0.84	1.16	2	39	1	1
Billinge and Winstanley ...	5,915	31	27	1	1	60	10.1	1.06	0.69	129	133	262	44.3	0.96	3.73	—	—	—	5
Blackrod ...	3,078	33	25	2	1	61	19.8	0.98	1.25	23	20	43	14.0	1.01	1.24	1	16	1	—
Brierfield ...	6,891	50	44	1	4	99	14.4	1.11	1.03	45	47	92	13.4	0.89	1.05	3	30	2	—
Carnforth ...	3,587	23	27	—	—	50	13.9	1.02	0.91	26	17	43	12.0	1.00	1.05	2	40	1	—
Chadderton ...	31,380	225	186	11	5	427	13.6	1.05	0.92	176	140	316	10.1	1.10	0.97	8	19	5	7
Chorley M.B. ...	32,040	274	214	9	12	509	15.9	1.01	1.04	214	214	428	13.4	1.06	1.25	16	31	9	17
Church ...	5,700	45	43	2	2	92	16.1	1.01	1.05	39	45	84	14.7	0.98	1.26	2	22	1	5
Clayton le Moors ...	6,997	43	38	—	1	82	11.7	1.06	0.80	45	39	84	12.0	1.00	1.05	1	12	—	3
Clitheroe M.B. ...	12,010	106	84	4	2	196	16.3	1.13	1.19	92	110	202	16.8	0.84	1.24	2	10	2	4
Colne M.B. ...	20,310	130	137	8	8	283	13.9	1.08	0.97	155	152	307	15.1	0.90	1.19	12	42	6	7
Crompton ...	12,590	91	73	1	1	166	13.2	1.05	0.89	67	80	147	11.7	0.99	1.02	8	48	6	5
Crosby M.B. ...	58,160	479	391	19	17	906	15.6	1.01	1.02	344	393	737	12.7	0.92	1.02	23	25	15	23
Dalton in Furness ...	10,280	69	60	3	3	135	13.1	1.03	0.87	68	58	126	12.3	0.96	1.04	6	45	5	—
Darwen M.B. ...	30,400	222	231	5	10	468	15.4	1.09	1.08	224	214	438	14.4	0.91	1.15	11	24	5	17
Denton ...	25,500	188	187	4	7	386	15.1	1.07	1.04	138	142	280	11.0	1.10	1.06	8	21	7	15
Droylsden ...	26,060	181	177	9	9	376	14.4	1.02	0.95	122	134	256	9.8	1.31	1.13	14	37	10	12
Eccles M.B. ...	43,780	351	342	9	9	711	16.2	1.00	1.05	375	359	734	16.8	1.03	1.52	24	34	16	14
Falsworth ...	17,890	142	114	3	6	265	14.8	0.98	0.94	100	73	173	9.7	1.14	0.97	6	23	4	8
Farnworth M.B. ...	27,960	221	204	8	5	438	15.7	0.99	1.00	170	155	325	11.6	0.98	1.00	14	32	10	8
Fleetwood M.B. ...	27,580	230	227	14	10	481	17.4	1.03	1.16	214	175	389	14.1	1.17	1.45	18	37	8	6
Formby ...	10,100	81	66	3	2	152	15.0	1.22	1.18	50	58	108	10.7	0.94	0.88	4	26	4	—
Fulwood ...	13,320	68	63	1	4	136	10.2	1.15	0.76	98	98	196	14.7	0.74	0.95	2	15	2	5
Golborne ...	17,160	137	131	4	3	275	16.0	0.93	0.96	85	75	160	9.3	1.20	0.98	8	29	5	11
Grange ...	2,807	10	15	2	—	27	9.6	1.47	0.91	31	30	61	21.7	0.50	0.95	—	—	—	—
Great Harwood ...	10,720	65	59	1	1	126	11.8	1.12	0.85	71	82	153	14.3	0.89	1.12	2	16	2	2
Haslingden M.B. ...	14,250	117	96	5	—	218	15.3	1.08	1.07	91	102	193	13.5	0.91	1.08	9	41	7	6
Haydock ...	11,830	86	96	2	1	185	15.6	0.96	0.97	57	69	126	10.7	1.29	1.21	6	32	5	4
Heywood M.B. ...	25,170	190	161	11	11	373	14.8	1.02	0.97	151	159	310	12.3	1.03	1.11	8	21	5	7
Hindley ...	19,240	136	137	2	1	276	14.3	1.00	0.92	97	92	189	9.8	1.13	0.97	8	29	7	12
Horwich ...	15,670	111	110	1	1	223	14.2	1.00	0.92	93	88	181	11.6	1.02	1.04	9	40	4	6
Huyton with Roby ...	57,470	561	524	19	17	1,121	19.5	0.99	1.25	219	195	414	7.2	1.64	1.04	44	39	28	33

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LANCASHIRE—contd.																			
Urban Districts—contd.																			
Ince in Makerfield	20,180	163	167	3	3	336	16.7	0.96	1.03	105	96	201	10.0	1.30	1.14	14	42	10	11
Irlam	14,890	91	98	2	2	193	13.0	1.04	0.87	81	84	165	11.1	1.17	1.14	8	42	5	4
Kearsley	10,500	81	75	5	2	163	15.5	1.00	1.00	68	58	126	12.0	1.08	1.14	4	25	3	4
Kirkham	6,482	36	33	2	1	72	11.1	1.35	0.97	29	29	58	8.9	1.38	1.08	—	—	—	2
Lancaster M.B.	50,330	347	368	21	22	758	15.1	1.03	1.00	350	421	771	15.3	0.98	1.32	24	32	18	22
Lees	4,133	34	25	1	1	61	14.8	1.11	1.06	23	32	55	13.3	0.96	1.12	3	49	1	—
Leigh M.B.	48,070	372	320	16	17	725	15.1	0.98	0.95	247	244	491	10.2	1.15	1.03	21	29	10	21
Leyland	14,920	112	118	2	1	233	15.6	1.02	1.03	79	85	164	11.0	1.13	1.09	4	17	4	10
Litherland	22,560	187	207	7	13	414	18.4	0.93	1.10	92	102	194	8.6	1.35	1.02	13	31	11	11
Littleborough	10,790	79	62	—	—	141	13.1	1.00	0.85	77	68	145	13.4	1.01	1.19	4	28	3	5
Little Lever	4,756	38	28	3	—	69	14.5	1.06	0.99	36	35	71	14.9	1.08	1.41	2	29	2	5
Longridge	4,438	43	37	—	1	81	18.3	1.10	1.30	25	24	49	11.0	1.05	1.01	3	37	1	2
Lytham St. Annes M.B.	29,830	198	155	4	4	361	12.1	1.16	0.91	195	283	478	16.0	0.66	0.93	9	25	7	6
Middleton M.B.	32,850	260	238	6	8	512	15.6	1.02	1.03	170	167	337	10.3	1.06	0.96	22	43	17	13
Milnrow	8,535	62	61	3	4	130	15.2	1.02	1.00	44	46	90	10.5	0.96	0.88	2	15	2	3
Morecambe and Heysham M.B.	36,310	203	194	9	9	415	11.4	1.23	0.90	248	288	536	14.8	0.71	0.92	16	39	13	9
Mossley M.B.	10,340	73	80	5	5	163	15.8	1.04	1.06	69	66	135	13.1	1.00	1.15	3	18	2	2
Nelson M.B.	33,510	243	217	14	7	481	14.4	1.09	1.01	272	254	526	15.7	0.89	1.23	16	33	12	10
Newton le Willows	21,910	176	191	3	5	375	17.1	0.98	1.08	134	119	253	11.5	1.07	1.08	18	48	14	14
Ormskirk	21,230	143	137	6	3	289	13.6	1.04	0.91	120	117	237	11.2	0.93	0.91	10	35	9	7
Orrell	9,412	56	65	1	1	123	13.1	1.01	0.85	50	40	90	9.6	1.08	0.91	2	16	2	3
Oswaldtwistle	12,070	79	67	3	1	150	12.4	1.07	0.86	102	72	174	14.4	0.93	1.17	2	13	1	2
Padham	10,040	75	81	5	1	162	16.1	1.04	1.08	62	67	129	12.8	0.94	1.06	3	19	1	4
Poulton le Fylde	7,826	61	41	3	1	106	13.5	1.14	0.99	48	56	104	13.3	0.84	0.98	5	47	4	1
Preesall	2,216	17	14	—	—	31	14.0	1.28	1.16	25	21	46	20.8	0.62	1.13	—	—	—	—
Prescot	12,400	94	83	5	6	188	15.2	0.91	0.89	78	60	138	11.1	1.11	1.08	9	48	3	7
Prestwich M.B.	34,120	198	191	5	4	398	11.7	1.06	0.80	253	220	473	13.9	0.96	1.17	10	25	8	11
Radcliffe M.B.	27,540	223	196	5	10	434	15.8	1.06	1.08	158	172	330	12.0	1.01	1.06	8	18	4	10
Rainford	4,126	42	38	1	1	82	19.9	0.97	1.25	28	20	48	11.6	1.09	1.11	2	24	2	2
Ramsbottom	14,210	90	93	3	5	191	13.4	1.09	0.94	76	84	160	11.3	0.89	0.88	6	31	4	—



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rawtenstall M.B. ...	24,950	166	177	5	8	356	14.3	1.06	0.98	322	220	542	21.7	0.92	1.75	8	23	7	9
Rishton ...	5,660	32	30	1	—	63	11.1	1.13	0.81	41	30	146	12.5	0.93	1.02	—	—	—	1
Royton ...	14,490	107	97	5	5	214	14.8	1.05	1.00	76	70	146	10.1	1.03	0.91	5	23	3	7
Sketmersdale ...	6,362	40	46	2	2	90	14.1	1.00	0.91	26	36	62	9.7	1.17	1.00	1	11	—	2
Standish with Langtree ...	8,876	51	46	3	1	101	11.4	1.07	0.79	59	57	116	13.1	1.04	1.20	3	30	2	1
Stretford M.B. ...	62,690	512	455	34	24	1,025	16.4	0.94	0.99	365	320	685	10.9	1.13	1.08	26	25	19	24
Swinton and Pendlebury M.B. ...	40,580	264	238	10	8	520	12.8	1.05	0.87	201	207	408	10.1	1.11	0.98	9	17	6	10
Thornton Cleveleys ...	15,080	86	78	—	3	167	11.1	1.22	0.87	95	110	205	13.6	0.71	0.85	3	18	1	5
Tottington ...	5,773	42	32	2	1	77	13.3	1.25	1.07	42	43	85	14.7	0.82	1.06	1	13	1	2
Trawden ...	2,086	13	11	—	—	24	11.5	1.16	0.86	12	15	27	12.9	0.87	0.98	2	84	2	—
Turton ...	10,870	73	64	3	5	145	13.3	1.12	0.96	91	72	163	15.0	0.83	1.09	1	7	—	2
Tyldesley ...	17,690	139	134	4	4	281	15.9	0.99	1.02	98	72	170	9.6	1.10	0.93	4	14	3	7
Ulverston ...	10,160	69	60	3	6	138	13.6	1.02	0.89	69	57	126	12.4	0.87	0.95	4	29	3	3
Upholland ...	6,418	62	37	2	3	104	16.2	1.01	1.06	37	21	58	9.0	1.18	0.93	2	19	1	6
Urmston ...	39,040	306	299	7	6	618	15.8	1.00	1.02	194	169	363	9.3	1.11	0.91	9	15	8	12
Walton le Dale ...	14,870	109	102	3	4	218	14.7	1.04	0.99	64	90	154	10.4	1.06	0.97	3	14	3	7
Wardle ...	4,633	29	32	1	2	64	13.8	0.91	0.81	31	26	57	12.3	0.64	0.69	—	—	—	2
Westhoughton ...	14,830	84	77	2	2	165	11.1	1.05	0.75	87	77	164	11.1	0.85	1.02	6	36	4	6
Whitefield ...	12,990	92	81	1	2	176	13.5	1.05	0.91	60	79	139	10.7	1.06	0.99	5	28	4	3
Whitworth ...	7,457	62	47	5	4	118	15.8	1.02	1.04	32	46	78	10.5	1.02	0.94	3	25	3	7
Widnes M.B. ...	48,860	473	457	17	24	971	19.9	0.95	1.22	241	201	442	9.0	1.30	1.03	33	34	23	27
Withnell ...	2,821	14	16	—	—	30	10.6	1.12	0.77	16	18	34	12.1	0.98	1.04	1	33	—	—
Worsley ...	28,880	223	188	8	5	424	14.7	1.06	1.01	135	150	285	9.9	1.03	0.89	8	19	5	14
Rural Districts ...	314,900	2,261	2,055	65	52	4,433	14.1	1.11	1.01	1,835	1,707	3,542	11.2	1.06	1.04	134	30	102	105
Blackburn ...	13,330	76	59	4	3	142	10.7	1.05	0.73	93	74	167	12.5	1.06	1.16	4	28	3	3
Burnley ...	16,550	106	86	3	1	196	11.8	1.16	0.88	123	119	242	14.6	0.85	1.09	2	10	1	8
Chorley ...	27,090	201	187	7	5	400	14.8	1.07	1.02	166	141	307	11.3	1.07	1.06	14	35	14	11
Clitheroe ...	9,410	60	51	2	3	116	12.3	1.04	0.83	41	51	92	9.8	1.12	0.96	2	17	2	—
Fylde ...	19,840	108	111	3	3	225	11.3	1.47	1.07	116	133	249	12.6	1.35	1.49	2	9	1	6
Garstang ...	12,740	97	83	3	—	183	14.4	1.09	1.01	62	79	141	11.1	0.95	0.93	7	38	4	2
Lancaster ...	12,240	94	94	5	3	196	16.0	1.09	1.13	61	69	130	10.6	0.85	0.79	3	15	2	1
Limehurst ...	8,963	93	57	2	1	153	17.1	0.97	1.07	48	43	91	10.2	1.04	0.93	2	13	1	2
Lunesdale ...	7,274	53	57	1	1	112	15.4	1.03	1.02	45	30	75	10.3	0.96	0.87	1	9	1	2
Preston ...	38,380	266	260	6	6	538	14.0	1.13	1.02	279	267	546	14.2	0.96	1.20	20	37	16	15
Ulverston ...	16,370	122	108	1	3	234	14.3	1.14	1.05	103	91	194	11.9	0.82	0.86	5	21	3	6
Warrington ...	37,670	244	215	10	7	476	12.6	1.25	1.02	103	142	331	8.8	1.53	1.18	14	29	9	10
West Lancashire ...	42,440	293	317	7	7	624	14.7	1.05	1.00	254	221	475	11.2	1.03	1.01	22	35	20	12
Whiston ...	44,450	379	309	10	9	707	15.9	1.02	1.05	209	206	415	9.3	1.16	0.95	32	45	21	23
Wigan ...	8,153	69	61	1	—	131	16.1	1.01	1.05	46	41	87	10.7	1.08	1.01	4	31	4	4
LEICESTERSHIRE ...	638,000	4,860	4,707	219	230	10,016	15.7	1.00	1.01	3,474	3,266	6,740	10.6	1.02	0.95	266	27	172	251
County Borough : ...	286,500	2,218	2,118	127	135	4,598	16.0	0.99	1.02	1,626	1,580	3,206	11.2	1.02	1.00	114	25	71	129
Leicester ...	351,500	2,642	2,589	92	95	5,418	15.4	1.02	1.01	1,848	1,686	3,534	10.1	1.02	0.90	152	28	101	122
Admin. County ...	163,500	1,320	1,214	33	43	2,610	16.0	1.00	1.03	901	802	1,703	10.4	1.05	0.96	77	30	53	62
Urban Districts ...	6,515	61	40	—	2	103	15.8	0.99	1.01	42	33	75	11.5	0.99	1.00	3	29	3	4
Ashby de la Zouch ...																			

TABLE 12.—*continued.*

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.													
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)
<b>LEICESTERSHIRE—contd.</b>																				
<b>Urban Districts—contd.</b>																				
...	3,368	26	27	1	1	55	16.3	0.98	1.03	23	14	37	11.0	1.13	1.09	3	55	2	3	
Ashby Woulds ...	25,630	206	181	3	6	396	15.5	0.97	0.97	163	125	288	11.2	1.08	1.06	10	25	7	6	
Coalville ...	39,310	338	316	9	12	675	17.2	0.98	1.09	180	176	356	9.1	1.16	0.93	22	33	14	12	
Hinckley ...	35,740	270	255	12	9	546	15.3	1.02	1.01	219	164	383	10.7	1.02	0.96	20	37	13	19	
Loughborough M.B.																				
Market Harborough...	10,340	71	67	3	2	143	13.8	1.08	0.96	51	79	130	12.6	0.83	0.92	1	7	1	2	
Melton Mowbray ...	14,260	123	117	2	4	246	17.3	0.98	1.09	110	99	209	14.7	1.04	1.34	6	24	4	3	
Oadby ...	6,253	53	34	—	1	88	14.1	1.03	0.94	27	26	53	8.5	0.93	0.69	1	11	—	1	
Shepshed ...	6,364	46	49	1	1	97	15.2	0.98	0.96	25	14	39	6.1	1.03	0.55	2	21	—	6	
Wigston ...	15,720	126	128	2	5	261	16.6	1.01	1.08	61	72	133	8.5	1.13	0.84	9	35	9	6	
Rural Districts ...	188,000	1,322	1,375	59	52	2,808	14.9	1.04	1.00	947	884	1,831	9.7	0.99	0.84	75	27	48	60	
Ashby de la Zouch ...	13,820	95	110	4	3	212	15.3	1.00	0.99	77	65	142	10.3	1.02	0.92	5	24	4	6	
Barrow upon Soar ...	49,160	310	352	12	9	683	13.9	1.04	0.93	213	237	450	9.2	1.03	0.83	15	22	8	10	
Billesdon ...	7,862	51	58	3	2	114	14.5	1.03	0.96	31	38	69	8.8	1.02	0.79	—	—	—	7	
Blaby ...	39,810	273	248	8	14	543	13.6	1.05	0.92	217	206	423	10.6	0.97	0.90	14	26	9	6	
Castle Donington ...	9,958	73	73	5	3	154	15.5	1.06	1.06	56	39	95	9.5	0.99	0.83	5	33	4	5	
Lutterworth ...	11,940	85	107	6	3	201	16.8	1.06	1.15	66	74	140	11.7	0.87	0.89	3	15	2	6	
Market Bosworth ...	26,790	207	217	10	9	443	16.5	0.99	1.05	152	111	263	9.8	1.08	0.93	18	41	11	11	
Market Harborough...	10,010	70	71	3	4	148	14.8	1.06	1.01	52	39	91	9.1	0.86	0.69	5	34	4	1	
Melton and Belvoir ...	18,650	158	139	8	5	310	16.6	1.07	1.15	83	75	158	8.5	0.91	0.68	10	32	6	8	
<b>LINCOLNSHIRE :</b>																				
<b>Parts of Holland :</b>																				
Admin. County ...	101,300	845	829	33	42	1,749	17.3	1.03	1.15	609	521	1,130	11.2	0.97	0.95	53	30	35	39	
Urban Districts ...	38,700	321	297	15	21	654	16.9	1.00	1.09	264	240	504	13.0	0.92	1.05	25	38	14	14	
Boston M.B. ...	24,330	198	199	9	14	420	17.3	0.98	1.09	141	119	260	10.7	0.93	0.87	14	33	8	9	
Spalding ...	14,370	123	98	6	7	234	16.3	1.03	1.08	123	121	244	17.0	0.90	1.34	11	47	6	5	
Rural Districts ...	62,600	524	532	18	21	1,095	17.5	1.05	1.19	345	281	626	10.0	1.00	0.88	28	26	21	25	
Boston ...	21,120	183	188	6	5	382	18.1	1.02	1.19	131	95	226	10.7	1.08	1.01	6	16	5	8	
East Elloe ...	22,720	184	175	8	7	374	16.5	1.08	1.15	123	100	223	9.8	0.95	0.82	15	40	10	11	
Spalding ...	18,760	157	169	4	9	339	18.1	1.03	1.20	91	86	177	9.4	0.99	0.82	7	21	6	6	



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>LINCOLNSHIRE :</b>																			
Parts of Kesteven :																			
Admin. County ...	132,700	1,061	999	50	55	2,165	16.3	1.07	1.13	824	710	1,534	11.6	0.96	0.98	79	37	46	54
Urban Districts ...	46,860	339	319	21	18	697	14.9	1.01	0.97	367	297	664	14.2	0.94	1.17	25	36	13	26
Bourne ...	4,996	45	40	1	3	89	17.8	1.01	1.16	26	31	57	11.4	0.91	0.91	4	45	2	3
Grantham M.B. ...	23,460	154	151	12	9	326	13.9	0.99	0.89	184	134	318	13.6	0.96	1.15	14	43	7	15
Sleaford ...	7,204	58	53	4	2	117	16.2	0.99	1.03	77	59	136	18.9	0.92	1.53	3	26	1	4
Stamford M.B. ...	11,200	82	75	4	4	165	14.7	1.03	0.98	80	73	153	13.7	0.91	1.09	4	24	3	4
Rural Districts ...	85,840	722	680	29	37	1,468	17.1	1.11	1.22	457	413	870	10.1	0.98	0.87	54	37	33	28
East Kesteven ...	20,670	181	150	6	8	345	16.7	1.17	1.26	97	75	172	8.3	1.10	0.80	11	32	8	6
North Kesteven ...	32,090	246	257	11	12	526	16.4	1.08	1.14	196	188	384	12.0	0.98	1.03	20	38	9	10
South Kesteven ...	14,570	127	113	4	6	250	17.2	1.11	1.23	87	77	164	11.3	0.86	0.85	11	44	8	9
West Kesteven ...	18,510	168	160	8	11	347	18.7	1.09	1.32	77	73	150	8.1	0.94	0.67	12	35	8	3
<b>LINCOLNSHIRE :</b>																			
Parts of Lindsey	475,800	3,873	3,671	226	202	7,972	16.8	1.05	1.14	2,841	2,533	5,374	11.3	0.96	0.95	223	28	141	188
County Boroughs	163,500	1,297	1,278	73	88	2,736	16.7	1.02	1.10	1,038	883	1,921	11.7	1.00	1.03	92	34	60	61
Grimsby ...	93,300	796	783	39	41	1,659	17.8	1.03	1.18	549	473	1,022	11.0	1.05	1.01	55	33	33	43
Lincoln ...	70,200	501	495	34	47	1,077	15.3	1.00	0.99	489	410	899	12.8	0.95	1.07	37	34	27	18
Admin. County ...	312,300	2,576	2,393	153	114	5,236	16.8	1.07	1.16	1,803	1,650	3,453	11.1	0.94	0.92	131	25	81	127
Urban Districts ...	153,500	1,236	1,171	77	67	2,551	16.6	1.02	1.09	914	834	1,748	11.4	0.98	0.98	65	26	39	64
Alford ...	2,150	16	11	3	—	30	14.0	1.14	1.03	20	19	39	18.1	0.68	1.08	—	—	—	1
Barton upon Humber	6,339	62	41	1	—	105	16.6	1.05	1.12	45	43	88	13.9	0.88	1.07	3	29	3	5
Brigg ...	4,418	36	41	—	—	77	17.4	1.03	1.16	43	21	64	14.5	0.92	1.17	4	52	3	3
Cleethorpes M.B. ...	30,220	228	230	11	6	475	15.7	1.02	1.03	182	165	347	11.5	1.02	1.03	13	27	8	10
Gainsborough ...	17,420	111	127	12	9	259	14.9	1.11	1.07	116	105	221	12.7	0.78	0.87	10	39	5	9
Horncastle ...	3,862	28	14	3	1	46	11.9	1.02	0.78	31	30	61	15.8	0.81	1.12	2	44	1	1
Louth M.B. ...	11,210	90	78	7	4	179	16.0	1.01	1.04	63	90	153	13.6	0.80	0.95	4	22	3	4
Mablethorpe and Sutton	5,287	36	21	2	3	62	11.7	1.08	0.82	35	48	83	15.7	0.76	1.05	2	32	2	—
Market Rasen ...	2,134	21	26	1	1	49	23.0	1.21	1.80	22	20	42	19.7	0.72	1.24	—	—	—	3
Scunthorpe M.B. ...	55,850	521	487	24	29	1,061	19.0	0.97	1.19	278	206	484	8.7	1.34	1.02	23	22	11	21
Skegness ...	12,510	77	86	13	13	189	15.1	0.98	0.95	67	65	132	10.6	0.84	0.78	3	16	2	6
Woodhall Spa ...	2,100	10	9	—	—	19	9.0	1.21	0.70	12	22	34	16.2	0.72	1.02	1	53	1	1
Rural Districts ...	158,800	1,340	1,222	76	47	2,685	16.9	1.13	1.23	889	816	1,705	10.7	0.91	0.85	66	25	42	63
Caistor ...	14,050	118	105	4	4	231	16.4	1.18	1.25	79	68	147	10.5	0.90	0.83	6	26	5	4
Gainsborough ...	12,990	111	122	9	4	246	18.9	1.21	1.48	63	54	117	9.0	0.93	0.73	7	29	6	4
Glanford Brigg ...	33,140	317	215	21	13	566	17.1	1.10	1.21	171	145	316	9.5	0.97	0.81	9	16	4	12
Grimsby ...	12,820	92	98	5	2	197	15.4	1.08	1.07	85	66	151	11.8	0.95	0.98	4	20	3	2
Horncastle ...	13,870	116	120	4	4	244	17.6	1.28	1.45	87	82	169	12.2	0.92	0.98	5	21	5	3
Isle of Axholme	14,250	127	122	7	6	262	18.4	1.06	1.26	70	78	148	10.4	0.93	0.85	6	23	3	4
Louth ...	18,510	151	143	8	5	307	16.6	1.15	1.23	99	102	201	10.9	0.83	0.79	11	36	6	4
Spilsby ...	23,370	172	161	10	8	351	15.0	1.09	1.05	155	168	323	13.8	0.80	0.97	9	26	3	13
Welton ...	15,800	136	136	8	1	281	17.8	1.08	1.24	80	53	133	8.4	1.05	0.77	9	32	7	14

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LONDON ...	3,343,000	24,391	22,956	1,899	1,746	50,992	15.3	0.87	0.86	19,835	18,801	38,636	11.6	0.99	1.01	1,216	24	821	1,088
City of London	5,090	16	13	1	—	30	5.9	0.89	0.34	46	11	57	11.2	0.96	0.94	1	33	1	—
Inner and Middle Temples																			
Metropolitan Boroughs :																			
Battersea	114,800	876	808	55	47	1,786	15.6	0.92	0.93	758	716	1,474	12.8	0.97	1.09	33	19	18	37
Bermondsey	59,350	518	428	18	21	985	16.6	0.90	0.96	336	249	585	9.9	1.10	0.96	28	28	18	24
Bethnal Green	56,650	432	421	27	23	903	15.9	0.87	0.89	297	274	571	10.1	1.06	0.94	13	14	7	18
Camberwell	180,200	1,330	1,299	75	70	2,774	15.4	0.91	0.90	1,137	1,051	2,188	12.1	0.98	1.04	73	26	48	61
Chelsea	52,150	391	337	30	28	786	15.1	0.75	0.73	302	392	694	13.3	0.88	1.03	15	19	11	16
Deptford	75,030	579	497	31	30	1,137	15.2	0.93	0.91	524	452	976	13.0	1.02	1.16	30	26	21	18
Finsbury	35,640	305	322	19	26	672	18.9	0.86	1.05	183	169	352	9.9	1.02	0.89	15	22	8	14
Fulham	122,500	794	780	62	44	1,680	13.7	0.93	0.82	751	660	1,411	11.5	0.97	0.98	46	27	31	27
Greenwich	90,440	714	623	36	30	1,403	15.5	0.93	0.93	426	422	848	9.4	1.07	0.88	25	18	12	32
Hackney	169,600	1,180	1,170	64	50	2,464	14.5	0.91	0.85	908	821	1,729	10.2	1.05	0.94	48	20	36	65
Hammersmith	117,600	831	772	73	65	1,741	14.8	0.90	0.86	672	535	1,207	10.3	1.07	0.97	35	20	25	44
Hampstead	97,970	654	620	81	59	1,414	14.4	0.75	0.70	519	635	1,154	11.8	0.94	0.97	23	16	20	24
Holborn	23,710	128	111	19	16	274	11.6	0.71	0.53	165	108	273	11.5	1.06	1.07	4	15	1	4
Islington	233,500	1,901	1,769	135	159	3,964	17.0	0.88	0.97	1,331	1,338	2,669	11.4	1.00	1.00	96	24	66	93
Kensington	171,500	1,207	1,116	159	166	2,648	15.4	0.71	0.71	770	938	1,708	10.0	1.00	0.88	50	19	35	52
Lambeth	229,000	1,731	1,661	137	117	3,646	15.9	0.88	0.90	1,228	1,180	2,408	10.5	1.01	0.93	93	26	58	66
Lewisham	225,800	1,606	1,490	74	61	3,231	14.3	0.93	0.86	1,313	1,189	2,502	11.1	1.00	0.97	73	23	53	78
Paddington	123,800	955	878	149	137	2,119	17.1	0.78	0.86	761	802	1,563	12.6	1.05	1.16	50	24	36	37
Poplar ...	72,470	665	579	26	32	1,302	18.0	0.90	1.05	423	336	759	10.5	1.14	1.05	45	35	36	28
St. Marylebone	73,860	399	408	43	52	902	12.2	0.78	0.61	583	506	1,089	14.7	0.86	1.11	19	21	12	12
St. Pancras	138,400	974	936	126	110	2,146	15.5	0.85	0.85	786	613	1,399	10.1	1.02	0.90	52	24	39	37
Shoreditch	45,770	382	391	23	17	813	17.8	0.88	1.01	325	290	615	13.4	1.04	1.22	18	22	10	20
Southwark	96,870	821	750	55	41	1,667	17.2	0.86	0.95	687	522	1,209	12.5	1.03	1.13	54	32	34	40
Stepney	98,570	902	867	79	72	1,920	19.5	0.87	1.09	724	463	1,187	12.0	1.09	1.15	75	39	39	40
Stoke Newington	51,250	377	340	20	26	763	14.9	0.88	0.85	262	241	503	9.8	1.10	0.95	18	24	10	14
Wandsworth	331,000	2,183	2,050	147	137	4,517	13.6	0.96	0.84	2,216	2,703	4,919	14.9	0.86	1.12	104	23	72	106
Westminster	99,380	530	535	79	63	1,207	12.1	0.81	0.63	562	456	1,018	10.2	1.00	0.89	32	27	29	30
Woolwich	151,100	1,010	985	56	47	2,098	13.9	0.99	0.89	840	729	1,569	10.4	0.99	0.90	48	23	35	51



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
MIDDLESEX :																			
Admin. County ...	2,259,700	14,776	13,916	733	614	30,039	13.3	0.97	0.83	11,277	10,851	22,128	9.8	1.05	0.90	629	21	416	597
Urban Districts ...	2,259,700	14,776	13,916	733	614	30,039	13.3	0.97	0.83	11,277	10,851	22,128	9.8	1.05	0.90	629	21	416	597
Acton M.B. ...	67,640	431	401	30	20	882	13.0	0.93	0.78	362	345	707	10.5	0.98	0.90	629	21	416	597
Brentford and Chiswick M.B.	59,560	385	418	33	15	851	14.3	0.93	0.86	317	288	605	10.2	0.95	0.85	17	20	7	23
Ealing M.B. ...	186,100	1,213	1,113	54	20	2,444	13.1	0.96	0.81	877	877	1,808	9.7	1.05	0.89	44	18	26	42
Edmonton M.B.	101,400	679	551	21	20	1,271	12.5	0.95	0.77	516	464	980	9.7	1.11	0.94	32	25	18	30
Enfield ...	109,300	666	635	27	24	1,352	12.4	0.99	0.79	562	593	1,155	10.6	1.08	1.00	24	18	18	20
Feltham ...	47,090	379	359	18	17	773	16.4	0.99	1.05	192	161	353	7.5	1.48	0.97	19	25	14	12
Finchley M.B.	70,150	430	434	32	12	908	12.9	0.95	0.79	360	405	765	10.9	0.89	0.85	20	22	11	18
Friern Barnet...	28,260	163	171	3	5	342	12.1	1.05	0.82	206	244	450	15.9	0.94	1.31	8	23	7	7
Harrow ...	217,900	1,329	1,297	59	48	2,733	12.5	1.02	0.82	964	961	1,925	8.8	1.14	0.88	46	17	31	69
Hayes and Harlington	65,080	489	423	22	26	960	14.8	0.94	0.90	274	191	465	7.1	1.50	0.93	24	25	17	18
Hendon M.B.	155,500	978	936	49	53	2,016	13.0	0.94	0.79	734	745	1,479	9.5	1.04	0.87	32	16	21	36
Heston and Isleworth M.B.	105,100	655	581	30	22	1,288	12.3	0.99	0.79	552	514	1,066	10.1	1.03	0.91	23	18	14	22
Hornsey M.B.	98,510	659	653	48	31	1,391	14.1	0.92	0.84	488	595	1,083	11.0	0.88	0.85	31	22	19	26
Potters Bar ...	17,210	120	112	5	5	242	14.1	0.96	0.87	82	61	143	8.3	1.12	0.82	4	17	3	6
Ruislip Northwood ...	72,130	452	403	18	16	889	12.3	1.01	0.80	279	263	542	7.5	1.17	0.77	19	21	15	19
Southall M.B.	54,910	362	324	13	17	716	13.0	0.99	0.83	337	394	731	13.3	1.07	1.25	21	29	16	13
Southgate M.B.	72,110	360	387	11	9	767	10.6	1.09	0.75	445	393	838	11.6	0.79	0.80	21	27	9	13
Staines ...	40,170	322	304	19	13	658	16.4	0.96	1.02	200	136	336	8.4	1.11	0.82	6	9	5	6
Sunbury on Thames ...	23,840	186	193	12	10	401	16.8	0.94	1.02	122	122	244	10.2	1.12	1.00	6	15	3	2
Tottenham M.B.	124,400	814	756	37	34	1,641	13.2	0.95	0.81	659	688	1,347	10.8	1.03	0.98	43	26	30	42
Twickenham M.B.	105,300	668	671	29	22	1,390	13.2	1.02	0.87	596	550	1,146	10.9	0.92	0.88	28	20	20	20
Uxbridge ...	56,000	487	425	17	18	947	16.9	0.93	1.01	245	209	454	8.1	1.19	0.85	22	23	16	16
Wembley M.B.	129,600	731	705	29	22	1,487	11.5	1.00	0.74	580	544	1,124	8.7	1.10	0.84	30	20	22	36
Willesden M.B.	178,500	1,309	1,204	88	76	2,677	15.0	0.90	0.87	902	799	1,701	9.5	1.08	0.90	60	22	42	59
Wood Green M.B.	51,470	295	278	13	9	595	11.6	0.98	0.73	283	234	517	10.0	0.92	0.81	17	29	12	14
Yiewsley and West Drayton...	22,470	214	182	16	6	418	18.6	0.92	1.10	89	75	164	7.3	1.29	0.83	9	22	5	8
NORFOLK	547,000	3,996	3,911	260	252	8,419	15.4	1.08	1.07	3,186	3,178	6,364	11.6	0.86	0.88	213	25	147	174
County Boroughs	172,200	1,242	1,163	89	82	2,576	15.0	1.01	0.98	908	1,054	1,962	11.4	0.90	0.90	60	23	41	51
Great Yarmouth	51,300	352	331	26	21	730	14.2	1.01	0.93	304	365	669	13.0	0.89	1.01	15	21	9	18
Norwich ...	120,900	890	832	63	61	1,846	15.3	1.01	1.00	604	689	1,293	10.7	0.90	0.84	45	24	32	33
Admin. County ...	374,800	2,754	2,748	171	170	5,843	15.6	1.12	1.13	2,278	2,124	4,402	11.7	0.84	0.86	153	26	106	123
*Urban Districts ...	72,780	578	577	44	38	1,237	17.0	1.06	1.16	504	473	977	13.4	0.82	0.96	39	32	29	23
*Cromer ...	4,864	35	29	3	1	68	14.0	1.05	0.95	27	30	57	11.7	0.76	0.78	—	—	—	1
Diss ...	3,485	28	19	—	—	47	13.5	1.08	0.94	22	22	44	12.6	0.73	0.81	2	43	2	3
Downham Market	2,580	15	6	2	—	23	8.9	1.14	0.65	52	32	84	32.6	0.76	2.17	2	87	2	1
East Dereham	6,571	49	49	2	3	103	15.7	1.08	1.09	45	34	79	12.0	0.83	0.87	3	29	3	4
Hunstanton ...	3,910	57	38	4	1	100	25.6	1.00	1.65	24	35	59	15.1	0.77	1.02	4	40	3	—
Kings Lynn M.B.	26,120	214	230	19	17	480	18.4	1.01	1.20	177	156	333	12.7	0.93	1.04	18	38	12	9
North Walsham	4,716	30	30	3	2	65	13.8	1.10	0.98	22	27	49	10.4	0.74	0.68	2	31	2	—
Sheringham ...	4,669	29	36	5	5	75	16.1	1.16	1.20	33	39	72	15.4	0.68	0.92	1	13	1	—
Swaffham ...	3,012	19	26	—	1	46	15.3	1.15	1.14	15	21	36	12.0	0.77	0.81	2	44	1	1
Thetford M.B.	4,550	39	52	4	4	99	21.8	1.11	1.56	40	27	67	14.7	0.78	1.01	2	20	1	2

\* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.					DEATHS.										Deaths under 1 year.		Stillbirths.						
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.							
		M.	F.	M.	F.															M.	F.	M.	F.	M.	F.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)						
NORFOLK—contd.																									
Urban Districts—contd.																									
Wells ...	2,610	20	25	—	1	46	17.6	1.08	1.23	13	19	32	12.3	0.71	0.77	1	22	—	1						
Wymondham ...	5,693	43	37	2	3	85	14.9	1.09	1.05	34	31	65	11.4	0.86	0.86	2	24	2	1						
*Rural Districts																									
Blofield and Flegg ...	302,020	2,176	2,171	127	132	4,606	15.3	1.13	1.12	1,774	1,651	3,425	11.3	0.85	0.84	114	25	77	100						
Depwade ...	31,470	203	192	12	5	412	13.1	1.04	0.88	207	193	400	12.7	0.84	0.94	7	17	4	6						
Docking ...	18,040	112	133	4	10	259	14.4	1.21	1.12	107	93	200	11.1	0.74	0.72	8	31	6	5						
Downham ...	17,440	130	141	15	13	299	17.1	1.12	1.24	116	143	259	14.9	0.77	1.01	12	40	11	2						
*Erpingham ...	24,840	202	220	14	9	445	17.9	1.13	1.30	126	102	228	9.2	0.96	0.77	11	25	7	11						
... ..	19,520	131	125	6	7	269	13.8	1.20	1.07	143	120	263	13.5	0.76	0.90	3	11	—	13						
Forehoe and Henstead ...	23,300	169	173	10	10	362	15.5	1.08	1.08	177	166	343	14.7	0.81	1.04	8	22	6	6						
Freebridge Lynn ...	10,930	90	96	6	5	197	18.0	1.16	1.35	72	52	124	11.3	0.81	0.80	5	25	3	2						
Loddon ...	12,680	88	84	5	2	179	14.1	1.14	1.04	60	67	127	10.0	0.82	0.72	8	45	7	1						
Marshland ...	16,270	110	116	6	8	240	14.8	1.05	1.00	82	55	137	8.4	1.00	0.74	4	17	2	3						
Mitford and Launditch ...	18,460	137	124	8	13	282	15.3	1.24	1.22	109	82	191	10.3	0.80	0.72	4	14	3	7						
St. Faiths and Aylsham ...	37,950	276	251	9	20	556	14.7	1.04	0.99	255	255	510	13.4	0.93	1.09	16	29	9	15						
Smallburgh ...	18,130	108	113	8	7	236	13.0	1.14	0.96	94	85	179	9.9	0.78	0.68	5	21	3	6						
Swaffham ...	8,980	62	87	10	4	163	18.2	1.07	1.26	43	41	84	9.4	0.86	0.71	2	12	2	2						
Walsingham ...	24,780	203	164	8	12	387	15.6	1.39	1.40	96	106	202	8.2	1.00	0.72	9	23	5	12						
Wayland ...	19,230	155	152	6	7	320	16.6	1.21	1.30	87	91	178	9.3	0.85	0.69	12	38	9	9						
NORTHAMPTONSHIRE																									
County Borough:	366,900	2,895	2,618	138	120	5,771	15.7	1.05	1.06	2,279	2,088	4,367	11.9	0.91	0.95	140	24	98	123						
Northampton...	104,000	733	681	43	42	1,499	14.4	1.01	0.94	694	646	1,340	12.9	0.90	1.02	35	23	23	30						
Admin. County ...	262,900	2,162	1,937	95	78	4,272	16.2	1.07	1.12	1,585	1,442	3,027	11.5	0.92	0.93	105	25	75	93						
Urban Districts ...																									
Brackley M.B. ...	138,500	1,166	1,029	54	38	2,287	16.5	1.05	1.12	931	808	1,739	12.6	0.96	1.06	52	23	37	46						
Burton Latimer ...	2,935	22	27	—	1	50	17.0	1.02	1.12	14	16	30	10.2	0.87	0.78	—	—	—	—						
Corby ...	4,207	45	30	1	2	78	18.5	1.02	1.22	24	26	50	11.9	0.96	1.00	3	39	1	5						
Daventry M.B. ...	19,720	251	280	13	7	551	27.9	0.86	1.55	74	38	112	5.7	2.11	1.06	14	25	11	12						
Desborough ...	4,164	28	22	1	—	51	12.2	1.06	0.83	106	98	204	49.0	0.76	3.27	2	39	2	1						
...	4,910	37	35	—	1	73	14.9	1.06	1.02	22	28	50	10.2	0.87	0.78	2	27	—	3						



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Higham Ferrers M.B.	3,648	31	30	—	1	62	17.0	1.05	1.15	22	17	39	10.7	0.92	0.86	3	48	2	1
Irthlingborough	5,090	43	33	5	—	81	15.9	1.09	1.12	28	19	47	9.2	0.97	0.78	1	12	—	—
Kettering M.B.	36,510	277	231	16	15	539	14.8	1.08	1.03	288	212	500	13.7	0.91	1.09	15	28	11	6
Oundle	3,051	18	15	2	2	37	12.1	1.46	1.14	33	36	69	22.6	0.84	1.67	—	—	—	1
Raunds	4,663	39	26	—	—	65	13.9	1.17	1.05	26	15	41	8.8	0.79	0.61	2	31	2	1
Rothwell	4,692	32	33	1	1	67	14.3	1.14	1.05	29	24	53	11.3	0.85	0.84	1	15	1	1
Rushden	16,390	125	90	5	4	224	13.7	1.13	1.00	80	76	156	9.5	0.88	0.73	2	9	2	10
Wellingborough	28,520	218	177	10	4	409	14.3	1.06	0.98	185	203	388	13.6	0.88	1.05	7	17	5	5
Rural Districts	124,400	996	908	41	40	1,985	16.0	1.09	1.13	654	634	1,288	10.4	0.87	0.79	53	27	38	47
Brackley	10,320	96	64	7	5	172	16.7	1.05	1.13	48	49	97	9.4	0.87	0.72	8	47	5	4
Brixworth	17,990	135	128	4	2	269	15.0	1.04	1.01	97	138	235	13.1	0.84	0.97	11	41	6	9
Daventry	16,480	121	120	6	7	254	15.4	1.09	1.08	84	78	162	9.8	0.86	0.74	7	28	5	7
Kettering	12,050	107	87	9	4	207	17.2	1.12	1.24	78	45	123	10.2	0.94	0.84	8	39	6	8
Northampton...	20,240	164	146	4	7	321	15.9	1.05	1.08	109	122	231	11.4	0.86	0.86	5	16	4	4
Oundle and Thrapston	18,540	175	149	5	7	336	18.1	1.09	1.27	94	74	168	9.1	0.91	0.73	6	18	5	6
Towcester	14,410	103	125	5	3	236	16.4	1.09	1.15	71	73	144	10.0	0.84	0.74	2	8	1	4
Wellingborough	14,370	95	89	1	5	190	13.2	1.21	1.03	73	55	128	8.9	0.90	0.70	6	32	6	5
NORTHUMBERLAND	797,100	6,742	6,264	242	241	13,489	16.9	0.98	1.07	4,899	4,224	9,123	11.4	1.06	1.06	379	28	256	323
County Boroughs	356,502	3,030	2,901	121	134	6,186	17.4	0.95	1.07	2,100	1,830	3,930	11.0	1.10	1.06	172	28	131	145
†Newcastle upon Tyne	289,702	2,412	2,311	98	100	4,921	17.0	0.95	1.04	1,691	1,468	3,159	10.9	1.10	1.05	132	27	98	119
Tynemouth	66,800	618	590	23	34	1,265	18.9	0.95	1.16	409	362	771	11.5	1.08	1.09	40	32	33	26
Admin. County	440,598	3,712	3,363	121	107	7,303	16.6	1.00	1.07	2,799	2,394	5,193	11.8	1.03	1.07	207	28	125	178
Urban Districts	340,300	2,967	2,679	89	92	5,827	17.1	0.98	1.08	2,098	1,772	3,870	11.4	1.08	1.08	172	30	105	144
Alnwick	7,386	74	79	4	4	161	21.8	0.99	1.39	32	52	84	11.4	0.97	0.97	4	25	1	6
Amble...	4,789	48	37	2	1	88	18.4	1.08	1.28	42	24	66	13.8	0.97	1.17	3	34	2	3
Ashington	28,430	234	232	6	4	476	16.7	0.98	1.06	167	121	288	10.1	1.19	1.05	9	19	6	9
Bedlingtonshire	28,840	300	233	4	6	543	18.8	0.97	1.18	172	136	308	10.7	1.17	1.10	21	39	11	7
Berwick upon Tweed M.B.	12,570	126	136	9	7	278	22.1	1.02	1.45	87	100	187	14.9	0.90	1.18	7	25	4	5
Blyth M.B.	34,270	313	291	9	17	630	18.4	1.00	1.19	191	147	338	9.9	1.18	1.02	18	29	9	21
Gosforth	24,660	192	173	4	5	374	15.2	1.02	1.00	183	173	356	14.4	0.96	1.21	6	16	3	7
Hexham	9,377	63	57	3	3	126	13.4	0.99	0.86	59	59	118	12.6	0.86	0.95	3	24	1	1
Longenton	30,240	268	220	6	9	503	16.6	0.97	1.04	174	122	296	9.8	1.18	1.01	12	24	7	15
Morpeth M.B.	10,800	98	80	7	7	192	17.8	0.96	1.10	90	74	164	15.2	0.96	1.28	3	16	1	7
Newbiggin by the Sea	9,917	87	76	4	3	170	17.1	0.99	1.09	57	52	109	11.0	1.16	1.12	6	35	4	6
Newburn	21,790	171	162	5	5	343	15.7	0.96	0.97	129	111	240	11.0	1.13	1.09	15	44	9	7
Prudhoe	9,681	76	69	3	—	158	15.3	0.93	0.92	53	52	105	10.8	1.20	1.14	1	7	1	2
Seaton Valley...	26,210	184	162	6	5	357	13.6	1.00	0.88	159	122	281	10.7	1.05	0.99	10	28	9	2
Wallsend M.B.	49,130	515	481	9	12	1,017	20.7	0.92	1.23	301	208	509	10.3	1.26	1.14	48	47	31	36
Whitley Bay	32,210	218	191	8	4	421	13.1	1.08	0.91	202	219	421	13.1	0.85	0.98	6	14	6	7
Rural Districts	100,298	745	684	32	15	1,476	14.7	1.07	1.01	701	622	1,323	13.2	0.91	1.05	35	24	20	34
Alnwick	11,800	83	84	1	—	168	14.2	1.09	1.00	61	75	136	11.5	0.90	0.91	2	12	1	4
Belford	5,065	34	28	—	1	63	12.4	1.17	0.94	35	42	77	15.2	0.81	1.08	1	16	—	1
Bellingham	5,395	53	37	4	—	94	17.4	1.13	1.27	41	25	66	12.2	0.92	0.98	5	53	4	4
Castle Ward	14,900	86	100	5	4	195	13.1	1.09	0.92	178	160	338	22.7	0.89	1.77	10	51	4	6
Glendale	7,549	47	41	—	2	90	11.9	1.11	0.85	42	44	86	11.4	0.91	0.91	2	22	2	2

\* Change of boundary. See Appendix on page 361.

† Moot Hall and precincts included.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)

(1) NORTHUMBERLAND—contd.																				
Rural Districts—contd.																				
Haltwhistle ...	7,522	53	45	4	—	102	13.6	1.07	0.94	55	38	93	12.4	0.90	0.98	—	8	—	6	6
Hexham ...	20,050	157	124	7	2	290	14.5	1.02	0.95	127	114	241	12.0	0.85	0.89	5	28	17	3	5
Morpeth ...	18,060	157	138	5	3	303	16.8	1.05	1.14	98	65	163	9.0	1.16	0.92	1	15	—	—	4
Norham and Islandshires ...	4,390	28	33	3	1	65	14.8	1.10	1.05	24	25	49	11.2	0.81	0.80	1	1	—	—	—
Rothbury ...	5,567	47	54	3	2	106	19.0	1.13	1.39	40	34	74	13.3	0.79	0.92	1	9	—	—	2
NOTTINGHAMSHIRE																				
County Borough :	852,900	6,761	6,432	384	356	13,933	16.3	0.99	1.04	4,644	4,243	8,887	10.4	1.09	0.99	393	28	253	325	
† Nottingham ...	311,502	2,500	2,383	207	172	5,262	16.9	0.95	1.04	1,689	1,741	3,430	11.0	1.09	1.05	140	27	85	106	
Admin. County ...	541,398	4,261	4,049	177	184	8,671	16.0	1.00	1.03	2,955	2,502	5,457	10.1	1.10	0.97	253	29	168	219	
Urban Districts ...																				
Arnold ...	377,800	3,032	2,777	133	122	6,064	16.1	0.99	1.03	2,085	1,687	3,772	10.0	1.11	0.97	182	30	124	146	
Beeston and Stapleford ...	21,790	180	157	8	4	349	16.0	1.01	1.04	116	96	212	9.7	1.11	0.94	8	23	5	13	
Carlton ...	50,630	354	320	15	20	709	14.0	0.99	0.89	234	211	445	8.8	1.22	0.94	19	27	13	18	
East Retford M.B. ...	34,750	249	223	10	11	493	14.2	0.98	0.90	199	158	357	10.3	1.06	0.96	16	33	11	13	
Eastwood ...	16,780	140	126	3	4	273	16.3	0.99	1.04	105	93	198	11.8	0.97	1.00	9	33	6	5	
Hucknall ...	10,100	73	85	1	5	164	16.2	1.02	1.07	59	45	104	10.3	1.20	1.08	5	31	3	2	
Kirkby in Ashfield ...	23,310	202	178	10	6	396	17.0	1.00	1.10	107	108	215	9.2	1.25	1.01	16	40	13	10	
Mansfield M.B. ...	20,340	198	147	7	2	354	17.4	0.98	1.10	106	101	207	10.2	1.18	1.06	16	45	12	2	
Mansfield Woodhouse ...	51,410	435	422	20	23	900	17.5	0.97	1.10	308	230	538	10.5	1.07	0.99	30	33	20	27	
Newark M.B....	17,740	164	139	3	5	311	17.5	0.98	1.11	95	60	155	8.7	1.31	1.00	13	42	9	9	
Sutton in Ashfield ...	23,500	204	201	15	7	427	18.2	1.00	1.17	178	121	299	12.7	1.01	1.13	12	28	4	10	
Warsop ...	40,370	312	290	20	10	632	15.7	1.01	1.02	213	188	401	9.9	1.19	1.03	19	30	14	11	
West Bridgford ...	11,060	95	80	3	4	182	16.5	0.96	1.02	56	31	87	7.9	1.26	0.87	4	22	4	6	
Worksop M.B.	23,430	159	156	1	4	320	13.7	1.04	0.92	140	125	265	11.3	0.82	0.81	6	19	4	4	
Rural Districts ...	32,590	267	253	17	17	554	17.0	0.97	1.06	169	120	289	8.9	1.14	0.89	9	16	6	16	
Ba	163,598	1,229	1,272	44	62	2,607	15.9	1.04	1.07	870	815	1,685	10.3	1.06	0.96	71	27	44	73	
	50,690	360	393	10	17	780	15.4	1.01	1.00	270	242	512	10.1	1.08	0.96	19	24	14	22	





TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)	(14)	(15)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SHROPSHIRE :	299,300	2,253	2,173	101	110	4,637	15.5	1.11	1.11	1,653	1,591	3,244	10.8	1.00	0.95	113	24	80	135
Admin. County ...																			
Urban Districts ...	142,600	1,105	1,079	49	53	2,286	16.0	1.04	1.07	915	881	1,796	12.6	0.95	1.05	50	22	35	64
Bishop's Castle M.B.	1,287	9	5	—	—	14	10.9	1.23	0.86	28	21	49	38.1	0.62	2.07	—	—	—	1
Bridgnorth M.B.	6,133	55	46	2	5	108	17.6	1.04	1.18	37	39	76	12.4	0.84	0.91	3	28	2	—
Church Stretton	2,701	18	23	1	2	44	16.3	1.15	1.21	12	27	39	14.4	0.65	0.82	—	—	—	—
Dawley	8,390	61	50	4	4	119	14.2	1.02	0.93	39	32	71	8.5	1.01	0.75	1	8	1	8
Ellesmere	2,237	20	22	—	1	43	19.2	1.23	1.52	8	12	20	8.9	0.76	0.59	1	23	—	—
Ludlow M.B. ...	6,452	57	68	—	2	127	19.7	1.08	1.37	64	60	124	19.2	0.80	1.35	5	39	3	1
Market Drayton	5,643	47	50	1	1	99	17.5	0.95	1.07	49	39	88	15.6	0.93	1.27	—	—	—	1
Newport	3,791	29	30	4	—	63	16.6	1.06	1.14	23	26	49	12.9	0.91	1.03	—	—	—	1
Oakengates	11,700	92	74	3	5	174	14.9	0.98	0.94	66	50	116	9.9	0.96	0.83	4	23	3	6
Oswestry M.B.	10,860	83	84	3	5	175	16.1	1.03	1.07	59	56	115	10.6	0.97	0.90	5	29	3	6
Shrewsbury M.B.	46,230	351	335	19	15	720	15.6	1.01	1.02	249	263	512	11.1	1.02	0.99	21	29	16	20
Wellington	12,940	99	101	4	4	208	16.1	1.12	1.16	59	57	116	9.0	1.08	0.85	4	19	3	3
Wem ... M.B.	2,360	14	9	—	1	24	10.2	1.09	0.72	11	13	24	10.2	0.83	0.74	—	—	—	1
Wenlock M.B.	15,020	129	132	4	6	271	18.0	1.08	1.25	151	115	266	17.7	0.93	1.44	5	18	3	13
Whitchurch	6,856	41	50	4	2	97	14.1	1.06	0.96	60	71	131	19.1	0.89	1.49	1	10	1	3
Rural Districts	156,700	1,148	1,094	52	57	2,351	15.0	1.20	1.16	738	710	1,448	9.2	1.06	0.86	63	27	45	71
Atcham	21,230	196	155	9	12	372	17.5	1.05	1.19	105	109	214	10.1	0.93	0.82	8	22	5	11
Bridgnorth	16,540	110	109	—	8	227	13.7	1.40	1.24	67	63	130	7.9	1.18	0.82	6	26	5	4
Clun	9,503	71	79	5	1	156	16.4	1.22	1.29	35	58	93	9.8	0.81	0.70	—	—	—	4
Drayton	12,340	98	93	7	4	202	16.4	1.42	1.50	40	35	75	6.1	1.34	0.72	4	20	3	3
Ellesmere	9,477	53	73	1	—	127	13.4	1.57	1.36	45	28	73	7.7	1.24	0.84	3	24	3	3
Ludlow	13,770	115	103	6	2	226	16.4	1.19	1.26	72	75	147	10.7	0.84	0.79	7	31	5	10
Oswestry	21,390	144	144	4	10	302	14.1	1.20	1.09	146	148	294	13.7	1.09	1.31	7	23	6	15
Shifnal	14,690	95	104	5	4	208	14.2	1.20	1.10	55	49	104	7.1	1.33	0.83	5	24	2	7
Wellington	25,210	166	144	10	13	333	13.2	1.05	0.89	109	93	202	8.0	1.16	0.81	18	54	13	9
Wem	12,550	100	90	5	3	198	15.8	1.10	1.12	64	52	116	9.2	0.96	0.77	5	25	3	5
SOMERSET :	562,500	4,004	3,850	172	157	8,183	14.5	1.06	0.99	3,345	3,460	6,805	12.1	0.84	0.89	177	22	132	149
County Borough :																			
Bath	79,300	530	543	33	17	1,123	14.2	0.99	0.91	474	561	1,035	13.1	0.82	0.94	23	21	19	30



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...																			
Urban Districts ...	483,200	3,474	3,307	139	140	7,060	14.6	1.07	1.01	2,871	2,899	5,770	11.9	0.85	0.89	154	22	113	119
Bridgwater M.B.	229,000	1,609	1,571	69	70	3,319	14.5	1.05	0.98	1,424	1,521	2,945	12.9	0.83	0.94	72	22	56	66
Burnham on Sea	23,540	208	195	9	8	420	17.8	0.98	1.13	149	132	281	11.9	0.96	1.00	15	36	11	8
Chard M.B.	9,526	75	64	3	3	145	15.2	1.11	1.09	37	74	127	13.3	0.78	0.91	4	28	4	3
Clevedon	5,354	39	43	3	4	89	16.6	1.08	1.16	37	32	69	12.9	0.87	0.98	—	—	—	1
Crewkerne	9,580	55	62	—	—	117	12.2	1.12	0.88	72	97	169	17.6	0.67	1.03	1	9	1	2
	3,940	30	28	—	—	58	14.7	1.09	1.03	23	25	48	12.2	0.84	0.90	2	35	2	1
Frome...	11,220	90	73	4	5	172	15.3	1.08	1.07	58	79	137	12.2	0.79	0.85	4	23	2	5
Glastonbury M.B.	5,137	38	35	—	1	74	14.4	1.05	0.98	41	27	68	13.2	0.83	0.96	1	14	1	1
Ilminster	2,659	24	20	—	1	45	16.9	1.01	1.10	15	10	1.10	9.4	0.92	0.76	—	—	—	1
Keynsham	8,593	51	59	2	1	113	13.2	1.04	0.89	60	84	144	16.8	0.84	1.24	3	27	2	2
Minehead	7,333	36	42	1	2	81	11.0	1.09	0.77	56	53	109	14.9	0.65	0.85	2	25	2	1
Norton Radstock	12,030	100	76	3	7	186	15.5	1.08	1.08	60	58	118	9.8	0.97	0.83	3	16	2	2
Portishead	4,852	48	37	3	—	88	18.1	1.09	1.27	38	28	66	13.6	0.79	0.94	2	23	2	—
Shepton Mallet	5,272	29	50	2	1	82	15.6	0.98	0.99	37	45	82	15.6	0.98	1.34	—	—	—	1
Street ... M.B.	5,964	34	43	1	—	78	13.1	0.97	0.82	18	18	36	6.0	0.91	0.48	1	13	—	5
Taunton M.B.	34,660	225	226	15	11	477	13.8	1.04	0.93	208	201	409	11.8	0.95	0.98	9	19	8	11
Watchet	2,542	15	17	—	1	33	13.0	1.11	0.93	17	15	32	12.6	0.84	0.93	1	30	1	1
Wellington	7,376	49	47	1	2	99	13.4	1.16	1.00	45	41	86	11.7	0.79	0.81	5	51	3	3
Wells M.B.	6,002	42	32	3	1	78	13.0	1.11	0.93	67	53	120	20.0	0.81	1.42	1	13	—	—
Weston super Mare, M.B.	39,650	250	255	15	17	537	13.5	1.04	0.91	240	298	538	13.6	0.72	0.86	10	19	8	11
Yeovil M.B.	23,770	171	167	4	5	347	14.6	1.01	0.95	130	151	281	11.8	0.92	0.95	8	23	7	7
Rural Districts	254,200	1,865	1,736	70	70	3,741	14.7	1.09	1.03	1,447	1,378	2,825	11.1	0.86	0.84	82	22	57	53
Axbridge	28,710	197	167	6	3	373	13.0	1.21	1.01	165	157	322	11.2	0.90	0.88	13	35	10	5
Bathavon	19,170	151	154	3	5	313	16.3	0.97	1.02	98	115	213	11.1	0.87	0.85	7	22	7	3
Bridgwater	20,310	176	132	5	2	315	15.5	1.12	1.12	115	76	191	9.4	0.87	0.72	4	13	3	3
Chard ...	13,130	76	100	4	4	184	14.0	1.10	0.99	71	60	131	10.0	0.84	0.74	3	16	2	3
Clutton	17,230	125	127	2	—	254	14.7	1.09	1.03	107	94	201	11.7	0.87	0.89	9	36	5	4
Dulverton	4,422	33	29	—	1	63	14.2	1.10	1.01	26	16	42	9.5	0.82	0.68	1	16	1	1
Frome...	10,390	81	76	3	5	165	15.9	1.11	1.14	43	44	87	8.4	0.83	0.61	2	12	2	3
Langport	12,800	113	94	7	4	218	17.0	1.07	1.17	77	63	140	10.9	0.80	0.76	6	28	2	2
Long Ashton	23,010	152	144	9	1	306	13.3	1.01	0.87	107	115	222	9.6	0.89	0.75	7	23	4	3
Shepton Mallet	10,870	89	76	2	5	172	15.8	1.19	1.21	60	68	128	11.8	0.92	0.95	4	23	3	1
Taunton	21,420	147	128	9	16	300	14.0	1.08	0.98	143	152	295	13.8	0.84	1.02	7	23	5	5
Wellington	7,778	58	58	1	5	122	15.7	1.06	1.07	52	38	90	11.6	0.82	0.83	—	—	—	5
Wells ...	10,180	86	77	4	2	169	16.6	1.20	1.29	90	88	178	17.5	0.82	1.26	3	18	1	4
Williton	12,710	104	83	2	4	193	15.2	1.11	1.09	90	100	190	14.9	0.78	1.02	4	21	2	2
Wincanton	17,580	123	129	6	7	265	15.1	1.11	1.08	99	100	199	11.3	0.81	0.80	5	19	4	3
Yeovil ...	24,490	154	162	7	6	329	13.4	1.07	0.93	104	92	196	8.0	0.96	0.67	7	21	6	6
SOUTHAMPTON	1,239,000	9,372	8,748	541	528	19,189	15.5	1.06	1.06	7,328	6,911	14,239	11.5	0.94	0.95	483	25	311	435
County Boroughs	562,800	3,976	3,671	266	277	8,190	14.6	1.03	0.97	3,499	3,313	6,812	12.1	0.92	0.98	218	27	142	227
Bournemouth...	139,900	769	725	54	57	1,605	11.5	1.05	0.78	981	1,058	2,039	14.6	0.69	0.88	35	22	23	41
Portsmouth ...	245,800	1,790	1,703	124	122	3,739	15.2	1.05	1.03	1,488	1,362	2,850	11.6	1.04	1.06	89	24	56	110
Southampton ...	177,100	1,417	1,243	88	98	2,846	16.1	0.99	1.03	1,030	893	1,923	10.9	1.02	0.98	94	33	63	76

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.		
		M.			F.														TOTAL.	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
SOUTHAMPTON—contd.																				
Admin. County	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Urban Districts	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Aldershot M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Alton	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Andover M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Basingstoke M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Christchurch M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Eastleigh M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Fareham	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Farnborough	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Fleet	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Gosport M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Havant and Waterloo	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lymington M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Petersfield	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Romsey M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Winchester M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Rural Districts	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Alton	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Andover	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Basingstoke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Droxford	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Hartley Wintney	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingsclere and Whitechurch	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
New Forest	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Petersfield	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ringwood and Fordingbridge	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Romsey and Stockbridge	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Winchester	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
STAFFORDSHIRE	1,630,500	13,168	12,368	448	460	26,444	16.2	0.96	1.00	9,001	7,957	16,958	10.4	1.17	1.07	821	31	546	687
County Boroughs	762,300	6,244	5,906	243	242	12,635	16.6	0.94	1.01	4,296	3,803	8,099	10.6	1.17	1.09	387	31	268	347
Burton upon Trent	48,820	410	405	24	18	857	17.6	0.98	1.11	326	290	616	12.6	1.00	1.11	24	28	18	25
Smethwick	75,620	519	510	35	35	1,099	14.5	0.95	0.89	376	311	687	9.1	1.00	1.11	24	22	14	26
Stoke on Trent	273,700	2,249	2,151	68	70	4,538	16.6	0.94	1.01	1,553	1,450	3,003	11.0	1.24	1.20	129	28	103	116
Walsall	114,900	1,019	993	36	33	2,081	18.1	0.94	1.10	637	576	1,213	10.6	1.17	1.09	84	40	59	58
West Bromwich	87,960	755	693	20	25	1,493	17.0	0.93	1.02	505	421	926	10.5	1.24	1.14	45	30	22	46
Wolverhampton	161,300	1,292	1,154	60	61	2,567	15.9	0.94	0.96	899	755	1,654	10.3	1.13	1.02	81	32	52	76
Admin. County	868,200	6,924	6,462	205	218	13,809	15.9	0.97	1.00	4,705	4,154	8,859	10.2	1.16	1.04	434	31	278	340
Urban Districts	647,200	5,262	4,931	147	153	10,493	16.2	0.95	0.99	3,638	3,153	6,791	10.5	1.20	1.11	322	31	200	267
Aldridge	30,230	214	205	9	1	429	14.2	0.94	0.86	131	111	242	8.0	1.40	0.98	13	30	8	6
Amblecote	3,016	19	18	—	—	37	12.3	0.94	0.75	23	14	37	12.3	0.89	0.96	—	—	—	2
Biddulph	11,140	96	74	1	5	176	15.8	0.98	1.00	52	45	97	8.7	1.23	0.94	5	28	4	4
Bilston M.B.	33,600	318	286	15	12	631	18.8	0.89	1.08	188	126	314	9.3	1.33	1.09	26	41	19	16
Brierley Hill	48,970	385	379	8	13	785	16.0	0.96	0.99	254	204	458	9.4	1.16	0.96	17	22	13	22
Brownhills	21,270	188	176	4	7	375	17.6	0.95	1.08	107	75	182	8.6	1.24	0.94	12	32	9	4
Cannock	41,230	352	331	12	10	705	17.1	0.96	1.06	249	194	443	10.7	1.17	1.10	31	44	17	23
Coseley	35,590	279	296	7	4	586	16.5	0.91	0.97	180	137	317	8.9	1.40	1.09	23	39	11	15
Darlaston	21,940	178	150	5	6	339	15.5	0.91	0.91	133	88	221	10.1	1.34	1.19	13	38	11	9
Kidsgrove	16,540	134	134	3	5	276	16.7	0.91	0.98	85	81	166	10.0	1.24	1.09	7	25	3	8
Leek	18,930	152	117	4	3	276	14.6	1.04	0.98	111	122	233	12.3	0.94	1.01	7	25	6	6
Lichfield M.B.	10,930	91	85	6	11	193	17.7	0.96	1.10	90	94	184	16.8	0.93	1.37	6	31	2	5
Newcastle under Lyme M.B.	70,230	547	534	17	19	1,117	15.9	0.99	1.02	324	340	664	9.5	1.17	0.98	38	34	25	27
Rowley Regis M.B.	49,180	309	290	8	7	614	12.5	0.95	0.77	211	181	392	8.0	1.28	0.90	15	24	14	22
Rugeley	8,487	76	67	2	1	146	17.2	0.99	1.10	39	36	75	8.8	1.10	0.85	4	27	3	4
Sedgley	23,670	140	169	2	1	312	13.2	0.95	0.81	348	329	677	28.6	0.97	2.43	6	19	3	7
Stafford M.B.	40,820	347	300	12	13	672	16.5	0.98	1.04	259	272	531	13.0	1.08	1.23	17	25	9	16
Stone	8,452	72	55	3	1	131	15.5	0.97	0.97	77	85	162	19.2	0.97	1.63	4	31	1	3
Tamworth M.B.	13,170	96	95	4	2	197	15.0	0.98	0.95	94	88	182	13.8	0.93	1.13	5	25	3	3
Tettenhall	9,444	81	82	2	1	166	17.6	0.95	1.08	42	36	78	8.3	0.98	0.71	2	12	2	7
Tipton M.B.	39,250	371	350	8	10	739	18.8	0.89	1.08	199	141	340	8.7	1.37	1.05	26	35	12	13
Uttoxeter	7,391	59	61	2	2	124	16.8	1.01	1.09	52	32	84	11.4	1.02	1.02	6	48	3	7
Wednesbury M.B.	34,600	318	266	6	5	595	17.2	0.92	1.02	161	136	297	8.6	1.27	0.96	15	25	9	18
Wednesfield	18,250	176	161	3	5	345	18.9	0.95	1.16	92	64	156	8.5	1.39	1.04	12	35	10	11
Willenhall	30,870	264	250	4	9	527	17.1	0.94	1.04	137	122	259	8.4	1.34	0.99	12	23	3	9
Rural Districts	221,000	1,662	1,531	58	65	3,316	15.0	1.04	1.01	1,067	1,001	2,068	9.4	1.08	0.89	112	34	78	73
Cannock	24,710	238	206	15	17	476	19.3	0.96	1.20	111	89	200	8.1	1.11	0.79	25	53	15	18
Cheadle	32,850	230	228	9	9	476	14.5	1.04	0.97	220	212	432	13.2	1.03	1.19	14	29	10	7
Leek	16,810	140	108	—	4	252	15.0	1.02	0.99	81	70	151	9.0	1.09	0.86	7	28	5	12
Lichfield	43,180	299	274	8	9	590	13.7	1.12	0.99	185	177	362	8.4	1.18	0.87	13	22	9	9
Newcastle under Lyme	17,290	103	116	1	4	224	13.0	1.00	0.84	97	101	198	11.5	0.96	0.97	9	40	7	7
Seisdon	23,630	173	183	6	8	370	15.7	1.03	1.04	107	119	226	9.6	1.06	0.89	7	19	6	4
Stafford	19,790	144	125	7	5	281	14.2	1.09	1.00	72	65	137	6.9	1.20	0.73	12	43	10	4
Stone	16,520	137	123	7	5	272	16.5	0.95	1.01	70	63	133	8.1	1.11	0.79	11	41	8	6
Tutbury	14,870	118	103	3	3	227	15.3	1.05	1.04	74	65	139	9.3	0.99	0.81	10	44	8	4
Uttoxeter	11,350	80	65	2	1	148	13.0	1.13	0.95	50	40	90	7.9	1.02	0.71	4	27	—	2

\* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUFFOLK, EAST	326,000	2,543	2,282	163	141	5,129	15.7	1.07	1.08	1,918	1,769	3,687	11.3	0.87	0.86	109	21	77	104
County Borough : Ipswich	107,500	938	843	68	54	1,903	17.7	0.99	1.13	543	495	1,038	9.7	0.96	0.82	49	26	37	33
A dmin. County	218,500	1,605	1,439	95	87	3,226	14.8	1.12	1.07	1,375	1,274	2,649	12.1	0.84	0.89	60	19	40	71
Urban Districts	96,150	725	640	37	39	1,441	15.0	1.06	1.03	600	602	1,202	12.5	0.84	0.92	35	24	26	32
Aldeburgh M.B.	2,650	32	29	—	1	62	23.4	1.06	1.60	15	17	32	12.1	0.72	0.76	3	48	2	1
Beccles M.B.	6,965	50	49	—	2	101	14.5	1.15	1.08	38	44	82	11.8	0.78	0.81	—	—	—	3
Bungay	3,497	24	20	—	2	46	13.2	1.10	0.94	17	24	41	11.7	0.84	0.86	1	22	—	—
Eye M.B.	1,620	16	12	—	—	28	17.3	1.25	1.40	63	75	138	8.5	0.68	0.51	—	—	—	—
Felixstowe	15,030	147	94	13	9	263	17.5	0.99	1.12	105	105	210	14.0	0.78	0.96	7	27	3	7
Halesworth	2,249	17	18	—	—	35	15.6	1.09	1.10	21	9	30	13.3	0.84	0.98	5	143	5	1
Leiston cum Sizewell	4,072	28	25	2	1	56	13.8	1.21	1.08	25	28	53	13.0	0.74	0.84	—	—	—	2
Lowestoft M.B.	43,400	285	281	19	19	604	13.9	1.03	0.92	226	198	424	9.8	0.94	0.81	11	18	10	16
Saxmundham	1,395	15	8	—	—	23	16.5	1.15	1.22	15	11	26	18.6	0.73	1.19	2	87	1	—
Southwold M.B.	2,407	16	14	—	—	30	12.5	1.12	0.90	13	19	32	13.3	0.64	0.75	—	—	—	—
Stowmarket	7,433	52	50	1	2	105	14.1	1.07	0.97	31	38	69	9.3	0.93	0.76	4	38	3	2
Woodbridge	5,432	43	40	2	3	88	16.2	1.28	1.34	31	34	65	12.0	0.75	0.79	2	23	2	—
Rural Districts	122,350	880	799	58	48	1,785	14.6	1.16	1.09	775	672	1,447	11.8	0.83	0.86	25	14	14	39
Blyth	19,350	154	127	9	8	298	15.4	1.19	1.18	143	116	259	13.4	0.73	0.86	4	13	—	8
Deben	28,340	210	191	15	12	428	15.1	1.12	1.09	174	165	339	12.0	0.85	0.89	1	2	—	9
Gipping	19,280	140	135	9	9	293	15.2	1.08	1.06	136	118	254	13.2	0.86	1.00	3	13	1	7
Hartismere	17,080	111	106	8	8	233	13.6	1.22	1.07	84	91	175	10.2	0.80	0.72	7	30	7	4
Lothlingland	15,040	95	94	5	5	199	13.2	1.18	1.00	75	74	149	9.9	0.85	0.74	4	20	2	4
Samford	16,240	102	95	6	4	207	12.7	1.30	1.07	122	76	198	12.2	0.92	0.98	3	15	2	4
Wainford	7,020	68	51	6	2	127	18.1	1.10	1.28	41	32	73	10.4	0.83	0.76	3	24	2	3
SUFFOLK, WEST :																			
Admin. County	125,600	1,022	989	55	49	2,115	16.8	1.20	1.30	750	669	1,419	11.3	0.90	0.89	55	26	34	38
Urban Districts	43,700	359	287	12	20	678	15.5	1.07	1.07	267	276	543	12.4	0.84	0.91	25	37	13	12
Bury St. Edmunds M.B.	19,820	176	144	5	9	334	16.9	1.05	1.14	123	112	235	11.9	0.93	0.97	16	48	9	8
Hadleigh	3,135	17	25	3	—	45	14.4	1.11	1.03	18	19	37	11.8	0.82	0.85	1	22	—	—
Haverhill	4,150	25	24	—	2	51	12.3	1.10	0.87	29	29	58	14.0	0.77	0.95	1	20	1	1



(1)	2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Newmarket ... Sudbury M.B.	10,390 6,205	89 52	54 40	3 1	4 5	150 98	14.4 15.8	1.05 1.10	0.98 1.12	52 45	67 49	119 94	11.5 15.1	0.86 0.70	0.87 0.93	6 1	40 10	3 —	2 1
Rural Districts ...	81,900	663	702	43	29	1,437	17.5	1.28	1.45	483	393	876	10.7	0.93	0.87	30	21	21	26
Clare ...	9,606	52	68	5	1	126	13.1	1.21	1.02	56	61	117	12.2	0.79	0.85	—	—	—	4
Cosford ...	9,416	74	78	7	3	162	17.2	1.19	1.32	78	61	139	14.8	0.95	0.95	2	12	1	2
Melford ...	12,930	94	91	4	8	197	15.2	1.03	1.01	86	65	151	11.7	0.78	0.80	4	20	3	2
Mildenhall ...	22,380	193	208	14	5	420	18.8	1.70	2.06	102	72	174	7.8	1.38	0.94	13	31	9	6
Thedwastre ...	8,788	77	74	5	6	162	18.4	1.15	1.37	46	55	101	11.5	0.77	0.78	2	12	2	2
Thingoe ...	18,780	173	183	8	6	370	19.7	1.27	1.61	115	79	194	10.3	0.97	0.88	9	24	6	10
SURREY ...	1,625,300	10,672	10,013	484	459	21,628	13.3	1.02	0.88	9,041	9,628	18,669	11.5	0.92	0.93	445	21	298	418
County Borough :																			
Croydon ...	249,800	1,695	1,583	95	95	3,468	13.9	0.99	0.89	1,377	1,528	2,905	11.6	0.90	0.92	71	21	46	81
Admin. County ...	1,375,500	8,977	8,430	389	364	18,160	13.2	1.02	0.87	7,664	8,100	15,764	11.5	0.92	0.93	374	21	252	337
Urban Districts ...	1,219,600	7,854	7,410	343	315	15,922	13.1	1.02	0.86	6,805	7,270	14,075	11.5	0.93	0.94	326	21	226	299
Banstead ...	34,300	203	189	2	4	398	11.6	1.13	0.85	196	296	492	14.3	0.91	1.14	4	10	4	5
Barnes M.B. ...	40,110	202	220	7	7	436	10.9	1.00	0.70	272	291	563	14.0	0.81	0.99	10	23	9	7
Beddington and Wallington M.B. ...	32,510	201	182	6	5	394	12.1	1.06	0.83	145	192	337	10.4	0.89	0.81	5	13	3	4
Carshalton ...	61,680	385	360	14	14	773	12.5	0.96	0.77	275	248	523	8.5	1.21	0.90	18	23	12	24
Caterham and Warlingham ...	31,970	197	202	11	8	418	13.1	1.02	0.86	172	176	348	10.9	1.07	1.02	12	29	11	10
Chertsey ...	32,120	250	234	16	11	511	15.9	0.94	0.96	147	153	300	9.3	1.13	0.92	15	29	10	10
Coulsdon and Purley ...	64,810	353	377	15	9	754	11.6	1.08	0.81	451	539	990	15.3	0.87	1.17	22	29	16	15
Dorking ...	20,100	121	112	8	8	249	12.4	1.08	0.86	142	128	270	13.4	0.83	0.98	2	8	2	10
Egham ...	25,800	200	152	8	7	367	14.2	0.98	0.90	153	141	294	11.4	0.93	0.93	10	27	6	6
Epsom and Ewell M.B. ...	67,600	335	299	15	14	663	9.8	1.12	0.71	543	603	1,146	17.0	0.88	1.31	14	21	11	13
Esher ...	51,610	331	303	8	12	654	12.7	1.03	0.84	276	301	577	11.2	0.91	0.89	12	18	12	6
Farnham ...	2,4150	157	164	8	6	335	13.9	1.05	0.94	201	181	382	15.8	0.73	1.01	7	21	3	3
Frimley and Camberley ...	2,4320	187	195	10	8	400	16.4	1.16	1.23	108	91	199	8.2	1.13	0.81	6	15	4	5
Godalming M.B. ...	15,110	91	82	4	6	183	12.1	1.05	0.82	73	86	159	10.5	0.86	0.79	4	22	3	1
Guildford M.B. ...	48,450	352	350	13	25	740	15.3	0.97	0.96	284	277	561	11.6	0.87	0.89	17	23	8	18
Haslemere ...	11,840	70	76	4	2	152	12.8	0.98	0.81	58	86	144	12.2	0.77	0.82	4	26	3	1
Kingston upon Thames M.B. ...	39,940	294	269	23	21	607	15.2	0.95	0.93	240	225	465	11.6	0.86	0.88	15	25	9	19
Leatherhead ...	28,910	193	176	6	13	388	13.4	1.07	0.93	125	151	276	9.5	0.85	0.71	4	10	1	5
Malden and Coombe M.B. ...	45,500	278	284	15	8	585	12.9	1.05	0.87	222	208	430	9.5	1.01	0.84	8	14	6	14
Merton and Morden ...	73,240	445	390	17	10	862	11.8	1.04	0.79	324	330	654	8.9	1.08	0.84	12	14	10	17
Mitcham M.B. ...	66,430	463	439	15	10	927	14.0	0.95	0.86	314	299	613	9.2	1.14	0.92	17	18	11	26
Reigate M.B. ...	44,890	345	315	13	16	689	15.3	1.05	1.04	304	333	637	14.2	0.97	0.97	21	31	13	7
Richmond M.B. ...	42,440	278	261	22	13	574	13.5	0.93	0.81	260	250	510	12.0	0.80	0.84	6	10	3	15
Surbiton M.B. ...	62,230	443	372	12	19	846	13.6	1.00	0.88	277	293	570	9.2	1.01	0.82	18	21	15	9
Sutton and Cheam M.B. ...	79,040	468	435	17	14	934	11.8	1.04	0.79	375	407	782	9.9	0.93	0.81	11	12	4	17
Walton and Weybridge ...	39,420	300	279	13	11	603	15.3	0.99	0.98	192	228	420	10.7	0.94	0.88	25	42	21	8
Wimbledon M.B. ...	58,300	346	346	17	13	722	12.4	0.96	0.77	365	367	732	12.6	0.80	0.88	12	17	9	15
Woking ...	52,780	366	347	24	21	758	14.4	1.01	0.94	311	390	701	13.3	0.92	1.07	15	20	7	9

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.											
		Legitimate.			Illegitimate.			TOTAL.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local birth rate to National Rate.	M.	F.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local death rate to National Rate.	Number.	Rate per 1,000 Live Births.	Deaths under 4 weeks.				
		M.		F.	M.		F.	M.		F.														M.		F.	M.
		(3)	(4)		(5)	(6)		(7)	(8)		(9)	(10)	(11)	(12)	(13)		(14)	(15)	(16)	(17)	(18)	(19)	(20)				
		(1)																									
SURREY—contd.																											
Rural Districts	155,900	1,123	1,020	46	49	2,238	14.4	1.07	0.99	859	830	1,689	10.8	0.90	0.85	48	21	26	38								
Bagshot	14,380	99	89	4	5	197	13.7	1.07	0.95	83	75	158	11.0	0.89	0.86	3	15	2	1								
Dorking and Horley	27,060	211	203	7	12	433	16.0	1.06	1.09	131	120	251	9.3	0.90	0.73	6	14	3	7								
Godstone	33,830	226	206	8	4	444	13.1	1.08	0.91	234	225	459	13.6	0.88	1.05	8	18	5	11								
Guildford	47,850	362	314	20	17	713	14.9	1.09	1.05	231	235	466	9.7	0.96	0.82	19	27	10	9								
Hambleton	32,780	225	208	7	11	451	13.8	1.04	0.93	180	175	355	10.8	0.84	0.80	12	27	6	10								
*SUSSEX, EAST	615,860	3,546	3,382	232	201	7,361	12.0	1.14	0.88	4,197	5,153	9,350	15.2	0.69	0.92	155	21	116	138								
County Boroughs	278,900	1,591	1,556	129	115	3,391	12.2	1.10	0.87	1,957	2,387	4,344	15.6	0.70	0.96	75	22	56	67								
Brighton	157,200	934	927	84	78	2,023	12.9	1.06	0.88	1,120	1,243	2,363	15.0	0.77	1.01	50	25	39	44								
Eastbourne	57,190	286	295	29	11	621	10.9	1.14	0.80	389	524	913	16.0	0.64	0.90	9	15	5	8								
Hastings	64,510	371	334	16	26	747	11.6	1.17	0.88	448	620	1,068	16.6	0.61	0.89	16	21	12	15								
*Admin. County	336,960	1,955	1,826	103	86	3,970	11.8	1.18	0.90	2,240	2,766	5,006	14.9	0.68	0.89	80	20	60	71								
Urban Districts	181,600	1,011	915	52	46	2,024	11.1	1.17	0.84	1,218	1,574	2,792	15.4	0.66	0.89	42	21	29	34								
Bexhill M.B.	25,700	118	114	5	9	246	9.6	1.30	0.81	189	237	426	16.6	0.55	0.80	8	33	5	3								
Burgess Hill	8,748	59	51	—	3	113	12.9	1.14	0.95	47	66	113	12.9	0.77	0.87	1	9	—	1								
Cuckfield	17,010	97	100	6	4	207	12.2	1.13	0.89	101	173	274	16.1	0.69	0.97	5	24	3	2								
East Grinstead	11,360	74	40	1	3	118	10.4	1.07	0.72	58	102	160	14.1	0.77	0.95	5	42	4	5								
Hove M.B.	69,370	355	322	31	10	718	10.4	1.18	0.79	499	683	1,182	17.0	0.58	0.86	9	13	7	13								
Lewes M.B.	13,120	89	91	3	3	186	14.2	1.10	1.01	65	80	145	11.1	0.85	0.83	4	22	2	3								
Newhaven	7,832	68	53	3	3	127	16.2	1.04	1.09	76	72	148	18.9	0.92	1.53	2	16	2	5								
Portslade by Sea	13,530	75	72	1	4	152	11.2	1.11	0.80	86	64	150	11.1	0.95	0.93	3	20	3	3								
Rye M.B.	4,570	34	35	2	1	72	15.8	1.03	1.05	37	29	66	14.4	0.79	1.00	2	28	1	2								
Seaford	10,360	42	37	—	6	85	8.2	1.31	0.69	60	68	128	12.4	0.69	0.75	3	35	2	—								
*Rural Districts	155,360	944	911	51	40	1,946	12.5	1.19	0.96	1,022	1,192	2,214	14.3	0.71	0.89	38	20	31	37								
Battle	29,700	187	174	10	12	383	12.9	1.18	0.98	203	225	428	14.4	0.70	0.88	7	18	3	6								
Chailey	18,840	110	111	4	6	231	12.3	1.17	0.93	166	190	356	18.9	0.71	1.18	2	2	2	5								
*Cuckfield	26,880	181	151	10	5	347	12.9	1.14	0.95	136	190	326	12.1	0.72	0.76	9	26	7	7								
Hailsham	36,340	214	220	13	6	453	12.5	1.21	0.98	270	330	600	16.5	0.71	1.03	8	18	8	10								
Uckfield	43,600	252	255	14	11	532	12.2	1.21	0.95	247	257	504	11.6	0.73	0.74	12	23	11	9								



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUSSEX, WEST : *Admin. County ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Arundel M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bognor Regis...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Chichester M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Horsham ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Littlehampton	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Shoreham-by-Sea	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Southwick ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Worthing M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Rural Districts ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Chancetonbury	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Chichester ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Horsham ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Midhurst ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Petworth ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Worthing ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WARWICKSHIRE	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
County Boroughs	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Birmingham ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coventry ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Admin. County ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Urban Districts ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bedworth ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kenilworth ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nuneaton M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Royal Leamington Spa M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Rugby M.B. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Solihull ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Stratford upon Avon M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sutton Coldfield M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Warwick M.B.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Rural Districts ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Alcester ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Atherstone ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Meriden ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Rugby ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Shipston on Stour	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Souham ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Stratford on Avon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tamworth ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*Warwick ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

\* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.	
		M.	F.	M.	F.															
(1) WESTMORLAND : Admin. County ...	66,600	448	454	15	16	933	14.0	1.06	0.96	389	437	826	12.4	0.89	0.97	27	29	24	31	(20)
Urban Districts ...	32,070	180	186	8	5	379	11.8	1.01	0.77	187	239	426	13.3	0.88	1.03	12	32	11	8	8
Appleby M.B. ...	1,692	12	9	—	—	21	12.4	1.11	0.89	8	12	20	11.8	0.90	0.93	—	—	—	2	2
Kendal M.B. ...	18,410	104	123	4	5	236	12.8	1.00	0.83	130	147	277	15.0	0.95	1.25	11	47	10	4	4
The Lakes ...	5,494	28	24	1	—	53	9.6	1.02	0.63	25	34	59	10.7	0.79	0.74	—	—	—	2	2
Windermere ...	6,474	36	30	3	—	69	10.7	0.98	0.68	24	46	70	10.8	0.79	0.75	1	15	1	—	—
Rural Districts ...	34,530	268	268	7	11	554	16.0	1.11	1.15	202	198	400	11.6	0.89	0.91	15	27	13	23	23
North Westmorland ...	16,500	112	141	4	5	262	15.9	1.10	1.13	100	91	191	11.6	0.92	0.94	7	27	5	8	8
South Westmorland ...	18,030	156	127	3	6	292	16.2	1.12	1.17	102	107	209	11.6	0.86	0.88	8	27	8	15	15
WIGHT, ISLE OF : Admin. County ...	93,140	605	540	31	40	1,216	13.1	1.08	0.91	620	722	1,342	14.4	0.75	0.95	23	19	18	32	32
Urban Districts ...	75,510	489	446	22	35	992	13.1	1.07	0.90	498	613	1,111	14.7	0.77	0.99	16	16	12	25	25
Cowes ...	16,840	115	99	2	7	223	13.2	1.06	0.90	113	104	217	12.9	0.82	0.93	4	18	4	5	5
Newport M.B. ...	19,840	140	110	7	9	266	13.4	1.09	0.94	131	178	309	15.6	0.87	1.19	6	23	3	7	7
Ryde M.B. ...	19,590	130	131	7	14	282	14.4	1.05	0.98	118	171	289	14.8	0.71	0.92	5	18	4	9	9
Sandown-Shanklin	12,350	69	72	3	4	148	12.0	1.04	0.81	90	111	201	16.3	0.70	1.00	—	—	—	4	4
Ventnor ...	6,890	35	34	3	1	73	10.6	1.11	0.76	46	49	95	13.8	0.70	0.85	1	14	1	—	—
Rural District : Isle of Wight ...	17,630	116	94	9	5	224	12.7	1.15	0.94	122	109	231	13.1	0.70	0.80	7	31	6	7	7
WILTSHIRE : Admin. County ...	390,700	3,116	2,996	156	147	6,415	16.4	1.11	1.17	2,199	1,971	4,170	10.7	0.98	0.92	155	24	93	128	128
Urban Districts ...	182,200	1,419	1,405	70	69	2,963	16.3	1.04	1.09	1,202	1,102	2,304	12.6	0.92	1.02	64	22	38	63	63
Bradford on Avon	5,579	35	56	1	6	98	17.6	1.01	1.15	32	35	67	12.0	0.83	0.87	4	41	3	—	—
Calne M.B. ...	6,003	47	42	—	—	89	14.8	0.94	0.90	31	29	60	10.0	0.86	0.75	1	11	—	3	3
Chippenham M.B. ...	14,990	97	100	4	3	204	13.6	1.07	0.94	117	119	236	15.7	0.88	1.21	9	44	7	7	7
Devizes M.B. ...	7,920	75	71	8	1	155	19.6	1.01	1.28	73	66	139	17.6	0.88	1.34	2	13	2	2	2
Malmesbury M.B. ...	2,515	21	13	—	—	34	13.5	1.11	0.97	12	12	24	9.5	0.78	0.65	—	—	—	—	—



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Marlborough M.B. ...	5,327	31	36	1	1	69	13.0	1.22	1.02	32	26	58	10.9	1.07	1.02	4	58	2	3
Melksham ...	6,870	72	53	2	6	133	19.4	0.97	1.21	25	30	55	8.0	0.98	0.69	2	15	1	2
Salisbury M.B. ...	33,430	241	235	11	19	506	15.1	1.03	1.00	269	240	509	15.2	0.92	1.23	13	26	5	12
Swindon M.B. ...	69,030	556	544	33	27	1,160	16.8	1.03	1.12	426	376	802	11.6	0.94	0.96	21	18	13	24
Trowbridge ...	13,860	104	114	5	3	226	16.3	1.01	1.06	83	73	156	11.3	0.85	0.84	2	9	1	3
Warminster ...	8,190	79	80	3	3	165	20.1	1.14	1.48	71	61	132	16.1	0.94	1.33	6	36	4	4
Westbury ...	5,385	49	47	1	—	97	18.0	1.02	1.18	23	18	41	7.6	0.91	0.61	—	—	—	2
Wilton M.B. ...	3,101	12	14	1	—	27	8.7	1.18	0.66	8	17	25	—	0.97	0.69	—	—	—	1
Rural Districts	208,500	1,697	1,591	86	78	3,452	16.6	1.18	1.26	997	869	1,866	8.9	1.04	0.81	91	26	55	65
Amesbury ...	24,080	217	193	7	9	426	17.7	1.16	1.32	73	37	110	4.6	1.40	0.60	10	24	4	8
Bradford and Melksham	14,640	98	77	1	1	177	12.1	1.37	1.07	79	103	182	12.4	1.10	1.20	4	23	3	2
Calne and Chippenham	35,320	235	250	15	13	513	14.5	1.20	1.12	127	92	219	6.2	1.27	0.69	13	25	10	10
Cricklade and Wootton Bassett	15,540	152	162	13	4	331	21.3	1.17	1.61	95	67	162	10.4	1.06	0.97	10	30	4	4
Devizes ...	15,500	114	95	3	3	215	13.9	1.49	1.34	109	127	236	15.2	0.92	1.23	5	23	4	3
Highworth ...	21,900	186	177	14	12	389	17.8	1.06	1.22	106	89	195	8.9	1.05	0.82	5	13	3	9
Malmesbury ...	11,280	85	89	2	2	178	15.8	1.18	1.20	51	35	86	7.6	0.96	0.64	4	23	2	2
Marlborough and Ramsbury	11,060	78	78	6	6	168	15.2	1.21	1.19	54	51	105	9.5	0.96	0.80	4	36	4	4
Mere and Tisbury ...	11,300	96	93	6	7	202	17.9	1.11	1.28	64	70	134	11.9	0.81	0.85	3	15	1	2
Pewsey ...	16,330	146	137	7	4	294	18.0	1.19	1.38	75	60	135	8.3	1.12	0.82	12	41	6	6
Salisbury and Wilton	17,790	174	133	7	12	326	18.3	1.05	1.24	89	76	165	9.3	0.83	0.68	13	40	11	9
Warminster and Westbury	13,760	116	107	5	5	233	16.9	1.11	1.21	75	62	137	10.0	0.83	0.73	6	26	3	6
WORCESTERSHIRE	532,100	4,045	3,869	177	180	8,271	15.5	1.00	1.00	2,930	2,730	5,660	10.6	1.03	0.96	226	27	144	167
County Boroughs	124,400	997	950	39	54	2,040	16.4	0.96	1.02	674	617	1,291	10.4	1.07	0.98	63	31	39	38
Dudley ...	61,420	498	468	15	26	1,007	16.4	0.95	1.01	338	269	607	9.9	1.19	1.03	36	36	17	22
Worcester ...	62,980	499	482	24	28	1,033	16.4	0.96	1.02	336	348	684	10.9	0.97	0.93	27	26	22	16
Admin. County	407,700	3,048	2,919	138	126	6,231	15.3	1.02	1.01	2,256	2,113	4,369	10.7	1.01	0.95	163	26	105	129
*Urban Districts	287,380	2,122	2,067	99	78	4,366	15.2	0.99	0.97	1,668	1,506	3,174	11.0	1.05	1.01	113	26	70	102
Bewdley M.B. ...	4,858	34	41	—	3	78	16.1	1.02	1.06	24	24	48	9.9	0.92	0.80	1	13	1	1
Bromsgrove ...	28,700	237	194	10	6	447	15.6	1.01	1.02	196	190	386	13.4	1.04	1.22	7	16	6	7
Droitwich M.B. ...	6,632	47	54	5	2	108	16.3	0.97	1.02	46	35	81	12.2	0.87	0.94	3	28	3	4
Evesham M.B. ...	12,030	114	110	6	2	232	19.3	1.04	1.29	189	120	309	25.7	0.87	1.96	9	39	7	2
Halesowen M.B. ...	40,070	259	248	6	7	520	13.0	0.97	0.81	216	167	383	9.6	1.16	0.98	14	27	8	12
Kidderminster M.B. ...	37,960	268	267	19	10	564	14.9	1.01	0.97	282	306	588	15.5	0.98	1.33	15	27	9	14
Malvern ...	24,400	164	164	9	13	350	14.3	1.10	1.01	108	134	242	9.9	0.82	0.71	9	26	6	4
Oldbury M.B. ...	53,820	392	378	17	15	802	14.9	0.96	0.92	225	208	433	8.0	1.31	0.92	25	31	13	22
Redditch ...	30,490	247	255	9	10	521	17.1	0.97	1.07	141	127	268	8.8	1.07	0.83	10	19	4	11
Stourbridge M.B. ...	37,990	260	255	13	8	536	14.1	1.00	0.91	195	159	354	9.3	1.00	0.82	12	22	7	20
*Stourport on Severn	10,430	100	101	5	2	208	19.9	0.96	1.23	46	36	82	7.9	1.09	0.76	8	39	6	5
*Rural Districts	120,320	926	852	39	48	1,865	15.5	1.08	1.08	588	607	1,195	9.9	0.94	0.82	50	27	35	27
Bromsgrove ...	28,530	195	198	4	8	405	14.2	1.04	0.95	129	132	261	9.1	1.03	0.82	9	22	6	5
Droitwich ...	13,020	84	84	3	6	177	13.6	1.12	0.98	66	63	129	9.9	0.92	0.80	9	51	4	1
Evesham ...	16,750	145	113	8	6	272	16.2	1.10	1.15	68	68	145	8.7	0.88	0.67	6	22	3	2
Kidderminster ...	12,110	88	94	6	9	197	16.3	1.02	1.07	38	49	87	7.2	1.06	0.67	6	31	5	7
*Martley ...	11,400	109	95	4	6	214	18.8	1.04	1.26	61	66	127	11.1	0.89	0.87	7	33	6	2
Pershore ...	17,790	153	137	7	5	302	17.0	1.05	1.15	89	81	170	9.6	0.96	0.81	10	33	8	3
Tenbury ...	5,330	47	32	3	5	87	16.3	1.09	1.15	32	28	60	11.3	0.88	0.87	1	12	1	5
Upton on Severn	15,390	105	99	4	3	211	13.7	1.27	1.12	105	111	216	14.0	0.82	1.01	2	9	2	2

\* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.					
		M.	F.	M.	F.															
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)	(15)
(1)		(2)																		
YORKSHIRE : EAST RIDING...	...	513,400	4,338	4,178	223	211	8,950	17.4	1.01	1.13	3,048	2,799	5,847	11.4	1.02	288	32	187	234	
County Borough : Kingston upon Hull...	...	299,400	2,766	2,641	155	152	5,714	19.1	0.96	1.18	1,752	1,513	3,265	10.9	1.10	201	35	124	165	
Admin. County ...	...	214,000	1,572	1,537	68	59	3,236	15.1	1.09	1.06	1,296	1,286	2,582	12.1	0.88	87	27	63	69	
Urban Districts ...	...	105,500	739	768	34	34	1,575	14.9	1.07	1.03	669	722	1,391	13.2	0.83	40	25	27	25	
Beverley M.B.	...	15,360	129	126	3	6	264	17.2	1.00	1.11	98	107	205	13.3	0.91	5	19	4	4	
Bridlington M.B.	...	24,390	130	158	13	13	314	12.9	1.14	0.95	155	199	354	14.5	0.71	4	13	1	1	
Driffield	...	6,737	48	46	1	1	96	14.2	0.97	0.89	38	37	75	11.1	0.75	1	10	—	1	
Filey ...	...	4,713	25	28	3	2	58	12.3	1.06	0.84	25	35	60	12.7	0.86	1	17	1	—	
Haltemprice	...	37,130	295	283	7	10	595	16.0	1.08	1.11	225	219	444	12.0	0.95	23	39	16	9	
Hedon M.B.	...	2,071	15	24	1	—	40	19.3	1.04	1.29	12	14	26	12.6	0.89	2	50	2	2	
Hornsea	...	5,380	30	28	1	—	59	11.0	1.14	0.81	40	38	78	14.5	0.67	3	51	2	4	
Norton	...	4,791	29	37	3	1	70	14.6	1.10	1.04	28	37	65	13.6	0.93	1	14	1	—	
Withernsea	...	4,928	38	38	2	1	79	16.0	1.10	1.14	48	36	84	17.0	0.77	—	—	—	4	
Rural Districts	...	108,500	833	769	34	25	1,661	15.3	1.10	1.09	627	564	1,191	11.0	0.93	47	28	36	44	
Beverley	...	21,320	177	135	9	4	325	15.2	1.13	1.11	136	116	252	11.8	1.02	10	31	9	7	
Bridlington	...	9,345	56	66	4	4	130	13.9	1.13	1.01	50	37	87	9.3	0.88	2	15	2	3	
Derwent	...	13,300	73	71	1	6	151	11.4	1.03	0.76	83	95	178	13.4	1.10	3	20	2	5	
Driffield	...	11,070	94	86	3	2	185	16.7	1.14	1.23	46	47	93	8.4	0.94	6	32	6	3	
Holderness	...	19,230	165	136	5	3	309	16.1	1.13	1.17	102	86	188	9.8	0.90	10	32	6	10	
Howden	...	11,690	106	94	4	4	208	17.8	1.08	1.24	66	69	135	11.5	0.88	8	39	7	5	
Norton	...	7,565	59	63	4	2	128	16.9	1.08	1.18	42	40	82	10.8	0.94	3	23	1	2	
Pocklington	...	14,980	103	118	4	—	225	15.0	1.08	1.05	102	74	176	11.7	0.92	5	22	3	9	
YORKSHIRE : NORTH RIDING	...	526,100	4,568	4,337	201	200	9,306	17.7	1.04	1.19	3,154	2,847	6,001	11.4	1.06	300	32	186	215	
County Borough : Middlesbrough	...	147,900	1,530	1,493	63	83	3,169	21.4	0.94	1.30	931	783	1,714	11.6	1.24	115	36	62	84	



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	378,200	3,038	2,844	138	117	6,137	16.2	1.08	1.13	2,223	2,064	4,287	11.3	1.00	0.99	185	30	124	131
•Urban Districts ...	204,940	1,650	1,570	81	76	3,377	16.5	1.02	1.09	1,297	1,210	2,507	12.2	0.97	1.04	111	33	71	71
Eston ...	33,530	345	335	18	16	714	21.3	0.95	1.31	190	153	343	10.2	1.29	1.15	29	41	16	13
Guisborough ...	9,032	68	96	1	3	168	18.6	1.01	1.21	50	55	105	11.6	0.99	1.01	8	48	5	4
Loftus ...	7,604	55	65	2	1	123	16.2	1.01	1.06	47	24	71	9.3	1.06	0.86	4	33	1	1
Malton ...	4,132	42	20	—	1	63	15.2	1.10	1.08	24	27	51	12.3	0.90	0.97	—	—	—	—
Northallerton...	5,919	52	48	—	1	101	17.1	1.01	1.11	36	34	70	11.8	1.01	1.05	3	30	2	1
Pickering ...	4,301	26	23	1	2	52	12.1	1.15	0.90	30	30	60	14.0	0.85	1.04	—	—	—	1
Redcar M.B. ...	27,490	232	212	5	11	460	16.7	1.04	1.12	153	155	308	11.2	1.04	1.02	14	30	7	13
Richmond M.B. ...	6,554	45	41	3	4	93	14.2	1.01	0.93	31	29	60	9.2	1.17	0.94	5	54	5	2
Saltburn and Marske by the Sea ...	8,648	68	66	6	1	141	16.3	0.99	1.04	55	44	99	11.4	0.90	0.90	4	28	3	5
Skelton and Brotton...	6,190	38	32	2	1	73	11.8	1.15	0.88	36	31	67	10.8	0.70	0.66	1	14	1	1
Thornaby on Tees M.B. ...	43,470	257	250	27	20	554	12.7	1.07	0.88	329	334	663	15.3	0.76	1.02	14	25	11	10
Whitby ...	12,810	97	91	5	3	196	15.3	1.03	1.02	89	70	159	12.4	1.08	1.17	8	41	5	8
•Rural Districts ...	23,880	246	220	4	10	480	20.1	0.94	1.22	133	107	240	10.1	1.31	1.16	17	35	13	12
Aysgarth ...	11,380	79	71	7	2	159	14.0	1.07	0.97	94	117	211	18.5	0.77	1.25	4	25	2	—
Bedale ...	173,260	1,388	1,274	57	41	2,760	15.9	1.16	1.19	926	854	1,780	10.3	1.03	0.93	74	27	53	60
Croft ...	3,474	41	34	1	—	76	21.9	1.14	1.61	26	26	52	15.0	0.78	1.03	2	26	2	1
Easingwold ...	8,182	71	56	3	3	133	16.3	1.15	1.21	40	30	70	8.6	1.01	0.76	1	8	1	1
Flaxton ...	2,564	23	30	3	1	57	22.2	0.90	1.29	13	9	22	8.6	1.26	0.95	2	35	1	—
Helmsley ...	12,550	99	98	2	2	201	16.0	1.08	1.11	66	61	127	10.1	0.97	0.86	4	20	3	6
Kirkby Moorside ...	19,450	148	128	7	7	290	14.9	1.09	1.05	114	129	243	12.5	1.05	1.15	5	17	3	4
Leyburn ...	5,426	36	26	4	—	66	12.2	1.35	1.06	19	25	44	8.1	1.01	0.72	3	46	2	6
Malton ...	4,834	40	32	1	—	73	15.1	1.15	1.12	37	29	66	13.7	0.83	1.00	1	14	1	4
Masham ...	6,462	51	51	3	2	107	16.6	1.11	1.19	40	42	82	12.7	0.93	1.04	9	84	8	4
Northallerton...	5,590	31	40	2	3	76	13.6	1.15	1.01	30	30	60	10.7	0.89	0.84	1	13	1	3
Pickering ...	1,645	10	12	1	—	23	14.0	1.19	1.07	12	7	19	11.6	0.82	0.83	—	—	—	—
Reeth ...	8,484	61	65	—	4	130	15.3	1.05	1.04	43	46	89	10.5	0.93	0.86	5	39	3	6
Richmond ...	5,085	37	36	3	1	77	15.1	1.21	1.18	23	35	58	11.4	0.77	0.77	1	13	1	1
Scarborough ...	2,014	16	11	—	—	27	13.4	1.13	0.98	21	14	35	17.4	0.76	1.16	1	37	1	2
Startforth ...	28,000	227	227	11	8	473	16.9	1.44	1.57	94	53	147	5.3	2.39	1.11	17	36	12	6
Stokesley ...	8,188	77	30	4	1	112	13.7	1.20	1.06	42	43	85	10.4	0.80	0.73	4	36	3	4
Thirsk ...	4,878	40	31	1	1	73	15.0	1.26	1.22	21	30	51	10.5	1.07	0.99	—	—	—	—
Wath ...	17,420	164	146	—	2	312	17.9	1.00	1.15	106	87	193	11.1	0.96	0.93	9	29	5	4
Whitby ...	13,670	110	95	7	3	215	15.7	1.09	1.10	70	74	144	10.5	0.93	0.86	4	19	3	3
Yorkshire ...	3,494	32	32	—	1	65	18.6	1.25	1.50	17	11	28	8.0	1.38	0.97	2	31	1	1
West Riding ...	11,850	74	94	4	2	174	14.7	1.22	1.16	92	73	165	13.9	0.77	0.94	3	17	2	4
YORKSHIRE :	3,573,600	27,340	25,661	1,329	1,195	55,525	15.5	1.00	1.00	22,418	20,461	42,879	12.0	1.04	1.09	1,673	30	1,087	1,322
County Boroughs	1,981,000	14,709	14,072	840	736	30,357	15.3	0.99	0.98	12,619	11,756	24,375	12.3	1.04	1.12	940	31	622	689
Barnsley ...	74,740	681	648	24	19	1,372	18.4	0.99	1.18	457	356	813	10.9	1.18	1.13	51	37	30	26
Bradford ...	286,600	2,105	2,199	156	117	4,577	16.0	1.00	1.03	1,971	2,088	4,059	14.2	0.97	1.21	169	37	112	95
Dewsbury ...	52,990	428	418	25	27	898	16.9	1.02	1.11	349	378	727	13.7	1.01	1.21	35	39	19	22
Doncaster ...	82,330	631	648	34	33	1,346	16.3	0.94	0.99	470	401	871	10.6	1.10	1.02	28	30	28	28
Halifax ...	97,070	669	667	42	52	1,430	14.7	1.03	0.98	716	755	1,471	15.2	0.93	1.24	42	29	24	27

\* Change of boundary. See Appendix on page 361.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.																
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.												
		F.		M.	F.		M.																										
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)														
<b>YORKSHIRE :</b>																																	
<b>WEST RIDING—contd.</b>																																	
<b>County Boroughs—contd.</b>																																	
Huddersfield ...	127,200	879	870	44	35	1,828	14.4	1.06	0.98	883	799	1,682	13.2	0.96	1.11	51	28	29	37														
Leeds ...	505,500	3,925	3,527	290	245	7,987	15.8	0.98	1.00	3,035	2,865	5,900	11.7	1.08	1.11	262	33	183	166														
Rotherham ...	82,070	640	665	15	18	1,338	16.3	0.98	1.03	458	371	829	10.1	1.14	1.01	42	31	34	29														
Sheffield ...	507,600	3,538	3,278	143	121	7,080	13.9	0.99	0.89	3,258	2,785	6,043	11.9	1.06	1.11	181	26	115	180														
Wakefield ...	59,700	439	455	22	28	944	15.8	1.02	1.04	381	368	749	12.5	1.05	1.15	33	35	21	25														
York ...	105,200	774	697	45	41	1,557	14.8	0.96	0.92	641	590	1,231	11.7	1.03	1.06	37	24	25	54														
<b>Admin. County ...</b>	<b>1,592,600</b>	<b>12,631</b>	<b>11,589</b>	<b>489</b>	<b>459</b>	<b>25,168</b>	<b>15.8</b>	<b>1.01</b>	<b>1.03</b>	<b>9,799</b>	<b>8,705</b>	<b>18,504</b>	<b>11.6</b>	<b>1.05</b>	<b>1.07</b>	<b>733</b>	<b>29</b>	<b>465</b>	<b>633</b>														
<b>Urban Districts ...</b>	<b>1,158,200</b>	<b>8,996</b>	<b>8,201</b>	<b>367</b>	<b>321</b>	<b>17,885</b>	<b>15.4</b>	<b>1.01</b>	<b>1.00</b>	<b>7,577</b>	<b>6,885</b>	<b>14,462</b>	<b>12.5</b>	<b>1.01</b>	<b>1.11</b>	<b>492</b>	<b>28</b>	<b>309</b>	<b>460</b>														
Adwick le Street ...	18,760	176	177	9	3	365	19.5	0.96	1.21	112	83	195	10.4	1.33	1.21	10	27	6	6														
Aireborough ...	27,570	164	153	7	7	331	12.0	1.07	0.83	230	215	445	16.1	0.98	1.38	9	27	—	9														
Baildon ...	9,985	65	43	3	4	115	11.5	1.08	0.80	52	48	100	10.0	0.95	0.83	2	17	—	2														
Barnoldswick ...	10,210	66	66	4	2	138	13.5	1.10	0.96	57	66	123	12.0	0.92	0.97	2	15	—	4														
Batley M.B. ...	39,930	302	303	13	14	632	15.8	1.02	1.04	272	245	517	12.9	1.04	1.18	18	29	9	22														
Bentley with Arksey ...	19,900	164	153	11	8	336	16.9	0.94	1.02	97	81	178	8.9	1.31	1.02	14	42	6	6														
Bingley ...	21,780	176	141	7	3	327	15.0	1.06	1.03	103	140	243	11.2	0.92	0.90	6	18	5	5														
Brighouse M.B. ...	30,370	215	190	4	5	414	13.6	1.06	0.93	204	190	394	13.0	0.92	1.05	10	24	5	6														
Castleford ...	42,580	342	294	20	13	669	15.7	0.96	0.97	222	180	402	9.4	1.23	1.01	25	37	14	20														
Colne Valley ...	21,670	154	131	7	4	296	13.7	1.07	0.95	141	136	277	12.8	0.94	1.06	7	24	3	7														
Conisborough ...	16,580	154	131	8	7	300	18.1	0.96	1.12	82	76	158	9.5	1.30	1.08	5	17	3	10														
Cudworth ...	8,779	87	71	2	4	164	18.7	0.96	1.16	45	41	86	9.8	1.26	1.08	4	24	—	5														
Darfield ...	6,396	53	53	2	—	108	16.9	1.01	1.10	35	28	63	9.8	1.14	0.98	4	37	4	1														
Darton ...	14,270	99	118	8	5	230	16.1	0.98	1.02	67	67	134	9.4	1.23	1.01	4	17	2	10														
Dearne ...	24,620	248	213	9	11	481	19.5	0.96	1.21	103	94	197	8.0	1.34	0.94	14	29	7	10														
Denby Dale ...	9,651	69	62	1	2	134	13.9	1.11	1.00	63	62	125	13.0	0.92	1.05	1	7	—	6														
Denholme ...	2,604	19	23	1	2	45	17.3	1.10	1.23	15	17	32	12.3	0.89	0.96	—	—	—	2														
Dodworth ...	4,222	36	32	1	2	71	16.8	0.98	1.06	24	18	42	9.9	1.30	1.13	2	28	1	—														
Earby ...	5,175	43	44	1	1	89	17.2	1.08	1.20	29	26	55	10.6	0.98	0.91	3	34	2	2														
Elland ...	19,040	141	117	7	6	271	14.2	1.05	0.96	107	120	227	11.9	0.89	0.93	5	18	5	10														



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Featherstone	14,060	139	123	8	3	273	19.4	0.94	1.18	69	44	113	8.0	1.29	0.91	9	33	6	6
Garforth	12,390	92	86	3	—	181	14.6	1.03	0.97	67	65	132	10.7	1.09	1.02	2	11	1	6
Goole M.B. ...	19,360	161	155	7	4	327	16.9	0.97	1.06	190	147	337	17.4	1.04	1.59	13	40	9	8
Harrogate M.B.	51,290	330	317	15	19	681	13.3	1.05	0.90	279	330	609	11.9	0.75	0.78	18	26	15	17
Hebden Royd	10,010	61	65	4	3	133	13.3	1.12	0.96	85	60	145	14.5	0.80	1.02	6	45	4	2
Heckmondwike	8,596	72	79	1	3	155	18.0	1.06	1.23	57	55	112	13.0	0.98	1.12	2	13	1	4
Hemsworth	13,670	162	142	7	5	316	23.1	0.93	1.39	183	134	317	23.2	1.20	2.44	11	35	6	5
Holmfirth	18,760	120	115	4	4	243	13.0	1.09	0.91	162	203	365	19.5	0.87	1.49	7	29	5	5
Horbury	8,049	55	50	3	3	111	13.8	1.01	0.90	46	45	91	11.3	0.93	0.92	5	45	2	3
Horsforth	13,950	94	82	3	2	181	13.0	1.02	0.86	95	74	169	12.1	0.98	1.04	4	22	2	4
Hoyland Nether	15,840	142	127	8	5	282	17.8	0.98	1.13	86	68	154	9.7	1.10	0.94	3	11	2	7
Ilkley	17,050	120	103	3	7	233	13.7	1.07	0.95	137	109	246	14.4	0.76	0.96	5	22	5	5
Keighley M.B.	55,940	414	362	21	16	813	14.5	1.01	0.94	421	417	838	15.0	0.94	1.24	21	26	14	28
Kirkburton	17,610	103	98	3	4	208	11.8	1.14	0.87	177	182	359	20.4	0.86	1.54	4	19	3	6
Knarborough	8,182	54	46	2	2	104	12.7	0.93	0.76	109	124	233	28.5	0.85	2.13	3	29	3	1
Knottingley	10,410	108	88	6	9	211	20.3	0.90	1.18	54	30	84	8.1	1.33	0.95	4	19	1	7
Maltby	12,990	133	111	6	5	255	19.6	0.90	1.14	63	49	112	8.6	1.49	1.12	14	55	8	3
Meltham	5,097	38	37	1	—	76	14.9	1.05	1.01	34	28	62	12.2	0.92	0.98	3	40	1	—
Mexborough	19,240	151	136	4	2	293	15.2	0.96	0.94	118	78	196	10.2	1.20	1.07	11	38	8	11
Mirfield	11,830	81	67	3	3	154	13.0	1.02	0.86	99	66	165	13.9	0.96	1.17	3	20	1	2
Morley M.B.	39,560	293	282	19	13	607	15.3	1.04	1.03	249	243	492	12.4	1.05	1.14	19	31	11	16
Normanton	18,830	139	122	6	4	271	14.4	1.00	0.93	111	76	187	9.9	1.11	0.96	10	37	5	6
Ossett M.B. ...	14,500	114	102	6	4	226	15.6	1.04	1.05	84	93	177	12.2	1.06	1.13	2	9	1	12
Otley	11,330	90	90	5	9	194	17.1	1.05	1.16	70	56	126	11.1	0.98	0.95	9	46	9	7
Penistone	6,507	47	48	3	1	99	15.2	1.03	1.01	41	31	72	11.1	0.94	0.92	2	20	1	2
Pontefract M.B.	22,620	196	204	7	6	413	18.3	0.98	1.16	211	156	367	16.2	1.15	1.63	20	49	14	16
Pudsey M.B.	30,660	227	239	11	9	486	15.9	1.02	1.05	163	164	327	10.7	1.00	0.94	9	19	5	6
Queensbury and Shelf	8,887	73	54	2	—	129	14.5	0.96	0.90	47	52	99	11.1	0.97	0.94	3	23	3	2
Rawmarsh	18,850	180	135	4	5	324	17.2	0.99	1.10	113	72	185	9.8	1.17	1.01	7	22	5	7
Ripon M.B.	9,864	103	82	4	4	193	19.6	0.97	1.23	68	84	152	15.4	0.86	1.16	8	42	5	5
Ripponden	5,195	34	35	2	3	74	14.2	1.09	1.00	30	31	61	11.7	0.92	0.94	—	—	—	2
Rothwell	23,990	157	157	4	7	325	13.5	1.03	0.90	219	193	412	17.2	1.00	1.51	9	28	7	10
Royston	8,152	63	56	2	2	123	15.1	0.97	0.94	52	26	78	9.6	1.25	1.05	5	41	4	2
Saddleworth	16,610	97	77	—	4	178	10.7	1.11	0.77	126	96	222	13.4	0.89	1.05	8	45	5	5
Selby	10,130	88	76	2	3	169	16.7	1.01	1.09	58	66	124	12.2	0.95	1.02	8	47	6	8
Shipley	32,740	251	231	7	6	495	15.1	1.02	0.99	179	187	366	11.2	0.99	0.97	13	26	8	9
Silsden	5,499	51	37	1	1	90	16.4	0.92	0.97	30	30	60	10.9	1.09	1.04	2	22	2	1
Skipton	13,070	101	83	2	5	191	14.6	1.07	1.01	133	123	256	19.6	0.87	1.50	4	21	2	5
Sowerby Bridge	18,530	156	136	7	5	304	16.4	1.02	1.08	112	114	226	12.2	0.93	1.00	5	16	4	4
Spensborough	36,760	262	230	8	4	504	13.7	1.05	0.93	241	250	491	13.4	0.96	1.13	13	26	10	11
Stanley	16,720	120	110	3	2	235	14.1	0.98	0.89	100	87	187	11.2	1.14	1.12	5	21	1	9
Stocksbridge...	10,220	71	70	3	3	147	14.4	0.98	0.91	86	37	86	8.4	1.19	0.88	1	7	1	6
Swinton	12,120	96	111	4	4	215	17.7	0.96	1.10	86	52	138	11.4	1.15	1.15	8	37	5	12
Tickhill	2,570	21	19	1	1	42	16.3	1.01	1.06	20	13	33	12.8	0.94	1.06	—	—	—	1
Todmorden M.B.	18,630	109	118	1	3	231	12.4	1.05	0.84	124	122	246	13.2	0.89	1.03	3	13	3	3
Wath upon Dearne	14,040	135	121	7	2	265	18.9	0.96	1.17	79	56	135	9.6	1.12	0.94	6	23	4	5
Wombell	18,810	178	160	4	6	348	18.5	1.00	1.19	112	85	197	10.5	1.18	1.09	10	29	8	6
Worsborough	14,390	141	112	5	3	261	18.1	1.00	1.17	79	49	128	8.9	1.19	0.98	10	38	5	9

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.					
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	(20)	
		M.	F.	M.	F.																
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)			
YORKSHIRE : WEST RIDING—contd.																					
Rural Districts ...	434,400	3,635	3,388	122	138	7,283	16.8	1.01	1.09	2,222	1,820	4,042	9.3	1.15	0.94	241	33	156	173		
Bowland ...	5,114	42	26	—	1	69	13.5	1.20	1.05	32	32	64	12.5	0.93	1.02	1	15	1	1		
Doncaster ...	54,180	464	479	18	26	987	18.2	0.97	1.14	277	223	500	9.2	1.36	1.10	36	37	27	33		
Goole ...	9,130	78	79	5	3	165	18.1	0.97	1.13	45	47	92	10.1	1.00	0.89	6	36	5	1		
Hemsworth ...	49,100	458	491	7	22	978	19.9	0.98	1.26	237	176	413	8.4	1.34	0.99	41	42	25	26		
Hepton ...	4,071	20	21	1	—	42	10.3	1.11	0.74	24	19	43	10.6	0.91	0.85	1	24	1	2		
Kiveton Park ...	17,760	162	136	5	3	306	17.2	0.98	1.09	93	70	163	9.2	1.06	0.86	7	23	6	10		
Nidderdale ...	15,560	100	87	4	4	195	12.5	1.24	1.00	83	60	143	9.2	0.99	0.80	4	21	4	5		
Osgoldcross ...	7,758	66	60	1	1	128	16.5	1.01	1.08	52	24	76	9.8	1.04	0.89	3	23	—	2		
Penistone ...	7,868	58	47	2	1	108	13.7	1.09	0.96	43	37	80	10.2	1.06	0.95	2	19	1	—		
Ripon and Pateley Bridge ...	14,470	93	84	5	2	184	12.7	1.24	1.02	69	60	129	8.9	1.01	0.79	6	33	5	5		
Rotherham ...	48,990	488	437	14	11	950	19.4	0.92	1.15	250	163	413	8.4	1.35	0.99	37	39	19	28		
Sedburgh ...	3,823	25	22	2	1	50	13.1	1.25	1.06	20	24	44	11.5	0.91	0.92	—	—	—	1		
Selby ...	6,697	42	41	5	1	89	13.3	1.10	0.94	29	28	57	8.5	0.99	0.74	2	23	1	2		
Settle ...	14,160	121	98	3	2	224	15.8	1.09	1.11	77	79	156	11.0	0.91	0.88	7	31	6	3		
Skipton ...	24,130	174	156	5	6	341	14.1	1.07	0.97	124	119	243	10.1	0.90	0.80	6	18	4	2		
Tadcaster ...	26,880	199	207	4	7	417	15.5	1.03	1.03	153	141	294	10.9	1.05	1.00	14	34	8	9		
Thorne ...	33,240	376	317	17	20	730	22.0	0.97	1.38	162	119	281	8.5	1.44	1.07	24	33	7	16		
Wakefield ...	19,120	160	164	8	10	342	17.9	0.96	1.11	109	63	172	9.0	1.20	0.95	9	26	7	5		
Wetherby ...	20,810	148	135	8	8	299	14.4	1.05	0.98	115	101	216	10.4	0.98	0.89	12	40	11	8		
Wharfedale ...	6,089	43	26	1	3	73	12.0	1.02	0.79	15	26	41	6.7	1.03	0.61	2	27	2	1		
Wortley ...	45,450	318	275	7	6	606	13.3	0.98	0.84	213	209	422	9.3	1.18	0.96	21	35	16	13		
WALES AND MONMOUTH																					
ANGLESEY :																					
Admin. County ...	51,100	385	376	36	28	825	16.1	1.10	1.14	370	370	740	14.5	0.85	1.08	27	33	18	14		
Urban Districts ...	19,770	145	162	9	10	326	16.5	1.02	1.09	124	127	251	12.7	0.86	0.96	13	40	9	6		



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Amlwch	3,013	22	32	5	3	62	20.6	1.01	1.34	20	23	43	14.3	0.77	0.97	4	65	1	1
Beaumaris M.B.	2,217	23	17	—	—	40	18.0	1.06	1.23	17	16	33	14.9	0.81	1.06	1	25	1	—
Holyhead	10,320	64	76	3	5	148	14.3	1.01	0.93	66	67	133	12.9	0.91	1.03	7	47	6	3
Llangefni	2,301	15	19	1	2	37	16.1	1.05	1.09	11	13	24	10.4	0.91	0.83	1	27	1	2
Menai Bridge...	1,919	21	18	—	—	39	20.3	1.01	1.32	10	8	18	9.4	0.78	0.64	—	—	—	—
Rural Districts	31,330	240	214	27	18	499	15.9	1.16	1.19	246	243	489	15.6	0.84	1.15	14	28	9	8
Aethwy	10,660	71	68	9	6	154	14.4	1.14	1.06	77	68	145	13.6	0.85	1.01	3	20	2	2
Twrcelyn	8,490	63	61	3	7	134	15.8	1.16	1.18	60	52	112	13.2	0.76	0.88	1	7	1	2
Valley ...	12,180	106	85	15	5	211	17.3	1.17	1.31	109	123	232	19.0	0.90	1.50	10	47	6	4
BRECKNOCKSHIRE																			
Admin. County ...	55,700	443	404	18	11	876	15.7	1.09	1.10	361	320	681	12.2	0.97	1.04	26	30	18	22
Urban Districts	15,850	125	125	4	5	259	16.3	1.08	1.14	128	102	230	14.5	0.96	1.22	4	15	3	4
Brecknock M.B.	5,933	40	55	—	2	97	16.3	1.14	1.20	50	47	97	16.3	1.04	1.04	1	10	1	—
Brynmawr	6,362	53	41	1	1	96	15.1	1.02	0.99	51	28	79	12.4	1.01	1.10	2	21	1	4
Builth Wells	1,561	13	12	1	—	26	16.7	1.06	1.14	10	13	23	14.7	0.86	1.11	—	—	—	—
Hay ...	1,448	14	13	2	—	31	21.4	1.12	1.55	12	9	21	14.5	0.75	0.95	1	32	1	—
Llanwrtyd	546	5	4	—	—	9	16.5	1.13	1.20	5	5	10	18.3	0.70	1.12	—	—	—	—
Rural Districts	39,850	318	279	14	6	617	15.5	1.10	1.10	233	218	451	11.3	0.98	0.97	22	36	15	18
Brecknock	7,464	69	50	6	3	128	17.1	1.15	1.27	50	29	79	10.6	0.89	0.83	2	16	2	2
Builth ...	3,413	25	33	—	—	58	17.0	1.22	1.34	17	24	41	12.0	0.82	0.86	3	52	3	2
Crickhowell	7,859	81	62	2	—	147	18.7	1.24	1.50	39	42	81	12.4	0.99	0.89	11	75	7	4
Hay ...	3,711	18	25	—	1	44	11.9	1.17	0.90	24	24	48	12.9	0.84	0.95	1	23	1	2
Vaynor and Penderyn	5,893	41	39	3	—	83	14.1	1.02	0.93	32	42	74	12.6	1.02	1.13	3	36	1	4
Ystradgynlais...	11,510	84	70	3	—	157	13.6	0.99	0.87	71	57	128	11.1	1.17	1.14	2	13	1	4
CAERNARVONSHIRE :																			
Admin. County ...	122,600	836	802	43	34	1,715	14.0	1.05	0.95	860	834	1,694	13.8	0.86	1.04	54	32	29	46
Urban Districts	71,000	497	443	26	21	987	13.9	1.00	0.90	493	516	1,009	14.2	0.88	1.10	30	30	16	24
Bangor M.B. ...	13,660	102	75	8	3	188	13.8	0.96	0.85	72	82	154	11.3	1.06	1.05	5	27	2	5
Bethesda	4,369	39	42	—	1	82	18.8	1.10	1.33	31	23	54	12.4	0.89	0.97	2	24	2	3
Bettws y Coed	739	10	7	—	1	18	24.4	1.04	1.64	4	3	7	9.5	0.95	0.79	1	56	1	2
Caernarvon M.B.	9,327	71	65	4	3	143	15.3	1.01	1.00	61	70	131	14.0	0.93	1.14	3	21	2	3
Conway M.B.	10,260	66	56	4	2	128	12.5	1.04	0.84	94	71	165	16.1	0.88	1.24	5	39	3	2
Criccieth	1,498	8	13	—	1	22	14.7	0.97	0.92	4	15	19	12.7	0.69	0.77	—	—	—	1
Llandudno	16,320	96	88	7	7	198	12.1	0.94	0.73	81	131	212	13.0	0.82	0.94	6	30	3	3
Llanfairfechan	3,045	22	17	2	2	43	14.1	1.23	1.12	32	32	64	21.0	0.79	1.45	1	23	—	—
Penmaenmawr	4,120	24	22	—	—	46	11.2	1.05	0.76	32	36	68	16.5	0.76	1.10	2	44	—	—
Portmadoc	3,920	36	38	—	1	75	19.1	1.01	1.24	31	23	54	13.8	0.83	1.00	—	—	—	2
Pwllheli M.B. ...	3,742	23	20	1	—	44	11.8	0.93	0.71	51	30	81	21.6	0.84	1.59	5	114	3	3

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	
		M.	F.	TOTAL.	M.	F.	TOTAL.													
																				(3)
CAERNARVONSHIRE—contd.																				
Rural Districts ...	51,600	339	359	17	13	728	14.1	1.14	1.04	367	318	685	13.3	0.83	0.97	24	33	13	22	
Gwyrfai ...	23,440	152	150	6	4	312	13.3	1.12	0.96	184	147	331	14.1	0.83	1.03	7	22	4	10	
Lleyn ...	17,200	107	118	8	6	239	13.9	1.15	1.03	117	102	219	12.7	0.82	0.91	11	46	6	6	
Nant Conway ...	6,056	34	42	2	1	79	13.0	1.15	0.96	31	36	67	11.1	0.88	0.86	2	25	—	3	
Ogwen... ..	4,904	46	49	1	2	98	20.0	1.16	1.50	35	33	68	13.9	0.84	1.02	4	41	3	3	
CARDIGANSHIRE :																				
Admin. County ...	53,550	343	342	20	19	724	13.5	1.11	0.97	387	396	783	14.6	0.76	0.97	19	26	14	10	
Urban Districts ...	18,000	103	117	4	8	232	12.9	1.02	0.85	138	132	270	15.0	0.81	1.07	5	22	5	4	
Aberayron ...	1,179	8	6	—	—	14	11.9	1.26	0.97	11	12	23	19.5	0.62	1.06	—	—	—	—	
Aberystwyth M.B.	10,460	55	63	3	7	128	12.2	1.00	0.79	76	72	148	14.1	0.85	1.05	2	16	2	1	
Cardigan M.B.	3,394	27	33	1	—	61	18.0	0.99	1.15	31	23	54	15.9	0.87	1.21	3	49	3	3	
Lampeter M.B.	1,945	6	13	—	—	19	9.8	1.01	0.64	12	10	22	11.3	0.76	0.75	—	—	—	—	
New Quay ...	1,022	7	2	—	1	10	9.8	1.17	0.74	8	15	23	22.5	0.72	1.42	—	—	—	—	
Rural Districts ...	35,550	240	225	16	11	492	13.8	1.15	1.02	249	264	513	14.4	0.74	0.93	14	29	9	6	
Aberayron ...	9,346	64	56	8	2	130	13.9	1.18	1.06	71	64	135	14.4	0.74	0.93	3	23	2	1	
Aberystwyth ...	10,870	72	71	4	5	152	14.0	1.14	1.03	72	88	160	14.7	0.69	0.89	5	33	3	3	
Teifside ...	10,160	70	73	3	4	150	14.8	1.13	1.08	68	70	138	13.6	0.77	0.92	2	13	1	2	
Tregaron ...	5,174	34	25	1	—	60	11.6	1.20	0.90	38	42	80	15.5	0.76	1.03	4	67	3	—	
CARMARTHENSHIRE :																				
Admin. County ...	170,900	1,193	1,142	42	46	2,423	14.2	1.01	0.93	1,216	999	2,215	13.0	1.01	1.15	83	34	55	53	
Urban Districts ...	69,590	449	447	17	21	934	13.4	1.00	0.86	579	471	1,050	15.1	1.01	1.34	35	38	24	25	
* Ammanford ...	6,641	45	39	2	2	88	13.3	0.99	0.85	60	28	88	13.3	0.99	1.15	2	23	1	3	
Burry Port ...	6,063	43	54	2	4	103	17.0	0.95	1.04	50	31	81	13.4	1.06	1.25	8	78	7	4	
Carmarthen M.B.	11,970	71	75	2	1	149	12.4	1.03	0.82	101	108	209	17.5	1.06	1.63	6	40	3	4	
Cwmaman ...	4,424	29	25	—	—	54	12.2	1.00	0.79	37	34	71	16.0	0.99	1.39	4	74	2	2	

\*Change of boundary. See Appendix on page 361.



Kidwelly M.B.	3,024	19	23	1	1	44	14.6	1.02	0.96	23	9	32	10.6	1.05	0.98	—	—	—	1
Llandilo	1,860	9	12	—	—	21	11.3	1.09	0.79	18	6	24	12.9	0.88	1.00	—	—	—	—
Llandovery M.B.	1,960	9	4	1	1	15	7.7	1.07	0.53	13	18	31	15.8	0.85	1.18	—	—	—	—
Llanelli M.B.	32,880	224	214	9	11	458	13.9	1.00	0.90	275	232	507	15.4	1.02	1.38	14	31	11	11
Newcastle Emlyn	768	—	1	—	1	2	2.6	1.13	0.19	2	5	7	9.1	0.81	0.65	—	—	—	—
*Rural Districts	101,310	744	695	25	25	1,489	14.7	1.01	0.96	637	528	1,165	11.5	1.00	1.01	48	32	31	28
Carmarthen	28,450	225	214	5	6	450	15.8	1.05	1.07	174	135	309	10.9	0.99	0.95	6	13	3	7
*Llandilo	25,850	179	175	5	7	366	14.2	1.03	0.94	176	142	318	12.3	0.99	1.07	12	33	7	9
Llanelli	38,510	283	253	6	9	551	14.3	0.95	0.88	222	189	411	10.7	1.11	1.04	24	44	19	9
Newcastle Emlyn	8,500	57	53	9	3	122	14.4	1.12	1.04	65	62	127	14.9	0.75	0.98	6	49	2	3
DENBIGHSHIRE :																			
Admin. County	170,400	1,287	1,166	50	50	2,553	15.0	1.06	1.03	1,077	1,027	2,104	12.3	0.92	0.99	78	31	54	69
Urban Districts	79,080	565	483	25	25	1,098	13.9	1.05	0.94	514	554	1,068	13.5	0.85	1.01	34	31	24	32
Abergele	7,099	51	44	6	3	104	14.6	1.02	0.96	50	52	102	14.4	0.82	1.04	3	29	1	2
Colwyn Bay M.B.	22,090	121	86	6	1	214	9.7	1.09	0.67	158	194	352	15.9	0.67	0.96	9	42	7	9
Denbigh M.B.	8,092	65	53	3	4	125	15.4	1.47	1.46	87	86	173	21.4	0.93	1.75	4	32	2	3
Llangollen	3,171	24	18	—	3	45	14.2	0.99	0.91	22	23	45	14.2	0.75	0.93	—	—	—	1
Llanrwst	2,610	17	26	—	2	45	17.2	1.08	1.20	17	17	34	13.0	0.81	0.92	1	22	1	1
Ruthin M.B.	3,598	22	17	1	—	40	11.1	1.03	0.74	22	19	41	11.4	0.85	0.85	—	—	—	2
Wrexham M.B.	32,420	265	239	9	12	525	16.2	0.96	1.00	158	163	321	9.9	1.06	0.92	17	32	13	14
Rural Districts	91,320	722	683	25	25	1,455	15.9	1.07	1.10	563	473	1,036	11.3	0.98	0.97	44	30	30	37
Aled	7,056	43	43	1	2	89	12.6	1.06	0.86	35	32	67	9.5	0.91	0.76	2	23	2	2
Ceiriog	7,375	49	58	3	5	115	15.6	1.14	1.15	59	40	99	13.4	0.90	1.06	3	26	2	4
Hiraethog	5,142	40	40	2	1	83	16.1	1.16	1.20	34	29	63	12.3	0.88	0.95	2	24	1	1
Ruthin	9,567	69	80	3	3	155	16.2	1.11	1.16	51	45	96	10.0	0.87	0.76	4	26	4	2
Wrexham	62,180	521	462	16	14	1,013	16.3	1.05	1.10	384	327	711	11.4	1.03	1.03	33	33	21	28
FLINTSHIRE :																			
Admin. County	145,100	1,139	1,033	58	61	2,291	15.8	1.03	1.05	899	747	1,646	11.3	0.98	0.97	75	33	48	58
Urban Districts	71,490	572	527	32	35	1,166	16.3	1.01	1.06	447	392	839	11.7	0.95	0.98	40	34	28	31
Buckley	7,672	55	61	2	3	121	15.8	0.99	1.01	44	34	78	10.2	1.02	0.91	3	25	3	2
Connaught Quay	7,328	68	52	1	7	128	17.5	0.95	1.07	32	28	60	8.2	1.24	0.89	3	23	2	7
Flint M.B.	14,210	138	109	6	9	262	18.4	0.98	1.16	93	63	156	11.0	1.22	1.18	7	27	4	7
Holywell	8,150	70	78	10	1	159	19.5	0.99	1.25	44	46	90	11.0	1.00	0.96	7	44	4	4
Mold	6,560	56	61	4	—	121	18.4	1.02	1.21	39	27	66	10.1	1.03	0.91	6	50	3	1
Prestatyn	8,670	63	39	3	5	110	12.7	1.17	0.96	69	58	127	14.6	0.65	0.83	1	9	1	3
Rhyl	18,900	122	127	6	10	265	14.0	1.00	0.90	126	136	262	13.9	0.85	1.04	13	49	11	7
Rural Districts	73,610	567	506	26	26	1,125	15.3	1.06	1.05	452	355	807	11.0	1.01	0.97	35	31	20	27
Hawarden	34,730	297	262	16	11	586	16.9	1.00	1.09	172	146	318	9.2	1.14	0.92	15	26	9	11
Holywell	22,250	169	146	4	11	330	14.8	1.11	1.06	171	125	296	13.3	0.87	1.01	13	39	8	11
†Maelor	6,200	43	46	—	2	91	14.7	0.98	0.93	55	34	89	14.4	0.99	1.25	5	55	1	1
St. Asaph	10,430	58	52	6	2	118	11.3	1.30	0.95	54	50	104	10.0	0.97	0.85	2	17	2	4

\* Change of boundary. See Appendix on page 361.

† The figures for this area include ..... 29 deaths (25 M. 4 F., (including 1 death of an infant under 1 year of age)) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 12.—continued.

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.					
		M.	F.	M.	F.															
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)
(1)		(2)																		
GLAMORGANSHIRE	...	1,203,400	9,858	9,224	377	321	19,780	16.4	0.98	1.04	8,016	6,268	14,284	11.9	1.07	1.12	616	31	376	530
County Boroughs	...	467,100	3,897	3,613	181	153	7,844	16.8	0.97	1.05	3,086	2,525	5,611	12.0	1.05	1.11	245	31	146	208
Cardiff	...	246,600	2,165	2,056	117	98	4,436	18.0	0.94	1.09	1,546	1,228	2,774	11.2	1.07	1.05	119	27	70	102
Merthyr Tydfil	...	59,800	512	421	17	11	961	16.1	1.01	1.05	461	388	849	14.2	1.01	1.26	42	44	25	50
Swansea	...	160,700	1,220	1,136	47	44	2,447	15.2	1.00	0.98	1,079	909	1,988	12.4	1.05	1.14	84	34	51	56
Admin. County	...	736,300	5,961	5,611	196	168	11,936	16.2	0.99	1.03	4,930	3,743	8,673	11.8	1.08	1.12	371	31	230	322
Urban Districts	...	533,100	4,370	4,103	143	132	8,748	16.4	0.99	1.05	3,631	2,732	6,363	11.9	1.07	1.12	254	29	156	240
Aberdare	...	40,700	275	241	12	12	540	13.3	1.04	0.89	332	268	600	14.7	0.97	1.25	17	32	14	20
Barry M.B.	...	41,160	361	325	20	17	723	17.6	0.96	1.09	232	170	402	9.8	1.03	0.89	22	30	14	20
Bridgend	...	13,770	124	98	3	—	225	16.3	0.95	1.00	64	73	137	9.9	0.99	0.86	9	40	7	10
Caerphilly	...	36,550	357	357	15	13	742	20.3	0.95	1.24	203	136	339	9.3	1.24	1.01	27	36	15	18
Cowbridge M.B.	...	1,029	7	6	—	—	13	12.6	1.05	0.85	8	4	12	11.7	0.96	0.99	—	—	—	—
Gelligaer	...	35,980	355	297	11	12	675	18.8	1.03	1.25	224	165	389	10.8	1.16	1.10	21	31	8	22
Glyncorrwg	...	9,490	90	84	1	2	177	18.7	0.98	1.18	66	35	101	10.6	1.32	1.23	8	45	3	10
Llchwyr	...	25,550	149	177	4	7	337	13.2	1.03	0.88	143	124	267	10.5	1.08	0.99	12	36	5	14
Maesteg	...	22,880	213	205	5	2	425	18.6	1.01	1.21	142	110	252	11.0	1.17	1.13	14	33	9	8
Mountain Ash	...	30,970	267	238	7	9	521	16.8	0.99	1.07	205	144	349	11.3	1.11	1.10	13	25	9	8
Neath M.B.	...	31,590	213	224	4	7	448	14.2	0.93	0.85	217	138	355	11.2	1.04	1.02	8	18	6	10
Ogmore and Garw	...	22,420	187	171	5	9	372	16.6	1.01	1.08	152	106	258	11.5	1.11	1.12	16	43	9	11
Penarth	...	18,760	162	151	2	2	317	16.9	0.99	1.08	127	94	221	11.8	0.86	0.89	3	9	1	8
Pontypridd	...	38,200	280	289	10	10	589	15.4	0.96	0.95	344	301	645	16.9	1.05	1.06	11	19	8	19
Porthcawl	...	9,781	66	64	4	—	134	13.7	1.03	0.91	59	75	134	13.7	0.80	0.96	6	45	4	4
Port Talbot M.B.	...	45,170	426	381	11	11	829	18.4	0.97	1.15	290	211	501	11.1	1.19	1.16	16	19	12	27
Rhondda	...	109,100	838	795	29	19	1,681	15.4	0.98	0.97	823	578	1,401	12.8	1.07	1.20	51	30	32	31
Rural Districts	...	203,200	1,591	1,508	53	36	3,188	15.7	1.02	1.03	1,299	1,011	2,310	11.4	1.10	1.10	117	37	74	82
Cardiff	...	36,550	226	257	3	3	489	13.4	1.05	0.91	250	211	461	12.6	0.93	1.03	8	16	6	14
Cowbridge	...	20,830	158	152	7	1	318	15.3	1.12	1.11	68	52	120	5.8	1.60	0.81	8	25	5	8
Gower...	...	11,630	99	98	2	2	201	17.3	1.06	1.18	75	62	137	11.8	0.89	0.92	9	45	4	4
Llantrisant and Llantwitfardre	...	25,570	254	245	12	8	519	20.3	0.96	1.26	153	110	263	10.3	1.18	1.07	20	39	10	12
Neath...	...	41,200	332	277	11	7	627	15.2	0.98	0.96	236	212	448	10.9	1.17	1.12	31	50	23	17



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Penybont ...	35,250	310	263	8	7	588	16.7	1.00	1.08	270	186	456	12.9	1.15	1.30	19	32	12	17
Pontardawe ...	32,170	212	216	10	8	446	13.9	1.02	0.91	247	178	425	13.2	1.03	1.19	22	49	14	10
<b>MERIONETHSHIRE</b>																			
Admin. County ...	40,850	297	258	24	22	601	14.7	1.17	1.11	287	287	574	14.1	0.85	1.05	18	30	13	13
Urban Districts ...	17,540	148	120	10	8	286	16.3	1.09	1.15	137	121	258	14.7	0.85	1.10	10	35	8	5
Bala ...	1,449	20	16	1	1	38	26.2	1.04	1.76	6	16	22	15.2	0.82	1.09	—	—	—	2
Barmouth ...	2,320	20	22	1	—	35	15.1	0.96	0.94	17	16	33	13.2	0.80	1.00	—	—	—	1
Dolgelley ...	2,519	20	22	3	—	45	17.9	1.16	1.34	18	15	33	13.1	0.86	1.10	4	89	3	1
Ffestiniog ...	6,691	50	36	1	3	90	13.5	1.11	0.97	68	43	111	16.6	0.90	1.31	1	11	1	—
Towyn... ..	4,561	38	32	4	4	78	17.1	1.14	1.26	28	31	59	12.9	0.75	0.85	5	64	4	1
Rural Districts ...	23,310	149	138	14	14	315	13.5	1.23	1.07	150	166	316	13.6	0.86	1.03	8	25	5	8
Deudraeth ...	6,795	49	36	8	4	97	14.3	1.13	1.04	43	71	114	16.8	0.86	1.27	3	31	2	1
Dolgelley ...	9,281	51	44	5	8	108	11.6	1.38	1.03	58	49	107	11.5	0.94	0.95	4	37	2	—
Edeirnion ...	4,121	27	32	—	1	60	14.6	1.19	1.12	28	30	58	14.1	0.74	0.92	1	17	1	5
Penllyn ...	2,798	20	24	1	1	46	16.4	1.16	1.23	16	11	27	9.6	0.85	0.72	—	—	—	—
Civil Parish of Pennal, administered by R.D.C. of Machynlleth (Montgomeryshire) ...	315	2	2	—	—	4	12.7	1.41	1.16	5	5	10	31.7	0.58	1.61	—	—	—	2
<b>MONMOUTHSHIRE</b>																			
County Borough : Newport ...	104,900	867	844	46	43	1,800	17.2	0.96	1.07	590	494	1,084	10.3	1.11	1.00	57	32	36	49
Admin. County ...	318,800	2,642	2,552	97	89	5,380	16.9	1.02	1.11	2,051	1,640	3,691	11.6	1.05	1.07	175	33	109	148
Urban Districts ...	275,200	2,292	2,208	76	67	4,643	16.9	1.02	1.11	1,739	1,390	3,129	11.4	1.07	1.07	158	34	96	132
Abercarn ...	18,460	144	140	4	3	291	15.8	0.99	1.01	115	81	196	10.6	1.12	1.04	8	28	5	7
Abergavenny M.B. ...	9,070	62	72	4	1	139	15.3	1.01	1.00	39	54	93	10.3	0.90	0.81	2	14	2	9
Abertillery ...	27,150	206	224	4	12	446	16.4	1.04	1.10	186	142	328	12.1	1.06	1.13	13	29	7	15
Bedwas and Machen ...	8,788	75	71	6	2	154	17.5	0.97	1.10	59	37	96	10.9	1.11	1.06	9	59	3	4
Bedwelty ...	28,480	292	233	14	9	548	19.2	1.02	1.26	187	146	333	11.7	1.24	1.27	22	40	13	21
Blaenavon ...	9,589	66	66	3	4	139	14.5	1.06	0.99	71	58	129	13.5	1.05	1.24	5	36	2	2
Caerleon ...	4,867	36	31	1	3	71	14.6	0.95	0.89	25	37	62	12.7	1.04	1.16	4	56	3	1
Chepstow ...	5,791	44	48	1	2	95	16.4	1.02	1.08	58	40	98	16.9	0.85	1.26	3	32	2	2
Cwmbran ...	14,410	147	148	3	1	299	20.7	0.95	1.27	83	58	141	9.8	1.07	0.92	9	30	6	5
Ebbw Vale ...	28,520	214	228	6	7	455	16.0	1.06	1.09	158	140	298	10.4	1.13	1.03	16	35	12	17
Monmouth M.B. ...	5,738	43	36	5	1	85	14.8	1.02	0.97	34	29	63	11.0	0.84	0.81	1	12	—	2
Mynyddislwyn ...	14,810	145	139	6	1	291	19.6	1.01	1.28	87	69	156	10.5	1.23	1.13	10	34	6	7
Nantyglo and Blaina ...	11,240	96	98	4	—	198	17.6	1.06	1.20	80	56	136	12.1	1.02	1.08	5	25	1	2
Pontypool ...	42,320	333	336	9	9	687	16.2	1.00	1.05	249	217	466	11.0	1.06	1.02	23	34	15	12
Rhymney ...	8,980	79	62	2	3	146	16.3	1.04	0.92	65	39	104	11.6	0.97	1.09	4	27	3	4
Risca ...	14,930	111	92	1	5	209	14.0	1.02	0.92	88	83	171	11.5	0.99	1.00	6	29	5	8
Tredegarr ...	20,420	179	169	2	4	354	17.3	1.00	1.12	148	97	245	12.0	1.07	1.13	18	51	11	10
Usk ...	1,637	20	15	1	—	36	22.0	1.10	1.56	7	7	14	8.6	0.94	0.71	—	—	—	4

TABLE 12.—continued

AREA.	Estimated Home Population (Middle 1953).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.					
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
MONMOUTHSHIRE—contd.																				
Rural Districts ...	43,600	350	344	21	22	737	16.9	1.05	1.15	312	250	562	12.9	0.90	1.02	17	23	13	16	
Abergavenny ...	8,441	70	60	3	6	139	16.5	1.13	1.20	98	86	184	21.8	0.80	1.53	—	—	—	6	
Chepstow ...	10,090	72	76	6	6	160	15.9	1.03	1.06	64	48	112	11.1	1.01	0.98	4	25	4	1	
Magor and St. Mellons ...	13,610	116	111	6	4	237	17.4	0.99	1.11	82	60	142	10.4	0.95	0.87	8	34	5	6	
Monmouth ...	5,738	38	46	5	5	94	16.4	1.09	1.15	35	33	68	11.9	0.81	0.85	—	—	—	1	
Pontypool ...	5,721	54	51	1	1	107	18.7	1.04	1.25	33	23	56	9.8	0.90	0.77	5	47	4	2	
MONTGOMERYSHIRE :																				
Admin. County ...	45,010	363	317	26	21	727	16.2	1.13	1.18	289	269	558	12.4	0.86	0.94	22	30	14	15	
Urban Districts ...	17,660	139	142	9	6	296	16.8	1.01	1.09	99	100	199	11.3	0.87	0.86	4	14	4	9	
Llanfyllin M.B. ...	1,331	8	6	1	1	16	12.0	1.06	0.82	7	5	12	9.0	0.91	0.72	—	—	—	—	
Llanidloes M.B. ...	2,323	13	12	—	1	26	11.2	1.04	0.75	14	20	34	14.6	0.78	1.00	—	—	—	—	
Machynlleth ...	1,871	12	12	—	1	25	13.4	0.96	0.83	11	8	19	10.2	0.89	0.80	—	—	—	—	
Montgomery M.B. ...	821	6	10	—	—	16	19.5	1.21	1.52	8	5	13	15.8	0.76	1.05	—	—	—	—	
Newtown and Llanllwchaearn	5,334	52	44	5	2	103	19.3	1.08	1.34	29	31	60	11.2	0.89	0.87	1	10	1	4	
Welshpool M.B. ...	5,980	48	58	3	1	110	18.4	0.94	1.12	30	31	61	10.2	0.91	0.81	3	27	3	3	
Rural Districts ...	27,350	224	175	17	15	431	15.8	1.21	1.23	190	169	359	13.1	0.84	0.97	18	42	10	6	
Forden ...	5,067	52	36	—	3	91	18.0	1.16	1.35	36	34	70	13.8	0.83	1.00	5	55	2	2	
Llanfyllin ...	9,923	77	74	12	6	169	17.0	1.28	1.40	62	55	117	11.8	0.85	0.88	5	30	4	1	
Machynlleth ...	3,103	23	15	2	2	42	13.5	1.17	1.02	24	25	49	15.8	0.74	1.03	1	24	—	—	
Newtown and Llanidloes ...	9,257	72	50	3	4	129	13.9	1.19	1.07	68	55	123	13.3	0.89	1.04	7	54	4	3	
PEMBROKESHIRE :																				
Admin. County ...	92,090	818	685	34	27	1,564	17.0	1.05	1.15	573	509	1,082	11.7	0.96	0.99	39	25	29	42	
Urban Districts ...	44,570	419	353	15	15	802	18.0	1.03	1.20	285	271	556	12.5	1.00	1.10	22	27	17	16	
Fistguard and Goodwick ...	4,826	38	31	2	—	71	14.7	1.06	1.01	24	23	47	9.7	0.91	0.77	2	28	1	1	
Haverfordwest M.B. ...	7,500	69	64	3	4	140	18.7	0.96	1.16	67	86	153	20.4	1.00	1.79	2	14	1	2	
Milford Haven ...	11,860	100	102	4	3	209	17.6	1.05	1.19	60	41	101	8.5	1.30	0.97	5	24	4	9	



(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Narberth ...	1,065	6	9	—	—	15	14.1	1.13	1.03	5	4	9	8.5	0.83	0.62	—	—	—	—
Neyland ...	2,217	16	16	—	—	33	14.9	1.08	1.04	13	10	23	10.4	1.04	0.95	—	30	1	—
Pembroke M.B. ...	12,720	150	111	5	6	272	21.4	1.07	1.48	87	71	158	12.4	0.95	1.03	8	29	6	3
Tenby M.B. ...	4,382	40	20	—	2	62	14.1	0.93	0.85	29	36	65	14.8	0.79	1.02	4	65	4	1
Rural Districts ...	47,520	399	332	19	12	762	16.0	1.08	1.11	288	238	526	11.1	0.93	0.91	17	22	12	26
Cemaes ...	9,047	69	65	6	2	142	15.7	1.16	1.17	69	55	124	13.7	0.80	0.96	4	28	4	4
Haverfordwest ...	22,240	197	172	8	7	384	17.3	1.02	1.14	129	101	230	10.3	1.01	0.91	8	21	4	9
Narberth ...	9,924	72	52	5	—	129	13.0	1.10	0.92	61	52	113	11.4	0.87	0.87	2	16	2	7
Pembroke ...	6,309	61	43	—	3	107	17.0	1.13	1.24	29	30	59	9.4	0.98	0.81	3	28	2	6
RADNORSHIRE :																			
Admin. County ...	19,600	131	127	7	4	269	13.7	1.17	1.03	141	115	256	13.1	0.83	0.95	10	37	6	11
Urban Districts ...	6,370	42	44	4	—	90	14.1	1.09	0.99	52	55	107	16.8	0.80	1.18	3	33	3	5
Knighton ...	1,832	15	15	3	—	33	18.0	1.10	1.28	20	17	37	20.2	0.78	1.38	1	30	1	1
Llandrindod Wells ...	3,275	13	22	1	—	36	11.0	1.04	0.74	25	27	52	15.9	0.81	1.13	2	56	2	4
Presteign ...	1,263	14	7	—	—	21	16.6	1.20	1.29	7	11	18	14.3	0.79	0.99	—	—	—	—
Rural Districts ...	13,230	89	83	3	4	179	13.5	1.21	1.05	89	60	149	11.3	0.85	0.84	7	39	3	6
Colwyn ...	1,624	12	13	—	1	26	16.0	1.16	1.20	13	8	21	12.9	0.89	1.01	1	39	1	—
Knighton ...	3,090	23	20	1	—	44	14.2	1.21	1.11	17	8	25	8.1	0.90	0.64	1	23	—	1
New Radnor ...	2,229	13	13	—	1	27	12.1	1.26	0.98	22	13	35	15.7	0.84	1.16	1	37	—	3
Paincastle ...	1,808	12	9	1	1	23	12.7	1.14	0.93	13	4	17	9.4	0.77	0.63	1	44	—	—
Rhayader ...	4,479	29	28	1	1	59	13.2	1.24	1.06	24	27	51	11.4	0.84	0.84	3	51	2	2

**TABLE 13.—Deaths by Sex at each Year of Age } England and Wales.**  
(with Marital Condition), 1953.

Included in this Table are 267 cases (109 Males and 158 Females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

*See Explanatory notes on page vi.*

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
<b>All Ages.</b>	<b>503529</b>	<b>259490</b>	<b>38500</b>	<b>147282</b>	<b>63122</b>	<b>10586</b>	<b>244039</b>	<b>48891</b>	<b>78083</b>	<b>116928</b>	<b>137</b>
<b>0-4</b>	<b>21528</b>	<b>12244</b>	<b>12244</b>	—	—	—	<b>9284</b>	<b>9284</b>	—	—	—
0	18324	10487	10487	—	—	—	7837	7837	—	—	—
1	1305	701	701	—	—	—	604	604	—	—	—
2	789	420	420	—	—	—	369	369	—	—	—
3	605	344	344	—	—	—	261	261	—	—	—
4	505	292	292	—	—	—	213	213	—	—	—
<b>5-9</b>	<b>1763</b>	<b>1043</b>	<b>1043</b>	—	—	—	<b>720</b>	<b>720</b>	—	—	—
5	486	284	284	—	—	—	202	202	—	—	—
6	452	264	264	—	—	—	188	188	—	—	—
7	315	193	193	—	—	—	122	122	—	—	—
8	263	153	153	—	—	—	110	110	—	—	—
9	247	149	149	—	—	—	98	98	—	—	—
<b>10-14</b>	<b>1161</b>	<b>665</b>	<b>665</b>	—	—	—	<b>496</b>	<b>496</b>	—	—	—
10	226	127	127	—	—	—	99	99	—	—	—
11	210	120	120	—	—	—	90	90	—	—	—
12	205	108	108	—	—	—	97	97	—	—	—
13	257	154	154	—	—	—	103	103	—	—	—
14	263	156	156	—	—	—	107	107	—	—	—
<b>15-19</b>	<b>1738</b>	<b>1104</b>	<b>1004</b>	<b>6</b>	—	<b>94</b>	<b>634</b>	<b>605</b>	<b>27</b>	—	<b>2</b>
15	271	174	174	—	—	—	97	97	—	—	—
16	310	197	195	—	—	2	113	113	—	—	—
17	368	235	229	3	—	3	133	132	1	—	—
18	379	230	216	1	—	13	149	141	8	—	—
19	410	268	190	2	—	76	142	122	18	—	2
<b>20-24</b>	<b>2616</b>	<b>1640</b>	<b>919</b>	<b>161</b>	<b>2</b>	<b>558</b>	<b>976</b>	<b>560</b>	<b>406</b>	<b>6</b>	<b>4</b>
20	439	289	186	6	—	97	150	121	28	—	1
21	504	330	194	13	1	122	174	114	58	1	1
22	531	327	172	32	1	122	204	126	76	1	1
23	592	364	205	50	—	109	228	106	120	1	1
24	550	330	162	60	—	108	220	93	124	3	—
<b>25-29</b>	<b>3351</b>	<b>1932</b>	<b>741</b>	<b>685</b>	<b>17</b>	<b>489</b>	<b>1419</b>	<b>450</b>	<b>937</b>	<b>29</b>	<b>3</b>
25	563	343	164	88	1	90	220	93	123	4	—
26	620	349	143	105	4	97	271	82	184	4	1
27	674	374	131	147	4	92	300	99	193	8	—
28	720	436	152	170	4	110	284	91	187	5	1
29	774	430	151	175	4	100	344	85	250	8	1
<b>30-34</b>	<b>4499</b>	<b>2449</b>	<b>673</b>	<b>1310</b>	<b>29</b>	<b>437</b>	<b>2050</b>	<b>418</b>	<b>1564</b>	<b>66</b>	<b>2</b>
30	833	480	149	228	7	96	353	83	261	9	—
31	800	440	134	219	4	83	360	74	276	10	—
32	1011	546	130	315	6	95	465	86	366	13	—
33	1043	568	154	312	8	94	475	97	362	15	1
34	812	415	106	236	4	69	397	78	299	19	1
<b>35-39</b>	<b>5633</b>	<b>3068</b>	<b>616</b>	<b>1970</b>	<b>39</b>	<b>443</b>	<b>2565</b>	<b>509</b>	<b>1936</b>	<b>119</b>	<b>1</b>
35	816	458	113	262	3	80	358	69	275	14	—
36	914	500	109	315	8	68	414	86	310	18	—
37	1146	629	127	400	7	95	517	106	384	27	—
38	1308	688	105	455	12	116	620	118	475	27	—
39	1449	793	162	538	9	84	656	130	492	33	1
<b>40-44</b>	<b>9356</b>	<b>5104</b>	<b>793</b>	<b>3657</b>	<b>120</b>	<b>534</b>	<b>4252</b>	<b>835</b>	<b>3148</b>	<b>268</b>	<b>1</b>
40	1517	817	124	557	19	117	700	131	536	32	1
41	1602	887	140	638	22	87	715	138	525	52	—
42	1955	1069	163	779	17	110	886	172	650	64	—
43	2027	1110	187	788	30	105	917	181	673	63	—
44	2255	1221	179	895	32	115	1034	213	764	57	—
<b>45-49</b>	<b>15382</b>	<b>9016</b>	<b>1182</b>	<b>6837</b>	<b>309</b>	<b>688</b>	<b>6366</b>	<b>1160</b>	<b>4671</b>	<b>532</b>	<b>3</b>
45	2490	1456	212	1064	49	131	1034	204	758	72	—
46	2809	1649	242	1221	53	133	1160	188	886	85	1
47	2975	1721	228	1322	54	117	1254	241	918	95	—
48	3399	1997	253	1513	83	148	1402	258	1011	131	2
49	3709	2193	247	1717	70	159	1516	269	1098	149	—



TABLE 13—continued.

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
<b>50-54</b>	<b>23437</b>	<b>14507</b>	<b>1594</b>	<b>11411</b>	<b>679</b>	<b>823</b>	<b>8930</b>	<b>1491</b>	<b>6321</b>	<b>1112</b>	<b>6</b>
50	3891	2388	288	1864	72	164	1503	253	1091	158	1
51	4184	2581	296	2045	96	144	1603	296	1136	171	—
52	4930	3049	359	2352	152	186	1881	319	1344	216	2
53	5321	3316	348	2616	177	175	2005	315	1425	263	2
54	5111	3173	303	2534	182	154	1938	308	1325	304	1
<b>55-59</b>	<b>31557</b>	<b>19204</b>	<b>1759</b>	<b>15242</b>	<b>1358</b>	<b>845</b>	<b>12353</b>	<b>2020</b>	<b>7931</b>	<b>2393</b>	<b>9</b>
55	5160	3168	321	2502	196	149	1992	332	1356	301	3
56	5888	3572	354	2842	214	162	2316	379	1527	409	1
57	6224	3865	337	3083	279	166	2359	417	1510	430	2
58	6861	4119	358	3257	331	173	2742	430	1721	591	—
59	7424	4480	389	3558	338	195	2944	462	1817	662	3
<b>60-64</b>	<b>44758</b>	<b>26802</b>	<b>2326</b>	<b>20573</b>	<b>2880</b>	<b>1023</b>	<b>17956</b>	<b>2727</b>	<b>9945</b>	<b>5272</b>	<b>12</b>
60	7804	4688	390	3670	417	211	3116	498	1801	810	7
61	7897	4775	390	3720	462	203	3122	470	1842	810	—
62	9118	5493	468	4254	572	199	3625	571	2008	1045	1
63	9735	5793	492	4450	646	205	3942	589	2144	1208	1
64	10204	6053	586	4479	783	205	4151	599	2150	1399	3
<b>65-69</b>	<b>60402</b>	<b>34292</b>	<b>2998</b>	<b>24450</b>	<b>5763</b>	<b>1081</b>	<b>26110</b>	<b>3889</b>	<b>11914</b>	<b>10295</b>	<b>12</b>
65	10720	6246	513	4630	874	229	4474	684	2259	1521	10
66	10945	6256	543	4598	927	188	4689	733	2242	1714	—
67	12347	7094	653	5033	1193	215	5253	811	2357	2084	1
68	13057	7327	658	5157	1269	243	5730	823	2533	2374	—
69	13333	7369	631	5032	1500	206	5964	838	2523	2602	1
<b>70-74</b>	<b>75483</b>	<b>39644</b>	<b>3526</b>	<b>24759</b>	<b>10179</b>	<b>1180</b>	<b>35839</b>	<b>5389</b>	<b>12298</b>	<b>18132</b>	<b>20</b>
70	13713	7497	685	5022	1545	245	6216	910	2424	2874	8
71	13773	7406	625	4809	1753	219	6367	941	2354	3072	—
72	15503	8250	773	5130	2102	245	7253	1080	2517	3654	2
73	16315	8402	741	5083	2357	221	7913	1182	2585	4140	6
74	16179	8089	702	4715	2422	250	8090	1276	2418	4392	4
<b>75-79</b>	<b>83682</b>	<b>40162</b>	<b>3274</b>	<b>20530</b>	<b>15208</b>	<b>1150</b>	<b>43520</b>	<b>6612</b>	<b>10246</b>	<b>26647</b>	<b>15</b>
75	16635	8179	666	4618	2669	226	8456	1267	2327	4857	5
76	17328	8535	736	4603	2971	225	8793	1341	2211	5239	2
77	16545	7908	653	4000	3013	242	8637	1316	2055	5263	3
78	17126	8042	631	3917	3248	246	9084	1393	1966	5722	3
79	16048	7498	588	3392	3307	211	8550	1295	1687	5566	2
<b>80-84</b>	<b>66379</b>	<b>29061</b>	<b>2134</b>	<b>11226</b>	<b>14925</b>	<b>776</b>	<b>37318</b>	<b>6073</b>	<b>4932</b>	<b>26285</b>	<b>28</b>
80	15306	6920	535	2951	3237	197	8386	1355	1369	5655	7
81	13912	6288	419	2617	3096	156	7624	1200	1091	5330	3
82	13763	6071	459	2322	3146	144	7692	1273	958	5456	5
83	12393	5211	389	1866	2818	138	7182	1166	860	5153	3
84	11005	4571	332	1470	2628	141	6434	1079	654	4691	10
<b>85-89</b>	<b>36627</b>	<b>13556</b>	<b>815</b>	<b>3773</b>	<b>8623</b>	<b>345</b>	<b>23071</b>	<b>3862</b>	<b>1586</b>	<b>17610</b>	<b>13</b>
85	9892	3851	253	1195	2307	96	6041	973	536	4528	4
86	8888	3355	199	969	2097	90	5533	947	433	4150	3
87	7132	2636	161	719	1694	62	4496	758	284	3452	2
88	5916	2094	121	504	1409	60	3822	635	188	2997	2
89	4799	1620	81	386	1116	37	3179	549	145	2483	2
<b>90-94</b>	<b>11844</b>	<b>3476</b>	<b>180</b>	<b>623</b>	<b>2570</b>	<b>103</b>	<b>8368</b>	<b>1465</b>	<b>204</b>	<b>6693</b>	<b>6</b>
90	3826	1218	65	266	853	34	2608	457	79	2070	2
91	2787	860	55	134	641	30	1927	321	48	1556	2
92	2383	658	35	101	508	14	1725	320	38	1367	—
93	1718	440	18	69	336	17	1278	230	23	1023	2
94	1130	300	7	53	232	8	830	137	16	677	—
<b>95-99</b>	<b>2138</b>	<b>480</b>	<b>13</b>	<b>65</b>	<b>385</b>	<b>17</b>	<b>1658</b>	<b>303</b>	<b>15</b>	<b>1340</b>	<b>—</b>
95	816	182	2	25	151	4	634	110	8	516	—
96	535	129	7	21	97	4	406	77	2	327	—
97	369	85	4	10	65	6	284	50	2	232	—
98	275	54	—	8	43	3	221	43	2	176	—
99	143	30	—	1	29	—	113	23	1	89	—
<b>100 and over</b>	<b>195</b>	<b>41</b>	<b>1</b>	<b>4</b>	<b>36</b>	<b>—</b>	<b>154</b>	<b>23</b>	<b>2</b>	<b>129</b>	<b>—</b>

**TABLE 14.—Constructed Analysis of 1953 Deaths  
by Age and Marital Condition.**

} **England and Wales.**

*Note.*—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 13) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups. (l.b.d.)	Persons.	MALES.				FEMALES.			
		Total.	Single.	Married.	Widowed.	Total.	Single.	Married.	Widowed.
<b>All Ages</b>	<b>503529</b>	<b>259490</b>	<b>40418</b>	<b>154001</b>	<b>65071</b>	<b>244039</b>	<b>48915</b>	<b>78131</b>	<b>116993</b>
0-4	21529	12245	12245	—	—	9284	9284	—	—
5-9	1763	1043	1043	—	—	720	720	—	—
10-14	1161	665	665	—	—	496	496	—	—
15-19	1738	1104	1097	7	—	634	607	27	—
20-24	2616	1640	1393	244	3	976	562	408	6
25-29	3351	1932	992	917	23	1419	451	939	29
30-34	4499	2449	819	1595	35	2050	418	1566	66
35-39	5633	3068	720	2302	46	2565	509	1937	119
40-44	9356	5104	886	4084	134	4252	835	3149	268
45-49	15382	9016	1280	7402	334	6366	1161	4673	532
50-54	23437	14507	1690	12097	720	8930	1492	6325	1113
55-59	31557	19204	1840	15944	1420	12353	2021	7937	2395
60-64	44758	26802	2418	21390	2994	17956	2729	9952	5275
65-69	60402	34292	3096	25246	5950	26110	3891	11919	10300
70-74	75483	39644	3634	25519	10491	35839	5392	12305	18142
75-79	83682	40162	3371	21135	15656	43520	6614	10250	26656
80-84	66379	29061	2193	11534	15334	37318	6077	4936	26305
85-89	36627	13556	836	3872	8848	23071	3864	1587	17620
90-94	11844	3476	186	642	2648	8368	1466	204	6698
95-99	2138	480	14	67	399	1658	303	15	1340
100 and over	195	41	1	4	36	154	23	2	129



TABLE 15.—Deaths at Different Ages, 1953.

England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs.

Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page vi.

Age.	Sex.	England & Wales	Northern			East and West Ridings			North Western			
			Total.	Tyneside Conurbation.	Remainder.	Total.	West Yorkshire Conurbation.	Remainder.	Total.	South East Lancashire Conurbation.	Merseyside Conurbation.	Remainder.
All Ages	M	259,490	19,100	5,111	13,989	25,466	11,037	14,429	39,826	15,191	7,623	17,012
	F	244,039	16,474	4,295	12,179	23,260	10,910	12,350	37,948	14,824	6,985	16,139
Under 4 weeks	M	7,001	622	163	459	767	299	468	1,161	434	300	427
4 weeks to 3 months	F	5,087	437	129	308	507	201	306	895	295	253	347
	M	1,335	130	35	95	144	60	84	217	79	66	72
	F	1,013	113	24	89	114	44	70	172	46	58	68
3-6 months	M	1,139	112	26	86	144	55	89	171	43	61	67
	F	926	109	24	85	82	25	57	164	61	52	51
6-12 months	M	1,012	99	21	78	115	51	64	154	48	39	67
	F	811	75	19	56	88	42	46	143	48	42	53
Total under 1 year	M	10,487	963	245	718	1,170	465	705	1,703	604	466	633
	F	7,837	734	196	538	791	312	479	1,374	450	405	519
1-	M	701	61	17	44	70	24	46	136	40	39	57
	F	604	46	4	42	59	23	36	95	34	28	33
2-	M	420	32	7	25	33	13	20	70	29	21	20
	F	369	34	11	23	39	19	20	66	23	16	27
3-	M	344	27	7	20	26	12	14	59	19	15	25
	F	261	21	4	17	26	14	12	39	16	6	17
4-	M	292	23	4	19	23	8	15	54	17	20	17
	F	213	18	7	11	23	10	13	36	14	7	15
Total under 5 years	M	12,244	1,106	280	826	1,322	522	800	2,022	709	561	752
	F	9,284	853	222	631	938	378	560	1,610	537	462	611
5-	M	1,043	88	17	71	82	33	49	165	64	36	65
	F	720	48	13	35	61	27	34	112	45	25	42
10-	M	665	69	13	56	58	23	35	94	28	27	39
	F	496	30	8	22	61	21	40	69	21	21	27
15-	M	1,104	103	20	83	101	40	61	144	56	32	56
	F	634	55	15	40	63	29	34	100	36	35	29
20-	M	1,640	136	29	107	155	52	103	200	71	46	83
	F	976	92	24	68	98	36	62	183	55	48	80
25-	M	1,932	160	35	125	185	75	110	295	109	66	120
	F	1,419	126	43	83	140	50	90	241	85	60	96
30-	M	2,449	219	51	168	218	82	136	401	154	82	165
	F	2,050	185	51	134	186	75	111	353	123	85	145
35-	M	3,068	268	83	185	302	130	172	457	161	105	191
	F	2,565	208	60	148	251	96	155	433	172	92	169
40-	M	5,104	399	120	279	518	236	282	844	326	186	332
	F	4,252	310	87	223	406	181	225	710	269	157	284
45-	M	9,016	686	202	484	915	413	502	1,587	652	338	597
	F	6,366	467	137	330	608	266	342	1,079	434	220	425
50-	M	14,507	1,076	315	761	1,445	682	763	2,541	1,048	471	1,022
	F	8,930	651	185	466	928	453	475	1,424	573	255	596
55-	M	19,204	1,432	430	1,002	1,993	914	1,079	3,317	1,299	657	1,361
	F	12,353	903	253	650	1,246	597	649	2,128	830	377	921
60-	M	26,802	1,951	570	1,381	2,787	1,247	1,540	4,489	1,766	814	1,909
	F	17,956	1,413	361	1,052	1,754	860	894	3,108	1,252	514	1,342
65-	M	34,292	2,431	697	1,734	3,416	1,508	1,908	5,411	2,160	1,021	2,230
	F	26,110	1,907	505	1,402	2,559	1,271	1,288	4,512	1,840	766	1,906
70-	M	39,644	2,869	760	2,109	3,969	1,740	2,229	6,102	2,339	1,092	2,671
	F	35,839	2,481	619	1,862	3,673	1,721	1,952	6,046	2,438	1,033	2,575
75-	M	40,162	3,009	751	2,258	3,916	1,674	2,242	5,926	2,178	1,033	2,715
	F	43,520	2,936	777	2,159	4,376	2,114	2,262	6,858	2,708	1,211	2,939
80-	M	29,061	2,009	482	1,527	2,747	1,105	1,642	3,937	1,425	698	1,814
	F	37,318	2,177	554	1,623	3,430	1,645	1,785	5,255	2,059	869	2,327
85 and over	M	17,553	1,089	256	833	1,337	561	776	1,894	646	358	890
	F	33,251	1,632	381	1,251	2,482	1,090	1,392	3,727	1,347	755	1,625

TABLE 15—continued.

Age.	Sex.	North Midland.	Midland			Eastern.	London and South Eastern			Southern.	South Western.
			Total.	West Midlands Conurbations.	Remainder.		Total.	Greater London.	Remainder.		
All Ages	M	19,378	24,398	12,183	12,215	18,251	61,910	45,682	16,228	15,499	18,545
	F	17,378	22,286	10,810	11,476	17,586	61,474	43,982	17,492	14,931	18,427
Under 4 weeks	M	567	771	372	399	454	1,351	1,032	319	380	431
4 weeks to 3 months	F	422	602	289	313	333	972	745	227	267	330
	M	109	129	66	63	105	236	175	61	77	79
	F	73	104	56	48	52	181	128	53	52	60
3-6 months	M	116	121	67	54	59	197	156	41	58	69
	F	71	89	50	39	60	182	135	47	55	44
6-12 months	M	98	109	68	41	62	187	138	49	54	67
	F	65	89	50	39	41	171	136	35	39	50
Total under 1 year	M	890	1,130	573	557	680	1,971	1,501	470	569	646
	F	631	884	445	439	486	1,506	1,144	362	413	484
1-	M	54	58	28	30	49	146	113	33	40	34
	F	48	63	28	35	39	121	77	44	45	47
2-	M	33	50	28	22	35	82	53	29	24	26
	F	26	39	21	18	27	73	48	25	21	26
3-	M	22	48	23	25	21	76	64	12	19	22
	F	27	32	19	13	15	54	34	20	10	14
4-	M	19	30	16	14	26	60	45	15	22	18
	F	12	24	15	9	13	48	38	10	12	6
Total under 5 years	M	1,018	1,316	668	648	811	2,335	1,776	559	674	746
	F	744	1,042	528	514	580	1,802	1,341	461	501	577
5-	M	100	110	58	52	74	231	173	58	65	70
	F	56	74	31	43	56	154	111	43	50	63
10-	M	45	68	39	29	51	157	113	44	29	51
	F	40	52	24	28	27	104	74	30	28	46
15-	M	97	122	60	62	77	195	137	58	82	83
	F	44	65	27	38	34	136	93	43	40	43
20-	M	142	158	83	75	130	345	244	101	124	135
	F	76	112	62	50	59	176	140	36	43	72
25-	M	172	207	102	105	149	403	306	97	114	118
	F	104	171	94	77	100	284	207	77	66	86
30-	M	199	248	127	121	162	571	447	124	99	150
	F	141	255	126	129	125	434	333	101	106	121
35-	M	260	316	164	152	175	694	545	149	168	216
	F	182	248	134	114	161	622	479	143	133	160
40-	M	396	546	284	262	309	1,205	959	246	263	331
	F	296	452	235	217	270	1,058	823	235	222	254
45-	M	610	963	531	432	532	2,135	1,719	416	437	549
	F	474	618	313	305	402	1,580	1,211	369	352	381
50-	M	982	1,453	785	668	862	3,516	2,854	662	716	941
	F	668	875	430	445	559	2,177	1,654	523	479	623
55-	M	1,302	1,853	969	884	1,088	4,617	3,621	996	987	1,287
	F	908	1,201	582	619	767	2,964	2,256	708	630	807
60-	M	1,802	2,522	1,363	1,159	1,680	6,516	5,056	1,460	1,502	1,681
	F	1,270	1,644	817	827	1,211	4,217	3,137	1,080	963	1,225
65-	M	2,577	3,182	1,610	1,572	2,343	8,289	6,246	2,043	1,964	2,415
	F	1,852	2,413	1,221	1,192	1,726	6,241	4,538	1,703	1,477	1,817
70-	M	2,934	3,579	1,754	1,825	2,691	9,642	6,972	2,670	2,486	2,800
	F	2,527	3,140	1,561	1,579	2,566	8,675	6,247	2,428	2,118	2,532
75-	M	3,132	3,690	1,788	1,902	3,031	9,433	6,740	2,693	2,445	2,981
	F	3,106	3,914	1,899	2,015	3,107	10,918	7,696	3,222	2,591	3,248
80-	M	2,215	2,594	1,174	1,420	2,395	7,015	4,823	2,192	1,958	2,369
	F	2,599	3,292	1,560	1,732	2,890	10,014	6,970	3,044	2,491	3,110
85 and over	M	1,395	1,471	624	847	1,691	4,611	2,951	1,660	1,386	1,622
	F	2,291	2,718	1,166	1,552	2,946	9,918	6,672	3,246	2,641	3,262



TABLE 15—continued.

Age.	Sex.	Wales			Conurbations.	Areas outside the conurbations				
		Total.	Wales I.	Wales II.		Total.	Urban areas, with populations of 100,000 and over.	Urban areas, with populations of 50,000 and under 100,000.	Urban areas, with populations under 50,000.	Rural areas.
All Ages	M	17117	12,234	4,883	96,827	162,663	34,912	19,941	59,126	48,684
	F	14,275	9,721	4,554	91,806	152,233	32,262	19,435	56,316	44,220
Under 4 weeks	M	497	353	144	2,600	4,401	995	589	1,461	1,356
	F	322	241	81	1,912	3,175	686	397	1,134	958
4 weeks to 3 months	M	109	81	28	481	854	197	104	296	257
	F	92	62	30	356	657	145	95	237	180
3-6 months	M	92	72	20	408	731	178	87	248	218
	F	70	57	13	347	579	140	79	206	154
6-12 months	M	67	54	13	365	647	138	78	220	211
	F	50	37	13	337	474	116	55	168	135
Total under 1 year	M	765	560	205	3,854	6,633	1,508	858	2,225	2,042
	F	534	397	137	2,952	4,885	1,087	626	1,745	1,427
1-	M	53	41	12	261	440	85	52	168	135
	F	41	31	10	194	410	85	52	140	133
2-	M	35	26	9	151	269	56	27	96	90
	F	18	13	5	138	231	40	31	78	82
3-	M	24	21	3	140	204	45	14	76	69
	F	23	15	8	93	168	29	24	52	63
4-	M	17	13	4	110	182	27	24	70	61
	F	21	13	8	91	122	23	15	49	35
Total under 5 years	M	894	661	233	4,516	7,728	1,721	975	2,635	2,397
	F	637	469	168	3,468	5,816	1,264	748	2,064	1,740
5-	M	58	42	16	381	662	125	83	231	223
	F	46	41	5	252	468	83	44	182	159
10-	M	43	28	15	243	422	85	61	136	140
	F	39	28	11	169	327	67	44	112	104
15-	M	100	70	30	345	759	121	69	237	332
	F	54	37	17	235	399	79	50	145	125
20-	M	115	79	36	525	1,115	199	119	334	463
	F	65	50	15	365	611	151	75	202	183
25-	M	129	89	40	693	1,239	293	146	404	396
	F	101	80	21	539	880	203	113	302	262
30-	M	182	135	47	943	1,506	322	177	524	483
	F	144	114	30	793	1,257	276	151	482	348
35-	M	212	168	44	1,188	1,880	436	246	616	582
	F	167	126	41	1,033	1,532	347	190	544	451
40-	M	293	219	74	2,111	2,993	769	386	1,008	830
	F	274	198	76	1,752	2,500	579	321	901	699
45-	M	602	440	162	3,855	5,161	1,176	647	1,812	1,526
	F	405	304	101	2,581	3,785	866	488	1,357	1,074
50-	M	975	708	267	6,155	8,352	2,099	1,050	2,925	2,278
	F	546	378	168	3,550	5,380	1,225	685	1,979	1,491
55-	M	1,328	983	345	7,890	11,314	2,716	1,436	4,170	2,992
	F	799	572	227	4,895	7,458	1,697	965	2,691	2,105
60-	M	1,872	1,424	448	10,816	15,986	3,832	2,073	5,791	4,290
	F	1,151	850	301	6,941	11,015	2,468	1,336	4,124	3,087
65-	M	2,264	1,682	582	13,242	21,050	4,846	2,650	7,695	5,859
	F	1,606	1,129	477	10,141	15,969	3,515	1,985	5,930	4,539
70-	M	2,572	1,810	762	14,657	24,987	5,307	3,077	9,312	7,291
	F	2,081	1,406	675	13,619	22,220	4,831	2,832	8,335	6,222
75-	M	2,599	1,804	795	14,164	25,998	5,223	3,081	9,707	7,987
	F	2,466	1,670	796	16,405	27,115	5,662	3,452	10,097	7,904
80-	M	1,822	1,226	596	9,707	19,354	3,629	2,292	7,073	6,360
	F	2,060	1,283	777	13,657	23,661	4,848	3,078	8,804	6,931
85 and over	M	1,057	666	391	5,396	12,157	2,013	1,373	4,516	4,255
	F	1,634	986	648	11,411	21,840	4,101	2,878	8,065	6,796

TABLE 15—continued—Metropolitan Boroughs.

Age.	Sex.	Total London Admin. County.	City of London.	The Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages	M F	19,835 18,801	46 11	— —	758 716	336 249	297 274	1,137 1,051	302 392	524 452	183 169	751 660	426 422	908 821	672 535	512 635
Under 4 weeks	M F	478 343	1 —	— —	10 8	12 6	3 4	30 18	7 4	13 8	3 5	18 13	9 3	23 13	13 12	9 11
4 weeks to 3 months	M F	81 59	— —	— —	2 3	1 —	1 1	5 1	1 —	1 —	2 —	6 3	1 3	— 2	1 1	2 —
3-6 months	M F	69 74	— —	— —	4 3	4 1	1 1	3 6	1 1	2 1	1 3	3 1	2 3	2 3	3 2	1 —
6-12 months	M F	57 55	— —	— —	1 2	2 2	1 1	4 6	— 1	2 3	1 —	1 1	2 2	5 —	1 2	— —
Total under 1 year	M F	685 531	1 —	— —	17 16	19 9	6 7	42 31	9 6	18 12	7 8	28 18	14 11	30 18	18 17	12 11
1—	M F	61 43	— —	— —	— 1	— 1	1 2	3 3	— 1	— 2	2 1	1 —	2 1	— 1	1 1	2 —
2—	M F	26 22	— —	— —	— 5	1 1	— —	— —	— —	1 —	— —	2 1	1 1	— —	2 1	— 1
3—	M F	25 20	— —	— —	1 1	1 —	— —	2 1	2 —	— 2	1 —	— 1	1 —	— —	1 1	— 2
4—	M F	15 17	— —	— —	1 1	— —	— —	1 1	— 1	1 —	— —	— —	2 —	— 1	1 —	— —
Total under 5 years	M F	812 633	1 —	— —	19 24	21 11	7 9	48 36	11 8	19 17	10 9	31 20	20 13	30 20	23 20	14 14
5—	M F	76 35	— —	— —	4 1	2 —	— 1	7 1	3 —	2 1	— —	2 1	2 —	5 1	3 1	1 —
10—	M F	38 30	— —	— —	— —	3 1	— —	3 4	— —	1 —	1 —	1 1	2 2	1 3	1 —	— 1
15—	M F	61 41	— 1	— —	2 2	— 1	— 1	4 2	1 —	1 —	— 1	3 —	1 2	1 3	1 1	2 2
20—	M F	118 68	— —	— —	1 5	1 —	1 1	8 4	4 2	1 1	5 1	— 1	3 1	10 1	6 2	3 3
25—	M F	161 96	— —	— —	6 3	2 1	3 1	4 4	5 —	4 —	— 1	7 1	5 1	11 3	4 4	6 4
30—	M F	197 139	— —	— —	5 1	1 7	1 3	8 9	8 2	6 —	2 —	6 4	8 1	6 5	7 5	7 5
35—	M F	241 223	— —	— —	8 8	6 4	2 4	10 15	6 5	9 —	5 —	9 2	4 7	8 11	11 7	9 11
40—	M F	409 369	1 —	— —	14 10	9 4	10 7	30 24	5 4	7 9	3 4	14 15	9 6	17 24	15 4	8 23
45—	M F	729 481	1 —	— —	25 15	17 5	13 9	37 23	7 11	23 16	5 2	29 12	18 11	29 23	27 10	18 20
50—	M F	1,197 662	6 2	— —	49 20	25 5	18 8	72 32	15 11	30 15	24 5	53 30	26 15	54 29	45 17	41 26
55—	M F	1,504 966	6 —	— —	43 26	32 13	24 11	75 51	18 18	43 19	16 11	50 36	36 31	93 42	63 29	47 46
60—	M F	2,174 1,355	13 —	— —	75 46	34 24	30 21	102 75	32 30	66 23	29 16	101 46	47 26	107 65	82 39	49 46
65—	M F	2,747 1,986	14 2	— —	103 74	38 30	47 37	166 92	36 34	60 47	13 21	101 79	59 49	123 101	103 62	71 75
70—	M F	3,213 2,695	3 2	— —	137 101	48 33	59 50	191 156	48 60	102 77	23 35	126 89	69 64	160 133	114 101	82 75
75—	M F	2,947 3,298	1 1	— —	115 140	41 47	45 42	160 199	40 66	75 80	30 27	98 117	47 69	123 139	83 99	79 91
80—	M F	2,056 3,015	— 3	— —	95 124	41 28	27 39	134 184	39 61	52 80	12 26	85 101	39 75	87 120	55 83	56 109
85 and over	M F	1,155 2,709	— —	— —	57 116	15 35	9 30	78 140	24 80	23 67	5 10	35 105	31 49	43 98	29 51	26 84



TABLE 15—continued—Metropolitan Boroughs.

Age.		Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages		M	165	1,331	770	1,228	1,313	761	423	583	786	325	687	724	2,62	2,216	562	840
		F	108	1,338	938	1,180	1,189	802	336	506	613	290	522	463	241	2,703	456	729
Under 4 weeks		M	—	39	17	37	34	22	15	6	22	6	17	22	5	43	20	22
4 weeks to 3 months		F	1	27	18	21	19	14	21	6	17	4	17	17	5	29	9	13
		M	—	5	5	4	6	3	—	—	3	3	6	10	1	8	1	3
		F	—	4	3	6	4	3	2	2	2	1	4	7	1	3	1	2
3-6 months		M	—	3	3	9	1	1	2	1	3	1	4	4	—	7	—	3
6-12 months		F	3	8	1	6	2	3	1	3	2	1	2	7	2	6	—	2
		M	—	4	3	5	3	2	3	1	2	1	1	2	4	4	—	2
		F	—	6	—	5	4	2	1	—	1	1	3	6	—	4	1	1
Total under 1 year		M	—	51	28	55	44	28	20	8	30	11	28	38	10	62	21	30
		F	4	45	22	38	29	22	25	11	22	7	26	37	8	42	11	18
1—		M	—	9	7	5	4	4	—	—	2	1	1	5	—	9	2	—
		F	—	5	1	2	1	1	—	1	1	1	2	2	—	8	3	1
2—		M	1	1	—	3	2	—	1	—	3	—	—	1	—	5	1	2
		F	—	2	—	1	1	—	1	1	—	—	—	—	—	3	—	2
3—		M	—	1	1	1	—	2	—	—	—	—	2	3	—	5	—	1
		F	1	1	—	1	—	3	—	—	1	—	—	1	—	4	—	—
4—		M	—	—	—	1	1	1	—	1	—	—	—	—	—	4	—	1
		F	—	3	1	1	—	1	1	—	—	1	1	1	—	3	—	—
Total under 5 years		M	1	62	36	65	51	35	21	9	35	12	31	47	10	85	24	34
		F	5	56	24	43	31	27	27	13	24	9	29	41	8	60	14	21
5—		M	1	1	1	4	7	2	3	1	1	1	7	1	—	11	2	2
		F	—	3	1	3	1	3	2	—	1	—	1	3	—	7	—	3
10—		M	—	—	3	2	2	2	—	—	3	—	—	1	1	11	—	—
		F	—	3	2	1	—	2	—	1	—	1	1	1	—	1	3	2
15—		M	2	6	1	3	6	—	5	—	1	—	1	1	1	8	5	5
		F	—	1	2	3	3	2	2	1	1	1	—	1	—	5	2	1
20—		M	—	6	6	7	4	1	2	5	4	2	4	5	1	9	8	11
		F	2	6	5	5	4	1	1	1	1	4	—	2	—	10	3	1
25—		M	5	6	9	13	8	6	6	1	7	1	6	11	3	10	5	7
		F	3	7	6	10	6	8	3	—	3	3	2	5	1	9	4	3
30—		M	5	15	12	15	16	8	4	3	15	2	4	4	—	17	4	7
		F	—	6	6	9	9	9	3	2	6	—	4	8	1	18	4	12
35—		M	2	12	9	10	9	16	3	6	12	4	3	10	4	34	9	11
		F	1	13	11	18	15	16	3	5	6	5	10	6	3	25	6	6
40—		M	5	27	22	22	32	31	11	6	15	3	17	12	4	33	13	14
		F	2	26	27	21	20	24	5	8	13	3	11	10	5	40	7	13
45—		M	12	50	43	39	37	29	14	20	38	9	17	20	14	78	25	35
		F	5	29	28	32	25	42	10	14	14	6	8	16	3	59	13	20
50—		M	10	80	62	72	68	55	20	26	56	17	36	32	11	104	42	48
		F	6	42	35	39	28	49	10	14	26	10	12	23	8	95	20	30
55—		M	15	100	72	88	76	66	39	41	63	20	46	45	23	150	49	65
		F	3	61	43	74	61	61	17	23	24	7	29	19	10	126	30	45
60—		M	23	154	77	134	141	93	51	62	94	31	60	76	30	211	73	97
		F	7	85	62	81	78	66	24	39	54	23	43	35	21	179	45	56
65—		M	21	170	118	164	180	106	73	94	121	51	107	100	28	305	71	104
		F	13	155	103	131	117	91	28	37	62	18	57	56	29	252	60	74
70—		M	25	219	101	204	191	114	60	95	110	49	111	139	47	373	91	122
		F	16	184	131	153	160	90	46	77	98	46	70	73	33	358	70	114
75—		M	24	203	85	204	228	93	64	88	118	62	116	124	42	360	55	144
		F	16	248	152	195	209	134	60	105	109	56	89	70	26	507	63	126
80—		M	6	150	76	106	159	67	34	75	60	42	80	70	42	239	59	85
		F	12	202	150	209	187	113	63	95	85	50	80	61	40	472	61	102
85 and over		M	8	70	37	76	98	37	13	51	33	19	41	26	17	178	27	49
		F	17	211	150	153	235	64	32	71	86	48	76	33	37	480	51	100

TABLE 15—continued — County Boroughs.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages	M	457	464	474	874	6,174	755	1,030	1,075	327	981	1,971	1,120	2,591	627
	F	356	305	561	714	5,743	830	1,073	1,043	275	1,058	2,088	1,243	2,555	579
Under 4 weeks	M	19	16	10	26	183	17	19	36	17	16	67	23	56	10
4 weeks to 3 months	F	11	6	9	20	147	11	17	11	14	7	45	16	49	12
	M	3	2	2	3	30	5	—	4	6	4	10	1	12	5
	F	1	2	1	8	27	2	—	4	—	3	13	1	10	2
3-6 months	M	5	2	—	7	24	—	2	3	3	2	11	3	8	—
6-12 months	F	5	1	—	6	22	—	2	3	1	—	7	2	7	1
	M	5	1	1	5	35	2	1	3	2	2	7	2	5	1
	F	2	1	—	—	14	3	3	5	3	1	9	2	5	2
Total under 1 year	M	32	21	13	41	272	24	22	46	28	24	95	29	81	16
	F	19	10	10	34	210	16	22	23	18	11	74	21	71	17
1—	M	—	1	1	6	16	2	2	4	1	—	2	—	3	3
	F	—	2	1	2	14	1	2	2	3	2	7	2	8	1
2—	M	2	—	—	—	9	—	—	2	—	2	2	5	4	—
	F	1	5	2	2	9	—	2	3	—	2	3	1	2	1
3—	M	1	—	—	1	12	1	—	3	1	—	3	—	7	—
	F	—	—	1	—	14	—	1	1	1	1	3	1	1	1
4—	M	—	—	—	2	4	—	1	2	1	—	2	1	2	2
	F	1	1	—	1	6	1	—	3	—	1	2	—	1	1
Total under 5 years	M	35	22	14	50	313	27	25	57	31	26	104	35	97	21
	F	21	18	14	39	253	18	27	32	22	17	89	25	83	21
5—	M	4	1	3	6	28	3	4	4	1	6	4	1	8	7
	F	—	—	—	2	16	1	1	6	1	4	7	1	7	—
10—	M	3	4	—	4	12	1	1	2	—	1	3	2	5	1
	F	1	—	1	4	13	2	—	2	2	2	6	3	7	2
15—	M	2	2	2	3	23	1	—	2	3	2	7	—	7	3
	F	—	2	2	1	10	1	1	2	2	4	5	2	2	1
20—	M	3	—	2	4	41	1	2	7	3	7	8	4	9	4
	F	2	3	1	4	28	1	8	2	1	—	3	—	13	1
25—	M	6	4	—	7	54	5	6	8	3	2	15	8	28	8
	F	4	2	4	5	45	—	6	7	2	5	9	7	10	5
30—	M	6	6	3	9	63	11	7	8	5	3	11	4	22	1
	F	3	5	4	9	64	6	7	6	4	2	14	8	17	3
35—	M	5	4	5	12	78	13	8	12	6	8	22	7	39	7
	F	7	2	5	9	58	9	8	15	3	5	19	10	23	5
40—	M	11	10	3	22	143	12	20	22	9	11	52	25	65	11
	F	8	7	7	16	125	14	9	18	6	9	32	26	45	6
45—	M	14	18	18	33	243	18	34	58	21	24	64	28	77	20
	F	6	7	12	22	169	27	21	45	7	32	43	22	62	7
50—	M	30	21	22	46	400	56	65	63	28	44	94	53	157	33
	F	13	7	19	26	226	26	36	32	9	29	76	50	84	21
55—	M	27	39	26	77	476	62	95	102	26	55	176	75	224	55
	F	17	22	21	32	307	49	56	61	15	44	110	53	119	37
60—	M	52	50	50	92	687	94	126	99	35	113	235	96	263	67
	F	27	28	24	56	427	72	97	80	19	69	169	88	174	52
65—	M	67	77	56	109	823	99	146	176	41	127	265	160	332	89
	F	41	33	45	67	637	104	122	131	27	98	237	144	255	72
70—	M	68	66	76	118	921	99	180	156	42	157	294	221	358	95
	F	63	43	72	88	835	147	176	188	43	166	312	174	372	94
75—	M	61	78	83	137	913	145	170	161	41	165	324	163	411	108
	F	57	51	84	138	1,025	169	215	201	54	158	435	208	460	107
80—	M	44	39	67	87	626	76	96	98	25	121	178	141	297	64
	F	53	46	115	107	836	123	157	121	31	192	304	231	426	79
85 and over	M	19	23	44	58	330	32	45	40	7	109	115	97	192	30
	F	33	29	131	89	669	61	126	94	27	222	218	191	396	66



TABLE 15—continued—County Boroughs.

Age.	Sex.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages	M	326	382	150	414	264	1,270	1,377	498	866	349	470	338	389	569	516	709	390
	F	290	481	155	422	257	967	1,528	496	768	378	401	269	524	525	500	591	343
Under 4 weeks	M	14	7	4	16	11	56	27	18	17	9	20	12	4	16	22	22	16
4 weeks to 3 months	M	4	6	2	8	6	49	19	11	19	10	10	5	1	14	14	16	4
	M	4	—	1	—	1	9	6	7	4	2	2	1	1	2	4	8	5
	F	—	—	1	3	3	7	3	9	—	1	—	2	1	1	2	5	1
3-6 months	M	2	1	—	2	3	5	4	3	4	6	1	7	—	4	2	4	3
6-12 months	M	—	1	1	2	—	5	4	2	3	2	1	4	—	3	—	6	2
	M	—	1	1	2	3	3	3	—	3	2	1	3	1	4	2	3	4
	F	—	—	1	—	—	8	5	1	2	3	2	2	1	2	2	3	3
Total under 1 year	M	20	9	6	20	18	73	40	28	28	19	24	23	6	26	30	37	28
	F	4	7	5	13	9	69	31	23	24	16	13	13	3	20	18	30	10
1—	M	2	—	—	1	1	2	4	1	—	1	—	—	—	—	1	2	2
	M	1	2	—	2	—	5	2	1	1	2	2	1	—	1	2	—	—
2—	M	—	—	—	1	—	—	—	—	1	1	1	1	—	1	1	3	1
	M	1	—	1	2	—	2	3	1	1	—	1	3	—	1	—	—	—
3—	M	1	—	1	—	3	3	3	—	—	—	—	2	—	1	—	1	1
	M	—	—	—	2	—	—	1	2	—	1	—	—	—	—	—	1	1
4—	M	—	1	—	1	1	2	1	—	—	—	1	2	—	—	—	1	—
	M	2	—	—	1	1	1	1	—	1	1	—	—	—	—	—	2	—
Total under 5 years	M	23	10	7	23	23	80	48	29	29	21	26	28	6	28	32	44	32
	F	8	9	6	20	10	77	38	27	27	20	16	17	3	22	20	33	11
5—	M	2	—	1	3	—	2	5	3	7	—	1	2	1	—	2	2	2
	M	—	—	—	1	2	1	2	1	—	2	—	—	—	1	—	2	1
10—	M	—	3	—	3	—	6	3	6	1	2	—	1	—	1	1	3	—
	M	—	1	—	—	—	2	4	—	—	2	2	2	—	1	2	—	3
15—	M	2	1	—	1	—	3	6	1	1	—	1	2	3	1	1	4	1
	M	—	1	1	—	2	2	3	1	2	3	1	—	—	2	1	1	—
20—	M	1	3	—	—	1	8	3	5	9	3	5	5	1	2	4	6	4
	M	1	—	—	1	5	6	5	4	4	—	6	2	—	—	4	5	2
25—	M	2	2	1	2	3	15	10	4	9	4	4	5	—	3	3	7	3
	M	1	—	1	6	2	12	6	—	1	1	2	1	1	7	2	6	1
30—	M	6	3	2	4	3	19	9	6	8	5	3	3	3	8	6	3	7
	M	3	—	—	3	1	18	8	3	3	—	4	1	6	4	2	11	3
35—	M	2	5	2	6	2	26	9	9	11	2	8	4	2	10	3	9	6
	M	1	5	—	3	5	19	6	4	5	4	1	4	3	11	5	10	6
40—	M	5	6	5	10	3	44	21	4	16	9	10	6	6	8	10	11	4
	M	6	7	1	1	3	24	13	9	14	2	4	7	8	14	6	17	9
45—	M	8	9	4	16	8	66	48	17	31	13	17	20	7	26	13	25	11
	M	6	12	4	12	4	28	41	15	21	12	11	13	6	11	8	22	8
50—	M	17	29	9	31	13	97	76	27	43	17	28	26	8	35	27	36	25
	M	18	19	6	11	7	38	61	21	26	13	21	12	19	22	17	26	11
55—	M	24	32	7	28	27	113	117	40	63	23	42	29	31	52	35	63	29
	M	14	23	8	24	15	67	74	22	39	18	30	16	21	26	23	36	14
60—	M	36	41	23	57	30	141	150	51	82	23	62	37	30	75	58	85	40
	M	18	37	12	37	23	79	82	45	59	32	29	25	26	38	30	47	36
65—	M	55	57	14	47	35	170	192	72	119	56	56	41	50	88	60	90	51
	M	33	61	17	49	29	100	151	46	84	45	39	38	40	65	55	61	28
70—	M	60	64	23	70	44	168	214	74	142	45	68	55	69	91	87	117	58
	M	43	94	25	64	49	130	217	67	104	52	54	51	75	80	65	82	48
75—	M	42	51	24	54	34	177	203	70	149	56	63	29	69	63	69	94	48
	M	51	93	28	80	28	161	254	84	144	80	73	38	92	83	97	103	70
80—	M	22	48	17	34	28	81	158	48	91	55	50	26	54	51	56	70	43
	M	47	73	19	58	39	117	252	91	120	50	60	29	116	78	81	71	45
85 and over	M	19	18	11	25	10	54	105	32	55	15	26	19	49	27	49	40	26
	F	40	46	27	52	33	86	311	56	115	42	48	13	108	60	82	58	47

TABLE 15—continued—County Boroughs.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	304	549	716	448	883	543	1,752	3,035	1,626	489	4,500	4,431	931	1,691	694	604	1,689
	F	365	473	755	620	799	495	1,513	2,865	1,580	410	4,006	4,207	783	1,468	646	689	1,741
Under 4 weeks	M	8	15	14	5	19	27	80	112	45	12	192	152	41	55	14	21	47
4 weeks to 3 months	F	1	18	10	7	10	10	44	71	26	15	159	104	21	43	9	11	38
	M	—	3	6	1	3	6	15	20	11	3	49	30	14	7	2	3	14
	F	2	6	3	1	4	1	14	11	7	3	32	20	6	4	—	3	5
3-6 months	M	1	4	4	—	5	2	18	13	8	2	48	16	8	7	2	3	15
6-12 months	F	2	6	1	1	3	1	12	8	2	—	35	22	10	7	3	—	7
	M	1	2	4	—	2	1	11	17	7	2	23	14	10	4	3	2	8
	F	—	1	—	1	5	1	7	10	8	—	34	15	5	5	2	2	6
Total under 1 year	M	10	24	28	6	29	36	124	162	71	19	312	212	73	73	21	29	84
	F	5	31	14	10	22	13	77	100	43	18	260	161	42	59	14	16	56
1—	M	—	3	1	2	3	1	8	4	5	—	23	9	5	3	—	1	6
	F	1	3	—	—	—	1	5	7	4	1	14	14	4	3	—	—	2
2—	M	2	—	3	—	1	—	4	1	1	1	16	10	—	—	—	1	3
	F	2	—	1	—	—	—	6	9	5	1	9	6	1	5	—	—	3
3—	M	—	1	1	—	2	1	2	2	2	—	9	8	3	2	—	—	3
	F	—	1	—	—	2	—	—	4	3	—	4	3	1	1	1	1	2
4—	M	—	1	1	—	1	—	2	1	—	1	12	4	1	2	1	1	1
	F	—	—	—	—	—	—	4	5	2	—	5	4	—	2	—	—	1
Total under 5 years	M	12	29	34	8	36	39	140	170	79	21	372	243	82	80	22	32	97
	F	8	35	15	10	24	14	92	125	57	20	292	188	48	70	15	17	64
5—	M	3	2	3	1	3	3	7	10	7	1	18	17	2	7	3	1	8
	F	2	2	1	1	2	—	5	5	7	—	20	11	3	4	2	2	4
10—	M	1	1	1	1	1	1	4	9	5	1	16	8	8	2	—	2	1
	F	—	1	1	—	1	1	3	6	4	1	14	6	3	3	1	—	3
15—	M	—	1	—	2	1	1	8	14	2	2	19	18	3	8	1	1	8
	F	—	2	1	1	1	1	3	10	2	—	23	14	6	8	4	1	8
20—	M	3	1	4	1	4	2	15	13	16	3	29	26	7	15	4	3	8
	F	—	3	3	1	3	—	11	12	6	—	34	26	12	10	2	—	9
25—	M	2	1	5	2	3	3	10	22	14	1	38	33	13	14	6	4	18
	F	2	2	4	1	3	—	15	17	9	1	44	35	4	19	4	3	12
30—	M	1	7	4	1	4	5	13	33	14	5	46	59	15	13	4	6	22
	F	1	3	7	2	5	4	18	19	11	4	50	49	9	15	1	5	17
35—	M	4	6	5	7	11	2	23	41	25	5	66	55	15	21	3	6	20
	F	7	4	8	5	9	4	17	29	15	5	60	59	6	20	3	11	19
40—	M	2	17	20	2	18	9	49	53	32	5	105	100	23	40	13	20	40
	F	5	9	12	6	8	7	28	53	27	8	93	86	14	31	14	10	32
45—	M	11	23	27	11	36	15	68	130	58	10	206	204	32	62	17	15	66
	F	12	10	15	6	26	11	42	69	45	6	133	124	23	65	10	20	48
50—	M	21	23	49	14	46	30	95	203	100	17	292	311	67	105	32	34	109
	F	10	14	34	16	33	21	61	132	62	13	142	174	38	60	29	20	64
55—	M	19	43	46	25	84	40	135	265	113	29	398	400	62	133	54	41	125
	F	21	17	46	18	42	20	89	170	100	16	231	244	46	92	28	38	99
60—	M	31	62	67	36	95	52	210	346	169	49	483	530	104	190	70	63	174
	F	33	28	55	32	51	37	110	241	135	25	295	362	65	119	44	50	141
65—	M	41	86	96	37	139	84	230	406	227	68	609	620	122	245	96	85	249
	F	34	62	73	49	92	55	151	339	151	36	469	502	87	168	79	69	192
70—	M	44	82	115	84	146	65	262	477	243	89	654	646	127	237	101	74	243
	F	51	84	122	89	136	80	216	421	242	55	615	683	127	191	101	96	242
75—	M	49	84	123	82	131	91	227	420	273	84	579	627	132	260	118	101	232
	F	68	79	157	116	153	87	255	531	297	74	669	766	125	271	106	123	319
80—	M	37	54	77	76	85	64	170	278	177	62	378	364	86	171	99	61	166
	F	63	55	126	126	127	80	228	420	226	73	446	510	99	200	97	110	270
85 and over	M	23	27	40	58	40	37	86	145	72	37	192	170	31	88	51	55	103
	F	48	63	75	141	83	73	169	266	184	73	376	368	68	122	106	114	204



TABLE 15—continued—County Boroughs.

Age.		Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages		M	963	561	1,303	1,488	677	626	601	458	643	1,141	3,258	376	1,030	957	606	649	1,020
		F	885	548	1,138	1,362	677	629	646	371	502	1,008	2,785	311	893	1,161	704	574	1,024
Under 4 weeks		M	22	10	35	33	17	11	18	21	33	49	72	4	37	14	11	18	16
4 weeks to 3 months		F	14	11	26	23	17	10	14	13	21	19	43	10	26	8	4	14	21
		M	6	3	8	8	5	3	1	1	5	11	10	2	5	2	2	6	5
		F	3	1	5	3	8	2	3	—	6	2	14	—	4	—	1	3	—
3-6 months		M	3	3	11	5	5	1	—	3	3	3	17	3	7	3	—	4	6
6-12 months		F	5	—	3	8	2	1	—	2	7	4	8	1	6	2	—	4	4
		M	2	1	6	5	4	2	—	1	3	5	12	2	4	5	—	3	8
		F	4	3	4	4	5	3	1	1	5	4	5	2	5	—	1	4	4
Total under 1 year		M	33	17	60	51	31	17	19	26	44	68	111	11	53	24	13	31	35
		F	26	15	38	38	32	16	21	16	39	29	70	13	41	10	7	25	29
1—		M	2	—	—	2	1	4	3	2	6	2	9	—	1	—	2	4	2
		F	—	2	1	4	1	3	1	—	—	—	6	—	3	2	—	—	—
2—		M	2	1	2	1	1	1	—	—	2	5	3	2	4	1	—	2	—
		F	1	—	4	2	—	—	2	1	1	—	—	—	1	2	—	2	2
3—		M	1	—	3	1	—	—	—	1	2	2	2	—	1	—	1	2	2
		F	1	—	—	1	—	1	3	1	1	3	1	—	—	2	2	1	—
4—		M	—	1	—	3	1	2	—	1	—	1	2	—	1	—	—	—	—
		F	—	—	—	1	—	1	1	—	—	1	2	1	1	—	1	1	—
Total under 5 years		M	38	19	65	58	34	24	22	30	54	78	127	13	60	25	16	39	39
		F	28	17	43	46	33	21	28	18	41	33	79	14	46	16	10	29	31
5—		M	2	—	4	4	3	1	3	3	1	6	7	3	3	1	3	—	7
		F	2	—	3	5	1	2	3	1	2	5	6	1	2	2	5	3	2
10—		M	1	—	5	—	2	1	—	1	1	2	8	2	1	2	2	2	2
		F	2	1	1	3	2	—	2	4	1	—	10	—	1	3	1	—	—
15—		M	4	—	8	11	1	2	1	1	2	6	6	3	3	2	2	4	7
		F	1	3	5	3	3	1	—	2	—	—	7	—	—	1	—	5	2
20—		M	3	6	8	16	4	3	—	3	7	8	10	4	4	5	4	3	6
		F	1	2	6	5	6	4	3	—	5	2	13	—	4	1	1	5	4
25—		M	5	7	3	11	5	7	2	7	5	13	32	2	11	7	1	3	6
		F	4	2	8	10	4	6	2	2	10	7	15	3	4	3	3	5	4
30—		M	9	1	12	11	5	3	2	4	5	5	32	5	7	4	3	8	10
		F	4	3	8	11	10	10	9	5	6	11	19	1	10	5	5	9	4
35—		M	11	8	9	30	4	8	8	4	8	12	36	4	17	5	7	13	9
		F	5	2	14	11	7	4	13	4	11	16	41	9	9	7	3	8	6
40—		M	19	11	30	24	17	9	10	7	13	42	68	14	20	21	15	17	16
		F	9	11	17	23	19	5	9	13	10	21	52	4	21	14	8	7	23
45—		M	31	18	46	46	28	17	21	16	25	62	108	15	35	21	10	23	39
		F	25	16	24	37	15	16	17	11	16	34	85	8	21	23	17	17	23
50—		M	50	25	71	64	57	34	34	16	53	105	197	25	66	53	30	46	62
		F	40	31	44	54	28	24	19	15	22	44	104	11	28	41	22	28	35
55—		M	80	36	96	95	66	49	50	49	66	98	277	30	73	48	51	61	77
		F	39	28	59	53	40	27	23	21	22	65	147	9	41	39	26	35	69
60—		M	116	62	154	171	75	69	81	37	69	123	367	41	134	97	70	66	115
		F	98	32	88	94	68	40	41	26	49	85	192	28	63	77	40	46	70
65—		M	139	77	197	222	83	81	93	80	72	132	448	45	148	136	75	85	156
		F	125	54	134	141	82	58	80	41	66	117	313	39	102	114	90	70	115
70—		M	145	88	214	245	105	106	97	67	85	166	532	57	161	171	102	98	168
		F	161	73	159	201	95	96	104	54	70	180	465	46	134	186	93	83	154
75—		M	162	91	181	227	101	79	92	77	94	138	508	70	139	157	93	94	148
		F	145	82	181	250	115	90	130	76	73	168	550	64	141	218	153	113	201
80—		M	108	73	120	150	64	88	62	41	59	88	341	25	93	125	74	65	118
		F	126	102	197	191	100	119	107	42	55	138	392	42	145	195	125	69	177
85 and over		M	40	39	80	103	23	45	23	15	24	57	154	18	56	77	48	22	35
		F	70	89	147	224	49	106	55	36	43	82	295	32	120	216	102	42	104

TABLE 15—continued—County Boroughs.

Age.		Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages		M	1,553	1,069	409	381	595	637	459	505	854	423	562	899	336	641	1,546	461	590	1,079
		F	1,450	865	362	368	589	576	374	421	638	371	439	755	348	590	1,228	388	494	909
Under 4 weeks		M	59	36	13	12	14	36	15	9	30	20	12	26	13	19	45	16	21	32
4 weeks to 3 months		F	44	31	20	9	15	23	7	13	24	11	18	26	9	6	25	9	15	19
		M	5	10	2	3	4	4	2	4	5	6	4	8	1	2	12	1	2	5
		F	4	14	1	4	3	7	2	5	3	4	3	2	1	2	4	—	7	4
3-6 months		M	5	15	1	—	—	1	3	5	5	4	5	8	1	2	10	8	2	7
6-12 months		F	4	16	—	1	2	6	2	2	6	7	2	1	—	2	10	4	3	6
		M	6	6	1	2	2	4	2	4	5	3	3	3	1	4	9	3	2	6
		F	2	6	2	2	1	3	1	3	4	—	2	7	1	—	4	1	5	5
Total under 1 year		M	75	67	17	17	20	45	22	22	45	33	24	45	16	27	76	28	27	50
		F	54	67	23	16	21	39	12	23	37	22	25	36	11	10	43	14	30	34
1—		M	2	3	1	2	4	—	—	1	5	3	—	—	—	1	6	—	2	8
		F	7	7	—	—	2	—	1	1	—	2	1	2	1	2	3	1	4	—
2—		M	3	2	1	—	2	1	—	2	1	—	—	1	—	—	6	—	1	5
		F	—	2	1	2	—	2	1	4	1	1	—	1	—	—	—	1	—	—
3—		M	4	1	—	1	2	—	—	2	—	—	1	2	3	2	3	1	4	—
		F	1	2	—	—	1	1	1	—	—	3	—	—	—	—	5	—	1	1
4—		M	—	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	2
		F	—	1	—	—	—	1	—	1	3	—	1	—	1	—	1	—	1	1
Total under 5 years		M	85	73	19	21	28	46	22	28	53	36	27	48	19	30	91	29	34	65
		F	65	79	24	18	24	43	15	29	41	28	27	39	13	12	52	16	36	36
5—		M	9	6	1	—	5	—	3	3	2	1	—	2	2	2	8	2	3	6
		F	5	1	1	—	—	3	1	4	—	—	1	3	1	1	3	3	1	5
10—		M	7	7	—	1	4	1	3	2	5	1	—	1	—	2	6	—	2	—
		F	4	—	1	1	1	—	2	—	1	1	—	1	1	—	3	2	3	3
15—		M	7	5	2	1	3	4	—	—	—	1	3	4	—	6	9	1	6	5
		F	5	5	1	2	4	2	1	1	3	—	—	2	1	—	4	1	2	4
20—		M	10	8	—	1	3	5	—	2	6	1	2	4	—	2	8	2	—	5
		F	7	7	1	1	4	5	1	5	3	2	2	6	2	1	8	4	3	4
25—		M	13	14	1	3	3	5	4	6	9	6	4	8	6	5	11	3	10	3
		F	12	8	2	1	1	6	1	4	4	3	7	10	—	5	9	4	2	9
30—		M	19	15	3	2	6	9	4	5	8	3	7	2	2	4	15	3	5	14
		F	18	5	5	6	3	8	2	7	8	3	4	11	1	6	14	2	2	8
35—		M	21	14	6	5	5	9	7	7	12	6	9	13	3	5	31	8	10	8
		F	18	9	7	5	7	8	2	6	13	4	5	16	2	6	15	3	11	14
40—		M	38	23	13	8	12	13	9	10	19	13	11	20	10	13	29	11	17	28
		F	35	18	6	5	17	8	5	10	11	8	11	15	10	9	24	10	8	21
45—		M	74	31	12	20	17	29	28	30	32	14	31	39	14	21	50	16	25	39
		F	51	22	4	6	16	16	17	11	16	10	14	23	10	16	37	18	24	27
50—		M	106	75	32	25	33	38	26	38	63	25	33	63	13	30	90	33	33	53
		F	70	30	12	21	23	24	12	18	17	12	22	33	18	25	55	6	16	38
55—		M	147	71	28	32	41	45	44	36	77	31	43	82	27	41	129	35	45	95
		F	95	55	15	22	30	25	25	29	47	18	36	45	22	22	69	16	27	52
60—		M	161	128	36	35	67	84	49	56	99	40	73	89	31	76	172	55	64	130
		F	144	69	34	30	39	43	32	30	58	27	32	59	26	37	91	34	40	78
65—		M	223	151	62	61	94	89	49	63	114	56	83	134	53	86	202	61	87	163
		F	171	106	39	49	63	54	41	57	66	39	59	76	31	65	129	47	61	112
70—		M	218	144	67	58	92	78	71	81	136	59	81	119	41	98	216	61	82	165
		F	212	123	54	57	81	70	51	58	94	59	70	95	55	103	175	57	73	139
75—		M	192	168	67	48	82	91	66	83	128	65	85	144	50	106	217	70	69	153
		F	232	143	63	69	109	110	70	63	109	70	65	122	41	114	204	81	78	159
80—		M	166	92	43	41	72	66	52	42	63	45	46	85	47	77	146	47	65	105
		F	180	113	55	44	86	97	55	64	84	54	47	123	56	99	165	51	53	121
85 and over		M	57	44	17	19	28	25	22	13	28	20	24	42	18	37	116	24	33	42
		F	126	72	38	31	81	54	41	25	65	30	37	76	58	69	171	33	54	79



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,025	589	721	978	960	1,048	442	455	3,645	1,107	1,289	919	524	817	2,074	1,712
	F	995	477	719	928	892	944	445	465	3,602	1,008	1,458	878	502	728	1,799	1,475
Under 4 weeks	M	30	10	16	33	20	21	10	6	80	27	34	27	19	18	56	55
4 weeks to 3 months	F	26	6	7	22	13	20	11	7	72	19	22	14	18	15	38	43
	M	10	4	3	2	4	6	2	3	7	5	3	2	2	4	13	8
	F	9	1	3	3	2	1	1	1	14	3	4	1	2	1	10	8
3-6 months	M	3	2	—	4	8	4	1	2	8	7	1	4	1	9	19	9
6-12 months	F	2	4	1	7	6	3	2	1	18	1	2	2	2	2	12	7
	M	5	3	4	4	3	3	3	2	11	11	3	3	—	1	11	9
	F	3	—	3	2	—	5	1	1	6	2	4	2	2	1	5	4
Total under 1 year	M	48	19	23	43	35	34	16	13	106	50	41	36	22	32	99	81
	F	40	11	14	34	21	29	15	10	110	25	32	19	24	19	65	62
1—	M	—	2	1	1	5	1	3	—	12	5	5	2	1	5	2	2
	F	3	—	1	4	1	2	2	—	10	3	3	7	2	1	4	5
2—	M	—	1	1	1	—	2	1	2	7	2	3	—	1	2	1	1
	F	—	—	—	2	—	1	—	1	6	—	1	—	—	—	1	1
3—	M	—	1	1	1	4	—	—	—	4	3	—	2	1	—	4	1
	F	1	1	1	1	—	3	—	—	2	2	1	1	—	—	3	3
4—	M	1	—	1	1	2	1	1	—	7	1	1	—	—	1	1	2
	F	1	—	1	1	1	—	—	—	2	1	—	1	1	—	1	1
Total under 5 years	M	52	23	27	47	46	38	21	15	136	61	50	40	25	40	107	87
	F	45	12	17	42	23	35	17	13	130	31	37	28	27	20	74	72
5—	M	2	1	5	5	2	6	3	1	15	5	3	5	4	3	15	11
	F	4	—	1	2	4	5	1	3	5	4	5	1	1	4	8	7
10—	M	1	—	3	2	4	1	2	1	6	2	3	1	1	4	6	3
	F	3	—	—	3	4	5	—	—	7	2	3	3	—	1	5	3
15—	M	6	5	—	5	1	18	1	3	6	11	6	4	3	2	9	10
	F	2	1	2	1	3	2	—	1	3	—	3	3	4	3	3	6
20—	M	5	3	7	9	5	5	3	12	17	11	4	10	3	10	14	10
	F	3	1	—	2	3	1	3	2	9	4	4	2	3	4	8	4
25—	M	11	7	6	4	9	11	2	3	36	10	4	2	5	3	15	17
	F	7	5	2	2	3	7	5	5	15	2	6	1	4	3	10	10
30—	M	16	4	3	9	3	10	3	2	32	14	13	7	12	8	20	14
	F	10	3	8	4	9	5	4	2	28	7	10	8	4	7	12	16
35—	M	8	4	5	11	9	8	3	3	38	12	7	14	11	11	21	25
	F	13	6	12	8	12	11	1	2	34	14	7	10	12	8	22	22
40—	M	26	8	7	15	26	23	7	13	72	21	14	13	11	15	52	30
	F	16	8	7	17	18	18	8	7	64	19	23	7	11	10	23	20
45—	M	36	15	26	29	30	30	7	11	146	41	50	24	17	26	54	56
	F	22	12	10	16	27	26	10	8	94	30	31	21	10	15	55	49
50—	M	55	30	33	46	53	55	23	20	227	66	58	38	28	30	97	108
	F	39	14	24	31	28	25	15	14	149	26	54	38	13	24	69	58
55—	M	87	43	32	56	72	69	35	21	300	57	97	75	45	55	151	121
	F	41	21	29	48	37	38	22	15	190	55	67	35	31	36	93	96
60—	M	101	54	66	95	101	76	43	43	422	110	103	85	58	80	186	158
	F	62	39	41	63	57	53	26	39	282	75	112	59	34	57	137	121
65—	M	140	70	67	109	111	124	50	50	471	115	184	121	60	99	311	217
	F	91	43	54	99	67	89	41	54	426	113	134	96	52	90	224	168
70—	M	153	67	116	158	159	170	58	61	569	171	203	129	72	139	339	256
	F	131	73	96	132	144	131	68	67	535	159	194	123	85	121	264	181
75—	M	152	110	126	151	147	169	87	84	557	172	201	145	82	125	322	285
	F	180	88	134	155	154	172	74	82	643	174	285	150	88	124	338	269
80—	M	110	80	102	129	109	138	67	70	387	128	171	124	55	100	219	189
	F	167	72	140	146	154	149	71	80	557	158	239	152	74	108	264	200
85 and over	M	64	65	90	98	73	97	27	42	208	100	118	82	32	67	136	115
	F	159	79	142	157	145	172	79	71	431	135	244	141	49	93	190	173

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Devon.		Dorset.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
			U.	R.*	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages		M	1,979	1,535	1,136	674	3,751	1,804	377	178	7,853	1,443	831	1,649	334	454	2,351	1,144
		F	2,230	1,452	1,227	578	3,016	1,401	376	144	7,292	1,366	888	1,554	320	439	2,270	1,108
Under 4 weeks		M	19	43	22	24	120	54	9	5	198	29	19	38	7	6	54	30
4 weeks to 3 months		F	25	35	20	9	91	37	6	1	148	28	11	27	3	9	48	16
		M	8	3	4	4	20	14	1	1	46	6	2	5	—	1	16	6
		F	6	6	3	2	21	12	1	—	24	2	—	5	—	—	4	1
3-6 months		M	6	5	1	1	20	16	1	—	22	4	5	9	—	—	9	5
6-12 months		F	1	2	4	2	19	9	—	—	26	3	7	7	—	2	10	6
		M	3	4	3	1	29	9	1	1	30	1	1	13	1	1	4	4
		F	1	7	3	1	19	8	—	—	22	1	4	7	1	1	10	2
Total under 1 year		M	36	55	30	30	189	93	12	7	296	140	27	65	8	8	83	45
		F	33	50	30	14	150	66	7	1	220	34	22	46	4	12	72	25
1—		M	5	1	1	2	11	3	1	—	22	2	2	1	—	1	7	8
		F	—	3	2	1	7	5	3	—	16	6	2	4	—	3	2	1
2—		M	2	1	2	1	6	5	—	—	9	3	4	1	2	1	4	4
		F	—	6	2	2	7	5	—	—	15	3	3	1	1	2	3	1
3—		M	2	1	—	1	3	4	—	—	12	6	—	3	—	1	2	2
		F	1	1	—	—	3	1	—	—	9	4	—	1	—	—	1	1
4—		M	2	2	2	1	4	5	1	—	15	2	1	5	1	—	2	2
		F	1	1	—	—	4	1	—	—	7	1	—	—	—	—	—	1
Total under 5 years		M	47	60	35	35	213	110	14	8	354	53	34	75	11	11	98	61
		F	35	61	34	17	171	78	10	1	267	48	27	52	5	17	77	29
5—		M	6	6	3	5	14	6	—	—	36	6	3	6	2	4	12	8
		F	5	4	4	4	4	6	—	—	23	5	7	9	—	2	2	5
10—		M	8	3	4	—	13	1	2	—	22	6	2	5	1	1	6	1
		F	3	2	1	—	5	5	—	—	12	2	2	9	—	2	4	1
15—		M	10	10	5	8	16	16	1	—	27	6	3	6	—	3	7	4
		F	3	7	4	—	5	3	—	—	14	3	4	5	2	—	5	3
20—		M	5	12	6	4	24	15	1	—	41	3	7	13	1	4	9	9
		F	7	8	2	1	17	6	2	—	26	3	1	6	—	2	6	6
25—		M	8	5	10	1	33	15	3	1	53	12	5	15	4	5	11	9
		F	7	10	2	2	33	7	2	1	50	5	2	8	3	6	12	8
30—		M	5	9	6	4	44	25	5	1	75	8	6	20	2	4	23	12
		F	10	16	9	4	51	17	1	1	55	7	2	9	2	3	16	9
35—		M	18	20	12	1	49	24	3	2	91	15	11	27	4	1	31	13
		F	18	9	11	9	37	12	3	3	68	9	5	19	3	3	23	9
40—		M	28	27	16	13	69	38	5	2	141	20	15	31	8	5	33	28
		F	25	19	13	11	71	26	4	—	115	25	14	21	7	6	38	19
45—		M	52	25	26	24	147	60	14	1	256	46	18	65	8	13	82	45
		F	43	34	23	12	82	45	11	7	181	27	21	31	8	8	63	30
50—		M	89	81	43	22	232	86	22	9	468	47	52	98	14	20	130	63
		F	50	55	46	20	142	60	14	5	243	41	24	54	17	19	82	34
55—		M	105	92	85	42	298	120	26	9	597	74	51	115	24	21	169	65
		F	83	72	45	23	174	86	15	6	337	54	35	62	14	20	117	59
60—		M	176	120	113	55	390	182	22	16	806	126	82	149	28	33	261	100
		F	143	102	83	39	274	135	13	7	517	92	42	94	21	32	158	67
65—		M	270	189	150	99	487	221	31	24	1,032	172	119	199	48	39	316	151
		F	204	143	108	70	346	167	43	12	763	125	98	152	31	44	223	112
70—		M	335	258	178	110	579	270	56	23	1,194	220	103	222	55	67	329	150
		F	320	181	183	73	499	193	59	23	1,075	184	130	201	35	60	312	146
75—		M	381	256	190	97	587	315	56	42	1,151	266	130	270	50	89	367	195
		F	422	274	223	106	516	238	60	26	1,268	233	153	249	56	81	407	193
80—		M	257	208	140	81	362	203	71	19	891	216	111	200	44	71	273	138
		F	399	228	203	104	353	188	76	25	1,176	251	135	272	53	71	366	187
85 and over		M	179	154	114	73	194	97	45	20	618	147	79	133	30	63	194	92
		F	453	227	233	83	236	129	63	27	1,102	252	186	301	63	63	359	191

\* The Rural aggregate for Devon includes 5M and 5F deaths registered in Axminster U.D. during the first three months of the year. On 1st April, this district was combined with Axminster R.D.



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire, Parts of Holland.		Lincolnshire, Parts of Kesteven.		Lincolnshire, Parts of Lindsey.		Middlesex.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	209	195	6,884	2,117	10,781	1,835	901	947	264	345	367	457	914	889	11,277	—
	F	184	175	6,989	1,892	10,558	1,707	802	884	240	281	297	413	834	816	10,851	—
Under 4 weeks	M	4	8	151	38	276	60	32	25	8	9	7	15	24	23	242	—
4 weeks to 3 months.	F	3	4	114	23	237	42	21	23	6	12	6	18	15	19	174	—
	M	3	—	32	8	43	9	6	6	—	2	4	4	3	5	41	—
	F	—	1	31	6	46	5	4	3	—	—	1	2	7	5	33	—
3-6 months	M	2	—	20	6	34	5	2	7	3	—	2	9	7	1	48	—
6-12 months	F	1	—	24	5	37	2	4	4	1	1	1	2	3	1	21	—
	M	—	—	25	8	39	5	4	4	4	2	2	4	4	6	33	—
	F	—	1	17	4	34	6	4	3	1	2	2	—	2	6	37	—
Total under 1 year	M	9	8	228	60	392	79	44	42	17	13	15	32	38	35	364	—
	F	4	6	186	38	354	55	33	33	8	15	10	22	27	31	265	—
1—	M	1	2	14	7	40	5	—	8	2	3	2	1	1	2	15	—
2—	F	—	—	11	7	29	4	2	2	1	—	1	—	2	4	12	—
	M	—	—	11	3	19	2	—	3	1	—	1	3	1	3	14	—
	F	—	1	9	2	19	5	—	4	—	—	1	—	—	3	7	—
3—	M	1	—	7	2	14	1	3	—	—	—	1	2	—	1	14	—
4—	F	—	—	9	2	9	2	1	1	—	2	—	2	1	2	2	—
	M	—	1	8	3	15	1	1	1	—	—	—	—	—	4	17	—
	F	—	—	9	1	10	2	—	—	1	—	—	—	2	1	7	—
Total under 5 years	M	11	11	268	75	480	88	48	54	20	18	19	38	40	45	424	—
	F	4	7	224	50	421	68	36	40	10	17	12	24	32	41	293	—
5—	M	2	—	29	10	37	10	6	5	—	3	3	5	4	4	45	—
10—	F	—	1	24	2	30	4	4	—	2	3	1	2	3	4	35	—
	M	—	1	15	11	18	8	1	—	—	4	—	—	3	4	29	—
	F	—	1	14	3	11	5	1	4	—	—	1	1	3	1	18	—
15—	M	1	2	18	10	33	12	5	5	3	3	2	5	7	9	38	—
20—	F	—	—	22	2	29	6	4	1	3	—	1	—	2	1	25	—
	M	—	5	41	19	36	18	5	2	—	2	2	10	3	11	65	—
	F	2	—	13	6	44	11	1	9	1	2	—	3	4	2	32	—
25—	M	1	4	44	17	71	13	6	6	1	—	2	5	7	18	65	—
30—	F	1	1	41	13	51	21	5	7	1	2	1	4	2	6	41	—
	M	3	1	61	21	114	24	6	13	4	4	1	10	9	6	109	—
	F	—	4	40	13	94	23	7	9	1	3	—	4	7	7	90	—
35—	M	1	1	70	20	105	29	11	14	4	7	2	7	13	11	132	—
40—	F	5	3	61	14	107	20	2	11	1	1	2	3	8	9	118	—
	M	1	4	129	27	219	41	19	18	5	4	7	6	22	16	267	—
	F	3	3	111	26	185	39	6	24	6	4	—	5	13	13	216	—
45—	M	6	11	210	53	389	79	30	35	5	11	8	11	33	25	469	—
50—	F	5	5	176	46	286	55	27	25	5	5	4	9	20	17	346	—
	M	12	5	319	87	670	110	55	47	13	4	8	16	49	31	765	—
	F	6	5	222	60	406	68	33	40	8	9	9	11	38	19	431	—
55—	M	8	10	471	134	870	125	78	51	19	21	21	22	59	38	927	—
60—	F	9	8	339	88	615	83	46	49	10	14	15	22	41	44	580	—
	M	13	16	703	191	1,226	198	81	81	26	28	27	36	91	61	1,269	—
	F	12	7	479	126	905	133	65	60	14	19	13	24	63	50	811	—
65—	M	23	19	929	250	1,500	224	114	130	29	37	44	57	118	105	1,543	—
70—	F	12	15	712	173	1,284	172	87	71	18	25	27	53	97	85	1,086	—
	M	33	33	1,083	330	1,729	288	136	124	41	47	62	63	151	125	1,584	—
	F	20	28	968	262	1,741	277	124	130	35	43	51	54	121	118	1,506	—
75—	M	30	35	1,092	339	1,674	261	144	142	37	63	68	70	152	161	1,621	—
80—	F	42	27	1,269	332	1,901	322	144	130	47	50	60	80	151	135	1,917	—
	M	41	14	814	308	1,121	197	86	150	34	47	57	56	85	129	1,167	—
	F	42	27	1,140	315	1,506	219	113	158	41	44	49	63	112	129	1,630	—
85 and over	M	19	23	588	215	489	110	70	70	23	42	34	40	68	90	758	—
	F	27	33	1,134	361	942	181	97	116	37	40	51	51	117	135	1,676	—

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutland.		Shropshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	504	1,774	931	654	2,098	701	2,085	870	254	593	351	44	43	82	915	738
	F	473	1,651	808	634	1,772	622	1,687	815	284	549	277	40	46	67	881	710
Under 4 weeks	M	16	42	21	29	68	14	76	23	8	19	12	5	2	3	17	23
4 weeks to 3 months	F	13	35	16	9	37	6	48	21	8	14	8	—	—	3	18	22
	M	2	8	3	1	15	3	14	4	2	4	—	—	—	—	2	3
	F	2	8	2	4	15	—	4	2	1	3	—	—	—	—	6	2
3-6 months	M	1	4	4	2	11	2	14	5	—	5	1	—	—	—	3	6
6-12 months	F	3	4	1	4	8	2	7	2	—	4	2	—	—	—	2	3
	M	2	9	3	1	10	6	13	7	—	4	—	—	—	2	1	3
	F	—	4	2	3	8	2	6	7	1	1	—	—	—	—	1	1
Total under 1 year	M	21	63	31	33	104	25	117	39	10	32	13	5	2	5	23	35
	F	18	51	21	20	68	10	65	32	10	22	10	—	—	3	27	28
1—	M	—	5	1	2	9	2	6	7	—	2	1	—	—	—	7	2
	F	—	5	3	2	5	—	8	1	—	4	—	—	—	2	3	4
2—	M	2	2	1	1	3	—	5	3	—	—	—	1	—	—	1	2
	F	2	2	2	1	2	—	—	3	1	1	1	—	—	—	1	1
3—	M	—	2	1	1	4	—	1	1	—	1	—	—	—	—	—	3
	F	—	—	2	—	1	2	—	3	—	—	—	—	—	1	3	2
4—	M	—	1	2	1	4	1	2	1	—	1	—	—	—	—	1	2
	F	—	3	—	—	3	—	1	1	—	2	—	—	—	—	1	—
Total under 5 years	M	23	73	36	38	124	28	131	51	10	36	14	6	2	5	32	44
	F	20	61	28	23	79	12	74	40	11	29	11	—	—	6	35	35
5—	M	1	7	5	2	13	5	9	1	1	3	1	1	—	1	1	3
	F	4	5	3	1	6	—	3	2	1	2	1	—	—	—	1	2
10—	M	1	11	2	2	8	1	8	2	—	—	2	—	—	2	—	1
	F	1	4	1	2	2	3	3	2	1	—	2	—	—	1	1	1
15—	M	4	14	1	3	6	5	10	8	1	3	1	1	—	1	5	9
	F	1	6	2	2	1	1	—	6	—	2	—	—	1	—	3	4
20—	M	4	30	9	6	9	2	15	7	1	14	1	1	—	4	7	11
	F	2	9	2	4	6	3	7	5	1	2	1	—	—	—	2	1
25—	M	6	18	10	9	14	6	13	10	—	4	2	—	—	2	7	6
	F	1	7	3	6	14	—	11	6	3	2	2	—	—	—	5	5
30—	M	4	14	9	5	26	7	23	14	1	9	3	1	—	—	6	12
	F	4	6	7	2	15	5	20	5	3	5	2	1	—	2	8	7
35—	M	3	18	9	7	38	13	32	18	1	4	9	1	—	2	14	8
	F	4	14	6	8	33	7	20	8	—	3	6	4	—	1	5	6
40—	M	6	21	11	12	47	12	50	16	4	13	11	—	1	—	16	11
	F	13	26	16	6	32	6	42	16	5	11	4	—	—	—	13	11
45—	M	8	50	30	10	92	22	69	25	9	24	12	—	—	2	26	24
	F	3	41	15	19	48	10	60	25	7	6	7	1	—	2	23	13
50—	M	20	63	44	28	104	32	116	46	8	29	15	2	1	6	44	44
	F	15	42	32	20	77	24	69	34	7	15	15	2	2	1	33	30
55—	M	22	71	56	48	172	44	143	53	15	38	24	—	2	4	61	39
	F	15	64	37	24	97	31	85	39	6	26	17	—	—	2	41	38
60—	M	41	145	72	47	211	57	214	85	25	40	43	3	1	4	88	64
	F	36	115	58	41	147	59	118	68	22	24	15	2	4	4	62	50
65—	M	67	167	103	89	247	77	279	112	36	79	38	5	3	8	129	85
	F	43	163	97	66	227	80	181	73	31	55	28	3	1	6	81	64
70—	M	79	261	154	102	319	104	298	122	32	80	61	8	8	6	144	106
	F	72	223	118	78	268	104	268	113	26	99	32	12	7	5	113	104
75—	M	95	314	156	101	323	133	328	146	44	93	62	4	9	12	132	108
	F	83	297	130	123	324	117	298	154	63	101	49	7	7	13	171	105
80—	M	68	273	136	71	236	96	214	95	39	73	28	11	6	11	125	98
	F	73	281	118	105	227	72	244	116	43	88	46	2	6	15	154	117
85 and over	M	52	224	88	74	109	57	133	59	27	51	24	—	10	12	78	65
	F	83	287	135	104	169	88	184	103	54	79	39	6	17	10	130	117



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Somerset.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,424	1,447	1,985	1,844	3,638	1,067	600	775	267	483	6,805	859	1,218	1,022	1,213	951
	F	1,521	1,378	1,938	1,660	3,153	1,001	602	672	276	393	7,270	830	1,574	1,192	1,438	917
Under 4 weeks	M	31	31	45	54	116	44	13	8	10	10	134	19	18	17	12	25
4 weeks to 3 months	F	25	26	37	33	84	34	13	6	3	11	92	7	11	14	17	13
	M	5	8	11	12	22	13	3	4	1	1	22	5	1	—	4	2
	F	—	2	12	8	19	4	1	1	3	1	16	5	—	2	1	2
3-6 months	M	3	4	7	10	24	10	—	2	2	2	19	—	3	1	1	2
6-12 months	F	3	2	5	7	16	2	2	1	2	2	12	5	3	2	4	1
	M	3	7	8	9	16	4	2	2	—	2	15	4	2	2	5	2
	F	2	2	4	3	25	1	1	1	4	1	16	3	4	—	—	4
Total under 1 year	M	42	50	71	85	178	71	18	16	13	15	190	28	24	20	22	31
	F	30	32	58	51	144	41	17	9	12	15	136	20	18	18	22	20
1—	M	1	5	11	8	13	2	3	—	1	2	17	2	1	2	2	2
	F	6	2	9	4	11	1	3	—	1	—	18	1	3	1	6	5
2—	M	1	2	1	5	8	4	2	—	—	—	12	1	—	1	1	1
	F	1	3	4	2	1	1	3	—	—	1	9	2	1	4	—	1
3—	M	3	1	2	7	3	1	—	1	1	1	8	2	1	1	1	—
	F	1	2	1	1	5	1	1	2	—	—	6	—	2	2	1	—
4—	M	3	1	3	3	8	3	2	1	—	2	3	1	1	1	—	1
	F	—	1	2	1	4	—	3	—	—	—	6	—	—	1	—	—
Total under 5 years	M	50	59	88	108	210	81	25	18	16	20	230	34	27	25	26	35
	F	38	40	74	59	165	44	27	11	13	16	175	23	24	26	29	27
5—	M	2	8	14	6	21	8	5	4	—	—	20	4	2	2	7	3
	F	5	4	10	1	5	8	4	3	—	3	23	3	4	3	1	6
10—	M	3	4	2	8	17	2	1	3	1	1	27	2	3	2	1	1
	F	1	2	5	2	7	3	3	—	—	—	12	2	3	1	2	2
15—	M	5	6	8	13	24	10	—	5	—	1	26	5	4	5	1	1
	F	3	1	8	5	12	5	1	2	—	—	14	3	2	3	2	3
20—	M	8	25	19	18	23	7	3	4	2	6	39	5	4	4	7	3
	F	2	5	7	9	20	4	—	5	—	1	25	1	—	2	2	5
25—	M	10	7	14	13	22	9	4	12	—	5	34	3	3	4	6	4
	F	7	9	6	7	26	11	3	1	2	—	27	4	3	4	3	1
30—	M	10	9	11	15	39	8	5	3	1	7	72	8	10	3	7	7
	F	9	5	12	6	46	11	7	3	2	1	57	5	8	8	4	9
35—	M	15	18	23	20	58	12	8	6	2	4	81	9	7	10	7	10
	F	10	12	19	15	38	9	4	3	1	2	78	8	10	10	7	8
40—	M	27	27	33	32	91	15	9	13	2	13	119	18	15	10	15	10
	F	24	15	27	16	76	16	10	8	4	9	110	12	15	17	12	11
45—	M	39	48	43	46	151	36	14	16	7	15	212	22	25	31	32	26
	F	24	22	49	35	87	28	9	11	3	10	178	23	33	21	31	17
50—	M	59	59	100	62	213	58	19	26	7	20	379	45	51	31	44	27
	F	48	52	49	47	126	34	9	25	8	16	302	32	35	25	35	22
55—	M	103	91	132	104	304	69	29	42	14	17	523	42	67	53	66	46
	F	67	65	84	71	168	59	25	30	15	14	318	29	57	42	51	30
60—	M	109	127	179	154	375	103	59	59	31	36	695	71	105	82	100	82
	F	116	88	136	96	222	78	29	52	21	32	474	46	86	75	66	53
65—	M	189	174	253	208	423	129	100	96	37	57	885	105	153	133	156	128
	F	146	130	201	160	330	99	61	64	26	33	713	93	159	105	118	94
70—	M	229	219	338	283	550	158	97	110	39	80	1,010	138	196	174	205	164
	F	233	194	257	201	477	143	85	123	39	53	1,033	95	224	171	223	116
75—	M	240	221	336	283	556	180	95	130	39	82	1,077	140	228	180	224	157
	F	248	246	332	292	557	199	116	101	42	83	1,272	172	286	236	280	176
80—	M	191	209	246	278	361	114	68	130	40	67	806	126	169	160	177	144
	F	271	209	301	307	455	143	96	106	46	60	1,176	141	296	226	258	150
85 and over	M	135	136	146	193	200	68	59	98	29	52	570	82	149	113	132	103
	F	269	279	361	331	336	107	113	124	53	60	1,283	138	329	217	314	187

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age		Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages		M	1,654	927	187	202	498	122	1,202	997	1,668	588	669	627	1,297	926
		F	1,642	897	239	198	613	109	1,102	869	1,506	607	722	564	1,210	854
Under 4 weeks		M	54	31	2	9	5	6	24	26	37	24	17	21	48	31
4 weeks to 3 months		F	38	20	9	4	7	—	14	29	33	11	10	15	23	22
		M	4	6	—	—	2	—	4	8	7	3	1	4	5	7
		F	6	3	—	—	1	—	9	8	7	2	4	—	11	2
3-6 months		M	6	2	1	—	—	—	1	7	7	2	1	2	3	1
6-12 months		F	5	2	—	1	—	1	2	4	10	2	3	—	7	5
		M	7	4	—	—	1	—	4	8	7	4	1	3	7	5
		F	6	4	—	1	—	—	6	1	5	2	3	2	7	1
Total under 1 year		M	71	43	3	9	8	6	33	49	58	33	20	30	63	44
		F	55	29	9	6	8	1	31	42	55	17	20	17	48	30
1—		M	3	4	1	—	1	—	3	2	2	1	2	1	4	2
		F	1	4	—	1	2	—	1	7	3	1	1	2	1	5
2—		M	6	—	1	1	—	2	1	3	5	2	1	—	3	1
		F	—	—	—	—	1	—	2	1	3	4	1	3	2	3
3—		M	1	5	—	1	—	—	—	—	3	1	1	—	5	—
		F	—	1	—	—	—	—	1	2	2	2	2	—	1	—
4—		M	2	1	—	—	—	—	1	—	2	—	1	—	3	—
		F	2	—	—	—	—	—	—	1	2	2	—	—	1	1
Total under 5 years		M	83	53	5	11	9	8	38	54	70	37	25	31	78	47
		F	58	34	9	7	11	2	35	53	65	26	24	24	53	39
5—		M	6	7	1	3	2	—	5	7	4	1	1	2	9	5
		F	8	6	2	—	2	—	5	7	7	1	2	3	4	5
10—		M	4	3	—	—	2	—	4	7	6	1	—	2	4	5
		F	8	2	—	—	—	—	6	1	5	—	2	—	2	4
15—		M	9	5	—	3	2	—	4	10	5	4	1	8	11	12
		F	5	2	1	—	2	—	2	2	6	3	—	1	4	3
20—		M	7	5	1	—	—	—	6	18	8	5	3	6	9	18
		F	1	12	1	1	—	—	8	3	7	1	4	1	2	2
25—		M	13	10	1	1	2	2	8	17	6	9	3	1	10	8
		F	7	2	3	1	2	1	3	8	8	4	4	3	5	3
30—		M	12	7	2	2	1	—	7	14	17	8	4	4	10	13
		F	24	7	2	1	5	—	10	8	10	5	7	3	14	6
35—		M	23	8	1	4	3	—	8	16	14	7	11	4	8	10
		F	21	8	4	—	2	—	8	9	8	6	6	6	15	9
40—		M	32	23	4	4	3	3	22	15	30	12	11	7	25	20
		F	28	13	5	4	9	1	8	14	30	8	7	8	18	16
45—		M	51	36	10	2	9	1	33	30	63	17	25	16	50	28
		F	35	24	10	2	14	5	22	18	39	18	25	12	39	16
50—		M	85	37	9	6	28	3	64	41	80	35	36	20	69	36
		F	52	24	2	3	17	4	42	31	52	20	28	15	41	27
55—		M	123	56	17	15	27	8	87	61	111	36	40	46	88	61
		F	82	48	10	4	26	4	49	36	71	31	25	23	52	39
60—		M	157	84	14	16	41	8	94	71	179	48	67	60	120	66
		F	118	62	17	24	42	9	72	45	90	30	60	40	106	71
65—		M	221	126	29	26	59	14	160	114	223	63	89	63	148	107
		F	178	99	28	26	71	19	112	85	191	60	70	53	133	93
70—		M	249	117	22	30	82	23	172	137	247	88	110	96	200	141
		F	206	118	24	29	96	10	119	121	208	81	109	79	170	138
75—		M	264	156	38	34	90	18	188	157	266	98	94	104	218	150
		F	299	165	49	37	119	19	193	136	269	105	132	97	230	161
80—		M	192	119	14	21	80	18	178	137	214	70	99	103	145	123
		F	260	128	40	30	87	20	205	134	221	99	113	94	159	116
85 and over		M	123	75	19	24	58	14	124	91	125	49	50	54	95	76
		F	252	143	32	29	108	15	203	158	219	109	104	102	163	106



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	7,577	2,222	124	246	128	233	493	367	138	249	579	637	514	563
	F	6,885	1,820	127	243	102	218	516	318	132	264	471	528	554	473
Under 4 weeks	M	183	82	5	3	2	7	11	9	1	8	12	23	16	20
4 weeks to 3 months	F	126	74	4	6	1	8	5	4	—	1	12	8	8	10
	M	40	22	2	—	1	1	4	3	—	1	4	5	1	4
	F	28	15	1	1	—	4	4	2	—	3	1	4	4	2
3-6 months	M	36	20	1	—	—	—	2	4	—	1	2	5	2	2
6-12 months	F	18	9	—	—	—	1	1	—	—	—	2	—	—	3
	M	36	7	—	3	—	—	2	—	—	—	2	—	—	2
	F	25	12	—	1	—	1	1	2	—	—	2	3	1	1
Total under 1 year	M	295	131	8	6	3	8	19	16	1	10	20	36	20	28
	F	197	110	5	8	1	14	11	8	4	4	15	12	14	16
1—	M	25	9	—	1	—	—	—	1	—	—	—	1	—	—
	F	19	6	—	—	—	1	—	1	—	—	—	—	—	3
2—	M	12	2	—	—	—	1	—	1	—	1	1	1	—	2
	F	9	2	—	—	—	—	—	—	—	2	2	—	—	1
3—	M	6	2	—	1	—	2	—	—	—	—	2	—	—	—
	F	9	3	—	3	—	1	—	—	—	1	1	—	1	—
4—	M	6	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	1	—	—	1	—	—	1	—	1	1	3	2	2
Total under 5 years	M	344	148	8	8	3	11	19	18	1	11	23	39	20	30
	F	239	122	5	11	2	16	12	10	4	9	20	15	18	22
5—	M	24	11	—	1	—	—	—	1	—	—	2	4	3	1
	F	19	7	—	—	—	3	—	—	—	1	1	—	—	1
10—	M	14	7	—	—	—	1	—	1	—	1	—	1	2	1
	F	15	7	—	1	—	—	—	1	—	2	—	1	—	—
15—	M	31	14	1	2	1	1	—	2	—	—	4	3	5	4
	F	19	8	—	—	—	1	2	—	1	—	2	2	3	3
20—	M	44	31	—	5	—	2	3	—	1	1	2	2	4	3
	F	30	8	—	2	—	—	2	1	—	2	2	2	2	3
25—	M	49	16	—	5	—	1	6	1	1	5	4	2	2	5
	F	40	15	2	1	1	—	—	—	1	3	6	5	2	2
30—	M	58	31	2	1	2	3	5	4	2	2	8	6	6	4
	F	53	17	1	—	1	2	1	4	1	2	3	6	4	1
35—	M	86	34	2	1	2	5	6	1	—	2	4	16	3	5
	F	50	39	—	3	—	1	9	4	1	1	2	4	5	—
40—	M	140	42	3	3	—	3	7	5	—	1	7	7	10	6
	F	134	31	4	3	3	7	5	6	3	3	8	11	4	12
45—	M	251	89	5	5	2	11	25	8	5	8	12	26	12	19
	F	169	60	5	1	3	5	17	10	3	3	15	18	11	11
50—	M	424	135	7	7	6	10	24	19	10	10	27	37	27	34
	F	270	67	4	4	1	8	24	8	5	8	11	21	12	22
55—	M	552	158	15	16	7	16	27	29	5	16	60	50	37	36
	F	361	103	1	14	5	16	24	11	6	15	29	19	33	33
60—	M	842	213	12	24	14	21	49	29	13	18	72	78	57	52
	F	534	121	7	15	12	20	30	15	8	15	42	34	47	35
65—	M	993	281	15	32	16	26	54	42	15	25	88	77	73	60
	F	770	181	13	35	8	22	52	40	10	27	57	65	49	45
70—	M	1,226	307	23	37	21	32	83	70	22	36	88	90	69	103
	F	1,155	275	24	29	11	34	99	47	29	34	88	90	91	58
75—	M	1,215	359	14	36	29	43	80	58	32	46	84	103	95	82
	F	1,260	337	19	32	23	39	94	54	19	54	76	110	100	99
80—	M	863	245	10	36	13	34	65	45	18	42	61	59	57	73
	F	1,037	241	17	50	18	21	83	54	25	42	67	83	100	74
85 and over	M	421	101	7	27	12	13	40	34	13	24	32	32	32	45
	F	730	181	25	42	14	23	62	53	16	42	42	42	73	52

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	447	452	3,631	1,299	137	150	1,739	312	99	190	285	288	52	89
	F	392	355	2,732	1,011	121	166	1,390	250	100	169	271	238	55	60
Under 4 weeks	M	12	17	90	42	6	4	53	10	1	9	12	6	2	2
4 weeks to 3 months	F	16	3	66	32	2	1	43	3	3	1	5	6	1	1
	M	3	5	27	10	—	1	12	1	—	2	1	1	—	—
	F	—	5	17	9	2	1	11	1	—	2	—	1	—	2
3-6 months	M	3	2	19	5	—	—	14	—	—	1	—	2	—	—
6-12 months	F	3	1	15	7	—	1	8	1	—	1	2	1	—	—
	M	2	1	12	7	—	—	9	1	—	—	1	—	—	1
	F	1	1	8	5	—	—	8	—	—	2	1	—	—	1
Total under 1 year	M	20	25	148	64	6	5	88	12	1	12	14	9	2	3
	F	20	10	106	53	4	3	70	5	3	6	8	8	1	4
1—	M	3	1	18	2	—	—	3	1	—	1	3	2	—	—
	F	—	1	17	2	—	—	2	—	—	1	—	1	—	—
2—	M	2	—	5	1	—	—	3	2	—	2	—	1	—	—
	F	1	—	5	3	—	1	2	—	—	—	—	—	—	—
3—	M	—	—	4	1	—	—	4	—	—	1	—	1	—	—
	F	2	—	2	2	—	—	2	—	—	—	—	1	—	—
4—	M	—	—	4	—	—	1	6	—	—	2	1	—	—	—
	F	—	—	3	—	1	—	2	—	—	—	1	—	—	—
Total under 5 years	M	25	26	179	68	6	6	104	15	1	18	18	13	2	3
	F	23	11	133	60	5	4	78	5	3	7	9	10	1	4
5—	M	1	1	7	4	—	—	6	—	2	4	1	—	—	1
	F	—	—	9	4	1	—	11	1	—	1	—	—	1	—
10—	M	—	1	9	3	1	—	6	—	—	4	2	2	—	—
	F	2	—	7	3	—	—	6	—	—	1	—	2	1	1
15—	M	2	3	19	7	—	3	14	—	—	—	4	2	—	2
	F	1	1	12	5	—	—	4	—	—	1	3	—	—	1
20—	M	—	5	30	6	1	3	14	2	1	1	4	1	2	—
	F	—	—	12	5	—	1	9	1	—	—	2	—	—	—
25—	M	4	5	28	8	1	—	15	4	—	1	1	1	1	1
	F	2	1	21	11	1	—	12	—	1	1	1	2	—	1
30—	M	2	8	41	16	1	2	21	1	—	1	4	3	—	—
	F	2	6	39	15	—	1	20	2	2	1	1	2	1	—
35—	M	5	5	46	15	1	1	21	2	1	3	2	5	1	—
	F	5	5	40	15	1	—	16	5	—	2	2	1	—	2
40—	M	7	7	68	20	5	3	23	6	2	4	7	3	1	—
	F	8	9	52	18	5	1	33	3	1	1	2	7	1	1
45—	M	15	23	122	58	7	2	69	10	2	3	11	9	3	—
	F	10	7	83	35	3	3	30	9	3	3	4	6	—	1
50—	M	29	28	218	77	8	8	104	20	2	7	24	18	1	4
	F	14	16	119	38	7	6	57	8	6	3	17	11	—	1
55—	M	31	33	289	93	13	12	140	24	6	11	22	25	4	7
	F	16	24	187	61	6	8	78	13	2	7	14	8	4	1
60—	M	49	38	441	148	13	21	196	33	13	10	28	17	2	3
	F	17	20	253	93	9	17	125	28	9	10	22	18	4	3
65—	M	52	52	527	181	14	18	218	36	14	21	39	40	5	11
	F	41	47	316	109	12	21	175	28	7	22	25	22	4	5
70—	M	74	59	552	197	19	19	253	53	12	18	41	54	9	14
	F	44	56	371	139	21	31	200	29	11	18	33	37	6	7
75—	M	73	70	518	203	26	25	265	50	21	35	36	41	7	18
	F	87	60	452	181	14	24	215	52	21	26	36	38	8	11
80—	M	48	53	347	125	11	16	188	36	15	29	23	34	8	13
	F	65	49	360	117	21	25	199	28	21	37	52	36	14	12
85 and over	M	30	35	190	70	10	11	82	20	7	20	18	20	6	12
	F	55	43	266	102	15	24	122	38	13	28	48	38	10	9



**TABLE 16—Deaths at Different Ages, by Month of Occurrence,**  
**Jan.—Dec., 1953.**

**{ England and Wales.**

*See note at head of Table 23*

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M	31471	29989	26073	21301	19483	18028	16901	17162	16880	19706	20445	21860
	{ F	29098	29544	24780	20216	18319	16735	15894	15988	15722	18375	18911	20192
Under 4 weeks	{ M	696	631	677	605	589	591	575	529	517	569	492	522
	{ F	459	429	468	468	420	450	410	405	402	359	379	443
4 weeks-1 year	{ M	495	469	355	254	259	195	178	184	200	238	273	381
	{ F	408	325	279	215	214	175	144	173	136	170	218	287
1—	{ M	86	79	65	55	50	53	46	40	37	57	67	64
	{ F	77	70	70	60	42	42	30	38	41	38	40	53
2—	{ M	127	112	117	94	82	67	84	78	92	59	68	68
	{ F	80	104	94	70	73	59	66	52	59	68	60	53
5—	{ M	96	86	89	98	96	94	96	90	85	75	57	79
	{ F	63	79	75	66	56	50	58	49	40	67	62	61
10—	{ M	54	42	68	45	59	62	73	65	51	44	52	49
	{ F	37	49	51	39	40	36	36	60	42	39	25	40
15—	{ M	87	77	85	93	106	83	104	119	106	81	82	93
	{ F	62	59	68	50	37	47	55	52	50	49	53	52
20—	{ M	122	135	135	132	150	161	124	129	128	160	136	143
	{ F	77	83	102	103	86	90	66	75	68	90	73	57
25—	{ M	198	183	152	145	158	152	166	152	152	158	162	159
	{ F	140	134	134	106	132	118	124	99	100	118	96	115
30—	{ M	247	234	215	194	219	190	215	179	150	213	198	204
	{ F	194	195	208	194	186	140	160	132	133	188	162	167
35—	{ M	302	311	314	255	226	242	231	261	193	253	243	224
	{ F	239	249	242	198	212	197	203	211	184	183	232	215
40—	{ M	520	500	478	425	408	390	357	384	370	380	431	452
	{ F	439	425	377	359	344	320	297	342	300	348	364	335
45—	{ M	996	828	830	706	749	652	652	687	651	775	711	769
	{ F	631	639	615	542	517	464	482	478	439	500	545	508
50—	{ M	1638	1445	1377	1259	1112	1055	995	1029	969	1136	1197	1278
	{ F	868	881	913	747	688	690	664	660	632	728	709	746
55—	{ M	2266	1964	1894	1537	1443	1371	1318	1359	1267	1554	1562	1641
	{ F	1341	1238	1165	1065	996	911	872	904	909	974	933	1035
60—	{ M	3227	2997	2680	2188	1962	1915	1708	1800	1858	2039	2163	2247
	{ F	1962	1914	1755	1422	1364	1228	1208	1264	1286	1479	1497	1564
65—	{ M	4309	3902	3475	2690	2559	2417	2235	2158	2276	2612	2693	2955
	{ F	3057	3014	2558	2128	2023	1859	1741	1769	1765	1999	1969	2180
70—	{ M	4988	4674	3930	3266	2860	2751	2554	2632	2550	2982	3108	3299
	{ F	4275	4349	3583	3092	2668	2496	2410	2242	2304	2747	2675	2976
75—	{ M	4934	5034	4192	3359	3083	2629	2463	2509	2472	2981	3114	3357
	{ F	5507	5577	4586	3525	3218	2898	2732	2706	2715	3138	3338	3543
80—	{ M	3734	3830	3061	2421	2113	1898	1723	1774	1758	2069	2243	2443
	{ F	4758	5030	3892	3042	2717	2372	2262	2362	2182	2709	2930	2997
and over	{ M	2349	2456	1884	1480	1200	1060	1004	1004	998	1271	1393	1433
	{ F	4424	4701	3545	2725	2286	2093	1874	1915	1935	2384	2551	2765



**TABLE 17.—Causes of Death at Different Age-Periods, 1953, in England and Wales.**

- Notes: (a) Including deaths of non-civilians registered in England and Wales.  
 (b) The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth revision, 1948), including the classification by External Cause of Injury (E codes) for violent deaths. Each three-digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th-digit splits of general interest are also shown. Table 18 should be consulted for greater detail of violent deaths.  
 (c) Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **048**, Unspecified forms of dysentery, 0, 40 denotes that one male death (in age-group 0-) and one female death (in age-group 40-) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

See Explanatory notes on page v.

Causes of death	All Causes		I 001-138 Infective and Parasitic Diseases		TUBERCULOSIS											
					001-019		001-008		001		002		003		003.0	
					All forms		Respiratory system		Respiratory tuberculosis with mention of occupational disease of lung		Pulmonary tuberculosis		Pleural tuberculosis		Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	259490	244039	8203	4497	5964	2938	5447	2466	298	6	5107	2426	34	29	11	12
0—	10487	7837	280	244	32	31	15	10	—	—	13	8	1	—	—	—
1—	701	604	150	120	44	45	6	6	—	—	6	5	—	—	—	—
2—	420	369	84	79	26	23	4	7	—	—	4	7	—	—	—	—
3—	344	261	51	52	14	15	—	1	—	—	—	1	—	—	—	—
4—	292	213	44	44	9	20	—	4	—	—	—	4	—	—	—	—
5—	1043	720	143	114	31	35	7	9	—	—	6	9	1	—	1	—
10—	665	496	54	40	26	15	5	4	—	—	4	4	1	—	—	—
15—	1104	634	83	101	45	73	24	44	—	—	22	43	2	1	2	—
20—	1640	976	161	231	125	198	99	176	—	—	99	176	—	—	—	—
25—	1932	1419	267	317	223	278	196	259	—	—	196	256	—	3	—	3
30—	2449	2050	402	365	338	322	304	305	1	—	303	304	—	1	—	—
35—	3068	2565	364	298	312	254	294	231	8	—	283	227	3	4	3	4
40—	5104	4252	487	326	409	257	376	241	15	—	359	240	2	1	—	—
45—	9016	6366	680	278	583	219	542	178	24	1	516	177	2	—	2	—
50—	14507	8930	869	298	743	226	701	193	41	1	655	188	4	4	1	3
55—	19204	12353	935	278	745	181	707	163	45	1	658	161	2	—	1	—
60—	26802	17956	1027	296	795	203	767	176	56	1	706	170	5	5	1	1
65—	34292	26110	980	316	740	193	716	175	70	2	644	170	1	3	—	—
70—	39644	35839	631	276	423	162	404	138	23	—	376	137	4	1	—	—
75—	40162	43520	372	231	236	120	223	98	12	—	206	95	3	3	—	—
80—	29061	37318	107	113	53	50	47	35	2	—	44	33	1	2	—	1
85 and over	17553	33251	33	80	12	18	10	13	1	—	7	11	2	1	—	—

Causes of death	TUBERCULOSIS															
	003.1		004*		006*		008*		010		011		012		012.0	
	Pleurisy with effusion without mention of cause		005 Tracheobronchial gland'l'r tuberculosis with symptoms		007 Other respiratory tuberculosis		010-019 Other forms		Meninges and central nervous system		Intestines, peritoneum, & mesenteric glands		Bones and joints, active or unspecified		Active or unspecified tuberculosis of vertebral column	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	23	17	3	2	3	1	517	472	177	168	60	59	68	71	47	51
0—	1	—	—	—	—	—	17	21	9	7	1	2	—	—	—	—
1—	—	—	—	1	—	—	38	39	32	34	3	3	—	—	—	—
2—	—	—	—	—	—	—	22	16	19	14	1	—	1	1	1	1
3—	—	—	—	—	—	—	14	14	11	11	—	2	1	—	1	—
4—	—	—	—	—	—	—	9	16	8	14	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	—	—	—	—	—	24	26	18	22	4	—	—	—	—	—
15—	—	1	—	—	—	—	21	11	12	9	1	2	1	—	1	—
20—	—	—	—	—	—	—	21	29	18	17	1	3	—	1	—	1
25—	—	—	—	—	—	—	26	22	9	9	1	1	2	2	1	1
30—	—	—	—	—	—	—	27	19	7	6	4	3	5	2	4	2
35—	—	1	—	—	—	—	34	17	7	3	3	4	5	3	4	3
40—	2	1	—	—	—	—	18	23	5	4	3	5	1	4	1	3
45—	—	—	—	—	—	—	33	16	4	4	4	1	5	3	4	1
50—	3	1	—	—	—	—	41	41	5	7	7	7	9	7	6	5
55—	—	—	—	—	—	—	42	33	5	1	5	6	5	7	4	6
60—	1	—	1	—	1	1	38	18	5	3	5	5	7	2	6	2
65—	4	4	—	—	—	—	28	27	2	2	5	6	4	8	2	6
70—	1	3	—	—	1	—	24	18	1	—	5	1	6	4	5	3
75—	4	1	—	—	1	—	19	24	—	1	3	5	9	12	5	12
80—	3	3	2	—	—	—	13	22	—	—	2	3	7	9	2	2
85 and over	1	1	—	—	—	—	6	15	—	—	2	—	—	2	—	1
85 and over	2	1	—	1	—	—	2	5	—	—	—	—	—	4	—	2

\*004, Primary tuberculosis complex with symptoms, —, 0; 006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —; 008, Tuberculosis, unspecified site, 0, 50, 0.



TABLE 17—continued.

Causes of death	TUBERCULOSIS															
	012.1;2;3		013*		015		016		017		018		019		019.0;1	
	Others included under 012		Skin and subcutaneous cellular tissue		Lymphatic system		Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		Acute miliary tuberculosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	21	20	2	3	9	15	109	79	19	12	8	7	62	56	3	5
0—	—	—	—	—	—	—	—	—	—	—	—	1	7	11	—	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
5—	—	—	—	—	2	—	—	—	—	1	—	—	—	3	—	—
10—	—	—	—	—	—	—	3	—	—	—	1	—	3	—	—	—
15—	—	—	—	—	—	—	2	3	—	—	—	—	—	5	—	2
20—	1	1	—	—	1	—	10	6	1	—	—	1	2	2	1	1
25—	1	—	—	—	—	1	9	4	1	—	—	1	1	2	—	—
30—	1	—	—	—	—	—	11	4	2	—	2	1	3	2	—	—
35—	—	1	—	—	1	—	3	8	1	—	1	—	3	1	—	—
40—	1	2	—	—	—	—	12	6	2	—	—	—	4	2	—	—
45—	3	2	—	—	1	2	13	16	4	1	—	—	2	1	1	—
50—	1	1	—	1	2	—	15	8	3	3	—	1	7	6	—	—
55—	1	—	—	—	—	—	12	6	4	2	—	—	5	—	—	—
60—	2	2	1	—	—	—	8	5	1	2	—	1	6	3	1	1
65—	1	1	—	—	1	2	3	5	—	1	2	—	6	5	—	—
70—	4	—	—	—	—	1	3	3	—	—	—	—	4	2	—	—
75—	5	7	—	—	—	2	2	2	—	2	—	1	2	3	—	—
80—	—	1	—	2	1	7	2	3	—	—	1	—	—	1	—	—
85 and over	—	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—

Causes of death	TUBERCULOSIS															
	Tuberculosis		020-029		020		021*		023		024		025		026	
	019.2 Other forms of disseminated tuberculosis		Syphilis and its sequelæ		Congenital syphilis		022 Aneurysm of aorta		Other cardio-vascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	59	51	1001	444	10	3	408	190	344	159	87	26	91	26	37	25
0—	7	10	8	—	8	—	—	—	—	—	—	—	—	—	—	—
1—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	3	—	2	—	—	—	2	—	—	—	—	—	—	—	—
20—	1	1	3	1	—	—	1	1	—	—	—	—	2	—	—	—
25—	1	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
30—	3	2	7	2	—	—	1	—	4	—	—	—	1	1	1	—
35—	3	1	13	7	1	1	5	1	6	1	—	—	1	3	—	1
40—	4	2	23	14	—	1	9	1	9	5	—	1	3	1	2	3
45—	1	1	45	13	—	—	14	—	20	6	2	2	6	2	2	3
50—	7	6	78	37	—	—	20	6	34	15	4	2	13	5	5	6
55—	5	—	136	51	1	—	43	9	49	29	17	4	14	3	8	4
60—	5	2	178	50	—	—	57	17	77	19	16	5	19	6	5	2
65—	6	5	193	76	—	—	80	29	63	30	24	6	16	2	4	4
70—	4	2	168	65	—	1	86	36	46	22	14	2	12	2	7	1
75—	2	3	105	67	—	—	62	44	27	21	8	1	3	—	3	1
80—	—	1	33	36	—	—	22	24	6	9	2	2	1	1	—	—
85 and over	—	1	10	22	—	—	8	19	2	2	—	1	—	—	—	—

\*013, Late effects of tuberculosis of bones and joints, 30, 40, 40, 20, 35 ; 021, Early syphilis, 55.

TABLE 17—continued.

Causes of death	027		028*		030-039*		040-049 Infectious diseases commonly arising in intestinal tract		040 Typhoid fever		041 Paratyphoid fever		042 Other salmonella infections		043, 044*	
	Other forms of late syphilis		029 Syphilis unqualified		030-039 Gonococcal infection and other venereal diseases										045 Bacillary dysentery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	18	13	6	1	6	—	53	48	1	2	—	2	23	20	13	15
0—	—	—	—	—	—	—	7	2	—	—	—	—	1	1	4	1
1—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
4—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
10—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
15—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—
30—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
40—	—	2	—	—	—	—	2	2	—	1	—	—	1	—	—	—
45—	1	—	—	—	—	—	2	4	—	1	—	—	2	1	—	1
50—	2	2	—	1	—	—	3	2	—	—	—	—	3	1	—	—
55—	4	1	—	—	—	—	5	4	—	—	—	—	2	—	1	2
60—	3	1	1	—	3	—	3	4	—	—	—	—	2	3	—	—
65—	5	5	1	—	—	—	8	3	1	—	—	—	2	2	—	—
70—	1	1	2	—	—	—	7	9	—	—	—	—	4	4	3	4
75—	—	—	2	—	1	—	4	5	—	—	—	—	3	2	1	3
80—	2	—	—	—	1	—	3	4	—	—	—	—	2	2	1	2
85 and over	—	—	—	—	1	—	1	4	—	—	—	1	—	2	—	—

Causes of death	046 Amœbiasis		047, 048*		050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicæmia and pyæmia		054*	
			049 Food poisoning (infection & intoxication)												055 Diphtheria	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	1	8	5	427	407	8	19	15	19	9	13	68	52	11	12
0—	—	—	1	—	168	159	1	—	—	2	—	—	20	10	—	—
1—	—	—	1	—	52	45	—	—	1	2	—	—	3	3	—	1
2—	—	—	—	—	30	29	—	—	2	—	—	—	—	1	3	2
3—	—	—	—	—	12	16	—	1	1	1	—	—	1	—	—	1
4—	—	—	—	—	11	10	—	—	—	—	—	—	—	1	3	1
5—	—	—	—	—	24	13	—	—	1	2	—	—	2	—	4	2
10—	—	—	—	—	6	4	—	—	—	1	—	—	2	1	—	1
15—	—	—	—	—	9	7	—	3	—	—	—	—	4	—	—	—
20—	—	—	—	—	4	4	—	1	—	—	—	—	1	2	—	—
25—	—	—	1	—	6	6	—	1	—	—	1	—	2	3	—	—
30—	1	—	—	—	5	8	—	1	—	—	1	—	2	2	—	1
35—	1	—	—	—	8	6	1	1	—	2	—	—	2	—	—	—
40—	1	—	—	—	10	10	1	—	2	1	—	—	1	5	—	1
45—	—	—	—	—	8	10	1	3	1	—	—	1	3	2	—	—
50—	—	—	—	1	19	9	—	3	2	2	1	—	7	1	—	—
55—	1	1	—	—	16	9	2	—	—	2	1	—	8	4	1	1
60—	—	—	1	1	10	16	—	1	2	3	1	2	3	3	—	1
65—	1	—	3	1	7	15	—	2	1	—	—	—	1	6	—	—
70—	—	—	—	1	8	11	—	—	1	1	1	2	3	3	—	—
75—	—	—	—	—	5	10	1	2	—	—	1	2	—	3	—	—
80—	—	—	—	—	5	8	1	—	—	—	2	5	—	1	—	—
85 and over	—	—	1	1	4	2	—	—	1	—	—	1	3	1	—	—

\*028, Latent syphilis, —; 030, Acute or unspecified gonorrhœa, —; 031, Chronic gonococcal infection of genito-urinary system, —; 032, Gonococcal infection of joint, —; 033, Gonococcal infection of eye, —; 034, Gonococcal infection of other sites, —; 035, Late effects of gonococcal infection, 60, 60, 60, 75, 80, 85; 036, Chancroid, —; 037, Lymphogranuloma venereum, —; 038, Granuloma inguinale, venereal, —; 039, Other and unspecified venereal diseases, —; 043, Cholera, —; 044, Brucellosis (undulant fever), 55, 65, 45, 55; 047, Other protozoal dysentery, —; 048, Unspecified forms of dysentery, 0, 40; 054, Bacterial toxæmia, 1, 20.



TABLE 17—continued.

Causes of death	056		057		058, 059, 060*		062*		064*		070, 071*		073, 074*		080	
	Whooping cough		Meningococcal infections		061 Tetanus		063 Gas gangrene		070-074 Spirochætal diseases, except syphilis		072 Leptospirosis icterohæmorrhagica (Weil's disease)		080-096 Diseases attributable to viruses		Acute poliomyelitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	104	139	166	125	37	24	4	3	28	5	26	2	682	608	199	121
0—	70	97	74	49	2	1	—	—	—	—	—	—	59	47	5	1
1—	18	17	29	22	—	—	—	—	—	—	—	—	51	30	3	4
2—	7	16	18	10	—	—	—	—	—	—	—	—	28	27	7	2
3—	5	4	4	9	1	—	—	—	—	—	—	—	24	19	7	7
4—	2	3	6	5	—	—	—	—	—	—	—	—	22	13	5	3
5—	2	—	12	7	3	2	—	—	—	—	—	—	87	65	43	23
10—	—	—	2	1	2	—	—	—	—	—	—	—	21	18	15	11
15—	—	—	3	3	2	1	—	—	—	1	—	—	27	18	18	10
20—	—	—	—	1	2	—	—	—	—	—	—	—	28	27	15	12
25—	—	1	1	1	2	—	—	—	2	—	2	—	33	30	25	16
30—	—	—	1	2	1	1	—	1	—	—	—	—	43	32	27	17
35—	—	—	3	2	2	1	—	—	—	—	—	—	30	28	10	8
40—	—	—	2	—	4	3	—	—	3	—	—	—	37	35	5	—
45—	—	1	3	2	—	1	—	—	5	—	5	—	32	27	5	3
50—	—	—	2	1	6	2	—	—	3	1	3	1	20	20	1	3
55—	—	—	1	1	1	—	1	—	3	1	3	1	28	27	3	1
60—	—	—	2	2	2	4	—	—	3	—	3	—	31	23	2	—
65—	—	—	1	2	3	5	1	—	4	—	3	—	27	26	3	—
70—	—	—	—	3	2	—	1	2	2	—	2	—	22	23	—	—
75—	—	—	1	2	2	1	—	—	2	—	1	—	17	27	—	—
80—	—	—	1	—	—	2	1	—	1	1	1	—	10	14	—	—
85 and over	—	—	—	—	—	—	—	—	—	1	—	—	5	32	—	—

Causes of death	080.0		080.1		080.2*		081		082		083		084*		086*	
	Specified as bulbar or polio-encephalitis		With other paralysis		080.3 Unspecified		Late effects of acute poliomyelitis		Acute infectious encephalitis		Late effects of acute infectious encephalitis		085 Measles		087 Chickenpox	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	102	52	28	15	69	54	8	10	70	64	99	84	142	103	10	2
0—	3	1	1	—	1	—	—	—	12	15	—	—	33	24	3	—
1—	3	3	—	1	—	—	—	—	5	6	—	—	39	15	—	1
2—	6	—	1	—	—	2	—	—	2	2	—	—	15	17	2	—
3—	5	1	2	—	—	6	—	—	2	3	1	—	13	9	1	—
4—	5	1	—	—	—	2	—	—	3	4	—	—	8	3	1	—
5—	26	10	3	4	14	9	2	2	6	4	—	—	23	30	—	—
10—	9	5	1	2	5	4	1	1	1	2	1	—	2	2	—	—
15—	9	6	2	1	7	3	—	—	1	5	—	—	—	1	1	—
20—	4	5	4	1	7	6	—	1	5	6	—	1	—	—	—	—
25—	12	6	2	2	11	8	—	—	4	5	—	—	2	—	—	—
30—	11	8	6	1	10	8	2	1	1	2	3	3	—	1	1	—
35—	2	3	3	2	5	3	1	—	6	1	5	10	1	—	—	—
40—	1	—	1	—	3	—	—	3	7	1	18	14	1	—	—	—
45—	2	2	—	—	3	1	—	—	2	—	14	9	1	—	—	—
50—	1	1	—	—	—	2	—	1	2	—	8	5	—	—	—	—
55—	2	—	—	1	1	—	1	—	4	5	10	8	1	1	—	—
60—	—	—	1	—	1	—	1	—	4	3	13	10	1	—	—	—
65—	1	—	1	—	1	—	—	—	2	—	14	9	1	—	—	—
70—	—	—	—	—	—	—	—	1	1	—	7	8	1	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	5	6	—	—	1	1
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*058, Plague, — ; 059, Tularæmia, — ; 060, Leprosy, — ; 062, Anthrax, 55 ; 064, Other bacterial diseases, 0, 50, 55 ; 070, Vincent's infection 65, 75, 80, 85 ; 071, Relapsing fever, — ; 073, Yaws, — ; 074, Other spirochætal and leptospirochætal infections, 10 ; 080.2, Specified as nonparalytic, — ; 084, Smallpox, 5, 15, 15, 15, 50, 60, 40, 55 ; 086, Rubella (German measles), 0, 1, 30, 0, 1, 40.

TABLE 17 —continued.

Causes of death	088		089		090, 091*		093, 094, 095*		100-108*		110-117		110, 111*		113-117*	
	Herpes zoster		Mumps		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		Malaria		112 Falciparum malaria (malignant tertian)		120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8	38	4	5	126	162	6	11	—	1	4	—	4	—	38	46
0—	—	—	1	—	3	3	1	3	—	—	—	—	—	—	6	5
1—	—	—	1	—	1	2	1	—	—	—	—	—	—	—	1	—
2—	—	—	—	—	2	6	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
4—	—	—	—	—	5	3	—	—	—	—	—	—	—	—	1	1
5—	—	—	—	—	12	6	—	—	—	—	—	—	—	—	—	1
10—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	1	1
15—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	1	—
20—	—	—	—	—	5	6	—	—	—	1	—	—	—	—	1	—
25—	—	—	—	—	4	9	—	—	—	—	1	—	1	—	—	1
30—	—	—	1	—	7	7	—	1	—	—	2	—	2	—	6	1
35—	—	—	—	—	6	9	1	—	—	—	—	—	—	—	—	2
40—	—	—	1	—	5	14	—	1	—	—	—	—	—	—	3	8
45—	—	1	—	—	10	14	—	—	—	—	—	—	—	—	5	5
50—	—	1	—	—	8	10	—	—	—	—	—	—	—	—	3	3
55—	—	—	—	—	8	10	1	1	—	—	1	—	1	—	1	5
60—	—	—	—	—	9	9	—	1	—	—	—	—	—	—	4	—
65—	1	2	—	1	6	14	—	—	—	—	—	—	—	—	1	3
70—	1	3	—	—	12	10	—	1	—	—	—	—	—	—	1	6
75—	3	8	—	1	8	10	—	1	—	—	—	—	—	—	2	2
80—	1	4	—	1	8	7	1	1	—	—	—	—	—	—	1	—
85 and over	2	19	—	2	2	9	1	1	—	—	—	—	—	—	—	1

Causes of death	120-124*		126-131*		133*		135, 136, 137*		NEOPLASMS							
	125 Hydatid disease		132 Actinomy- cosis		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neopl'ms inc. neoplasms of lymphatic & hæmatopoie- tic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	7	2	5	12	7	9	23	46773	42907	45935	41989	1402	568	116	8
0—	—	—	—	—	6	2	—	1	34	38	19	31	—	—	—	—
1—	—	—	—	—	—	—	—	—	36	42	30	35	—	—	—	—
2—	—	—	—	—	—	—	—	—	50	34	45	32	—	—	—	—
3—	—	1	—	—	—	—	—	—	43	51	41	49	—	—	—	—
4—	—	—	—	—	—	1	—	—	45	31	42	27	—	—	—	—
5—	—	1	—	—	—	—	—	—	152	117	129	98	1	—	—	—
10—	—	—	—	—	—	—	—	—	108	93	96	76	2	—	—	—
15—	1	—	—	—	—	—	—	—	153	71	141	62	2	—	—	—
20—	—	—	—	—	—	—	1	—	157	118	144	106	5	2	—	—
25—	—	—	—	1	—	—	—	—	259	222	240	200	—	—	—	—
30—	—	—	—	—	1	1	3	—	364	474	342	454	7	6	—	—
35—	—	—	—	—	—	1	—	1	632	781	602	738	16	11	1	—
40—	1	2	—	2	1	—	—	4	1254	1602	1202	1534	17	17	—	—
45—	3	1	—	—	—	—	—	4	2406	2585	2335	2493	29	29	1	—
50—	—	—	1	—	1	—	1	2	4012	3424	3920	3315	60	51	2	—
55—	—	—	—	1	—	—	1	4	5265	4318	5160	4224	88	53	3	—
60—	—	—	1	—	1	—	2	—	6570	5196	6470	5078	137	76	9	1
65—	—	—	—	—	1	—	—	3	7443	5937	7357	5851	191	70	14	—
70—	1	2	—	1	—	—	—	3	7305	6256	7234	6192	299	88	28	2
75—	—	—	—	—	1	1	1	1	6143	5838	6098	5788	298	76	26	1
80—	—	—	—	—	—	—	—	—	3159	3647	3113	3600	180	58	20	2
85 and over	—	—	—	—	—	1	—	—	1183	2032	1175	2006	70	31	12	2

\*090, Dengue, 1; 091, Yellow fever, —; 093, Glandular fever (infectious mononucleosis), 20, 20, 85; 094, Rabies, —; 095, Trachoma, —; 100, Louse-borne epidemic typhus, —; 101, Flea-borne endemic typhus (murine), —; 102, Brill's disease, not specified as louse- or flea-borne typhus, —; 103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —; 104, Tick-borne typhus, —; 105, Mite-borne typhus, 20; 106, Wolhynian fever (trench fever), —; 107, Typhus, unspecified, —; 108, Other rickettsial diseases, —; 110, Vivax malaria (benign tertian), —; 111, Malariae malaria (quartan), —; 113, Ovale malaria, —; 114, Mixed malarial infections, —; 115, Blackwater fever, —; 116, Other and unspecified forms of malaria, —; 117, Recurrent induced malaria, —; 120, Leishmaniasis, 30; 121, Trypanosomiasis, —; 122, Other protozoal diseases, 1, 4, 0, 0, 10, 50; 123, Schistosomiasis, 45; 124, Other trematode infestation, —; 126, Other cestode infestation, 45; 127, Filariasis, —; 128, Trichiniasis, 40; 129, Ankylostomiasis, —; 130, Infestation with worms of other, mixed and unspecified type, 30; 131, Dermatophytosis, 10, 80; 133, Coccidioidomycosis, —; 135, Scabies, —; 136, Pediculosis, —; 137, Other arthropod infestation, —.



TABLE 17—continued.

Causes of death	NEOPLASMS															
	141 Tongue		142 Salivary gland		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral meso-pharynx		146 Naso-pharynx		147 Hypo-pharynx		148 Pharynx, unspecified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	424	143	80	51	80	16	193	66	167	32	69	31	100	145	173	75
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
20—	2	—	1	—	—	—	1	—	—	—	—	2	1	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	1	2	2	—	1	—	1	—	—	—	2	—	—	2	—	2
35—	2	3	1	—	—	1	2	1	1	1	5	—	3	3	1	2
40—	5	2	2	2	—	—	1	—	2	1	3	2	—	8	4	2
45—	7	1	5	2	—	—	—	—	3	—	8	4	2	14	3	7
50—	7	12	7	4	1	1	8	3	7	2	11	5	4	12	13	12
55—	32	6	6	3	5	—	7	7	12	1	5	4	4	22	14	10
60—	44	15	4	10	10	5	18	10	15	5	10	3	11	23	16	4
65—	60	27	13	4	7	3	16	5	33	5	8	2	18	16	22	8
70—	82	25	12	9	20	1	46	7	31	5	8	6	30	22	42	11
75—	99	24	17	10	21	2	51	15	36	4	4	3	13	12	31	5
80—	60	15	7	5	13	3	34	12	17	4	1	—	11	8	17	9
85 and over	23	11	2	2	2	—	8	6	9	3	1	—	3	4	10	3

Causes of death	NEOPLASMS															
	150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine including duodenum		153 Large intestine except rectum		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		156 Liver (secondary and unspecified)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19805	18140	1335	865	8044	6209	110	99	4163	5556	3247	2429	487	778	532	470
0—	4	2	—	—	—	—	—	—	—	—	—	—	2	1	1	1
1—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2—	3	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—
3—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	2	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10—	3	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—
15—	8	6	—	—	—	1	—	1	—	—	—	—	—	—	—	—
20—	11	8	—	—	2	2	—	2	1	3	1	1	1	1	1	—
25—	57	42	5	2	10	17	1	—	17	11	7	8	4	1	1	1
30—	88	90	2	4	45	28	1	—	25	24	9	20	1	3	1	1
35—	172	147	6	5	75	51	4	2	36	48	21	22	3	4	4	5
40—	445	354	21	9	204	114	6	5	82	108	54	63	14	7	7	10
45—	852	612	24	31	428	199	9	8	158	176	94	93	24	21	19	16
50—	1320	978	71	53	604	304	13	7	226	280	172	174	49	40	31	23
55—	1805	1440	102	76	846	431	11	9	308	429	265	228	41	75	56	37
60—	2566	1962	160	94	1180	642	17	17	421	562	369	284	68	104	83	51
65—	3286	2607	222	117	1397	881	16	10	652	789	525	329	78	136	81	66
70—	3594	3196	263	159	1416	1179	12	10	759	922	647	399	80	139	96	78
75—	3220	3301	265	153	1127	1187	12	15	795	996	610	419	71	136	75	83
80—	1703	2157	144	99	515	783	5	9	477	714	348	256	38	75	51	65
85 and over	661	1229	50	63	195	390	2	4	201	494	125	133	11	35	20	33

TABLE 17—continued.

Causes of death	NEOPLASMS															
	157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear, & accessory sinuses		161 Larynx		162 Trachea, & of bronchus and lung specified as primary		163 Lung and bronchus, unspecified as to whether primary or secondary	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1724	1491	148	225	15	18	13862	2577	130	99	737	168	3850	733	9031	1518
0—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
1—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	2	—	—	—	2	—	1	—	—	—	—	—	—
10—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1
15—	1	1	3	1	—	—	4	—	1	—	—	—	1	—	—	—
20—	1	—	3	1	—	—	11	3	—	1	—	—	4	1	6	1
25—	7	2	5	—	—	—	20	8	—	—	—	1	8	2	11	5
30—	2	5	2	5	—	—	69	34	—	2	—	1	27	16	39	14
35—	17	7	6	3	—	—	158	51	1	3	2	3	61	13	92	28
40—	46	28	10	10	1	—	405	99	5	4	8	3	165	32	224	58
45—	84	53	12	15	—	—	959	163	4	6	24	7	343	72	579	74
50—	137	77	16	19	1	1	1804	226	16	5	47	21	625	84	1106	113
55—	160	131	14	22	2	2	2342	298	18	10	79	20	707	96	1518	167
60—	248	170	18	33	2	5	2564	390	11	9	111	24	721	107	1703	243
65—	296	245	16	32	3	2	2419	417	23	16	127	25	585	118	1669	251
70—	307	267	12	38	2	5	1718	375	20	13	126	25	373	90	1182	237
75—	245	285	18	26	2	1	960	315	17	17	124	17	168	69	644	202
80—	119	148	5	8	1	—	351	143	12	9	72	14	48	21	213	96
85 and over	54	72	2	3	1	2	78	51	2	3	17	7	14	12	45	28

Causes of death	NEOPLASMS											
	164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	172 Corpus uteri	173 Other parts of uterus, including chori- onepithelioma	174 Uterus unspecified
Ages at death	M	F	M	F	M	F	M	F	F	F	F	F
All Ages	99	39	15	20	6048	16384	81	8158	2501	1203	41	200
0—	—	1	—	—	2	2	—	—	—	—	—	—
1—	—	—	—	—	3	5	—	—	—	—	—	—
2—	—	—	—	—	3	6	—	—	—	—	—	—
3—	—	—	—	—	4	6	—	—	1	—	—	—
4—	—	—	—	—	4	4	—	—	—	—	—	—
5—	—	1	—	—	14	13	—	—	—	—	—	—
10—	—	—	—	—	1	3	—	—	—	—	—	—
15—	2	—	—	—	6	4	—	—	1	—	—	—
20—	1	—	—	—	21	17	—	1	3	—	1	—
25—	1	—	—	—	35	50	—	16	18	—	2	—
30—	3	1	—	—	33	207	—	102	58	6	4	2
35—	2	3	—	1	50	390	4	213	86	6	2	6
40—	3	1	—	1	61	863	5	494	164	20	4	11
45—	8	1	1	3	158	1419	3	771	239	56	4	13
50—	7	2	3	1	267	1703	8	806	273	118	6	14
55—	18	1	2	4	400	2033	13	987	350	167	4	20
60—	15	3	3	4	612	2121	15	1007	345	210	5	25
65—	13	5	2	2	906	2212	11	1066	314	181	5	36
70—	14	8	3	2	1219	2029	10	1002	280	161	2	33
75—	6	8	1	2	1253	1707	4	817	225	163	1	22
80—	6	3	—	—	712	1008	5	528	94	80	1	6
85 and over	—	1	—	—	284	582	3	348	50	35	—	12



TABLE 17—continued.

Causes of death	NEOPLASMS										
	175 Ovary, Fallopian tube, and broad ligament	176 Other and unspecified female genital organs	177 Prostate	178 Testis	179 Other and unspecified male genital organs	180 Kidney		181 Bladder and other urinary organs		190-199 Malignant neoplasm of other and unspecified sites	
Ages at death	F	F	M	M	M	M	F	M	F	M	F
All Ages	2565	472	3168	197	123	655	443	1824	801	2477	2501
0—	—	—	—	1	—	1	2	—	—	5	11
1—	1	—	—	2	—	1	3	—	1	5	12
2—	—	1	—	—	—	2	4	1	1	13	5
3—	—	—	—	1	—	3	4	—	1	9	17
4—	—	—	1	—	—	2	4	1	—	13	6
5—	2	—	—	3	—	10	10	1	1	30	30
10—	3	—	—	—	—	1	—	—	—	36	32
15—	1	—	—	6	—	—	2	—	—	48	28
20—	10	—	1	18	—	2	2	—	—	35	24
25—	11	—	—	27	—	7	2	1	1	50	47
30—	25	5	1	27	—	4	3	1	2	67	61
35—	62	4	—	25	2	13	8	6	3	85	67
40—	144	7	3	17	2	22	10	12	9	132	103
45—	275	13	22	16	8	42	19	67	29	165	166
50—	387	27	48	12	8	78	29	113	43	270	205
55—	374	27	115	7	7	80	47	178	57	271	240
60—	354	29	242	8	13	105	63	229	83	332	323
65—	356	75	482	10	15	87	68	301	111	277	304
70—	262	85	743	7	21	96	66	342	138	221	285
75—	173	85	834	5	26	61	55	323	166	231	259
80—	95	71	492	5	9	28	30	173	103	115	177
85 and over	30	43	184	—	12	10	12	75	52	67	99

Causes of death	NEOPLASMS															
	190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye		193 Brain and other parts of nervous system		194 Thyroid gland		195 other endocrine glands		196 Bone (including jaw bone)		197 Connective tissue	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	132	168	337	292	51	57	811	589	91	264	52	49	396	300	92	82
0—	—	—	—	—	—	—	3	9	—	—	2	1	—	1	—	—
1—	—	—	—	—	—	—	3	9	—	—	1	2	—	1	—	—
2—	—	—	—	—	1	2	5	2	—	—	6	1	—	—	—	—
3—	—	—	—	—	—	1	8	5	—	—	1	8	—	1	—	1
4—	—	—	1	—	—	—	8	4	—	—	4	1	—	1	—	—
5—	—	—	—	1	2	—	23	25	—	—	3	1	2	3	—	—
10—	1	—	—	—	—	—	20	18	—	—	—	1	13	12	1	—
15—	1	—	1	—	—	—	18	12	—	—	2	—	24	12	1	2
20—	1	4	—	—	—	—	14	9	—	—	2	—	12	8	3	2
25—	9	11	—	1	—	1	18	23	—	1	—	3	12	6	7	—
30—	9	9	3	2	1	—	37	32	—	2	2	—	5	7	4	1
35—	6	6	2	4	2	1	51	33	—	5	1	2	5	6	7	2
40—	10	13	5	7	2	3	72	47	1	7	4	3	21	6	4	5
45—	8	16	3	10	1	—	87	65	13	11	4	2	16	14	9	4
50—	16	11	15	6	5	7	136	80	8	19	3	4	27	12	2	13
55—	9	17	12	15	8	8	113	75	13	26	5	1	33	26	10	6
60—	19	19	26	27	11	7	104	72	12	36	6	6	60	35	10	7
65—	12	19	36	28	11	8	58	44	15	44	3	3	50	38	14	15
70—	14	15	51	43	1	12	20	14	14	49	—	3	46	37	11	7
75—	14	17	82	52	2	3	8	6	12	36	2	5	42	51	5	8
80—	1	8	59	51	4	1	3	4	3	18	—	2	19	18	3	9
85 and over	2	3	41	45	—	3	2	1	—	10	1	—	9	5	1	—

TABLE 17—continued.

Causes of death	NEOPLASMS															
	198 Secondary & unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites		200-205 Neoplasms of lymphatic & hæmato-poietic tissues		200 Lymphosarcoma and reticulo-sarcoma		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		203 Multiple myeloma (plasmocytoma)		204 Leukæmia and aleukæmia	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	38	29	477	671	2341	1819	454	301	488	287	82	64	190	149	1116	1005
0—	—	—	—	—	8	15	—	—	—	—	—	3	—	—	8	12
1—	—	—	1	—	19	18	3	3	1	—	—	—	—	—	15	15
2—	—	—	1	—	26	20	2	—	—	—	—	1	—	—	24	19
3—	—	—	—	1	27	21	2	1	—	—	—	1	—	—	25	19
4—	—	—	—	—	24	17	2	1	—	—	1	1	—	—	21	15
5—	—	—	—	—	82	51	12	8	6	1	1	—	—	—	63	42
10—	—	—	1	1	54	39	8	4	9	3	—	1	—	—	37	31
15—	—	—	1	2	73	24	15	4	15	4	2	1	—	—	41	15
20—	—	—	3	1	61	52	7	9	28	21	2	1	—	—	24	21
25—	—	—	4	1	78	53	13	4	40	19	1	2	—	2	24	26
30—	—	—	6	8	78	56	11	5	35	22	3	4	1	2	28	23
35—	2	2	9	6	121	72	16	9	40	19	3	—	7	3	55	39
40—	1	1	12	11	142	98	21	10	46	19	4	5	13	1	57	63
45—	2	—	22	44	172	104	34	19	43	22	7	3	15	6	73	52
50—	6	2	52	51	199	152	46	21	46	30	13	7	23	20	70	74
55—	4	1	64	65	254	160	55	27	43	17	12	4	40	25	101	86
60—	5	2	79	112	259	206	50	45	42	40	8	6	35	20	123	93
65—	4	6	74	99	278	241	62	51	52	24	10	10	34	27	117	128
70—	4	4	60	101	183	219	50	41	24	23	8	9	13	21	86	122
75—	7	5	57	76	136	130	26	20	14	14	5	2	6	18	85	75
80—	2	4	21	62	52	57	13	16	4	7	1	3	3	4	31	26
85 and over	1	2	10	30	15	14	6	3	—	2	1	—	—	—	8	9

Causes of death	NEOPLASMS															
	204.0 Lymphatic leukæmia		204.1 Myeloid leukæmia		204.2 Monocytic leukæmia		204.3 Acute leukæmia, unspecified type		204.4 Other and unspecified leukæmia		205 Mycosis fungoides		210-229 Benign Neoplasm		210 Buccal cavity and pharynx	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	435	314	472	488	100	96	78	77	31	30	11	13	363	555	1	1
0—	3	3	—	3	1	1	3	5	1	—	—	—	11	6	—	—
1—	9	6	2	3	—	1	4	4	—	1	—	—	4	5	—	—
2—	11	11	7	2	—	—	6	6	—	—	—	—	1	—	—	—
3—	13	8	2	5	1	—	8	5	1	1	—	—	1	—	—	—
4—	9	5	7	2	—	—	5	8	—	—	—	—	1	1	—	—
5—	28	18	12	13	3	1	20	8	—	2	—	—	5	6	—	—
10—	19	7	13	12	1	5	3	7	1	—	—	—	8	8	—	—
15—	13	3	21	11	3	—	3	1	1	—	—	—	7	3	—	—
20—	8	4	13	9	2	5	1	3	—	—	—	—	10	9	—	—
25—	3	4	15	13	5	6	1	2	—	1	—	—	8	13	—	—
30—	5	2	18	17	4	3	1	1	—	—	—	—	9	12	—	—
35—	11	5	30	28	10	4	4	1	—	1	—	2	17	29	—	—
40—	6	15	35	39	11	6	4	3	1	—	1	—	17	48	—	—
45—	17	12	39	26	13	9	3	4	1	1	—	2	30	69	—	—
50—	27	20	32	37	5	8	2	7	4	2	1	—	28	64	—	—
55—	43	22	38	49	10	10	3	1	7	4	3	1	35	52	—	—
60—	52	30	54	53	9	6	2	2	6	2	1	2	33	56	—	—
65—	54	45	48	66	8	7	3	2	4	8	3	1	35	41	—	—
70—	45	45	35	55	5	15	1	3	—	4	2	3	36	39	—	1
75—	41	28	33	37	8	6	—	2	3	2	—	1	28	37	—	—
80—	14	14	16	7	—	2	1	2	—	1	—	1	33	34	1	—
85 and over	4	7	2	1	1	1	—	—	1	—	—	—	6	23	—	—



TABLE 17—continued.

Causes of death	NEOPLASMS												
	211 Other parts of digestive system		212 Respiratory system		213*	215 Uterus	216 Ovary	217, 218*		220, 221, 222*		224 Endocrine glands	
					214 Uterine fibromyoma			219 Kidney and other urinary organs	223 Brain and other parts of nervous system				
Ages at death	M	F	M	F	F	F	F	M	F	M	F	M	F
All Ages	25	17	16	7	117	13	113	100	28	141	168	37	46
0—	1	—	—	—	—	—	—	1	—	2	1	1	—
1—	—	—	—	—	—	—	—	—	—	3	3	—	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	1	1	—	—	1	—	—	1	1	2	2
10—	—	—	—	—	—	—	—	—	—	4	4	3	4
15—	—	—	2	—	—	—	1	—	—	1	2	4	—
20—	—	—	—	—	—	—	1	—	—	8	6	1	1
25—	1	—	—	—	2	—	—	—	—	6	8	1	1
30—	—	—	1	—	3	—	2	—	—	4	7	3	—
35—	—	—	1	1	7	2	—	—	—	9	14	4	4
40—	1	—	—	—	19	2	6	1	—	13	12	2	7
45—	3	2	1	—	24	5	9	1	—	20	22	3	6
50—	1	—	—	—	28	1	7	2	2	21	19	3	5
55—	—	1	2	1	7	—	12	4	1	18	20	4	6
60—	1	—	1	—	8	1	13	13	2	12	23	1	3
65—	4	2	4	1	6	1	12	14	5	7	10	2	2
70—	4	4	1	1	2	—	15	21	5	5	4	1	3
75—	5	2	1	1	5	—	10	15	5	2	9	2	—
80—	4	3	—	1	3	—	17	23	3	4	2	—	1
85 and over	—	3	—	—	3	1	7	5	5	—	1	—	—

Causes of death	NEOPLASMS															
	225 Bone and cartilage		226 Lipoma		227 Muscular and connective tissue		228 Hæmangioma and lymphangioma		229*		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs		232-235*	
									230-239 Neoplasm of unspecified nature						236 Unspecified nature of other genito-urinary-organ	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	18	7	6	6	6	5	11	12	475	363	23	19	36	9	11	6
0—	1	—	1	1	—	—	4	3	4	1	—	—	1	—	—	—
1—	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	—
2—	—	—	—	—	—	—	1	—	4	2	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—
4—	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	18	13	—	—	1	1	1	—
10—	1	—	—	—	—	—	—	—	4	9	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	5	6	—	—	—	—	—	—
20—	1	1	—	—	—	—	—	—	3	3	—	—	—	—	1	—
25—	—	1	—	—	—	—	—	—	11	9	—	—	—	—	—	—
30—	1	—	—	—	—	—	—	—	13	8	—	—	—	—	—	—
35—	2	—	—	—	1	—	—	—	13	14	—	—	1	2	—	—
40—	—	—	—	1	—	—	—	1	35	20	1	—	1	1	—	—
45—	1	—	—	—	1	—	—	—	41	23	—	—	1	—	—	1
50—	—	—	—	—	1	1	—	—	64	45	—	—	4	—	—	—
55—	3	—	3	2	—	—	1	2	70	42	3	2	3	—	—	—
60—	2	1	1	—	1	1	1	—	67	62	2	2	3	1	1	—
65—	2	2	1	—	—	—	1	—	51	45	6	3	7	1	3	2
70—	2	—	—	—	1	1	1	2	35	25	3	2	6	1	3	—
75—	1	1	—	1	—	1	2	2	17	13	3	4	7	2	—	1
80—	1	1	—	1	—	—	—	—	13	13	4	4	1	—	2	1
85 and over	—	—	—	—	—	1	—	—	2	3	1	1	—	—	—	1

\*213, Benign neoplasm of breast, 60 ; 217, Benign neoplasm of other female genital organs, 60, 60, 80, 80 ; 218, Benign neoplasm of male genital organs, — ; 220, Benign melanoma of skin, — ; 221, Pilonidal cyst, 25, 70 ; 222, Other benign neoplasm of skin, 85 ; 229, Benign neoplasm of other and unspecified organs and tissues, 5, 85, 0, 1, 35, 45, 50, 60, 85 ; 232, Neoplasm of unspecified nature of breast, — ; 233, Neoplasm of unspecified nature of uterus, 65, 85 ; 234, Neoplasm of unspecified nature of ovary, 10, 70 ; 235, Neoplasm of unspecified nature of other female genital organs, —.

TABLE 17—continued.

Causes of death	NEOPLASMS						III		240-245		240*		242-245*		250	
	237 Unspecified nature of brain and other parts of nervous system		238 Unspecified nature of skin and musculo-skeletal system		239 Unspecified nature of other and unspecified organs		240-289 Allergic, Endocrine System, Metabolic, and Nutritional Diseases		Allergic disorders		241 Asthma		250-254 Diseases of thyroid gland		Simple goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	390	304	6	4	9	17	2799	4433	1371	1359	1366	1356	104	525	6	18
0—	2	—	1	1	—	—	46	27	6	2	6	2	2	—	1	—
1—	2	2	—	—	—	—	20	10	8	6	8	5	—	1	—	—
2—	3	2	1	—	—	—	3	8	—	4	—	4	—	—	—	—
3—	1	1	—	—	—	—	11	6	7	4	6	4	1	—	—	—
4—	2	3	—	—	—	—	3	5	1	—	1	—	—	—	—	—
5—	15	12	—	—	1	—	7	16	2	7	2	7	—	—	—	—
10—	4	8	—	—	—	—	13	14	4	4	4	4	—	—	—	—
15—	4	6	1	—	—	—	18	25	11	13	11	13	—	1	—	—
20—	2	3	—	—	—	—	23	44	9	18	9	18	—	2	—	—
25—	11	9	—	—	—	—	32	47	15	20	15	20	—	6	—	—
30—	13	8	—	—	—	—	48	77	22	38	22	38	1	6	—	—
35—	12	12	—	—	—	—	54	86	27	49	27	49	—	9	—	1
40—	33	19	—	—	—	—	85	118	50	63	50	63	3	13	—	—
45—	38	21	1	—	1	1	143	179	81	105	81	105	11	17	2	—
50—	60	45	—	—	—	—	221	230	138	109	137	108	12	32	—	4
55—	64	39	—	1	—	—	277	365	180	135	180	135	10	59	—	1
60—	60	52	—	2	1	5	349	526	201	171	201	171	14	77	—	1
65—	34	35	—	—	1	3	417	727	233	198	232	198	22	98	2	2
70—	20	20	—	—	3	1	423	753	191	185	190	184	10	93	1	2
75—	6	4	1	—	—	2	355	689	114	136	113	136	9	64	—	3
80—	4	3	1	—	1	5	182	325	49	65	49	65	3	37	—	3
85 and over	—	—	—	—	1	—	69	156	22	27	22	27	6	10	—	1

Causes of death	251		252		253		254		260		270-277		270*		272	
	Nontoxic nodular goitre		Thyro-toxicosis with or without goitre		Myxœdema and cretinism		Other diseases of thyroid gland		Diabetes mellitus		Diseases of other endocrine glands		271 Diseases of parathyroid gland		Diseases of pituitary gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	31	65	317	22	148	5	11	1066	2128	136	194	3	5	30	80
0—	—	—	—	—	1	—	—	—	1	—	34	19	—	—	—	—
1—	—	—	—	—	—	1	—	—	3	—	7	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	1	2	1	2	—	—	—	—
3—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—
4—	—	—	—	—	—	—	—	—	1	2	1	2	—	—	—	—
5—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	6	9	—	1	—	—	—	1
15—	—	—	—	—	—	—	—	1	5	8	1	2	—	—	—	1
20—	—	—	—	2	—	—	—	—	10	18	2	2	—	—	—	1
25—	—	3	—	3	—	—	—	—	14	15	2	4	—	—	—	2
30—	—	1	1	5	—	—	—	—	15	22	7	10	1	—	2	6
35—	—	—	—	7	—	1	—	—	17	9	7	16	—	2	3	10
40—	1	—	2	10	—	2	—	1	16	21	8	14	—	—	4	5
45—	—	1	9	11	—	3	—	2	40	26	7	18	1	—	1	6
50—	—	1	10	20	2	6	—	1	51	59	8	14	—	—	4	9
55—	—	3	7	44	1	10	2	1	63	126	8	22	—	—	2	9
60—	2	4	11	50	1	21	—	1	102	234	20	24	1	—	4	11
65—	2	7	13	60	5	28	—	1	134	373	10	23	—	1	4	10
70—	—	4	5	54	3	32	1	1	207	437	6	8	—	—	2	4
75—	1	4	1	37	5	19	2	1	217	450	2	10	—	2	1	4
80—	—	1	2	12	1	21	—	—	122	208	1	2	—	—	1	1
85 and over	—	2	4	2	2	4	—	1	40	105	1	1	—	—	—	—

\*240, Hay fever, —; 242, Angioneurotic œdema, 50, 65, 70, 75, 70; 243, Urticaria, 1; 244, Allergic eczema, —; 245, Other allergic disorders 3, 50; 270, Disorders of pancreatic internal secretion other than diabetes mellitus, 5, 35, 45, 30, 40.



TABLE 17—continued.

Causes of death	273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276*		280-289 Avita- minoses, and other metabolic diseases		280, 281*		283, 284, 285*		287 Obesity not specified as of endocrine origin		288 Gout	
					277 Polyglandular dysfunction and other diseases of endocrine glands				282 Scurvy		286 Other avita- minoses and nutri- tional defi- ciency states					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	8	47	74	18	25	122	227	5	2	36	58	30	100	10	3
0—	10	5	24	14	—	—	3	6	—	—	1	2	—	—	—	—
1—	2	—	4	—	—	—	2	3	—	—	1	3	—	—	—	—
2—	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	1	2	1	—	—	2	—	—	—	—
4—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	3	5	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
15—	1	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—
20—	—	—	1	1	1	—	2	4	—	—	—	—	—	1	—	—
25—	—	—	2	1	—	1	1	2	—	—	—	1	—	1	—	—
30—	—	1	4	1	—	1	3	1	—	—	1	—	—	—	1	—
35—	—	—	3	4	—	—	3	3	—	—	—	2	1	1	—	—
40—	—	—	3	8	1	—	8	7	—	—	5	3	2	1	—	—
45—	—	1	3	8	1	3	4	13	—	—	3	3	1	6	—	—
50—	—	—	4	5	—	—	12	16	1	—	2	7	1	6	1	—
55—	—	—	6	8	—	5	16	23	1	—	5	4	5	13	1	—
60—	1	—	5	8	9	5	12	20	—	—	3	7	4	7	—	1
65—	—	—	3	4	3	8	18	35	2	—	5	3	4	22	2	—
70—	—	—	2	2	2	2	9	30	—	—	2	8	6	14	1	—
75—	—	—	—	4	1	—	13	29	—	—	5	6	3	16	3	—
80—	—	—	—	1	—	—	7	13	—	—	3	4	3	7	1	1
85 and over	—	—	1	1	—	—	—	13	—	2	—	2	—	5	—	1

Causes of death	289 Other metabolic diseases		IV 290-299 Diseases of the Blood and Blood-forming Organs		290 Pernicious and other hyperchromic anæmias		290.0 Pernicious anæmia		290.1 Subacute combined degeneration of spinal cord		290.2 Other hyperchromic anæmias		291 Iron deficiency anæmias (hypochromic anæmias)		292 Other anæmias of specified type	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	40	52	751	1226	282	587	246	519	27	39	9	29	59	157	191	202
0—	2	4	8	9	—	—	—	—	—	—	—	—	—	1	2	—
1—	1	—	3	2	—	—	—	—	—	—	—	—	1	—	1	—
2—	1	—	5	1	—	—	—	—	—	—	—	—	—	—	—	1
3—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	3	2
4—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	1	2
5—	3	5	8	11	—	—	—	—	—	—	—	—	—	1	3	4
10—	3	—	10	7	—	—	—	—	—	—	—	—	—	—	1	2
15—	1	—	9	9	—	—	—	—	—	—	—	—	1	—	5	4
20—	2	3	1	11	—	—	—	—	—	—	—	—	—	—	1	4
25—	1	—	7	3	1	—	—	—	1	—	—	—	—	1	4	1
30—	1	1	14	15	—	2	—	1	—	—	—	1	—	—	5	5
35—	2	—	7	23	—	4	—	3	—	—	—	1	—	—	1	6
40—	1	2	11	17	1	2	1	2	—	—	—	—	—	2	3	4
45—	—	3	33	31	5	10	4	9	1	1	—	—	—	2	12	7
50—	7	3	32	43	5	15	3	14	1	1	1	—	2	5	13	9
55—	4	6	44	77	12	27	10	21	1	4	1	2	4	10	13	18
60—	5	4	72	106	20	36	16	35	2	1	2	—	3	12	25	29
65—	4	8	99	155	39	74	30	65	8	8	1	1	3	16	28	32
70—	—	4	129	208	68	113	57	95	9	12	2	6	11	29	29	27
75—	2	6	130	244	71	139	66	122	4	7	1	10	12	37	22	29
80—	—	—	74	169	41	115	40	107	—	4	1	4	11	25	9	12
85 and over	—	2	48	80	19	50	19	45	—	1	—	4	11	16	10	4

\*275, Ovarian dysfunction, —; 276, Testicular dysfunction, —; 280, Beriberi, 40, 65, 70; 281, Pellagra, 65, 45, 70, 70, 80; 283, Active rickets, —; 284, Late effects of rickets 70; 285, Osteomalacia, 60, 65, 75, 85.

TABLE 17—continued.

Causes of death	292.4 Aplastic anæmia		292.0-3; 5-7 Others included under 292		293 Anæmia of unspecified type		294 Polycythæmia		295 Hæmophilia		296 Purpura and other hæmorrhagic conditions		297 Agranulocytosis		298 Diseases of spleen	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	145	147	46	55	48	78	34	18	13	—	66	92	6	21	48	67
0—	1	—	1	—	1	2	—	—	—	—	5	5	—	—	—	1
1—	1	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—
2—	—	1	—	—	—	—	—	—	—	—	4	—	—	—	—	—
3—	2	2	1	—	—	—	—	—	1	—	2	—	—	1	—	—
4—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	4	1	—	1	—	—	—	2	—	2	5	—	—	—	1
10—	1	2	—	—	1	1	—	—	2	—	4	2	1	1	1	—
15—	5	3	—	1	—	—	—	—	—	—	1	4	—	1	2	—
20—	1	4	—	—	—	—	—	—	—	—	—	5	—	—	—	2
25—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	1	1
30—	5	4	—	1	—	—	—	—	1	—	4	2	—	4	4	2
35—	1	3	—	3	—	3	—	—	2	—	1	5	—	1	3	4
40—	3	2	—	2	—	1	—	1	—	—	3	3	—	1	4	3
45—	7	6	5	1	3	2	4	1	1	—	3	2	—	1	5	6
50—	9	4	4	5	1	1	4	1	—	—	3	10	—	—	4	2
55—	12	13	1	5	1	6	2	3	1	—	8	3	1	5	2	5
60—	17	22	8	7	3	9	6	—	2	—	7	4	1	1	5	15
65—	20	21	8	11	6	7	8	5	—	—	3	9	2	2	10	9
70—	21	17	8	10	8	15	4	5	—	—	6	10	—	2	2	6
75—	19	23	3	6	9	19	4	1	—	—	7	12	1	—	3	6
80—	8	11	1	1	6	8	2	—	—	—	3	4	—	1	2	4
85 and over	7	3	3	1	8	3	—	1	—	—	—	6	—	—	—	—

Causes of death	299 Other diseases of blood and blood-forming organs		V 300-326 Mental, Psycho-neurotic and Personality Disorders		300-309 Psychoses		300 Schizo-phrenic disorders (dementia præcox)		301 Manic-depressive reaction		302, 303*		305 Presenile psychosis		307* 309 Other and unspecified psychoses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	4	415	708	306	575	25	37	26	36	204	416	29	37	16	38
0—	—	—	27	23	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	3	10	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	6	7	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	1	3	5	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	8	3	2	1	1	1	—	—	—	—	—	—	1	—
20—	—	—	8	12	3	7	2	6	1	1	—	—	—	—	—	—
25—	1	—	7	13	3	4	2	2	1	1	—	—	—	—	—	1
30—	—	—	9	12	6	9	5	7	1	1	—	—	—	—	—	—
35—	—	—	9	13	7	8	6	7	1	—	—	—	—	—	—	1
40—	—	—	9	22	3	16	—	6	1	3	—	—	1	2	1	4
45—	—	—	14	17	7	12	—	4	3	4	—	—	2	2	1	2
50—	—	—	17	23	10	14	2	2	3	3	—	1	5	4	—	3
55—	—	—	22	26	12	23	2	—	3	7	—	1	5	9	—	6
60—	—	—	27	32	22	30	3	1	5	5	1	9	11	8	1	5
65—	—	1	31	56	29	46	1	1	5	2	16	21	4	11	3	8
70—	1	1	45	77	42	67	1	—	—	4	35	59	1	1	4	3
75—	1	1	66	122	65	118	—	—	2	2	58	113	—	—	4	2
80—	—	—	66	122	66	119	—	—	—	2	65	116	—	—	1	1
85 and over	—	—	29	105	29	101	—	—	—	1	29	96	—	—	—	2

\*302, Involutional melancholia, 55, 60, 70, 40, 50, 60, 65, 65, 65, 85, 85; 303, Paranoia and paranoid states, —; 307, Aloholic psychosis, 45, 55, 75, 30, 60, 75.



TABLE 17—continued.

Causes of death	310-318		310*		312-317*		320-326		320, 321*		322.0		322.1		322.2	
	Psycho-neurotic disorders		311 Hysterical reaction without mention of anxiety reaction		318 Psycho-neurotic disorders, other, mixed, & unspecified types		Disorders of character, behaviour, & intelligence		322 Alcoholism		Acute		Chronic		Unspecified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11	43	5	29	3	6	98	90	24	13	5	1	14	6	5	6
0—	—	—	—	—	—	—	27	23	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	3	10	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	6	7	—	—	—	—	—	—	—	—
10—	—	1	—	—	—	—	3	4	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	—	6	1	1	—	1	—	—	—	—	—
20—	—	2	—	2	—	—	5	3	—	—	—	—	—	—	—	—
25—	1	3	1	3	—	—	3	6	—	—	—	—	—	—	—	—
30—	—	2	—	2	—	—	3	1	1	—	1	—	—	—	—	—
35—	—	2	—	2	—	—	2	3	1	1	—	—	1	—	—	1
40—	—	2	—	2	—	—	6	4	4	—	—	—	—	—	4	—
45—	2	4	—	4	2	—	5	1	3	—	—	—	3	—	—	—
50—	1	5	1	4	—	—	6	4	4	2	2	—	2	2	—	—
55—	2	1	1	1	1	—	8	2	5	1	—	—	5	—	—	1
60—	1	1	—	—	—	—	4	1	4	1	1	—	3	1	—	—
65—	1	7	—	2	—	3	1	3	1	2	—	1	—	—	1	1
70—	3	5	2	3	—	1	—	5	—	3	—	—	—	2	—	1
75—	—	4	—	3	—	1	1	—	—	—	—	—	—	—	—	—
80—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—
85 and over	—	1	—	—	—	—	—	3	—	3	—	—	—	1	—	2

Causes of death	323		324*		326*		330-334		330		331		332		333*	
	Other drug addiction		325 Mental deficiency		VI 330-398 Diseases of the Nervous System and Sense Organs		Vascular lesions aff't'g central nervous system		Sub-arachnoid hæmorrhage		Cerebral hæmorrhage		Cerebral embolism & thrombosis		334 Other and ill-defined vascular lesions aff't'g central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	3	72	73	31488	42234	28762	39307	1058	1618	12831	18274	12916	17025	1955	2388
0—	—	—	27	23	194	170	9	8	4	3	1	—	3	5	1	—
1—	—	—	3	10	62	42	3	4	2	2	1	2	—	—	—	—
2—	—	—	4	4	27	19	4	2	1	—	2	1	—	1	1	—
3—	—	—	3	3	27	7	1	—	—	—	1	—	—	—	—	—
4—	—	—	2	1	13	11	—	1	—	—	—	1	—	—	—	—
5—	—	—	6	7	57	50	4	6	2	4	—	1	1	—	1	1
10—	—	—	3	4	49	49	7	9	7	8	—	1	—	—	—	—
15—	—	—	5	1	70	65	12	19	10	16	2	1	—	2	—	—
20—	—	—	5	3	98	76	37	31	30	23	5	6	2	2	—	—
25—	—	—	3	6	106	120	43	48	32	32	10	10	1	4	—	2
30—	—	—	2	1	179	179	79	87	45	54	31	26	1	5	2	2
35—	1	—	—	1	240	217	130	121	54	49	60	60	14	11	2	1
40—	—	1	2	3	357	416	250	265	88	102	129	134	30	29	3	—
45—	—	—	2	1	675	818	525	638	123	157	323	398	68	78	11	5
50—	—	1	2	1	1172	1437	1005	1260	153	176	614	822	208	223	30	39
55—	1	—	2	1	1747	1998	1548	1781	125	169	927	1167	450	393	46	52
60—	—	—	—	—	2878	3020	2648	2794	120	208	1444	1700	963	799	121	87
65—	—	—	—	1	4320	5055	4002	4773	111	209	1988	2578	1655	1776	248	210
70—	—	—	—	2	5845	7291	5518	6923	68	192	2455	3392	2634	2977	361	362
75—	—	—	1	—	6401	8912	6167	8562	59	125	2503	3666	3124	4205	480	565
80—	—	1	—	—	4542	7094	4405	6881	20	72	1567	2624	2422	3617	396	568
85 and over	—	—	—	—	2429	5188	2365	5094	4	17	768	1684	1340	2898	252	494

\*310, Anxiety reaction without mention of somatic symptoms, 50, 60, 65, 80 ; 312, Phobic reaction, —; 313 Obsessive-compulsive reaction, —; 314, Neurotic-depressive reaction, 60, 70 ; 315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 65, 65 ; 316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 10, 70 ; 317, Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems, 85 ; 320, Pathological personality, 35 ; 321, Immature personality, —; 324, Primary childhood behaviour disorders, —; 326, Other and unspecified character, behaviour, and intelligence disorders, —; 333, Spasm of cerebral arteries, 75, 85, 75, 85.

TABLE 17—continued.

Causes of death	340-345		340		340.0		340.1		340.2		340.3		341 Phlebitis and thrombo- phlebitis of intra- cranial venous sinuses		342 Intra- cranial and intra- spinal abscess		343 Encephal- itis, myelitis & encephalo- myelitis (except acute infectious)	
	Inflam- matory diseases of central nervous system		Meningitis, except meningo- coccal and tuber- culous		H. influenzæ		Pneumo- coccus		Due to other specified organism		Un- specified cause							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	683	808	230	184	25	12	101	84	48	45	56	43	10	15	54	27	69	46
0—	97	94	83	79	9	7	32	30	26	28	16	14	3	5	2	1	5	2
1—	33	13	19	10	9	3	3	5	4	2	3	—	—	1	1	—	5	1
2—	10	7	8	3	2	1	4	2	1	—	1	—	—	2	—	—	2	2
3—	8	1	5	1	2	1	2	—	1	—	—	—	—	—	1	—	1	—
4—	3	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	1
5—	16	14	5	5	—	—	2	2	2	2	1	1	—	—	3	4	5	5
10—	10	7	7	1	—	—	3	—	1	—	3	1	—	—	1	1	1	3
15—	8	9	5	1	—	—	2	—	1	1	2	—	1	1	1	—	—	3
20—	8	12	1	3	—	—	1	1	—	—	—	2	—	—	1	—	4	2
25—	14	26	1	2	—	—	1	—	—	1	—	1	—	—	—	2	1	1
30—	35	48	4	1	—	—	—	—	—	—	4	1	2	—	7	3	1	2
35—	43	49	2	3	—	—	1	1	—	2	1	—	—	—	7	1	1	—
40—	43	74	5	6	—	—	4	2	—	1	1	3	1	1	2	1	2	4
45—	62	90	10	7	—	—	7	3	1	1	2	3	—	—	6	1	8	1
50—	59	96	12	9	—	—	8	6	1	1	3	2	—	—	5	2	3	3
55—	69	86	18	14	2	—	5	9	6	2	5	3	—	1	5	3	6	2
60—	64	60	15	8	—	—	11	4	2	—	2	4	—	—	4	3	7	5
65—	48	49	13	9	1	—	6	6	1	1	5	2	1	2	6	2	3	3
70—	30	30	9	6	—	—	3	5	—	1	6	—	—	—	1	1	7	2
75—	13	23	4	7	—	—	3	3	1	2	—	2	2	1	1	—	2	1
80—	8	10	4	6	—	—	—	—	—	—	1	3	—	—	—	—	2	2
85 and over	2	7	—	3	—	—	—	2	—	—	—	1	1	—	—	1	1	1

Causes of death	344 Late effects of intra- cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis		352 Other cerebral paralysis		353 Epilepsy		354* 355 Other diseases of brain	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	40	25	280	511	1747	1912	655	829	52	45	193	264	406	418	93	105
0—	4	7	—	—	10	17	—	—	4	3	—	—	5	8	—	2
1—	8	1	—	—	14	15	—	—	6	6	—	—	5	8	1	1
2—	—	—	—	—	8	6	—	—	1	1	—	—	6	4	1	1
3—	1	—	—	—	11	6	—	—	3	2	—	—	6	4	—	—
4—	1	—	—	—	9	6	—	—	2	1	—	—	6	2	1	3
5—	2	—	1	—	30	23	—	—	7	5	—	—	19	15	3	3
10—	1	1	—	1	28	25	—	—	2	2	—	—	23	18	3	5
15—	1	—	—	4	38	33	—	—	2	1	—	—	32	29	2	3
20—	—	1	2	6	43	27	—	—	4	3	—	—	36	23	—	—
25—	3	1	9	20	37	44	—	—	2	1	—	—	29	40	2	2
30—	2	—	19	42	53	37	—	2	3	2	—	—	41	26	1	3
35—	3	1	30	44	48	43	1	2	2	2	—	1	34	31	3	—
40—	2	1	31	61	51	63	4	8	—	2	1	2	29	35	5	4
45—	2	1	36	80	71	85	9	15	2	5	1	3	32	36	7	8
50—	2	4	37	78	91	76	13	12	1	2	4	3	23	30	8	8
55—	3	1	37	65	116	123	29	33	4	1	6	8	28	34	6	15
60—	4	2	34	42	148	154	60	59	1	3	16	16	11	28	12	9
65—	—	1	25	32	260	217	132	121	2	—	36	30	14	13	12	13
70—	1	2	12	19	287	328	173	217	1	1	42	51	15	12	10	7
75—	—	1	4	13	213	317	117	207	2	1	48	70	6	9	11	9
80—	—	—	2	2	122	192	86	127	1	1	22	42	2	10	3	4
85 and over	—	—	1	2	59	75	31	26	—	—	17	38	4	3	2	5

\*354, Migraine, 55.



TABLE 17—continued.

Causes of death	356 Motor neurone disease and muscular atrophy		356.0 Progressive muscular atrophy		356.1 Amyotrophic lateral sclerosis		356.2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360* 361 Trigeminal neuralgia		362, 363* 364 Polyneuritis and polyradiculitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	303	216	225	141	51	40	27	35	44	35	54	49	3	7	25	19
0—	1	4	—	—	—	—	1	4	—	—	17	10	—	—	—	—
1—	—	—	—	—	—	—	—	—	2	—	3	8	—	—	—	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
5—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2
15—	2	—	2	—	—	—	—	—	—	—	1	1	—	—	1	1
20—	1	—	1	—	—	—	—	—	2	1	2	2	—	—	2	2
25—	3	—	3	—	—	—	—	—	1	1	2	—	—	—	2	—
30—	3	2	3	2	—	—	—	—	5	2	1	2	—	—	—	2
35—	7	6	6	3	1	3	—	—	1	1	4	—	1	—	3	—
40—	10	9	6	8	4	—	—	1	2	3	6	1	—	—	5	1
45—	17	14	11	9	4	2	2	3	3	4	2	1	—	—	1	1
50—	37	20	30	13	5	2	2	5	5	1	1	—	—	—	—	—
55—	35	31	28	21	2	7	5	3	7	1	2	1	—	1	2	—
60—	46	32	29	24	12	5	5	3	2	7	3	4	—	—	2	4
65—	59	36	43	22	11	7	5	7	5	4	2	6	—	1	2	3
70—	40	35	32	25	6	7	2	3	6	5	3	5	—	2	2	2
75—	28	17	19	11	5	4	4	2	1	4	—	3	—	1	—	—
80—	7	7	6	2	1	2	—	3	1	1	1	—	1	—	—	—
85 and over	5	3	4	1	—	1	1	1	—	—	2	2	1	2	1	—

Causes of death	365 Erythraedema polyneuritica		366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract		386* 387 Glaucoma		388, 389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	17	7	4	1	9	17	37	9	17	1	6	224	112	172	88
0—	17	10	—	—	1	1	—	—	—	—	—	—	60	40	48	37
1—	2	7	1	—	—	1	—	—	—	—	—	—	9	1	9	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	5	4	4	2
3—	—	—	—	—	—	—	1	—	—	—	—	—	6	—	5	—
4—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	2	—	—	—	—	6	5	6	4
10—	—	—	—	1	—	—	—	—	—	—	—	—	4	5	3	3
15—	—	—	—	—	—	—	—	—	—	—	—	—	11	3	9	2
20—	—	—	—	—	—	—	—	—	—	—	—	—	8	4	3	2
25—	—	—	—	—	—	—	—	—	—	—	—	—	10	2	8	1
30—	—	—	1	—	—	1	—	—	—	—	—	—	11	4	10	3
35—	—	—	—	—	—	—	1	—	—	—	—	—	14	4	8	3
40—	—	—	1	—	—	1	—	—	—	—	—	—	7	12	5	7
45—	—	—	1	—	—	—	—	—	—	—	—	—	15	4	9	3
50—	—	—	1	—	—	—	—	2	—	—	1	—	16	3	12	3
55—	—	—	—	—	—	—	—	—	—	—	—	—	12	7	9	6
60—	—	—	1	—	—	1	2	3	2	2	—	—	13	4	13	3
65—	—	—	—	2	—	2	1	2	—	1	—	—	7	6	4	4
70—	—	—	1	1	—	—	1	4	1	2	—	1	6	1	4	1
75—	—	—	—	—	—	—	5	6	5	2	—	3	3	1	3	1
80—	—	—	—	—	—	—	5	10	1	5	1	1	1	1	—	1
85 and over	—	—	—	—	—	1	1	8	—	5	—	—	—	1	—	1

\*360, Facial paralysis, 75 ; 362, Brachial neuritis, —; 363, Sciatica, 75 ; 367, Other diseases of cranial nerves, —; 368, Other diseases of peripheral nerves except autonomic, —; 369, Diseases of peripheral autonomic nervous system, —; 370, Conjunctivitis and ophthalmia, 0, 1, 4, 65 ; 371, Blepharitis, —; 372, Hordeolum (style), 40 ; 373, Iritis, —; 374, Keratitis, —; 375, Choroiditis, —; 376, Other inflammation of uveal tract, 65 ; 377, Inflammation of optic nerve and retina, 60 ; 378, Inflammation of lachrymal glands and ducts, 85 ; 379, Other inflammatory diseases of eye, 0, 30 ; 380, Refractive errors, 65 ; 381, Corneal ulcer, 65, 70, 85 ; 382, Corneal opacity, —; 383, Pterygium, —; 384, Strabismus, 3, 5, 5 ; 386, Detachment of retina, 60 ; 388, Other diseases of eye, 35, 85, 50, 80 ; 389, Blindness, 80, 80, 80, 75, 80, 80, 80, 85, 85 ; 390, Otitis externa, 0.

TABLE 17—continued.

Causes of death	392		393		394, 395*		397, 398*		400-402		400		401		401.0	
	Otitis media with mastoiditis		Mastoiditis without mention of otitis media		396 Other diseases of ear and mastoid process		VII 400-468 Diseases of the Circulatory System		Rheumatic fever		Rheumatic fever without mention of heart involvement		Rheumatic fever with heart involvement		Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12	8	38	14	1	1	91456	90762	143	167	13	13	123	135	39	35
0—	3	—	8	3	—	—	23	9	1	—	—	—	1	—	1	—
1—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—
2—	—	2	—	—	1	—	2	—	1	—	—	—	1	—	—	—
3—	1	—	—	—	—	—	4	1	2	1	—	—	2	1	—	—
4—	—	—	—	—	—	—	5	3	3	2	—	—	3	2	—	—
5—	—	1	—	—	—	—	21	35	14	23	—	2	14	21	1	3
10—	—	1	1	1	—	—	51	64	19	36	3	2	16	34	3	6
15—	1	—	1	1	—	—	68	65	14	16	2	3	11	12	2	1
20—	1	1	4	1	—	—	113	107	5	12	—	—	5	12	—	1
25—	1	—	1	1	—	—	186	191	5	9	1	1	4	6	1	—
30—	1	—	—	—	—	—	381	319	11	15	1	1	10	10	1	2
35—	1	—	5	1	—	—	617	435	7	8	—	—	7	5	1	1
40—	—	1	2	4	—	—	1198	735	11	9	2	—	7	6	2	1
45—	1	—	5	—	—	1	2488	1192	5	3	2	—	3	2	1	1
50—	1	—	3	—	—	—	4327	1827	5	5	1	—	3	4	1	3
55—	—	—	3	1	—	—	6043	3085	7	8	—	—	6	5	2	2
60—	—	—	—	1	—	—	8920	5493	12	5	—	1	10	3	8	3
65—	—	2	3	—	—	—	12493	9195	7	4	—	1	7	3	5	3
70—	1	—	1	—	—	—	15663	14476	10	4	1	1	9	3	7	2
75—	—	—	—	—	—	—	16982	19060	2	3	—	—	2	3	2	3
80—	—	—	1	—	—	—	13297	17636	—	3	—	1	—	2	—	2
85 and over	—	—	—	—	—	—	8570	16832	2	1	—	—	2	1	1	1

Causes of death	401.1		401.2		401.3 Active rheumatic fever with other and multiple types of heart involvement		402		402.0		402.1		410-416		410	
	Active rheumatic endocarditis		Active rheumatic myocarditis				Chorea		Without mention of heart involvement		With heart involvement		Chronic rheumatic heart disease		Diseases of mitral valve	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	34	38	7	8	43	54	7	19	7	17	—	2	3334	5503	2296	4267
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
5—	2	4	—	—	11	14	—	—	—	—	—	—	3	4	2	1
10—	6	12	1	2	6	14	—	—	—	—	—	—	19	11	7	8
15—	4	6	—	—	5	5	1	1	1	1	—	—	25	30	16	17
20—	3	4	—	3	2	4	—	—	—	—	—	—	57	60	36	47
25—	2	3	—	2	1	1	—	2	—	2	—	—	85	121	54	100
30—	3	3	—	—	6	5	—	4	—	4	—	—	144	203	105	166
35—	4	1	—	—	2	3	—	3	—	2	—	1	176	270	137	222
40—	3	1	1	—	1	4	2	3	2	3	—	—	206	409	150	331
45—	—	1	1	—	1	—	—	1	—	1	—	—	320	461	218	372
50—	2	1	—	—	—	—	1	1	1	1	—	—	346	517	229	397
55—	2	2	—	1	2	—	1	3	1	2	—	1	349	579	221	443
60—	1	—	1	—	—	—	2	1	2	1	—	—	355	579	228	438
65—	1	—	1	—	—	—	—	—	—	—	—	—	401	596	276	450
70—	—	—	1	—	1	1	—	—	—	—	—	—	358	609	250	461
75—	—	—	—	—	—	—	—	—	—	—	—	—	272	532	211	420
80—	—	—	—	—	—	—	—	—	—	—	—	—	158	320	112	239
85 and over	—	—	1	—	—	—	—	—	—	—	—	—	60	202	44	155

\*394, Other inflammatory diseases of ear, —; 395, Ménière's disease, —; 397, Deaf mutism, —; 398, Other deafness, 30.



TABLE 17—continued.

Causes of death	411		412		413*		415		416		420-422		420		420.0	
	Diseases of aortic valve specified as rheumatic		Diseases of tricuspid valve		Other endocarditis specified as rheumatic		Other myocarditis specified as rheumatic		Other heart disease specified as rheumatic		Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	290	140	2	2	276	415	124	160	346	519	68251	63185	38966	22785	204	184
0—	—	—	—	—	—	—	—	—	—	—	6	1	1	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
5—	—	—	—	—	1	1	—	—	—	2	—	2	—	—	—	—
10—	2	—	—	—	5	2	2	—	3	1	5	6	—	1	—	—
15—	1	—	—	—	7	5	—	1	1	7	8	—	1	—	—	—
20—	8	—	—	—	6	7	1	1	6	5	12	7	5	1	—	—
25—	11	2	—	—	9	7	1	1	10	11	42	20	29	7	—	—
30—	10	1	—	—	12	17	5	4	12	15	129	33	106	17	—	—
35—	10	8	—	—	15	21	2	2	12	17	293	64	248	37	—	—
40—	20	5	—	—	9	32	5	6	22	35	745	133	673	83	—	—
45—	33	8	1	—	19	29	8	10	41	42	1745	439	1567	293	2	—
50—	33	9	—	2	30	37	7	7	47	65	3217	802	2875	535	5	—
55—	28	10	—	—	28	39	24	17	48	70	4586	1616	3913	1114	8	2
60—	32	20	—	—	26	49	21	20	48	52	6782	3465	5431	2297	17	9
65—	47	28	1	—	41	41	8	24	28	53	9390	6218	6812	3725	26	22
70—	30	24	—	—	28	40	18	27	32	57	11824	10113	7049	4769	38	38
75—	11	11	—	—	20	39	9	17	21	45	12753	13795	5805	4900	45	48
80—	9	10	—	—	18	33	8	11	11	27	10032	13231	3159	3186	42	39
85 and over	5	4	—	—	2	16	5	12	4	15	6680	13240	1292	1819	21	26

Causes of death	420.1		420.2		421		421.0		421.1		421.2; 3*		422		422.0	
	Heart disease specified as involving coronary arteries		Angina pectoris without mention of coronary disease		Chronic endocarditis not specified as rheumatic		of mitral valve specified as non-rheumatic		of aortic valve, not specified as rheumatic		Other and ill-defined, not specified as rheumatic		Other myocardial degeneration		Fatty degeneration	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	38253	22282	509	319	1453	1316	57	88	940	565	453	660	27832	39084	116	225
0—	1	1	—	—	—	—	—	—	—	—	—	—	5	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
10—	—	1	—	—	3	—	—	—	1	—	2	—	2	5	—	—
15—	1	—	—	—	3	—	—	—	2	—	1	—	4	—	—	—
20—	5	1	—	—	4	2	1	—	1	2	2	—	3	4	1	1
25—	29	7	—	—	4	3	1	—	2	—	1	2	9	10	1	1
30—	104	17	2	—	12	2	—	—	9	—	3	2	11	14	—	3
35—	246	36	2	1	25	7	—	—	21	4	4	3	20	20	1	1
40—	662	81	11	2	28	8	1	—	21	3	6	5	44	42	—	3
45—	1557	290	8	3	59	33	—	—	43	12	16	21	119	113	8	5
50—	2843	534	27	1	120	48	—	2	97	21	22	25	222	219	7	9
55—	3869	1098	36	14	146	82	5	—	104	40	37	42	527	420	21	22
60—	5337	2257	77	31	201	124	4	3	137	61	60	59	1150	1044	18	29
65—	6701	3655	85	48	237	198	5	10	151	98	80	90	2341	2295	21	42
70—	6907	4661	104	70	243	213	13	17	137	80	92	115	4532	5131	19	41
75—	5673	4778	87	74	203	264	13	25	122	107	68	132	6745	8631	10	35
80—	3062	3094	55	53	114	199	8	17	67	88	39	94	6759	9846	5	21
85 and over	1256	1771	15	22	51	133	6	14	25	49	20	70	5337	11288	4	12

\*413, Diseases of pulmonary valve specified as rheumatic, —; 421.2, Of tricuspid valve, specified as nonrheumatic, 70, 60, 70; 421.3, Of pulmonary valve, not specified as rheumatic, 50, 65, 25.

TABLE 17—continued.

Causes of death	422.1 With arterio-sclerosis		422.2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart		434 Other and unspecified diseases of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11355	14878	16361	23981	3588	3942	199	140	84	83	14	11	1164	1740	2127	1968
0—	—	—	5	—	10	6	1	2	2	—	—	—	5	1	2	—
1—	—	—	1	—	2	2	1	—	1	—	—	—	—	1	—	—
2—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
3—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—
4—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	2	3	3	1	2	—	1	—	—	—	—	2	—
10—	—	—	2	5	3	6	1	3	—	—	—	—	—	—	2	3
15—	—	—	4	—	18	4	9	3	1	1	—	—	2	—	6	—
20—	—	—	2	3	21	9	14	7	3	1	—	—	—	—	4	1
25—	—	1	8	8	23	16	13	6	2	2	—	—	2	1	6	7
30—	—	—	11	11	28	22	15	11	2	1	—	—	5	1	6	9
35—	3	2	16	17	50	29	20	14	2	1	—	—	7	2	21	12
40—	4	3	40	36	65	43	12	11	4	3	—	—	12	13	37	16
45—	24	17	87	91	85	65	12	15	2	1	2	—	19	25	50	24
50—	46	39	169	171	191	135	15	13	3	7	2	—	38	45	133	70
55—	156	109	350	289	221	202	31	18	8	3	3	2	49	77	130	102
60—	419	321	713	694	351	307	21	14	5	3	1	3	99	140	225	147
65—	1005	895	1315	1358	524	464	23	6	16	7	3	2	176	216	306	233
70—	1939	2063	2574	3027	639	681	7	10	9	15	2	3	240	326	381	327
75—	2890	3455	3845	5141	625	855	2	4	9	22	1	1	242	379	371	449
80—	2750	3802	4004	6023	483	613	1	1	9	5	—	—	192	296	281	311
85 and over	2119	4171	3214	7105	242	479	—	—	3	10	—	—	76	217	163	252

Causes of death	440-447		440		441		442		443		444		445		446	
Ages at death	Hypertensive disease		Essential benign hypertension with heart disease		Essential malignant hypertension with heart disease		Hypertensive heart disease with arteriolar nephrosclerosis		Other and unspecified hypertensive heart disease		Essential benign hypertension without mention of heart		Essential malignant hypertension without mention of heart		Hypertension with arteriolar nephrosclerosis without mention of heart	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	9237	10186	80	107	104	55	172	183	4860	5739	2088	2368	414	204	582	507
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	2	7	—	—	—	—	—	—	—	2	—	1	2	3	—	—
20—	8	9	—	—	—	1	—	1	—	—	2	2	5	5	—	—
25—	17	11	—	—	2	1	—	—	1	2	—	2	12	6	—	—
30—	45	17	—	—	4	—	—	2	7	—	4	1	22	11	4	—
35—	49	36	1	—	4	3	—	1	8	8	8	6	23	16	3	—
40—	113	86	1	2	7	5	1	1	25	30	20	16	46	28	7	—
45—	245	135	1	1	17	8	5	1	68	46	55	34	85	32	13	—
50—	424	262	9	2	19	8	4	5	165	110	111	81	80	33	17	—
55—	639	493	5	5	20	11	12	8	297	269	173	141	59	27	28	1
60—	1025	811	11	11	12	4	10	6	556	472	262	212	54	19	37	2
65—	1442	1327	11	16	12	5	25	26	820	787	336	314	14	14	68	5
70—	1698	1935	12	20	4	3	20	30	1041	1154	343	452	4	6	88	7
75—	1740	2238	17	26	2	5	37	39	957	1295	387	495	6	3	138	12
80—	1213	1693	9	14	—	—	34	37	646	962	254	364	1	1	112	10
85 and over	575	1125	3	10	1	1	24	26	268	602	133	247	1	—	67	9



TABLE 17—continued.

Causes of death	447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries		450 General arterio-sclerosis		450.0 Without mention of gangrene		450.1 With gangrene		451 Aortic aneurysm specified as nonsyphilitic, & dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	937	1023	6091	6508	5237	5862	4657	5366	580	496	594	426	41	31	70	22
0—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	1	3	3	—	—	—	—	—	—	1	—	—	—	—	—
15—	—	1	1	6	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	—	7	5	—	—	—	—	—	—	3	—	—	—	—	—
25—	2	—	10	8	2	1	2	1	—	—	1	—	1	1	1	—
30—	4	1	13	14	1	1	1	1	—	—	4	2	—	—	1	—
35—	2	—	22	11	1	1	1	1	—	—	11	4	2	—	3	—
40—	6	—	26	21	9	1	9	1	—	—	10	6	—	3	1	1
45—	1	7	47	37	11	10	9	9	2	1	18	6	—	3	6	2
50—	19	15	94	52	32	19	32	18	—	1	37	17	3	1	9	3
55—	45	21	162	103	69	52	64	45	5	7	67	30	3	4	8	1
60—	83	62	279	181	175	133	155	127	20	6	73	37	3	2	12	2
65—	156	115	611	396	469	315	424	287	45	28	112	61	12	6	10	1
70—	186	195	990	911	831	804	720	741	111	63	126	85	4	5	10	4
75—	196	251	1469	1414	1374	1292	1218	1192	156	100	73	95	4	3	4	6
80—	157	206	1365	1647	1294	1578	1155	1416	139	162	44	56	6	3	4	—
85 and over	78	148	991	1697	969	1655	867	1527	102	128	14	27	1	—	1	2

Causes of death	453.0 Raynaud's disease		453.1 Thrombo-angiitis obliterans		453.2; 3 Others included under 453		454 Arterial embolism & thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	8	52	6	16	8	30	38	25	24	94	105	812	1271	50	169
0—	—	—	—	—	—	—	—	—	—	—	1	—	5	2	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	2	3	—	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	1	6	—	2	—	—
20—	—	—	—	—	—	—	1	—	—	1	2	3	3	5	—	—
25—	—	—	1	—	—	—	—	—	—	—	4	7	4	6	—	1
30—	—	—	1	—	—	—	—	—	—	—	7	11	11	15	1	1
35—	—	—	3	—	—	—	—	1	—	—	5	5	20	17	3	—
40—	—	—	1	—	—	1	—	—	—	—	6	10	32	34	4	5
45—	—	1	6	1	—	—	4	2	—	1	8	13	41	52	7	6
50—	—	2	7	—	2	1	2	2	—	1	11	9	50	54	4	7
55—	—	1	7	—	1	—	2	3	—	—	13	13	79	84	7	10
60—	—	1	7	1	5	—	1	2	3	—	12	5	116	145	5	26
65—	—	—	10	1	—	—	2	5	—	2	6	6	118	190	3	24
70—	1	2	6	1	3	1	5	9	5	1	9	3	144	223	7	25
75—	1	1	2	1	1	4	4	6	8	5	2	7	121	223	5	30
80—	—	—	1	—	3	—	5	2	8	7	4	1	46	129	2	21
85 and over	—	—	—	1	1	1	4	6	1	6	1	1	20	88	2	13

TABLE 17—continued.

Causes of death	461		462		463		464		465		466		467		468	
	Hæmorrhoids		Varicose veins of other specified sites		Phlebitis and thrombophlebitis of lower extremities		Phlebitis and thrombophlebitis of other sites		Pulmonary embolism & infarction		Other venous embolism & thrombosis		Other diseases of circulatory system		Certain diseases of lymph nodes and lymph channels	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12	13	20	25	120	236	10	20	377	428	189	341	23	31	11	8
0—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	1	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
20—	—	—	—	—	—	—	1	—	1	2	1	3	—	—	—	—
25—	—	—	—	—	1	—	—	1	3	1	—	3	—	—	—	—
30—	—	—	1	—	2	4	1	1	2	3	2	6	1	—	1	—
35—	1	—	2	—	4	6	—	—	5	8	5	2	—	—	—	1
40—	2	—	1	—	7	9	1	1	9	8	5	10	2	1	1	—
45—	—	—	1	1	6	9	—	2	15	20	7	12	3	2	2	—
50—	—	3	—	—	10	16	—	2	21	13	14	13	1	—	—	—
55—	—	2	2	1	8	24	2	2	40	32	18	13	2	—	—	—
60—	1	1	3	3	19	20	1	2	52	51	33	40	1	2	1	—
65—	1	1	3	3	16	42	2	2	63	62	27	47	2	7	1	2
70—	4	2	—	5	22	42	2	3	74	78	28	57	6	8	1	3
75—	1	2	3	1	16	41	—	4	51	73	39	66	5	5	1	1
80—	2	—	1	6	6	14	—	—	28	47	6	36	—	4	1	1
85 and over	—	2	3	5	3	9	—	—	9	26	3	31	—	2	—	—

Causes of death	VIII 470-527		470-475		470		471		472		473		474		475	
	Diseases of the Respiratory System		Acute upper respiratory infections		Acute nasopharyngitis (common cold)		Acute sinusitis		Acute pharyngitis		Acute tonsillitis		Acute laryngitis and tracheitis		Acute upper respiratory infection of multiple or unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	36388	25959	81	86	12	15	4	2	9	10	16	19	23	25	17	15
0—	1508	1144	20	10	3	1	—	—	—	—	2	—	5	4	10	5
1—	174	170	5	6	—	—	—	—	—	1	—	—	2	3	3	2
2—	79	94	5	4	—	—	—	—	—	—	2	1	3	3	—	—
3—	56	41	1	1	—	—	—	—	—	—	—	—	1	—	—	1
4—	36	25	1	2	—	—	—	—	—	—	1	2	—	—	—	—
5—	100	97	3	9	—	—	—	—	—	—	3	6	—	2	—	1
10—	56	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	66	61	1	2	—	1	1	—	—	—	—	1	—	—	—	—
20—	65	65	2	—	—	—	—	—	—	—	2	—	—	—	—	—
25—	95	79	4	1	—	—	2	1	1	—	1	—	—	—	—	—
30—	131	138	3	1	—	—	—	—	2	1	1	—	—	—	—	—
35—	216	175	1	—	—	—	—	—	—	—	1	—	—	—	—	—
40—	454	279	1	1	—	—	—	—	—	—	—	—	1	1	—	—
45—	937	391	5	3	2	—	1	—	1	—	1	—	—	3	—	—
50—	1860	540	2	—	—	—	—	—	—	—	—	—	2	—	—	—
55—	2779	919	3	2	—	—	—	—	—	—	—	1	1	1	2	—
60—	4290	1591	3	5	—	1	—	—	2	2	1	1	—	1	—	—
65—	5499	2514	2	4	—	1	—	—	—	—	—	1	2	2	—	—
70—	5934	3726	3	4	—	—	—	1	—	—	—	1	3	2	—	—
75—	5555	4872	4	6	1	2	—	—	1	2	—	1	1	—	1	1
80—	4017	4592	6	9	3	5	—	—	—	—	1	2	1	—	1	2
85 and over	2481	4400	6	16	3	4	—	—	2	4	—	2	1	3	—	3



TABLE 17—continued.

Causes of death	480-483		480		481		481 (a)		481 (b)		482		483		490-493	
	Influenza		Influenza with pneumonia		Influenza with other respiratory manifest'ns, & influenza unqualified		Influenza without mention of respiratory complications		Influenza with mention of respiratory complications		Influenza with digestive manifest'ns, but without respiratory symptoms		Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		Pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2905	3560	1442	1756	1427	1753	631	896	796	857	28	38	8	13	10698	10061
0—	43	34	31	24	12	6	6	4	6	2	—	2	—	2	1163	887
1—	9	6	6	6	2	—	1	—	1	—	—	—	1	—	130	123
2—	4	4	4	2	—	1	—	1	—	—	—	—	—	1	46	66
3—	4	2	3	2	1	—	—	—	1	—	—	—	—	—	32	27
4—	3	3	2	2	1	1	1	—	—	1	—	—	—	—	21	12
5—	9	8	6	6	2	2	1	1	1	1	—	—	1	—	53	50
10—	9	5	7	3	1	—	1	—	—	—	—	1	—	1	32	28
15—	12	8	8	7	4	1	2	1	2	—	—	—	—	—	36	27
20—	7	13	6	10	1	3	—	1	1	2	—	—	—	—	28	34
25—	16	22	9	13	7	6	4	5	3	1	—	—	—	3	37	29
30—	29	30	20	18	9	12	6	8	3	4	—	—	—	—	46	51
35—	29	35	19	26	9	9	8	4	1	5	—	—	1	—	75	70
40—	52	57	31	41	18	16	10	13	8	3	1	—	2	—	136	102
45—	84	65	51	37	32	26	16	13	16	13	—	—	1	2	238	153
50—	142	79	80	49	62	30	26	16	36	14	—	—	—	—	411	204
55—	209	121	123	72	84	48	43	25	41	23	2	1	—	—	568	318
60—	297	216	157	114	138	97	56	44	82	53	2	5	—	—	884	534
65—	389	337	204	186	182	146	62	68	120	78	2	4	1	1	1185	859
70—	447	491	200	242	244	246	95	131	149	115	3	2	—	1	1582	1352
75—	476	688	207	332	263	346	130	174	133	172	6	9	—	1	1700	1728
80—	387	695	175	303	204	381	87	196	117	185	8	10	—	1	1353	1736
85 and over	248	641	93	261	151	376	76	191	75	185	4	4	—	—	942	1671

Causes of death	490		491		492		493		500-502		500		501		502	
	Lobar pneumonia		Broncho-pneumonia		Primary atypical pneumonia		Pneumonia, other and unspecified		Bronchitis		Acute bronchitis		Bronchitis unqualified		Chronic bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2171	1521	7760	7901	59	57	708	582	19502	10890	2149	2465	1241	1162	16112	7263
0—	74	49	997	772	12	12	80	54	246	184	171	133	64	45	11	6
1—	8	5	112	110	2	1	8	7	23	34	17	22	5	10	1	2
2—	1	10	43	48	—	1	2	7	19	16	14	12	4	1	1	3
3—	4	4	25	21	—	—	3	2	9	7	6	2	3	2	—	3
4—	2	1	18	11	—	—	1	—	7	3	5	3	1	—	1	—
5—	8	5	36	43	3	1	6	1	12	12	8	4	1	6	3	2
10—	5	9	24	19	—	—	3	—	7	4	1	3	1	—	5	1
15—	4	7	28	15	1	1	3	4	7	7	2	5	1	—	4	2
20—	8	9	18	15	2	3	—	7	8	9	2	1	2	—	4	8
25—	13	8	19	16	1	1	4	4	13	12	2	4	—	4	11	4
30—	21	21	23	25	—	3	2	2	22	29	3	7	—	4	19	18
35—	28	20	39	43	1	2	7	5	60	34	6	5	4	3	50	26
40—	50	35	66	55	5	—	15	12	169	79	24	11	10	11	135	57
45—	83	41	132	95	2	2	21	15	448	124	28	17	18	7	402	100
50—	157	60	216	128	1	3	37	13	1017	189	58	24	43	17	916	148
55—	193	96	323	198	5	1	47	23	1617	401	96	49	45	29	1476	323
60—	278	128	524	366	4	2	78	38	2599	725	181	110	125	62	2293	553
65—	304	166	776	634	8	3	97	56	3403	1166	226	177	144	93	3033	896
70—	335	225	1159	1041	5	5	83	81	3487	1727	323	315	226	174	2938	1238
75—	324	251	1270	1369	6	10	100	98	3049	2282	362	481	227	239	2460	1562
80—	189	210	1089	1445	—	5	75	76	2089	1996	339	527	189	217	1561	1252
85 and over	82	161	823	1432	1	1	36	77	1191	1850	275	553	128	238	788	1059

TABLE 17—continued.

Causes of death	502.0		502.1		510-527		510		511		512*		514*		516	
	Bronchitis with emphysema		Others included under 502		Other diseases of respiratory system		Hypertrophy of tonsils and adenoids		Peritonsillar abscess (quinsy)		513		515		Chronic laryngitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6769	1421	9343	5842	3202	1362	24	18	7	4	38	19	3	2	—	—
0—	1	—	10	6	36	29	—	—	—	1	2	—	—	1	—	—
1—	—	—	1	2	7	1	1	—	—	—	—	—	—	—	—	—
2—	1	—	—	3	5	4	1	—	—	—	2	—	—	—	—	—
3—	—	—	—	3	10	4	2	—	1	—	—	1	—	—	—	—
4—	—	—	1	—	4	5	1	2	—	—	2	—	—	—	—	—
5—	1	1	2	1	23	18	10	10	—	—	1	—	—	—	—	—
10—	—	—	5	1	8	9	2	1	—	—	1	—	—	—	—	—
15—	1	—	3	2	10	17	2	3	—	—	3	2	—	—	—	—
20—	1	3	3	5	20	9	1	—	1	—	4	1	—	—	—	—
25—	5	2	6	2	25	15	—	—	1	—	1	—	—	—	—	—
30—	8	5	11	13	31	27	—	—	—	—	4	1	1	1	—	—
35—	27	6	23	20	51	36	1	—	—	—	—	1	—	—	—	—
40—	70	13	65	44	96	40	—	—	1	—	—	—	—	—	—	—
45—	233	39	169	61	162	46	—	1	—	—	2	—	—	—	—	—
50—	537	44	379	104	288	68	—	1	1	—	6	2	1	—	—	—
55—	826	96	650	227	382	77	—	—	—	—	2	—	—	—	—	—
60—	1229	160	1064	393	507	111	—	—	—	—	3	2	—	—	—	—
65—	1385	258	1648	638	520	148	2	—	—	—	3	4	1	—	—	—
70—	1111	235	1827	1003	415	152	—	—	—	—	—	1	—	—	—	—
75—	775	275	1685	1287	326	168	—	—	1	2	—	2	—	—	—	—
80—	411	184	1150	1068	182	156	1	—	—	1	2	—	—	—	—	—
85 and over	147	100	641	959	94	222	—	—	1	—	—	2	—	—	—	—

Causes of death	517		518		519		520		521		522		523		524	
	Other diseases of upper respiratory tract		Empyema		Pleurisy		Spontaneous pneumothorax		Abscess of lung		Pulmonary congestion and hypostasis		Pneumoconiosis due to silica and silicates (occupational)		Other specified pneumoconiosis & pulmonary fibrosis of occupational origin	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	16	104	58	57	44	4	2	54	28	158	378	573	6	11	—
0—	4	2	5	6	1	1	—	—	9	5	—	2	—	—	—	—
1—	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	3	2	—	—	—	—	—	—	1	—	—	—	—	—
25—	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
30—	—	2	3	—	1	1	—	—	1	3	1	—	—	—	—	—
35—	—	—	4	1	1	—	1	—	2	1	—	—	2	—	—	—
40—	3	1	3	3	—	1	—	1	3	2	—	1	16	1	—	—
45—	2	1	7	3	2	1	1	—	3	—	2	1	29	—	—	—
50—	1	2	4	—	1	3	1	—	6	2	—	—	54	2	1	—
55—	—	1	11	3	5	7	1	—	10	3	3	—	83	1	—	—
60—	—	1	16	6	4	1	—	—	4	3	1	4	121	—	2	—
65—	—	2	10	8	8	4	—	1	3	1	3	11	113	—	4	—
70—	2	3	12	7	14	8	—	—	6	3	11	19	86	2	3	—
75—	—	1	13	7	9	4	—	—	5	2	23	59	57	—	1	—
80—	—	—	10	5	5	3	—	—	—	1	55	105	12	—	—	—
85 and over	—	—	1	2	6	8	—	—	—	1	58	175	—	—	—	—

\*512, Chronic pharyngitis and nasopharyngitis, 75, 55, 65, 80, 85 ; 514, Deflected nasal septum, 80.



TABLE 17—continued.

Causes of death	525		526		527		IX 530-587		530-539		530*		532		533	
	Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Diseases of the Digestive System		Diseases of buccal cavity and œsophagus		Abscesses of supporting structures of teeth		Other inflammatory diseases of supporting structures of teeth		Disorders of occlusion, eruption, & tooth development	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	174	69	1117	478	858	233	8844	6984	121	117	1	1	8	6	18	7
0—	—	3	3	2	12	6	578	380	10	8	—	—	—	—	6	5
1—	—	—	2	—	1	—	64	39	5	2	—	—	—	—	2	1
2—	—	—	1	3	1	1	30	25	—	—	—	—	—	—	—	—
3—	2	—	2	3	2	—	19	7	1	—	—	—	—	—	—	—
4—	—	—	1	2	—	—	19	7	—	—	—	—	—	—	—	—
5—	—	1	9	6	—	1	51	37	—	2	—	—	—	—	—	—
10—	—	—	3	5	—	1	27	26	1	—	—	—	—	—	—	—
15—	—	1	3	6	2	2	36	39	—	1	—	—	—	—	—	—
20—	1	—	7	5	2	1	44	32	3	—	—	—	1	—	—	—
25—	3	1	13	12	5	—	79	57	1	1	—	—	—	—	—	—
30—	—	1	18	15	2	3	99	68	3	—	1	—	1	—	1	—
35—	3	—	29	24	8	9	132	89	2	3	—	—	—	—	1	—
40—	6	1	48	24	16	5	281	184	5	—	—	—	1	—	—	—
45—	7	5	69	28	38	6	467	213	5	2	—	—	2	—	2	—
50—	16	7	109	38	87	11	724	335	6	3	—	—	—	1	1	—
55—	22	8	146	41	99	12	761	444	6	2	—	—	—	—	3	—
60—	33	4	161	60	162	30	1054	648	6	6	—	—	—	2	1	1
65—	35	15	184	62	154	39	1173	898	9	12	—	—	—	—	—	—
70—	23	11	142	59	116	39	1186	1093	19	21	—	—	1	—	—	—
75—	16	8	109	52	91	31	1049	1093	19	18	—	—	1	1	1	—
80—	5	2	44	17	48	19	667	756	11	13	—	—	—	1	—	—
85 and over	2	1	14	14	12	17	304	514	9	23	—	1	1	1	—	—

Causes of death	534, 535*		537		538		539		540-545		540		540.0		540.1	
	536		Diseases of salivary glands		Other diseases of buccal cavity		Diseases of œsophagus		Diseases of stomach and duodenum		Ulcer of stomach		Without mention of perforation		With perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8	5	21	56	5	2	58	40	3982	1463	1818	883	1310	677	508	206
0—	2	2	1	—	—	—	1	1	11	9	—	3	—	1	—	2
1—	3	1	—	—	—	—	—	—	2	1	1	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
3—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
10—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	1	—	—	—	—	4	1	1	—	—	—	1	—
20—	—	—	—	—	—	—	2	—	4	1	1	1	1	1	—	—
25—	—	—	—	—	—	—	—	1	29	9	9	4	4	2	5	2
30—	—	—	—	—	—	—	—	—	32	8	9	4	6	3	3	1
35—	—	—	1	1	—	—	—	2	67	12	21	8	11	4	10	4
40—	—	—	—	—	—	—	4	—	119	23	44	13	36	4	8	9
45—	—	—	—	—	—	—	1	2	244	37	108	18	75	12	33	6
50—	1	—	—	1	1	—	3	1	394	73	165	43	103	29	62	14
55—	—	—	—	1	—	—	2	1	428	87	184	51	126	41	58	10
60—	1	—	1	1	—	—	3	2	541	136	237	82	164	60	73	22
65—	—	—	2	5	—	—	7	7	623	206	301	134	232	109	69	25
70—	—	1	3	11	1	—	14	9	583	241	280	138	206	104	74	34
75—	—	1	3	11	2	1	12	4	493	293	236	180	180	151	56	29
80—	—	—	6	6	—	1	5	5	279	202	144	134	109	94	35	40
85 and over	—	—	4	18	—	—	4	3	127	121	77	70	56	62	21	8

\*530, Dental caries, 25, 55; 534, Toothache from unspecified cause, —; 535, Other diseases of teeth and supporting structures, —.

TABLE 17—continued.

Causes of death	541 Ulcer of duodenum		541.0 Without mention of perforation		541.1 With perforation		542 Gastrojejunal ulcer		542.0 Without mention of perforation		542.1 With perforation		543 Gastritis and duodenitis		544 Disorders of function of stomach	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1977	448	1253	275	724	173	34	8	27	6	7	2	62	85	14	
0—	—	—	—	—	—	—	—	—	—	—	—	—	9	5	1	
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
2—	1	1	1	—	—	1	—	1	—	—	—	1	—	1	—	
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15—	1	1	1	1	—	—	—	—	—	—	—	—	1	—	1	
20—	3	—	2	—	1	—	—	—	—	—	—	—	—	—	—	
25—	19	5	10	3	9	2	—	—	—	—	—	—	—	—	—	
30—	21	2	10	2	11	—	—	—	—	—	—	—	—	—	—	
35—	44	4	27	3	17	1	1	—	1	—	—	—	1	—	—	
40—	68	9	52	7	16	2	2	—	2	—	—	—	—	1	1	
45—	125	17	85	12	40	5	3	—	1	—	2	—	2	2	—	
50—	210	24	148	16	62	8	2	2	1	2	1	—	5	1	—	
55—	216	33	130	20	86	13	10	—	8	—	2	—	5	1	—	
60—	282	46	179	28	103	18	5	1	5	1	—	—	4	5	2	
65—	306	58	189	36	117	22	5	1	5	1	—	—	3	5	1	
70—	283	81	178	48	105	33	5	—	3	—	2	—	6	10	2	
75—	239	86	140	49	99	37	—	3	—	2	—	1	9	21	3	
80—	117	45	70	25	47	20	1	—	1	—	—	—	9	18	3	
85 and over	42	36	31	25	11	11	—	—	—	—	—	—	6	15	—	

Causes of death	545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550.0 Without mention of peritonitis		550.1 With peritonitis		551 Appendicitis, unqualified		552 Other appendicitis		553 Other diseases of appendix	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	77	33	550	356	465	304	71	45	394	259	83	50	—	2	2	—
0—	1	—	1	1	1	1	—	—	1	1	—	—	—	—	—	—
1—	—	1	5	3	5	3	—	—	5	3	—	—	—	—	—	—
2—	—	—	10	6	10	6	2	—	8	6	—	—	—	—	—	—
3—	—	—	8	—	8	—	1	—	7	—	—	—	—	—	—	—
4—	—	—	12	3	12	3	3	—	9	3	—	—	—	—	—	—
5—	—	—	27	21	24	18	3	2	21	16	3	3	—	—	—	—
10—	—	—	19	15	13	15	1	3	12	12	6	—	—	—	—	—
15—	—	—	16	15	15	12	—	1	15	11	1	3	—	—	—	—
20—	—	—	15	9	12	8	2	1	10	7	3	1	—	—	—	—
25—	1	—	15	7	9	7	3	1	6	6	6	—	—	—	—	—
30—	2	1	12	6	12	4	2	—	10	4	—	2	—	—	—	—
35—	—	—	11	5	11	5	5	1	6	4	—	—	—	—	—	—
40—	4	—	34	11	27	10	3	3	24	7	7	1	—	—	—	—
45—	6	—	31	11	25	5	2	1	23	4	6	5	—	1	—	—
50—	12	3	40	20	31	20	7	3	24	17	8	—	—	—	1	—
55—	13	2	33	21	31	18	4	4	27	14	2	3	—	—	—	—
60—	11	2	61	28	52	21	8	4	44	17	9	7	—	—	—	—
65—	7	7	53	40	41	34	7	5	34	29	12	6	—	—	—	—
70—	7	11	52	43	47	37	1	3	46	34	5	6	—	—	—	—
75—	6	2	57	41	45	30	8	4	37	26	11	11	—	—	1	—
80—	5	4	28	29	25	27	6	4	19	23	3	2	—	—	—	—
85 and over	2	—	10	21	9	20	3	5	6	15	1	—	—	1	—	—



TABLE 17—continued.

Causes of death	560-561		560 Hernia of abdominal cavity without mention of obstruction		561 Hernia of abdominal cavity with obstruction		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570.0 Intus-susception		570.1 Paralytic ileus		570.2 Mesenteric infarction	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	758	821	182	147	576	674	1991	2197	726	685	65	34	23	9	184	177
0—	82	36	65	35	17	1	434	282	67	32	44	19	1	—	1	1
1—	3	1	2	1	1	—	38	22	9	3	9	3	—	—	—	—
2—	3	—	1	—	2	—	12	12	2	2	—	—	—	—	—	—
3—	1	3	—	2	1	1	7	2	2	—	1	—	—	—	—	—
4—	1	1	1	1	—	—	5	2	1	1	1	1	—	—	—	—
5—	1	—	1	—	—	—	17	8	7	—	3	—	—	—	—	—
10—	—	—	—	—	—	—	6	9	4	2	—	1	—	—	—	—
15—	—	—	—	—	—	—	12	17	3	1	2	1	—	—	—	—
20—	—	2	—	2	—	—	16	14	6	2	—	—	—	—	1	—
25—	2	—	1	—	1	—	25	27	8	6	—	1	1	—	—	2
30—	5	—	1	—	4	—	22	33	7	9	—	1	—	1	1	1
35—	2	3	—	1	2	2	31	39	14	6	1	—	1	—	4	3
40—	5	14	3	3	2	11	58	77	19	20	—	—	2	—	2	3
45—	23	19	7	5	16	14	79	52	28	18	—	—	1	1	12	7
50—	27	32	9	4	18	28	117	85	49	29	1	—	—	—	14	9
55—	35	47	6	12	29	35	119	113	53	42	1	1	3	1	19	15
60—	68	79	15	17	53	62	183	170	70	65	—	2	2	—	24	20
65—	82	101	15	15	67	86	209	235	100	85	2	—	3	—	35	31
70—	114	156	20	19	94	137	222	299	104	109	—	2	4	—	31	26
75—	130	150	19	14	111	136	184	304	83	108	—	2	2	1	20	26
80—	105	110	7	9	98	101	139	222	64	86	—	—	2	3	14	16
85 and over	69	67	9	7	60	60	56	173	26	59	—	—	1	2	6	17

Causes of death	570.3		570.4		570.5		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572.0 Regional enteritis		572.1 Diverticulitis		572.2 Ulcerative colitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	188	176	29	63	237	226	546	549	449	693	28	29	241	372	162	269
0—	8	2	9	10	4	—	359	246	1	—	—	—	—	—	1	—
1—	—	—	—	—	—	—	27	18	—	—	—	—	—	—	—	—
2—	1	2	—	—	1	—	9	10	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—
5—	4	—	—	—	—	—	7	6	2	1	—	—	—	—	2	1
10—	1	1	—	—	3	—	1	3	1	2	—	—	—	1	1	1
15—	—	—	—	—	1	—	2	2	7	13	1	1	—	—	6	12
20—	3	1	—	—	2	1	1	2	9	10	2	1	—	—	7	9
25—	4	2	—	—	3	1	—	—	15	19	2	—	—	—	12	19
30—	4	3	—	—	2	3	1	1	10	18	1	1	1	2	8	15
35—	2	1	—	—	6	2	2	2	12	21	1	1	—	1	11	19
40—	7	8	2	1	6	8	3	4	28	42	8	6	3	—	17	35
45—	12	3	—	—	3	7	6	3	30	27	4	4	7	4	18	18
50—	15	9	1	—	18	11	10	7	33	40	2	2	18	13	12	25
55—	11	7	2	3	17	15	4	13	39	44	2	2	27	24	10	18
60—	18	21	2	1	24	21	16	12	61	68	3	2	29	41	24	24
65—	26	24	—	6	34	24	16	28	51	90	1	1	39	57	9	27
70—	29	26	2	11	38	44	22	42	68	106	—	4	55	75	12	23
75—	16	35	5	10	40	34	23	49	37	96	1	3	24	78	10	12
80—	17	18	5	14	26	35	20	55	34	51	—	1	28	42	2	5
85 and over	9	13	1	7	9	20	10	43	11	45	—	—	10	34	—	6

TABLE 17—continued.

Causes of death	572.3 Others included under 572		573 Functional disorders of intestines		574 Anal fissure and fistula		575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	18	23	21	19	—	—	17	12	68	41	9	11	155	187	1442	2036
0—	—	—	—	—	—	—	1	—	3	2	—	—	3	2	40	44
1—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	11	10
2—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	4
3—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	2	2
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	6	6
10—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	2
15—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4	3
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	6
25—	1	—	—	—	—	—	—	—	1	—	—	—	1	2	7	13
30—	—	—	—	—	—	—	—	—	—	—	—	1	4	4	25	21
35—	—	—	—	1	—	—	1	—	1	1	—	2	1	6	19	27
40—	—	1	—	—	—	—	—	—	2	3	1	1	5	7	60	59
45—	1	1	—	—	—	—	—	1	5	2	1	—	9	1	85	92
50—	1	—	1	—	—	—	2	—	9	1	1	2	12	6	140	122
55—	—	—	1	—	—	—	1	—	9	2	1	—	11	12	140	174
60—	5	1	2	—	—	—	1	1	9	6	—	1	24	17	195	228
65—	2	5	4	4	—	—	3	—	9	3	3	1	23	24	197	304
70—	1	4	3	4	—	—	—	4	5	3	—	1	20	30	196	333
75—	2	3	4	4	—	—	5	2	8	10	2	1	22	34	166	287
80—	4	3	4	1	—	—	2	2	2	3	—	—	13	24	105	180
85 and over	1	5	1	5	—	—	1	2	2	3	—	—	5	16	33	109

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	56	79	650	505	20	13	25	30	239	613	206	426	43	57	203	307
0—	5	3	7	3	1	—	1	2	—	—	—	1	—	—	26	35
1—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	9	9
2—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3	3
3—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1
4—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	2	5	3	—	—	—	—	—	—	—	—	—	—	1	1
10—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	2	—	3	—	—	—	—	—	—	—	—	—	—	2	—
20—	1	1	4	4	—	—	—	—	—	—	—	—	1	1	—	—
25—	1	5	3	2	—	1	—	—	1	—	—	—	1	—	1	5
30—	1	5	16	8	2	1	1	—	—	3	1	2	—	—	4	2
35—	3	5	11	8	—	—	—	2	—	1	1	3	1	2	3	6
40—	1	6	43	19	—	1	1	1	2	20	3	5	—	1	10	6
45—	3	7	55	43	3	—	3	2	5	20	5	7	2	1	9	12
50—	6	7	81	47	1	1	6	—	12	31	10	17	3	5	21	14
55—	1	8	84	60	5	1	3	4	19	38	12	27	3	7	13	29
60—	9	6	93	60	2	1	2	8	34	62	24	40	7	7	24	45
65—	8	11	89	106	2	1	3	6	34	92	34	48	5	5	22	35
70—	7	4	82	64	2	2	2	1	42	127	29	83	7	13	25	39
75—	4	2	45	43	—	3	1	1	49	103	41	85	8	10	18	40
80—	3	—	22	24	1	1	—	2	30	68	36	62	3	4	10	19
85 and over	—	1	7	6	1	—	1	1	11	48	10	46	2	1	1	6



TABLE 17—continued.

Causes of death	X 590-637 Diseases of the Genito-Urinary System		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with œdema, including nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8330	4004	2802	2627	139	93	193	136	2230	2201	226	185	14	12	1243	1081
0—	42	25	14	7	10	4	3	2	—	—	1	—	—	1	28	18
1—	10	4	4	1	1	1	2	—	1	—	—	—	—	—	5	2
2—	4	2	3	1	1	—	—	1	1	—	—	—	1	—	1	1
3—	4	5	3	4	—	1	1	1	1	2	1	—	—	—	1	1
4—	7	5	5	4	2	—	2	1	1	2	—	1	—	—	2	1
5—	27	24	21	15	4	3	3	5	12	6	1	—	1	1	6	9
10—	23	22	17	18	1	6	4	3	10	9	—	—	2	—	6	4
15—	44	43	39	39	6	5	7	2	24	28	1	3	1	1	5	3
20—	80	47	72	42	8	2	10	5	51	29	2	4	1	2	8	2
25—	83	80	68	55	6	5	6	6	54	43	2	1	—	—	14	15
30—	114	78	101	53	6	4	11	5	76	41	8	3	—	—	13	13
35—	122	114	108	78	6	3	9	7	91	64	2	4	—	—	14	23
40—	168	157	140	107	9	3	13	5	107	92	11	6	—	1	27	29
45—	232	239	185	157	9	5	16	11	140	130	20	11	—	—	42	52
50—	293	256	205	176	12	6	17	9	158	150	17	11	1	—	67	54
55—	418	301	246	203	11	6	22	10	189	168	24	19	—	—	84	76
60—	585	408	268	256	11	11	25	17	211	208	20	20	1	—	121	127
65—	879	480	286	302	9	10	14	19	231	250	31	22	1	1	158	141
70—	1339	542	340	357	11	8	9	9	292	319	28	19	—	2	187	148
75—	1659	532	317	339	7	7	10	13	272	293	27	25	1	1	224	164
80—	1376	401	242	263	5	1	7	5	212	232	16	24	2	1	154	119
85 and over	821	239	118	150	4	2	2	—	96	135	14	12	2	1	76	79

Causes of death	600 Infections of kidney		601 Hydro-nephrosis		602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	550	637	73	61	151	140	40	35	45	7	179	161	85	23	93	—
0—	15	9	2	—	—	—	10	8	—	—	—	1	—	—	—	—
1—	1	1	1	—	1	—	2	1	—	—	—	—	—	—	—	—
2—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
3—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
4—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	3	6	1	1	—	2	—	—	—	—	—	—	2	—	—	—
10—	2	4	1	—	—	—	1	—	—	—	—	—	1	—	1	—
15—	2	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—
20—	5	2	1	—	1	—	—	—	—	—	—	—	1	—	—	—
25—	7	8	5	—	1	6	—	1	—	—	—	—	—	—	1	—
30—	4	8	—	2	7	2	—	1	—	—	1	—	—	—	1	—
35—	6	13	3	4	3	3	—	3	1	—	1	—	—	—	—	—
40—	15	20	3	1	3	5	2	1	1	—	—	2	—	—	2	—
45—	17	25	5	4	12	16	1	2	—	2	3	2	—	1	3	—
50—	25	32	7	4	15	10	4	1	1	—	3	4	6	2	5	—
55—	44	47	5	6	12	11	2	3	2	—	7	6	7	3	5	—
60—	56	75	4	5	24	27	3	4	5	—	11	10	5	4	9	—
65—	66	96	6	5	25	12	1	4	4	1	31	19	15	1	7	—
70—	98	80	7	13	17	19	5	3	10	—	18	27	13	3	16	—
75—	92	103	13	10	17	12	4	—	14	2	43	29	16	5	15	—
80—	63	63	5	3	5	9	2	3	7	1	40	37	9	1	21	—
85 and over	27	40	1	3	7	6	2	—	—	1	21	24	10	2	7	—

\*607, Urethritis (non-venereal),—.

TABLE 17—continued.

Causes of death	609 Other diseases of urethra		610-617 Diseases of male genital organs	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613 Hydrocele	614* 615 Redundant prepuce and phimosis	616* 617 Other diseases of male genital organs
Ages at death	M	F	M	M	M	M	M	M	M
All Ages	27	17	4285	4173	82	9	3	4	13
0—	1	—	—	—	—	—	—	—	—
1—	—	—	1	—	—	—	1	—	—
2—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—
25—	—	—	1	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—
40—	1	—	1	—	—	—	—	1	—
45—	1	—	5	4	1	—	—	—	—
50—	1	1	21	17	2	—	—	—	2
55—	—	—	88	84	3	—	—	—	1
60—	4	2	196	187	7	1	—	—	1
65—	3	3	435	424	8	—	—	1	2
70—	3	3	812	796	11	2	—	—	3
75—	10	3	1118	1099	16	2	1	—	—
80—	2	2	980	956	18	2	1	2	1
85 and over	1	3	627	606	16	2	—	—	3

Causes of death	620-626 Diseases of breast, ovary, Fallopian tube, and parametrium	620, 621*	623*	625 Other diseases of ovary and Fallopian tube	626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs	630 Infective disease of uterus, vagina, and vulva	631 Uterovaginal prolapse
Ages at death	F	622 Acute salpingitis and oophoritis F	624 Salpingitis and oophoritis unqualified F	F	F	F	F	F
All Ages	58	1	29	7	17	238	20	134
0—	—	—	—	—	—	—	—	—
1—	1	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	1	—	—
20—	3	—	1	—	2	—	—	—
25—	3	—	2	—	—	7	—	—
30—	4	—	3	—	—	8	1	1
35—	4	1	3	—	—	9	—	1
40—	4	—	2	—	2	17	—	4
45—	3	—	2	1	—	27	2	6
50—	7	—	4	2	1	19	4	8
55—	3	—	3	—	—	19	—	14
60—	8	—	1	2	4	17	1	11
65—	8	—	4	1	3	29	1	24
70—	5	—	3	—	1	32	3	23
75—	3	—	—	1	2	26	2	24
80—	2	—	—	—	2	17	5	10
85 and over	—	—	—	—	—	10	1	8

\*614, Orchitis and epididymitis, 25 ; 616, Sterility, male, — ; 620, Chronic cystic disease of breast, — ; 621, Other diseases of breast, 25, 30, 60; 623, Chronic salpingitis and oophoritis, 70.



TABLE 17—continued.

Causes of death	632*	634 Disorders of menstruation	635, 636*	XI 640-689 Deliveries, & Complications of Pregnancy, Childbirth, and the Puerperium	640-649 Complications of pregnancy	640, 641*	643 Placenta prævia	644 Other hæmorrhage of pregnancy
	633 Other diseases of uterus		637 Other diseases of female genital organs			642 Toxæmias of pregnancy		
Ages at death	F	F	F	F	F	F	F	F
All Ages	41	25	12	527†	211	154	—	6
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	—	—	13	4	4	—	—
20—	—	—	—	82	24	18	—	—
25—	3	2	1	118	46	36	—	2
30—	1	4	1	143	60	38	—	1
35—	6	2	—	99	44	33	—	2
40—	5	7	1	57	25	18	—	1
45—	10	7	—	11	6	6	—	—
50—	2	2	1	1	—	—	—	—
55—	2	1	1	1	1	1	—	—
60—	2	—	3	2	1	—	—	—
65—	3	—	1	—	—	—	—	—
70—	3	—	3	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	2	—	—	—	—	—	—	—
85 and over	1	—	—	—	—	—	—	—

Causes of death	645 Ectopic pregnancy	646, 647*	650-652 Abortion	650 Abortion without mention of sepsis or toxæmia	651 Abortion with sepsis	652 Abortion with toxæmia, without mention of sepsis	660 Delivery without complication	670-678 Delivery with specified complication
		648 Other complications arising from pregnancy						
Ages at death	F	F	F	F	F	F	F	F
All Ages	35	6	76	30	39	7	5	151
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	4	1	2	1	—	2
20—	5	1	16	6	9	1	—	26
25—	6	1	20	7	11	2	1	30
30—	14	4	19	12	6	1	1	44
35—	6	—	11	3	7	1	—	26
40—	4	—	6	1	4	1	1	20
45—	—	—	—	—	—	—	1	2
50—	—	—	—	—	—	—	1	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	1
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

\*632, Malposition of uterus, 25 ; 635, Menopausal symptoms, 45, 45, 50, 50, 55 ; 636, Sterility, female, — ; 640, Pyelitis and pyelonephritis of pregnancy, 25, 30, 35, 35, 40, 60 ; 641, Other infections of genito-urinary tract during pregnancy, — ; 646, Anæmia of pregnancy, 30, 30, 35, 40 ; 647, Pregnancy with malposition of fœtus in uterus, —.

†640-689, Including 32 cases in which it was stated that death followed the maternal condition after an interval of more than 12 months, at ages as follows :— 640, 30, 35, 60. 642, 20, 25, 25, 25, 30, 30, 30, 30, 30, 35, 35, 40, 40, 40, 40, 40, 40, 45, 45, 45, 55. 660, 45, 50. 675, 25, 60. 682, 25, 30. 686, 45.

TABLE 17—continued.

Causes of death	670	671	672	673*	675	676*	678	680-689
	Delivery complicated by placenta prævia or antepartum hæmorrhage	Delivery complicated by retained placenta	Delivery complicated by other postpartum hæmorrhage	674 Delivery complicated by disproportion or malposition of fœtus	Delivery complicated by prolonged labour of other origin	Delivery with other trauma	Delivery with other complications of childbirth	Complications of the puerperium
Ages at death	F	F	F	F	F	F	F	F
All Ages	33	27	24	6	24	13	21	84
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	1	—	—	—	1	3
20—	4	8	—	—	3	3	7	16
25—	7	8	6	1	5	2	—	21
30—	10	4	6	3	10	3	8	19
35—	5	5	5	2	3	2	4	18
40—	7	2	6	—	1	2	1	5
45—	—	—	—	—	1	1	—	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	1	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	680*	682	683*	685	686*	688, 689*		690-698		690	
	681		684		687	XII 690-716 Diseases of the Skin and Cellular Tissue					
Ages at death	F	F	F	F	F	M	F	M	F	M	F
All Ages	14	29	22	7	4	279	356	96	116	26	21
0—	—	—	—	—	—	18	16	10	6	1	—
1—	—	—	—	—	—	2	4	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	1	—	—	—	—
5—	—	—	—	—	—	2	2	1	—	—	—
10—	—	—	—	—	—	2	3	1	1	—	1
15—	1	1	—	—	—	1	1	1	—	1	—
20—	3	3	6	—	2	4	1	3	—	1	—
25—	3	11	3	3	—	3	2	2	1	2	1
30—	4	5	6	4	—	7	9	6	2	2	1
35—	1	8	5	—	2	7	8	2	2	1	—
40—	1	1	2	—	—	8	12	3	4	2	1
45—	1	—	—	—	—	8	12	4	5	1	1
50—	—	—	—	—	—	17	20	5	8	2	2
55—	—	—	—	—	—	15	18	4	9	1	2
60—	—	—	—	—	—	21	36	9	17	3	7
65—	—	—	—	—	—	22	18	6	6	2	—
70—	—	—	—	—	—	27	40	10	14	3	2
75—	—	—	—	—	—	47	67	12	23	2	2
80—	—	—	—	—	—	44	45	10	10	1	1
85 and over	—	—	—	—	—	24	41	7	7	1	—

\*673, Delivery complicated by abnormality of bony pelvis, 20, 25, 40; 676, Delivery with laceration of perineum, without mention of other laceration, —; 680, Puerperal urinary infection without other sepsis, —; 683, Pyrexia of unknown origin during the puerperium, 40; 686, Other forms of puerperal toxæmia, 15, 20, 35, 35, 45; 688, Other and unspecified complications of the puerperium, 20, 25; 689, Mastitis and other disorders of lactation, —.



TABLE 17—continued.

Causes of death	691		692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		700 Seborrhœic dermatitis		701 Eczema		702* 703 Other dermatitis		704 Pemphigus	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	10	58	77	6	7	183	240	3	4	15	13	8	8	51	55
0—	—	3	7	2	2	1	8	10	—	1	3	4	3	1	1	3
1—	—	—	—	1	—	—	2	3	—	—	1	3	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
20—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
30—	—	—	4	1	—	—	1	7	—	—	—	—	—	—	—	—
35—	—	2	1	—	—	—	5	6	—	1	—	—	—	—	1	1
40—	—	—	1	3	—	—	5	8	—	—	1	—	—	—	2	4
45—	—	—	2	2	—	1	4	7	—	—	—	—	—	1	1	—
50—	—	1	2	5	—	—	12	12	1	—	—	—	—	—	1	6
55—	—	—	3	6	—	1	11	9	—	—	—	1	1	—	3	2
60—	1	1	4	9	1	—	12	19	—	—	—	—	—	—	3	5
65—	—	—	4	5	—	1	16	12	—	—	—	—	1	—	4	4
70—	—	—	6	12	1	—	17	26	1	—	2	2	—	1	4	9
75—	—	1	9	17	1	3	35	44	—	—	2	—	2	3	12	10
80—	1	1	7	8	—	—	34	35	1	—	6	2	1	1	9	6
85 and over	—	1	5	6	—	—	17	34	—	2	—	1	—	1	10	5

Causes of death	705		706		707-709*		711-714*		716*		720-727 Arthritis and rheumatism, except rheumatic fever		720		721*	
	Erythematous conditions		Psoriasis and similar disorders		710 Other hypertrophic and atrophic conditions of skin		715 Chronic ulcer of skin		XIII 720-749 Diseases of the Bones and Organs of Movement				Acute arthritis due to pyogenic organisms		722 Rheumatoid arthritis and allied conditions	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	43	31	1	7	22	36	34	81	578	982	296	768	11	18	184	558
0—	1	1	—	—	—	—	—	—	23	8	—	—	—	—	—	—
1—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	2	3	—	1	—	—	—	1
3—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
4—	—	—	—	—	—	1	—	—	3	—	1	—	1	—	—	—
5—	1	—	—	—	—	1	—	—	7	5	—	1	—	1	—	—
10—	—	1	—	—	1	1	—	—	14	4	—	—	—	—	—	—
15—	—	1	—	—	—	—	—	—	16	7	—	2	—	1	—	—
20—	—	1	—	—	—	—	—	—	7	2	1	—	—	—	—	1
25—	—	—	—	—	1	1	—	—	3	3	—	—	—	—	—	—
30—	—	2	—	—	1	5	—	—	14	4	8	—	—	—	6	—
35—	—	2	—	—	3	2	1	—	12	8	2	3	1	—	1	2
40—	1	—	—	—	—	4	—	—	10	10	6	6	—	—	3	4
45—	2	2	—	1	—	3	—	—	20	28	10	16	—	1	9	10
50—	4	1	1	1	5	3	—	—	19	36	8	27	—	2	4	23
55—	4	1	—	—	3	4	—	1	36	53	18	38	1	2	13	34
60—	4	3	—	2	3	7	2	2	66	73	42	59	2	2	25	50
65—	6	4	—	—	2	3	3	1	65	118	36	92	1	1	19	77
70—	4	3	—	—	3	1	3	10	87	146	49	121	2	4	33	94
75—	8	5	—	2	—	—	10	24	88	196	53	174	1	3	36	123
80—	7	2	—	—	—	—	8	22	52	161	38	134	1	1	25	84
85 and over	1	2	—	1	—	—	6	21	31	115	24	94	1	—	10	55

\*693, Other cellulitis and abscess with lymphangitis, 80, 85 ; 694, Acute lymphadenitis, — ; 695, Impetigo, 45, 50 ; 696, Infectious warts, 45 ; 697, Molluscum contagiosum, — ; 702, Occupational dermatitis, — ; 707, Lichen planus, — ; 708, Pruritus and related conditions, 40, 80, 80, 80 ; 709, Corns and callosities, 80 ; 711, Other dermatoses, — ; 712, Diseases of nail, 20 ; 713, Diseases of hair and hair follicles, 75 ; 714, Diseases of sweat and sebaceous glands, 45, 85 ; 716, Other diseases of skin, 5, 50 ; 721, Acute nonpyogenic arthritis, —.

TABLE 17—continued.

Causes of death	723 Osteo- arthritis (arthrosis) and allied conditions		724*		726 Muscular rheumatism		727 Rheumatism unspecified		727a; b*		730-738 Osteomyelitis and other diseases of bone and joint		730 Osteomyelitis and periostitis		731 Osteitis deformans	
			725 Arthritis (unspecified)						727c; d; e Others included under 727							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	86	171	7	15	4	1	4	3	2	2	180	136	59	33	80	59
0—	—	—	—	—	—	—	—	—	—	—	10	3	7	3	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	2	1	2	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—
20—	1	—	—	—	—	—	—	—	—	—	3	—	3	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—
30—	2	—	—	—	—	—	—	—	—	—	2	1	2	1	—	—
35—	—	1	—	—	—	—	—	—	—	—	5	2	4	1	—	—
40—	1	2	—	—	—	—	2	—	1	—	2	2	1	1	—	—
45—	—	4	—	—	—	—	1	1	—	1	7	4	3	1	—	—
50—	3	1	—	—	1	—	—	1	—	1	7	3	4	1	2	1
55—	3	2	—	—	1	—	—	—	—	—	9	6	4	2	2	1
60—	13	4	2	2	—	1	—	—	—	—	17	9	3	3	9	5
65—	15	13	1	1	—	—	—	—	—	—	25	17	4	3	17	9
70—	13	19	1	2	—	—	—	1	—	—	31	22	7	4	17	14
75—	14	43	—	5	1	—	1	—	1	—	34	19	7	5	20	8
80—	9	44	2	4	1	—	—	—	—	—	13	23	1	1	9	16
85 and over	12	38	1	1	—	—	—	—	—	—	6	19	1	3	4	5

Causes of death	732*		734*		736, 737, 738*		740*		742, 743*		745 Curvature of spine		746, 747, 748*		XIV 750-759	
	733 Other diseases of bone		735 Displacement of intervertebral disc		740-749 Other diseases of musculo-skeletal system		741 Synovitis, bursitis and tenosynovitis without mention of occupational origin		744 Other diseases of muscle, tendon, and fascia				749 Other deformities		Congenital Mal-formations	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	24	31	8	7	102	78	1	3	82	52	11	13	7	4	2216	2045
0—	3	—	—	—	13	5	—	—	12	3	—	1	—	—	1521	1413
1—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	64	75
2—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	33	33
3—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	22	21
4—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	21	19
5—	—	—	—	—	5	3	—	—	5	3	—	—	—	—	62	37
10—	—	—	—	—	12	2	—	—	12	2	—	—	—	—	34	35
15—	—	—	—	—	16	3	—	—	15	2	1	—	—	1	31	28
20—	—	—	—	—	3	2	—	—	3	—	—	2	—	—	36	22
25—	—	—	1	1	1	2	—	—	—	2	—	—	1	—	29	20
30—	—	—	—	—	4	3	—	—	2	2	2	1	—	—	29	26
35—	—	—	1	1	5	3	—	—	4	3	1	—	—	—	33	31
40—	—	—	—	—	2	2	—	—	1	1	—	—	1	—	53	44
45—	1	1	2	1	3	8	—	—	2	6	1	1	—	1	49	39
50—	—	1	—	—	4	6	1	—	2	5	—	—	1	—	35	42
55—	2	1	1	1	9	9	—	1	7	6	1	1	1	1	46	36
60—	1	1	2	—	7	5	—	—	5	3	1	1	1	1	37	40
65—	2	3	1	1	4	9	—	—	2	6	2	2	—	—	26	40
70—	5	3	—	1	7	3	—	—	4	3	1	—	2	—	21	15
75—	6	5	—	1	1	3	—	—	1	—	—	2	—	—	16	20
80—	3	6	—	—	1	4	—	1	1	2	—	1	—	—	12	6
85 and over	1	10	—	—	1	2	—	1	1	—	—	1	—	—	6	3

\*724, Other specified forms of arthritis, (70, 80; 727a, Rheumatism acute, not further specified, 40, 45; 727b, Rheumatism, subacute, not further specified, 70; 732, Osteochondrosis, —; 734, Internal derangement of knee joint, —; 736, Affection of sacro-iliac joint, —; 737, Ankylosis of joint 65, 85; 738, Other diseases of joint, 40, 45, 50, 60, 60, 65, 70, 70, 75, 10, 40, 45, 55; 740, Bunion, —; 742, Synovitis, bursitis, and tenosynovitis of occupational origin, —; 743, Infective myositis and other inflammatory diseases of tendon and fascia, 3, 40, 75; 746, Flat foot, —; 747, Hallux valgus and varus, 50, 65; 748, Clubfoot, 0, 0.



TABLE 17—continued.

Causes of death	750		751		752		753 Other congenital malformations of nervous system and sense organs		754		755		756		756.0	
	Monstrosity		Spina bifida and meningocele		Congenital hydrocephalus				Congenital malformations of circulatory system		Cleft palate and harelip		Congenital malformations of digestive system		Congenital hypertrophic pyloric stenosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	77	354	499	95	93	43	62	913	786	13	9	321	201	52	12
0—	33	77	338	463	58	64	18	36	623	491	11	7	244	146	51	12
1—	—	—	8	20	11	4	2	5	20	28	2	1	9	8	—	—
2—	—	—	1	1	3	4	1	2	15	22	—	1	6	1	—	—
3—	—	—	—	3	2	6	3	3	14	4	—	—	2	3	—	—
4—	—	—	—	3	2	1	4	2	11	10	—	—	—	1	—	—
5—	—	—	3	1	6	4	9	6	32	19	—	—	5	5	—	—
10—	—	—	—	3	3	1	—	2	19	18	—	—	6	6	—	—
15—	—	—	—	2	1	2	1	1	22	20	—	—	2	—	—	—
20—	—	—	1	—	—	2	2	1	22	15	—	—	1	—	—	—
25—	—	—	—	—	—	—	1	—	19	16	—	—	2	3	—	—
30—	—	—	—	—	—	2	—	—	14	19	—	—	2	1	—	—
35—	—	—	1	—	1	—	—	1	16	13	—	—	2	2	—	—
40—	—	—	—	1	3	2	—	1	24	23	—	—	4	1	—	—
45—	—	—	—	—	1	—	2	—	14	11	—	—	6	1	—	—
50—	—	—	—	—	—	1	—	—	9	17	—	—	—	3	—	—
55—	—	—	1	—	2	—	—	—	16	15	—	—	1	2	—	—
60—	—	—	1	—	1	—	—	—	7	15	—	—	5	5	—	—
65—	—	—	—	1	1	—	—	—	5	16	—	—	7	4	—	—
70—	—	—	—	—	—	—	—	1	8	7	—	—	4	1	—	—
75—	—	—	—	1	—	—	—	1	2	5	—	—	5	5	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	1	2	—	—	5	2	—	—

Causes of death	756.1		756.2		757		757.1		757.0; 2; 3		758		759		XV 760-776*	
	Imperforate anus		Others included in 756		Congenital malformations of genito-urinary system		Polycystic disease of kidney		Others included under 757		Congenital malformations of bone and joint		Other and unspecified congenital malformations, not elsewhere classified		Certain diseases of Early Infancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	28	13	241	176	265	161	147	129	118	32	27	21	152	136	5833	4050
0—	28	13	165	121	77	20	13	10	64	10	18	15	101	94	5832	4048
1—	—	—	9	8	3	3	—	—	3	3	2	—	7	6	1	1
2—	—	—	5	1	5	—	—	—	5	—	—	1	2	1	—	—
3—	—	—	2	3	—	—	—	—	—	—	—	1	1	1	—	—
4—	—	—	—	1	3	1	—	—	3	1	—	1	1	—	—	—
5—	—	—	5	5	4	1	—	—	4	1	—	—	3	1	—	—
10—	—	—	6	6	3	4	—	1	3	3	—	—	2	1	—	—
15—	—	—	2	—	3	3	1	1	2	2	1	—	2	—	—	1
20—	—	—	1	—	8	2	3	1	5	1	—	—	2	2	—	—
25—	—	—	2	3	6	1	2	1	4	—	—	—	1	—	—	—
30—	—	—	2	1	10	2	7	2	3	—	—	1	3	1	—	—
35—	—	—	2	2	12	12	9	9	3	3	—	—	1	3	—	—
40—	—	—	4	1	21	13	19	13	2	—	—	—	1	3	—	—
45—	—	—	6	1	22	22	20	22	2	—	—	—	4	5	—	—
50—	—	—	—	3	22	16	21	15	1	1	1	—	3	5	—	—
55—	—	—	1	2	19	17	16	15	3	2	—	—	7	2	—	—
60—	—	—	5	5	18	16	13	16	5	—	3	—	2	4	—	—
65—	—	—	7	4	10	14	9	12	1	2	1	1	2	4	—	—
70—	—	—	4	1	8	5	6	3	2	2	1	—	—	1	—	—
75—	—	—	5	5	4	7	2	7	2	—	—	—	5	1	—	—
80—	—	—	5	2	6	1	5	1	1	—	—	1	1	—	—	—
85 and over	—	—	3	1	1	1	1	—	—	1	—	—	1	1	—	—

\*NOTE: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—continued.

Causes of death	760-769		760		761		762		763		764		765*		767	
	Birth injuries, asphyxia, and infections of newborn		Intracranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhœa of newborn		Pemphigus neonatorum		Umbilical sepsis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3345	2150	952	552	195	137	1493	998	554	336	36	24	5	2	8	7
0—	3344	2150	952	552	195	137	1492	998	554	336	36	24	5	2	8	7
1—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	768		769		770-776		770		771		772		773		774	
	Other sepsis of newborn		Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Hæmolytic disease of newborn (erythroblastosis)		Hæmorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	33	83	61	2488	1900	225	185	116	81	6	3	142	84	73	67
0—	19	33	83	61	2488	1898	225	183	116	81	6	3	142	84	73	67
1—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*765, Ophthalmia neonatorum, —.



TABLE 17—continued.

Causes of death	776		XVI 780-795		780-789		780		780.2		780.0; 1; 3; 4; 5; 6; 7; 8; 9		781*		782.4	
	Immaturity unqualified		Symptoms, Senility, and Ill-defined Conditions		Symptoms referable to systems or organs		Certain symptoms referable to nervous system and special senses		Convulsions		Others included under 780		782 Symptoms referable to cardio-vascular and lymphatic system		Acute heart failure, undefined	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1926	1480	2804	4834	75	86	17	15	15	14	2	1	42	48	38	44
0—	1926	1480	18	19	9	9	9	7	9	7	—	—	—	—	—	—
1—	—	—	3	7	2	7	2	4	2	4	—	—	—	—	—	—
2—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—	1
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	1	2	1	1	—	1	—	1	—	—	—	—	—	—
20—	—	—	2	1	1	—	—	—	—	—	—	—	1	—	1	—
25—	—	—	3	1	—	1	—	—	—	—	—	—	—	—	—	—
30—	—	—	3	2	1	1	—	—	—	—	—	—	1	—	—	—
35—	—	—	3	3	1	3	1	2	1	1	—	1	—	1	—	1
40—	—	—	4	7	4	3	2	—	2	—	—	—	2	3	2	2
45—	—	—	7	3	3	—	1	—	—	—	1	—	2	—	2	—
50—	—	—	9	6	4	2	—	1	—	1	—	—	3	1	3	1
55—	—	—	9	7	5	4	2	—	1	—	1	—	2	4	2	4
60—	—	—	11	7	5	6	—	—	—	—	—	—	4	3	4	3
65—	—	—	26	38	5	7	—	—	—	—	—	—	4	5	3	5
70—	—	—	180	211	10	9	—	—	—	—	—	—	9	9	7	8
75—	—	—	459	711	13	11	—	—	—	—	—	—	8	9	8	7
80—	—	—	897	1347	9	9	—	—	—	—	—	—	5	7	5	7
85 and over	—	—	1166	2459	2	11	—	—	—	—	—	—	1	5	1	5

Causes of death	782.0; 1; 2; 3; 5; 6; 7; 8; 9		783		784		785		786		787, 788, 789*		790, 791*		793*	
	Others included under 782		Symptoms referable to respiratory system		Symptoms referable to upper gastro-intestinal tract		Symptoms referable to abdomen and lower gastro-intestinal system		Symptoms referable to genito-urinary system		790-795 Senility and ill-defined diseases		792 Uræmia unqualified		794 Senility without mention of psychosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	4	—	2	5	6	2	5	7	4	2729	4748	15	13	2667	4707
0—	—	—	—	—	—	—	—	1	—	—	9	10	—	—	—	—
1—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—
30—	1	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
40—	—	1	—	—	—	—	—	—	—	—	—	4	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	4	3	—	2	—	—
50—	—	—	—	—	—	—	1	—	—	—	5	4	1	2	—	—
55—	—	—	—	—	1	—	—	—	—	—	4	3	1	—	—	—
60—	—	—	—	2	—	1	1	—	—	—	6	1	—	1	3	—
65—	1	—	—	—	1	1	—	1	—	—	21	31	1	2	12	27
70—	2	1	—	—	—	—	—	—	1	—	170	202	5	—	163	202
75—	—	2	—	—	—	1	—	—	5	1	446	700	2	2	443	696
80—	—	—	—	—	3	1	—	—	1	—	888	1338	1	2	886	1336
85 and over	—	—	—	—	—	1	—	2	—	3	1164	2448	3	2	1160	2446

\*781, Other symptoms referable to nervous system and special senses, 15; 787, Symptoms referable to limbs and back, —; 788, Other general symptoms, 85, 0, 1, 1, 30; 789, Abnormal urinary constituents of unspecified cause, 25, 80; 790, Nervousness and debility, —; 791, Headache, —; 793, Observation, without need for further medical care, —.

TABLE 17—continued.

Causes of death	795		XVII E800-E999 Accidents, Poisonings, and Violence (External Cause)		RAILWAY ACCIDENTS								M. V. TRAFFIC ACC.			
	Ill-defined & unknown causes of mortality				E800-E802		E800		E801		E802		E810-E825		E810	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	47	28	12333	7531	342	25	193	—	40	8	109	17	3225	1021	12	4
0—	9	10	335	264	—	—	—	—	—	—	—	—	4	3	—	1
1—	1	—	103	76	—	—	—	—	—	—	—	—	22	10	—	—
2—	1	1	96	65	1	—	—	—	1	—	—	—	39	26	—	1
3—	1	—	97	62	2	2	—	—	1	—	1	2	40	22	—	—
4—	—	—	93	59	1	—	—	—	—	—	1	—	50	27	—	—
5—	1	—	399	167	4	1	—	—	—	1	4	—	188	96	—	—
10—	—	—	221	87	4	1	—	—	1	—	3	1	83	35	—	—
15—	—	1	500	101	10	1	4	—	3	—	3	1	221	50	—	1
20—	1	1	841	125	22	—	12	—	6	—	4	—	409	53	—	—
25—	2	—	773	146	25	1	19	—	2	1	4	—	296	32	2	1
30—	2	1	655	141	24	2	18	—	4	1	2	1	201	21	2	—
35—	2	—	620	185	25	2	17	—	1	—	7	2	160	18	—	—
40—	—	4	725	266	40	3	25	—	5	1	10	2	172	41	2	—
45—	4	1	857	330	34	1	19	—	4	—	11	1	184	53	2	—
50—	4	2	900	412	39	2	27	—	3	2	9	—	184	52	2	—
55—	3	3	807	427	34	3	22	—	2	1	10	2	148	57	1	—
60—	3	—	895	482	33	1	19	—	—	—	14	1	169	69	1	—
65—	8	2	819	563	19	1	8	—	3	1	8	—	161	77	—	—
70—	2	—	829	729	10	1	2	—	2	—	6	1	172	91	—	—
75—	1	2	840	933	11	1	1	—	2	—	8	1	176	103	—	—
80—	1	—	569	904	3	1	—	—	—	—	3	1	100	59	—	—
85 and over	1	—	359	1007	1	1	—	—	—	—	1	1	46	26	—	—

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E811*		E813		E814		E815		E816		E817*		E819		E820	
	E812 to pedestrian		to pedal cyclist		to rider or passenger of motorcycle, in collision with non-motor vehicle or object		to rider or passenger of motorcycle, in collision with other motor vehicle		Other motor vehicle traffic accident involving two or more motor vehicles		involving collision with animal or animal-drawn vehicle		involving collision with fixed or unspecified object		while boarding and alighting	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1182	674	461	73	65	4	689	57	286	91	3	—	3	1	20	19
0—	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
1—	21	8	—	—	—	—	1	—	—	1	—	—	—	—	—	—
2—	33	22	—	—	—	—	—	1	1	—	—	—	—	—	—	—
3—	37	20	2	1	—	—	—	—	1	—	—	—	—	—	—	—
4—	41	22	7	—	—	—	—	1	—	2	—	—	—	—	—	—
5—	152	85	29	6	—	—	1	1	2	2	—	—	—	—	—	—
10—	24	19	51	11	—	—	1	1	3	2	—	—	—	—	1	1
15—	22	6	52	14	4	—	85	12	10	2	1	—	1	—	—	—
20—	20	8	17	5	15	1	209	15	37	6	—	—	—	—	1	—
25—	22	7	15	3	12	1	125	9	38	5	—	—	—	—	—	—
30—	25	9	17	2	7	1	70	2	22	3	—	—	1	—	1	—
35—	23	4	22	5	2	—	46	2	22	5	—	—	1	—	1	—
40—	31	17	26	6	5	—	44	4	32	11	—	—	—	1	—	—
45—	50	21	33	6	7	—	42	5	22	12	1	—	—	—	—	—
50—	66	29	32	4	4	—	23	—	21	7	—	—	—	—	3	—
55—	52	37	34	6	5	—	17	2	22	5	—	—	—	—	1	3
60—	83	54	40	2	—	1	8	—	17	7	—	—	—	—	3	4
65—	81	63	41	—	2	—	12	2	15	7	—	—	—	—	1	—
70—	118	75	24	1	1	—	4	—	13	7	—	—	—	—	2	5
75—	146	90	15	—	1	—	—	—	4	3	1	—	—	—	2	6
80—	89	52	4	1	—	—	1	—	3	3	—	—	—	—	2	—
85 and over	43	25	—	—	—	—	—	—	1	—	—	—	—	—	2	—

\*E811, Motor vehicle traffic accident involving collision with street car, —; E817, Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle, —.



TABLE 17—continued.

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS										M. V. NON-TRAFFIC ACC.					
	E821		E822		E823		E824		E825		E830-E835		E830		E831*	
	to rider of motorcycle not involving collision		involving overturning in roadway		involving running off roadway		Other non-collision motor vehicle traffic accident		of unspecified nature		Motor vehicle non-traffic accidents		to pedestrian		E832 to rider or passenger of motorcycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	286	34	49	12	107	32	54	19	8	1	117	12	32	10	10	1
0—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	—	—	—	—	1	5	1	5	—	—
2—	1	—	—	—	1	1	3	1	—	—	—	2	—	1	—	—
3—	—	—	—	—	—	—	—	1	—	—	4	1	1	1	—	—
4—	—	—	—	1	—	—	2	1	—	—	—	1	—	1	—	—
5—	—	—	—	—	—	—	4	2	—	—	5	—	2	—	—	—
10—	—	—	—	—	—	1	3	—	—	—	6	—	3	—	—	—
15—	32	8	6	2	7	4	1	1	—	—	6	—	1	—	—	—
20—	76	14	5	2	22	2	4	—	3	—	6	—	—	—	—	—
25—	59	3	11	1	10	2	2	—	—	—	19	1	2	1	4	—
											15	—	—	—	5	—
30—	33	2	4	—	12	2	6	—	1	—	12	—	4	—	1	—
35—	19	2	8	—	15	—	—	—	1	—	6	—	1	—	—	—
40—	17	—	3	—	7	2	3	—	2	—	8	—	1	—	—	—
45—	11	2	2	1	9	6	5	—	—	—	6	—	1	—	—	—
50—	19	3	2	3	5	3	6	3	1	—	6	—	2	—	—	—
55—	4	—	1	1	7	1	4	—	—	1	7	1	4	—	—	—
60—	6	—	3	—	1	1	7	1	—	—	8	—	3	—	—	1
65—	6	—	1	—	2	2	—	3	—	—	3	—	2	—	—	—
70—	2	—	2	—	5	1	1	2	—	—	1	—	1	—	—	—
75—	1	—	1	1	3	2	2	1	—	—	2	1	1	1	—	—
80—	—	—	—	—	—	1	1	2	—	—	1	—	1	—	—	—
85 and over	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—

Causes of death	M. V. NON-TRAFFIC ACCIDENT															
	E833, E834*						E841*									
	E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840 Street car accident to pedestrian		E842 Accident to pedestrian caused by pedal cycle		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844 Accident to pedestrian caused by other non-motor road vehicle		E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	73	1	181	66	6	1	32	20	113	30	10	5	17	10	147	6
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	3	—	1	2	—	—	—	—	—	—	1	2	—	—	1	—
4—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
5—	3	—	3	3	—	—	—	—	3	3	—	—	—	—	5	—
10—	3	—	7	4	—	—	—	—	6	3	—	—	—	—	8	—
15—	5	—	21	4	—	—	1	—	18	3	1	—	1	1	11	2
20—	13	—	5	9	—	—	—	—	4	7	—	—	1	1	15	—
25—	10	—	5	2	—	—	—	—	5	2	—	—	—	2	17	1
30—	6	—	12	2	—	—	2	—	9	1	—	—	1	1	15	—
35—	5	—	9	3	—	—	—	—	7	2	—	—	1	1	22	—
40—	7	—	15	2	—	—	—	1	10	—	1	—	3	1	12	1
45—	5	—	8	2	—	—	1	—	6	2	1	—	—	—	9	—
50—	4	—	7	7	—	—	1	3	3	1	—	—	3	3	12	2
55—	3	—	14	9	—	—	4	5	8	3	—	1	2	—	10	—
60—	5	—	10	4	—	1	4	2	4	1	2	—	—	—	4	—
65—	—	—	19	4	1	—	2	2	13	2	1	—	2	—	4	—
70—	—	—	16	1	2	—	4	1	7	—	1	—	2	—	1	—
75—	1	—	17	3	2	—	8	2	7	—	—	1	—	—	1	—
80—	—	—	8	4	—	—	2	4	3	—	2	—	—	—	—	—
85 and over	—	—	4	—	1	—	3	—	—	—	—	—	—	—	—	—

\*E831, Motor vehicle nontraffic accident to pedal cyclist, —; E833, Other motor vehicle nontraffic accident involving two or more motor vehicles, 30; E834, Motor vehicle nontraffic accident while boarding and alighting, 65; E841, Other street car accident, except collision with motor vehicle, 35, 40, 80.

TABLE 17—continued.

Causes of death	E850		E851		E852*		E854, E855*		E857		E858*		E860		E861	
	Submersion of occupant of small boat		Other water transport injury by submersion		E853 Other falls from one level to another in water transport		E856 Machinery accident in water transport		Other specified accidents in water transport		E860-E866 Aircraft accidents		E860 Accident to personnel in military aircraft		Injury to occupant by accident to commercial "transport" aircraft	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	56	3	36	3	22	—	9	—	15	—	190	2	175	—	3	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	7	—	3	—	1	—	—	—	—	—	13	—	13	—	—	—
20—	9	—	4	—	1	—	—	—	1	—	86	—	84	—	—	—
25—	8	—	2	1	3	—	1	—	3	—	37	—	34	—	—	—
30—	4	—	6	—	2	—	1	—	2	—	34	1	29	—	1	1
35—	4	—	7	1	3	—	4	—	1	—	9	—	9	—	—	—
40—	5	—	2	—	3	—	1	—	1	—	5	—	2	—	2	—
45—	2	1	2	1	2	—	1	—	2	—	5	1	3	—	—	—
50—	2	—	2	—	3	—	1	—	1	—	1	—	1	—	—	—
55—	3	—	2	—	2	—	—	—	2	—	—	—	—	—	—	—
60—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	E862*		E864		ACCIDENTAL POISONING											
	E863		Aircraft accident at airfield to person not in aircraft		E865, E866*		E870*		E872		E873*		E875, E876, E877*		E879*	
	Injury to occupant by accident to other aircraft				E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives		by aspirin and salicylates		E874 by other analgesic and soporific drugs		E878 by other and unspecified drugs		E880 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	—	3	—	136	152	84	85	9	23	3	9	5	9	10	1
0—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	8	9	—	—	1	—	—	—	—	4	—	—
2—	—	—	—	—	3	2	—	—	—	2	—	—	1	—	—	—
3—	—	—	—	—	4	2	1	—	—	—	—	—	—	1	—	—
4—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—
20—	—	—	1	—	5	3	4	2	—	1	—	—	—	—	1	—
25—	2	—	—	—	2	2	1	1	—	1	—	—	—	—	1	—
30—	1	—	1	—	6	8	4	6	—	2	—	—	1	—	1	—
35—	—	—	—	—	10	7	6	5	2	1	—	—	—	1	2	—
40—	—	—	1	—	11	6	6	5	—	1	2	—	1	—	—	—
45—	1	—	—	—	16	12	10	8	2	—	1	3	—	—	2	—
50—	—	—	—	—	21	22	17	15	—	3	—	2	—	1	3	—
55—	—	—	—	—	12	15	9	10	2	2	—	1	—	—	—	—
60—	—	—	—	—	16	16	13	9	1	1	—	1	—	—	—	1
65—	—	—	—	—	11	17	7	12	1	4	—	1	2	—	—	—
70—	—	—	—	—	4	9	4	4	—	3	—	1	—	—	—	—
75—	—	—	—	—	4	8	2	5	—	1	—	—	—	1	—	—
80—	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	4	—	1	—	—	—	—	—	1	—	—

\*852, Fall on stairs and ladders in water transport, 35, 35, 50, 50, 55, 65 ; E854, Falls on same level in water transport, 35, 75 ; E855, Unspecified falls in water transport, 50 ; E858, Water transport accident of unspecified cause, — ; E862, Other injury in commercial "transport" aircraft, — ; E865, Aircraft accident elsewhere to person not in aircraft, 45 ; E866, Other and unspecified aircraft accidents, 20, 25, 30, 30, 45 ; E870, Accidental poisoning by morphine and other opium derivatives, 60, 10, 45, 80, 80 ; E873, Accidental poisoning by bromides, — ; E875, Accidental poisoning by sulphonamides, 80 ; E876, Accidental poisoning by strychnine, 1, 3, 1, 75 ; E877, Accidental poisoning by belladonna, hyoscine, and atropine, 60 ; E879, Accidental poisoning by noxious foodstuffs, —.



TABLE 17—continued.

Causes of death	ACCIDENTAL POISONING															
	E881, E882*		E884-E887*		E890-E895		E890		E891		E892		E893*		E895*	
	E883 by corrosive aromatics, acids, and caustic alkalis		E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas		E892 by other carbon monoxide gas		E894 by other specified gases and vapours		E900-E904 Accidental falls	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	5	8	8	322	322	279	312	17	—	18	9	8	1	1787	2812
0—	—	—	—	1	2	—	2	—	—	—	—	—	—	—	7	2
1—	1	—	2	3	3	1	3	1	—	—	—	—	—	—	9	4
2—	—	—	1	—	2	—	2	—	—	—	—	—	—	—	8	3
3—	—	—	2	—	3	1	3	1	—	—	—	—	—	—	5	8
4—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3	4
5—	—	—	—	—	5	2	5	2	—	—	—	—	—	—	20	4
10—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	14	6
15—	1	—	1	—	3	3	2	3	—	—	—	—	—	—	29	3
20—	—	—	—	—	10	6	8	6	—	—	2	—	1	—	41	3
25—	—	—	—	—	11	8	9	8	—	—	2	—	—	—	64	5
30—	—	—	—	—	14	4	10	4	1	—	1	—	2	—	33	7
35—	—	—	—	—	12	5	7	5	3	—	—	—	2	—	50	8
40—	2	—	—	—	23	7	16	7	4	—	3	—	—	—	55	9
45—	1	—	—	—	20	10	15	10	3	—	2	—	—	—	85	16
50—	—	—	1	1	20	23	14	23	2	—	2	—	2	—	72	32
55—	1	1	—	1	26	19	20	19	2	—	4	—	—	—	74	48
60—	—	2	—	1	18	22	16	21	1	—	1	—	—	—	91	81
65—	—	—	—	—	18	31	17	30	—	—	—	—	1	1	126	148
70—	—	1	—	—	38	42	36	37	1	—	1	5	—	—	212	316
75—	—	—	1	—	49	71	49	70	—	—	—	1	—	—	278	555
80—	—	1	—	—	25	36	25	36	—	—	—	—	—	—	276	673
85 and over	—	—	—	1	18	31	18	29	—	—	—	2	—	—	235	877

Causes of death	E900		E901		E902		E903		E904		E910-E936		E910		E911	
	Fall on stairs		Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling object		Accident caused by vehicle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	326	495	87	5	512	222	562	1183	300	907	2570	1221	349	16	83	—
0—	—	—	—	—	5	2	—	—	2	—	304	241	—	—	—	—
1—	—	2	—	—	9	2	—	—	—	—	60	46	1	—	—	—
2—	—	2	—	—	7	1	1	—	—	—	41	25	2	1	—	—
3—	1	3	—	—	3	4	1	—	—	1	36	21	3	—	—	—
4—	1	—	—	—	1	4	—	—	1	—	36	23	1	2	—	—
5—	2	—	—	—	16	—	2	2	—	2	166	54	7	—	1	—
10—	—	—	—	—	13	4	1	2	—	—	92	30	3	—	—	—
15—	—	1	1	—	23	2	4	—	1	—	138	18	8	—	6	—
20—	—	—	3	—	31	2	3	1	4	—	125	15	19	—	3	—
25—	1	2	6	—	50	2	3	1	4	—	155	24	45	1	3	—
30—	2	2	2	—	23	3	3	1	3	1	138	24	42	—	4	—
35—	8	5	1	—	33	2	7	1	1	—	135	33	39	—	8	—
40—	15	3	5	—	30	2	2	1	3	3	135	37	30	1	7	—
45—	11	5	6	—	53	1	7	8	8	2	156	30	32	3	14	—
50—	18	14	13	1	25	3	11	8	5	6	169	49	45	1	12	—
55—	23	16	7	1	28	5	10	14	6	12	144	51	31	—	9	—
60—	21	24	9	—	31	10	22	30	8	17	133	61	18	1	8	—
65—	23	36	9	1	31	10	43	56	20	45	109	89	15	2	8	—
70—	51	72	13	—	37	18	73	133	38	93	106	120	4	2	—	—
75—	59	93	6	2	27	44	132	233	54	183	108	92	3	1	—	—
80—	47	104	5	—	22	38	131	293	71	238	55	86	—	—	—	—
85 and over	43	111	1	—	14	63	106	399	71	304	29	52	1	1	—	—

\*E881, Accidental poisoning by petroleum products, 1, 0 ; E882, Accidental poisoning by industrial solvents, 75, 60 ; E884, Accidental poisoning by mercury and its compounds, 1, 2, 65, 0, 1, 85 ; E885, Accidental poisoning by lead and its compounds, 1, 3 ; E886, Accidental poisoning by arsenic and antimony, and their compounds, — ; E887, Accidental poisoning by fluorides, — ; E893, Accidental poisoning by cyanide gas, — ; E895, Accidental poisoning by unspecified gases and vapours, —.

TABLE 17—continued.

Causes of death	E912 Accident caused by machinery		E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916† Accident caused by fire and explosion of combustible material		E917† Accident caused by hot substance, corrosive liquid, and steam		E918* Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	167	5	17	8	86	25	9	1	220	359	71	53	87	5	205	163
0—	—	—	—	1	—	—	—	—	2	3	5	4	—	—	113	102
1—	—	—	1	—	1	1	—	—	4	6	23	5	—	—	7	10
2—	—	—	—	—	—	—	—	1	2	4	4	5	—	—	2	2
3—	—	—	—	—	—	—	—	—	7	10	2	4	—	—	—	1
4—	1	—	—	—	—	—	1	—	2	10	3	1	—	—	1	1
5—	2	—	2	1	6	—	—	—	14	28	1	—	3	—	2	2
10—	1	—	—	—	6	4	—	—	1	9	1	—	8	—	2	3
15—	9	1	2	—	10	—	—	—	7	5	1	—	8	1	2	1
20—	13	1	2	—	14	—	—	—	4	3	—	—	14	1	3	1
25—	20	—	2	—	9	3	2	—	7	4	3	—	5	—	6	1
30—	18	—	1	2	14	5	1	—	6	1	3	1	7	—	5	3
35—	15	—	—	1	5	2	1	—	7	5	—	—	5	1	8	—
40—	17	1	—	1	6	2	2	—	7	6	1	1	4	—	5	1
45—	18	—	2	—	5	1	2	—	17	6	2	—	8	1	6	3
50—	20	1	1	—	4	1	—	—	17	16	1	2	7	—	5	3
55—	15	—	—	1	4	2	—	—	10	10	3	1	11	1	2	6
60—	8	—	—	—	2	—	—	—	15	18	3	3	3	—	10	2
65—	8	—	1	—	—	2	—	—	13	25	2	4	1	—	5	7
70—	1	1	1	—	—	2	—	—	14	46	4	9	1	—	7	5
75—	—	—	1	1	—	—	—	—	29	53	3	5	2	—	8	4
80—	1	—	—	—	—	—	—	—	27	55	3	5	—	—	3	5
85 and over	—	—	1	—	—	—	—	—	8	36	3	3	—	—	3	—

Causes of death	E922 Inhalation and ingestion of other object causing obstruction of suffocation		E923 Foreign body entering other orifice		E924† Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930* E931 Excessive heat and insolation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11	3	22	22	125	99	46	3	53	30	13	3	719	194	3	1
0—	3	1	2	—	109	89	3	1	53	30	—	1	3	3	—	1
1—	3	—	—	2	6	3	1	1	—	—	—	—	10	8	—	—
2—	—	—	2	2	1	1	1	—	—	—	—	—	19	6	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	21	5	—	—
4—	—	—	—	1	—	—	—	—	—	—	—	—	22	3	—	—
5—	1	1	—	—	—	—	4	—	—	—	1	—	104	11	—	—
10—	—	—	1	—	—	—	3	—	—	—	—	—	44	11	—	—
15—	—	—	—	1	—	—	4	—	—	—	—	—	67	7	—	—
20—	1	—	—	—	2	—	—	—	—	—	—	—	32	3	—	—
25—	—	—	1	1	—	—	4	—	—	—	1	—	30	4	—	—
30—	—	—	1	1	—	2	3	—	—	—	—	—	21	4	—	—
35—	—	—	1	—	1	—	2	1	—	—	—	—	27	13	—	—
40—	1	—	—	2	2	1	7	—	—	—	1	—	32	11	1	—
45—	—	—	3	—	2	—	5	—	—	—	2	—	28	9	—	—
50—	—	—	—	1	—	1	1	—	—	—	—	—	46	13	1	—
55—	—	—	2	3	—	1	4	—	—	—	—	—	35	16	—	—
60—	—	—	1	1	1	—	3	—	—	—	1	2	48	16	1	—
65—	1	—	1	1	1	—	—	—	—	—	4	—	34	22	—	—
70—	—	1	3	4	—	1	1	—	—	—	1	—	42	16	—	—
75—	1	—	2	1	—	—	—	—	—	—	1	—	38	5	—	—
80—	—	—	1	1	—	—	—	—	—	—	1	—	12	6	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	4	2	—	—

\*E918, Accident caused by radiation, —; E920, Foreign body entering eye and adnexa, —; E927, Accidents caused by bites and stings of venomous animals and insects, 45, 50, 25, 40, 50, 20; E930, High and low air pressure, —.

† E916, E917, E924. See footnotes to these causes in Table 18A.



TABLE 17—continued.

Causes of death	E932		E933		E934		E935		E936		E940-E946*		E950-E959		E950	
	Excessive cold		Hunger, thirst, and exposure		Cataclysm		Lightning		Other and unspecified accidents		E940-E946 Complications due to non-therapeutic medical and surgical procedures		Therapeutic misadventure and late complications of therapeutic procedures		Therapeutic misadventure in surgical treatment	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	2	14	9	122	175	12	2	131	39	4	3	29	26	13	15
0—	—	—	—	—	2	2	—	—	9	3	2	2	1	—	—	—
1—	—	—	—	—	1	5	—	—	2	4	—	—	—	1	—	—
2—	—	—	—	—	4	1	—	—	4	3	—	1	—	—	—	—
3—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
4—	—	—	—	—	5	4	—	—	—	1	—	—	—	—	—	—
5—	—	—	—	—	11	8	—	—	7	3	—	—	—	—	—	—
10—	—	—	—	—	5	2	—	—	17	1	—	—	—	—	—	—
15—	—	—	1	—	2	2	1	—	10	—	1	—	—	—	—	—
20—	—	—	—	—	3	5	—	1	15	—	—	—	—	1	—	—
25—	—	—	1	—	5	8	2	—	9	1	—	—	—	1	—	—
30—	—	—	—	—	3	4	2	—	7	1	—	—	2	1	1	—
35—	—	—	—	—	9	9	2	—	5	1	—	—	—	1	—	—
40—	—	—	1	—	3	8	2	—	6	1	1	—	1	1	—	—
45—	—	—	—	1	2	4	—	—	7	2	—	—	3	3	—	3
50—	—	1	—	1	2	4	1	1	5	2	—	—	7	2	3	1
55—	—	—	—	—	6	7	2	—	10	2	—	—	4	2	2	1
60—	1	—	—	1	8	17	—	—	2	1	—	—	1	2	1	—
65—	1	—	1	—	11	23	—	—	2	3	—	—	3	3	3	3
70—	—	—	2	4	20	26	—	—	5	2	—	—	4	3	1	2
75—	—	—	5	1	10	18	—	—	5	3	—	—	1	3	—	3
80—	—	1	2	1	5	10	—	—	—	2	—	—	2	2	2	2
85 and over	1	—	1	—	4	7	—	—	3	3	—	—	—	—	—	—

Causes of death	E951-E959*		E960		E961*		E963, E964*		E970-E979		E970		E971		E972	
	E960-E965		Late effect of motor vehicle accident		Late effect of other accidental injury		Late effects of injuries due to war operations		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substances		Suicide and self-inflicted poisoning by other solid and liquid substances		Suicide and self-inflicted poisoning by gases in domestic use	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	179	31	8	1	76	29	94	1	3020	1734	193	254	101	79	1271	942
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	1	3
15—	3	1	—	—	3	1	—	—	37	14	1	—	2	4	9	7
20—	3	—	1	—	1	—	1	—	93	32	8	3	6	1	34	16
25—	3	2	1	—	1	2	1	—	133	59	12	8	4	3	54	30
30—	9	—	—	—	3	—	5	—	151	67	16	7	2	2	70	40
35—	11	—	2	—	6	—	3	—	163	99	12	17	5	5	68	50
40—	8	—	—	—	4	—	4	—	232	158	22	28	10	8	100	89
45—	11	2	1	—	7	2	3	—	316	191	25	33	14	7	129	106
50—	9	1	1	—	6	1	2	—	352	215	17	23	11	13	170	132
55—	33	1	1	—	10	1	22	—	300	216	19	37	8	9	122	105
60—	34	1	—	—	10	1	24	—	374	218	28	34	12	6	161	115
65—	23	2	—	—	7	1	16	1	322	188	9	19	12	11	124	107
70—	19	4	1	—	9	4	9	—	243	141	15	29	5	5	97	72
75—	8	5	—	—	4	5	4	—	185	89	8	10	7	2	75	47
80—	4	3	—	—	4	3	—	—	93	35	1	6	2	2	48	17
85 and over	1	8	—	—	1	8	—	—	24	8	—	—	1	1	9	6

\*E940, Generalised vaccinia following vaccination, —; E941, Postvaccinal encephalitis, 0, 0, 40, 0; E942, Other complications of smallpox vaccination, 0; E943, Post-immunisation jaundice and hepatitis, —; E944, Other complications of prophylactic inoculation, 15, 2; E945, Complications of anaesthesia for nontherapeutic purpose, —; E946, Other complications due to nontherapeutic medical and surgical procedures, —; E951, Therapeutic misadventure in infusion or transfusion, 0, 45, 50, 70, 35; E952, Therapeutic misadventure in local applications, 50; E953, Therapeutic misadventure in administration of drugs or biologicals, 55, 55, 70, 25, 30, 40, 55, 60; E954, Therapeutic misadventure in anaesthesia, 50, 60; E955, Other and unspecified therapeutic misadventure, 30, 40, 45, 45, 50, 70, 75, 1, 20, 50, 70; E956, Late complication of surgical operation, —; E957, Late complication of amputation stump, —; E958, Late complication of irradiation, —; E959, Late complications of other forms of treatment, —; E961, Late effect of accidental poisoning, 30; E963, Late effect of self-inflicted injury, —; E964, Late effect of injury purposely inflicted by another person (not in war), —.

TABLE 17—continued.

Causes of death	E973		E974		E975		E976		E977		E978		E979		E980-E985	
	Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		Homicide and injury purposely inflicted by other persons (not in war)	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	43	3	531	126	258	216	208	11	195	25	74	47	146	31	83	98
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	13
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4
10—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	5	6
15—	—	—	15	1	—	—	6	2	1	—	1	—	2	—	7	2
20—	1	—	17	5	4	5	8	—	2	—	3	1	10	1	10	9
25—	5	—	29	6	4	8	10	—	3	1	3	—	9	3	—	—
30—	2	—	21	6	8	6	8	2	7	1	2	2	15	1	4	4
35—	9	—	24	9	9	12	16	—	8	1	3	3	9	2	8	8
40—	6	1	28	8	21	14	18	—	5	—	3	8	19	2	7	2
45—	5	1	41	12	27	20	33	2	12	5	8	3	22	2	4	7
50—	2	1	62	14	24	17	28	3	23	1	4	9	11	2	1	7
55—	2	—	60	13	27	39	23	1	17	5	11	4	11	3	1	5
60—	5	—	71	23	37	28	18	—	25	1	6	5	11	6	4	7
65—	4	—	63	15	37	24	18	1	35	4	5	4	15	3	1	3
70—	1	—	49	5	30	19	11	—	23	4	5	4	7	3	3	1
75—	1	—	31	8	18	16	5	—	24	2	15	3	1	1	—	2
80—	—	—	15	1	9	6	4	—	7	—	3	1	4	2	1	1
85 and over	—	—	4	—	3	1	2	—	3	—	2	—	—	—	—	—

Causes of death	E980		E981		E982		E983		E984*		E990-E999*	
	Non-accidental poisoning by another person		Assault by firearm and explosive		Assault by cutting and piercing instruments		Assault by other means		Execution		E990-E999 Injury resulting from operations of war	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10	14	9	10	9	18	43	55	12	1	1	—
1—	2	—	—	—	—	—	13	13	—	—	—	—
1—	—	—	—	—	—	—	—	1	—	—	—	—
2—	1	5	1	—	—	—	—	—	—	—	—	—
3—	1	1	—	—	—	—	—	2	—	—	—	—
4—	1	1	—	—	1	—	—	1	—	—	—	—
5—	1	3	—	—	—	1	2	2	—	—	—	—
10—	3	1	—	—	—	—	1	3	—	—	—	—
15—	—	—	2	2	2	3	—	1	1	—	—	—
20—	—	—	—	—	—	1	2	1	5	—	1	—
25—	1	1	2	1	—	2	4	5	3	—	—	—
30—	—	—	1	—	1	—	2	4	—	—	—	—
35—	—	—	1	3	2	2	4	3	1	—	—	—
40—	—	1	1	—	2	1	3	—	1	—	—	—
45—	—	—	—	2	—	2	4	2	—	1	—	—
50—	—	—	—	—	—	1	1	6	—	—	—	—
55—	—	—	—	—	—	3	—	2	1	—	—	—
60—	—	—	—	1	1	1	3	5	—	—	—	—
65—	—	—	—	1	—	1	1	1	—	—	—	—
70—	—	—	1	—	—	—	2	1	—	—	—	—
75—	—	1	—	—	—	—	—	1	—	—	—	—
80—	—	—	—	—	—	—	1	1	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—

\*E984, Injury by intervention of police, —; E990, Injury due to war operations by gas and chemicals, —; E991, Injury due to war operations by gunshot, —; E992, Injury due to war operations by grenade and land mine, —; E993, Injury due to war operations by bomb, —; E994, Injury due to war operations by marine mine, depth charge, and torpedo, —; E995, Injury due to war operations by explosion of artillery shell, 20; E996, Injury due to war operations by explosion of undetermined origin, —; E997, Injury due to war operations by aircraft destruction, —; E998, Injury due to war operations by other and unspecified means, —; E999, Injury due to war operations but occurring after cessation of hostilities, —.



TABLE 18A—Accidental Poisoning and other Non-Transport Accidents }  
by Place of Occurrence, Age and Sex, 1953. { England and Wales  
(E870-E936)

*Note:* The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Text volumes of the Statistical Review to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See Explanatory notes on page v.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870. Accidental poisoning by morphine and other opium derivatives.																
All Ages	1	4	—	—	1	3	—	—	—	—	1	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives.																
All Ages	84	85	—	—	48	49	—	—	4	1	2	2	2	1	28	32
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	21	20	—	—	13	12	—	—	—	—	1	—	1	—	7	7
45—	49	42	—	—	28	26	—	—	4	—	1	—	1	1	15	15
65 & over	13	23	—	—	6	11	—	—	—	1	1	1	—	—	6	10
E 872. Accidental poisoning by aspirin and salicylates.																
All Ages	9	23	—	—	7	15	—	—	—	—	—	—	1	—	1	8
0—	1	3	—	—	1	3	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	6	—	—	1	3	—	—	—	—	—	—	—	—	1	3
45—	5	6	—	—	4	4	—	—	—	—	—	—	1	—	—	2
65 & over	1	8	—	—	1	5	—	—	—	—	—	—	—	—	—	3
E 873.*																
E 874. Accidental poisoning by other analgesic and soporific drugs.																
All Ages	3	9	—	—	2	4	—	—	—	—	—	—	1	—	—	5
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
45—	1	7	—	—	1	3	—	—	—	—	—	—	—	—	—	4
65 & over	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1
E 875.*																
E 876. Accidental poisoning by strychnine.																
All Ages	2	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
0—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 877.*																
E 878. Accidental poisoning by other and unspecified drugs.																
All Ages	5	9	—	—	4	8	—	—	—	—	1	—	—	—	1	—
0—	1	5	—	—	1	5	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—
45—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
65 & over	2	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
E 879.*																
E 880. Accidental poisoning by alcohol.																
All Ages	10	1	2	—	1	—	—	—	3	—	—	—	4	1	2	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	—	1	—	—	—	—	—	2	—	—	—	2	—	1	—
45—	5	1	1	—	1	—	—	—	1	—	—	—	2	1	1	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*E 873. Acc. poisoning by bromides:- Nil ; E 875. Acc. poisoning by sulphonamides:- 1M 65 yrs. and over, " Place not specified"; E 877. Acc. poisoning by belladonne, hyoscine and atropine:- 1M, 45-64 yrs., " Place not specified " ; E879. Acc. poisoning by noxious foodstuffs:- Nil.

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 881, E 882.*</b>																
<b>E 883. Accidental poisoning by corrosive aromatics, acids, and caustic alkalis.</b>																
All Ages	6	5	—	—	4	1	—	—	1	—	—	—	—	—	1	4
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—
45—	2	3	—	—	1	—	—	—	1	—	—	—	—	—	—	3
65 & over	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1
<b>E 884. Accidental poisoning by mercury and its compounds.</b>																
All Ages	3	3	—	—	3	1	—	—	—	—	1	—	—	—	—	1
0—	2	2	—	—	2	1	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—
<b>E 885, E 886, E 887.*</b>																
<b>E 888. Accidental poisoning by other and unspecified solid and liquid substances.</b>																
All Ages	8	8	—	—	7	5	—	—	—	—	1	—	—	—	1	2
0—	5	4	—	—	5	3	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45—	1	3	—	—	—	1	—	—	—	—	1	—	—	—	1	1
65 & over	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
<b>E 890. Accidental poisoning by utility (illuminating) gas.</b>																
All Ages	279	312	15	3	252	300	7	—	5	2	—	2	5	—	10	8
0—	11	2	—	—	11	2	—	—	—	—	—	—	—	—	—	—
5—	6	2	—	—	5	2	—	—	—	—	—	—	—	—	1	—
15—	52	33	5	—	43	29	4	—	—	—	—	—	2	—	3	4
45—	65	73	7	1	55	69	2	—	4	1	—	—	2	—	2	3
65 & over	145	202	3	2	138	198	1	—	1	1	—	2	1	—	4	1
<b>E 891. Accidental poisoning by motor vehicle exhaust gas.</b>																
All Ages	17	—	1	—	13	—	1	—	—	—	—	—	3	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	8	—	—	—	6	—	1	—	—	—	—	—	1	—	—	—
45—	8	—	1	—	6	—	—	—	—	—	—	—	2	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
<b>E 892. Accidental poisoning by other carbon monoxide gas.</b>																
All Ages	18	9	12	—	2	8	10	—	3	1	—	—	3	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	8	—	5	—	—	—	3	—	3	—	—	—	2	—	—	—
45—	9	1	7	—	1	—	7	—	—	1	—	—	1	—	—	—
65 & over	1	8	—	—	1	8	—	—	—	—	—	—	—	—	—	—

\*E 881. Acc. poisoning by petroleum products:- 1M, 0-4 yrs., "Home": 1F, 0-4 yrs., "Home"; E 882. Acc. poisoning by industrial solvents:- 1M, 65 yrs. and over, "Resident Institution": 1F, 45-64 yrs., "Place not specified"; E 885. Acc. poisoning by lead and its compounds:- 1M, 0-4 yrs., "Home": 1F, 0-4 yrs., "Home"; E 886. Acc. poisoning by arsenic and antimony, and their compounds:- Nil; E 887. Acc. poisoning by fluorides:- Nil.



TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 893.*</b>																
<b>E 894. Accidental poisoning by other specified gases and vapours.</b>																
All Ages	8	1	6	—	1	—	4	—	—	—	1	—	2	—	—	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	—	3	—	1	—	1	—	—	—	1	—	2	—	—	—
45—	2	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
65 & over	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1
<b>E 895.*</b>																
	Total		At Work		Home		Industrial place and premises		Street and highway		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 900. Fall on stairs.</b>																
All Ages	326	495	12	5	271	438	7	3	3	3	11	18	30	29	4	4
0—	2	7	—	—	1	6	—	—	1	—	—	—	—	—	—	1
5—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
15—	26	13	2	1	19	9	2	1	—	—	—	1	5	2	—	—
45—	73	59	3	2	58	46	1	1	1	2	1	2	11	8	1	—
65 & over	223	416	7	2	191	377	4	1	1	1	10	15	14	19	3	3
<b>E 901. Fall from ladders.</b>																
All Ages	87	5	58	1	39	4	25	—	2	1	1	—	19	—	1	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	18	—	17	—	4	—	6	—	1	—	—	—	7	—	—	—
45—	35	2	29	—	11	2	17	—	—	—	—	—	7	—	—	—
65 & over	34	3	12	1	24	2	2	—	1	1	1	—	5	—	1	—
<b>E 902. Other falls from one level to another.</b>																
All Ages	512	222	265	3	129	134	176	—	17	3	36	61	150	21	4	3
0—	25	13	—	—	20	10	—	—	2	—	—	—	3	3	—	—
5—	29	4	—	—	8	—	2	—	1	—	—	—	17	4	1	—
15—	190	13	130	2	23	4	93	—	1	—	3	1	67	8	3	—
45—	137	19	106	1	18	10	65	—	5	1	8	6	41	2	—	—
65 & over	131	173	29	—	60	110	16	—	8	2	25	54	22	4	—	3
<b>E 903. Fall on same level.</b>																
All Ages	562	1183	19	3	268	766	12	1	147	146	103	237	30	28	2	5
0—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
5—	3	4	—	—	—	1	—	—	1	1	—	—	2	2	—	—
15—	22	5	6	—	5	1	5	—	6	—	—	2	6	2	—	—
45—	50	60	8	1	11	22	4	1	21	21	6	12	8	4	—	—
65 & over	485	1114	5	2	250	742	3	—	119	124	97	223	14	20	2	5
<b>E 904. Unspecified falls.</b>																
All Ages	300	907	12	3	189	723	5	1	2	1	35	62	19	13	50	107
0—	3	1	—	—	1	1	—	—	—	—	—	—	1	—	1	—
5—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2
15—	16	4	1	2	1	2	1	1	1	—	—	—	3	1	10	—
45—	27	37	7	—	10	26	4	—	—	1	3	1	5	2	5	7
65 & over	254	863	4	1	177	694	—	—	1	—	32	61	10	10	34	98

\*E 893. Acc. poisoning by cyanide gas:- Nil ; E 895. Acc. poisoning by unspecified gases and vapours:- Nil.

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 910. Blow from falling object.</b>																
All Ages	349	16	313	—	12	8	174	—	113	—	8	4	42	4	—	—
0—	7	3	—	—	3	1	—	—	1	—	—	2	3	—	—	—
5—	10	—	—	—	1	—	—	—	1	—	2	—	6	—	—	—
15—	183	2	176	—	2	1	98	—	64	—	3	—	16	1	—	—
45—	126	5	124	—	2	1	71	—	42	—	1	1	10	3	—	—
65 & over	23	6	13	—	4	5	5	—	5	—	2	1	7	—	—	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 911. Accident caused by vehicle.</b>																
All Ages	83	—	82	—	—	—	—	—	79	—	4	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	31	—	31	—	—	—	—	—	28	—	3	—	—	—	—	—
45—	43	—	43	—	—	—	—	—	42	—	1	—	—	—	—	—
65 & over	8	—	8	—	—	—	—	—	8	—	—	—	—	—	—	—

<b>E 912. Accident caused by machinery.</b>																
All Ages	167	5	156	3	1	2	13	1	34	—	106	2	12	—	1	—
0—	1	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—
5—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	92	3	87	3	—	—	9	1	20	—	52	2	10	—	1	—
45—	61	1	60	—	1	1	—	—	13	—	46	—	1	—	—	—
65 & over	10	1	9	—	—	1	3	—	1	—	6	—	—	—	—	—

<b>E 913. Accident caused by cutting and piercing instruments.</b>																
All Ages	17	8	4	—	4	5	1	—	—	—	2	—	7	—	3	3
0—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5—	2	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—
15—	7	4	1	—	1	2	—	—	—	—	—	—	5	—	1	2
45—	3	1	2	—	—	1	1	—	—	—	1	—	—	—	1	—
65 & over	4	1	1	—	1	—	—	—	—	—	1	—	1	—	1	1

<b>E 914. Accident caused by electric current.</b>																
All Ages	86	25	56	3	13	22	12	—	3	—	31	1	27	2	—	—
0—	1	1	—	—	1	1	—	—	—	—	—	—	9	—	—	—
5—	12	4	—	—	3	2	—	—	—	—	—	—	2	—	—	—
15—	58	12	42	2	8	11	7	—	1	—	26	1	16	—	—	—
45—	15	4	14	1	1	4	5	—	2	—	5	—	2	—	—	—
65 & over	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—	—

<b>E 915. Accident caused by explosion of pressure vessel.</b>																
All Ages	9	1	7	—	—	1	—	—	—	—	8	—	1	—	—	—
0—	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	—	5	—	—	—	—	—	—	—	6	—	—	—	—	—
45—	2	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

## E 916. Accident caused by fire and explosion of combustible material.

All Ages	220†	359†	62	3	142	348	22	—	40	1	7	2	9	5	—	3
0—	17	33	—	—	17	33	—	—	—	—	—	—	—	—	—	—
5—	15	37	—	—	11	32	—	—	2	—	—	—	2	4	—	1
15—	38	24	28	2	9	23	8	—	16	1	1	—	4	—	—	—
45—	59	50	31	—	23	50	13	—	20	—	1	—	2	—	—	—
65 & over	91	215	3	1	82	210	1	—	2	—	5	2	1	1	—	2

## E 917. Accident caused by hot substance, corrosive liquid, and steam.

All Ages	71†	53†	12	—	48	46	—	—	14	—	3	2	3	—	3	5
0—	37	19	—	—	36	18	—	—	—	—	—	—	—	—	1	1
5—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
15—	8	2	5	—	1	2	—	—	7	—	—	—	—	—	—	—
45—	9	6	6	—	2	5	—	—	6	—	1	1	—	—	—	—
65 & over	15	26	1	—	8	21	—	—	1	—	2	1	2	—	2	4

## E 918.\*

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

## E 919. Accident caused by firearm.

All Ages	87	5	32	—	12	3	15	1	7	—	7	—	41	—	5	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	11	—	—	—	2	—	1	—	—	—	2	—	6	—	—	—
15—	43	3	23	—	4	2	9	1	3	—	2	—	24	—	1	—
45—	29	2	9	—	4	1	5	—	4	—	3	—	10	—	3	1
65 & over	4	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—

## E 920.\*

	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

## E 921. Inhalation and ingestion of food causing obstruction or suffocation.

All Ages	205	163	—	—	137	116	1	—	8	1	27	25	14	1	18	20
0—	123	116	—	—	98	94	—	—	1	1	9	11	3	1	12	9
5—	4	5	—	—	2	3	—	—	—	—	—	1	2	—	—	1
15—	29	7	—	—	16	3	1	—	2	—	6	3	3	—	1	1
45—	23	14	—	—	9	6	—	—	1	—	7	5	5	—	1	3
65 & over	26	21	—	—	12	10	—	—	4	—	5	5	1	—	4	6

## E 922. Inhalation and ingestion of other object causing obstruction or suffocation.

All Ages	11	3	1	—	6	2	—	—	—	—	1	—	2	1	2	—
0—	6	1	—	—	5	1	—	—	—	—	1	—	—	—	—	—
5—	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—
15—	2	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	2	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—

‡ E 916. Including burns by Clothing:—domestic fire M16, F90, gas fire M5, F41, electric fire M2, F56, other M37, F77. Burns by falling into fire:—open fire M16 F10, gas fire F1, electric fire M3, fire on waste ground M1, other M16, F10. Conflagration M46, F31. Other and unspecified means M78, F43.

† E 917. Including scalds, M50 F36.

\* E 918. Acc. caused by radiation:— Nil; E 920. Foreign body entering eye and adnexa:— Nil.

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 923. Foreign body entering other orifice.</b>																
All Ages	22	22	1	—	8	12	1	—	—	1	2	3	—	—	11	6
0—	5	5	—	—	4	3	—	—	—	—	—	1	—	—	1	1
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	3	5	—	—	—	2	—	—	1	—	—	1	—	—	3	1
45—	6	5	1	—	2	3	1	—	—	—	2	—	—	—	1	2
65 & over	7	7	—	—	1	4	—	—	—	—	—	1	—	—	6	2
<b>E 924. Accidental mechanical suffocation in bed and cradle.</b>																
All Ages	125†	99†	—	—	121	95	—	—	—	1	2	2	2	1	—	—
0—	116	93	—	—	112	89	—	—	—	1	2	2	2	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	3	—	—	5	3	—	—	—	—	—	—	—	—	—	—
45—	3	2	—	—	3	2	—	—	—	—	—	—	—	—	—	—
65 & over	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
<b>E 925. Accidental mechanical suffocation in other and unspecified circumstances.</b>																
All Ages	46	3	30	—	7	2	9	—	—	—	—	—	30	1	—	—
0—	5	2	—	—	5	2	—	—	—	—	—	—	—	—	—	—
5—	7	—	—	—	—	—	1	—	—	—	—	—	6	—	—	—
15—	20	1	17	—	1	—	3	—	—	—	—	—	16	1	—	—
45—	13	—	13	—	—	—	5	—	—	—	—	—	8	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Total		At Work		Home		Street and highway		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 926. Lack of care of infants under 1 year of age.</b>																
All Ages	53	30	—	—	32	15	1	—	—	2	—	—	13	9	7	4
0—	53	30	—	—	32	15	1	—	—	2	—	—	13	9	7	4
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total		At Work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 927.*</b>																
<b>E 928. Other accidents caused by animals.</b>																
All Ages	13	3	9	—	—	1	8	—	—	—	1	—	4	1	1	—
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	2	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
45—	3	2	3	—	—	—	2	—	—	—	1	—	1	1	—	—
65 & over	7	—	4	—	—	—	4	—	—	—	—	—	2	—	1	—
	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 929. Accidental drowning and submersion.</b>																
All Ages	719	194	15	—	22	28	10	6	9	—	8	—	669	159	1	1
0—	75	25	—	—	11	6	3	1	1	—	—	—	60	18	—	—
5—	148	22	—	—	—	—	2	1	3	—	2	—	141	21	—	—
15—	209	42	9	—	3	4	1	3	3	—	3	—	199	35	—	—
45—	157	54	3	—	5	9	1	1	—	—	3	—	147	43	1	1
65 & over	130	51	3	—	3	9	3	—	2	—	—	—	122	42	—	—

†E 924. Including accidental mechanical suffocation:—In bed M60, F45; In cot, cradle, etc. M65, F54.

\*E 927. Acc. caused by bites and stings of venomous animals and insects:—1M, 45-64 yrs., "Farm": 1M, 45-64 yrs., "Other specified places" (including one at work): 2F, 15-44 yrs., "Home": 1F, 45-64 yrs., "Home": 1F, 65 yrs. and over, "Place not specified."



TABLE 18A—continued.

Age Groups	Total		At Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 930.*</b>																
<b>E 931. Excessive heat and insolation.</b>																
All Ages	3	1	—	—	1	1	—	—	—	—	—	—	1	—	1	—
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

<b>E 932. Excessive cold.</b>																
All Ages	3	2	—	—	—	—	—	—	—	—	—	—	3	1	—	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
65 & over	2	1	—	—	—	—	—	—	—	—	—	—	2	—	—	1

<b>E 933. Hunger, thirst, and exposure.</b>																
All Ages	14	9	—	—	3	2	—	—	—	—	—	—	10	4	1	3
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
45—	—	3	—	—	—	1	—	—	—	—	—	—	—	2	—	—
65 & over	11	6	—	—	3	1	—	—	—	—	—	—	7	2	1	3

	Total		At Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 934. Cataclysm.</b>																
All Ages	122	175	6	—	71	123	1	—	—	—	4	4	45	47	1	1
0—	13	13	—	—	6	8	—	—	—	—	—	—	7	5	—	—
5—	16	10	—	—	9	3	—	—	—	—	1	—	7	6	—	—
15—	25	36	1	—	10	16	—	—	—	—	2	3	13	17	—	—
45—	18	32	2	—	9	22	—	—	—	—	2	—	7	10	—	—
65 & over	50	84	3	—	37	74	1	—	—	—	—	—	11	9	1	1

<b>E 935. Lightning.</b>																
All Ages	12	2	3	—	—	—	—	—	3	1	—	—	9	1	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	9	1	2	—	—	—	—	—	3	—	—	—	6	1	—	—
45—	3	1	1	—	—	—	—	—	—	1	—	—	3	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

<b>E 936. Other and unspecified accidents.</b>																
All Ages	131	39	21	1	32	17	16	—	14	1	3	6	24	4	42	11
0—	16	11	—	—	6	8	—	—	—	—	—	1	1	—	9	2
5—	24	4	—	—	14	—	2	—	1	1	2	1	5	1	—	1
15—	52	4	11	—	7	1	9	—	13	—	—	—	9	—	14	3
45—	24	7	9	—	2	2	5	—	—	—	1	1	6	2	10	2
65 & over	15	13	1	1	3	6	—	—	—	—	—	3	3	1	9	3

\* E 930. High and low air pressure:— Nil.

E 870—E 936. Non-transport accidents.—Total.

Ages	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
4815	4507	1213	28	1917	3315	98	9	389	3	609	9	55	10	205	171	128	65	240	423	970	261	204	241	

**TABLE 18 B.—Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1953.**

} **England and Wales**

(N 800 — N 999)

*Notes :—*(a) Headings to which no deaths were assigned during the year have been omitted from the table.

(b) See note at head of Table 18A.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N800—N999</b>	<b>TOTAL</b> . . . . .	<b>M 12333</b> <b>F 7531</b>	<b>335</b> <b>264</b>	<b>389</b> <b>262</b>	<b>620</b> <b>254</b>	<b>1341</b> <b>226</b>	<b>1428</b> <b>287</b>	<b>1345</b> <b>451</b>	<b>1757</b> <b>742</b>	<b>1702</b> <b>909</b>	<b>1648</b> <b>1292</b>	<b>1409</b> <b>1837</b>	<b>359</b> <b>1007</b>
<b>N800—N809</b>	<b>Fracture of skull, spine, and trunk</b>												
N 800	Fracture of vault of skull . . . . .	M 109 F 34	3 —	5 9	10 4	17 1	12 2	15 —	19 2	8 2	11 2	8 10	1 2
N 801	Fracture of base of skull . . . . .	M 761 F 221	1 2	36 15	63 17	156 32	122 15	93 19	104 23	73 34	65 35	38 20	10 9
N 802	Fracture of face bones . . . . .	M 25 F 7	— —	— —	— —	2 —	8 —	2 1	4 —	4 1	1 3	2 2	2 —
N 803	Other and unqualified skull fractures . . . . .	M 1612 F 440	6 7	76 42	128 62	292 50	271 25	186 20	209 46	175 50	144 68	101 56	24 14
N 804	Multiple fractures involving skull or face with other bones . . . . .	M 636 F 153	1 1	15 11	27 9	97 5	105 8	87 18	101 29	76 28	72 25	49 25	6 10
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion . . . . .	M 229 F 76	— —	3 —	5 3	23 3	39 1	35 4	30 5	35 8	35 19	20 28	4 5
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion . . . . .	M 89 F 30	— —	1 2	4 —	19 —	11 1	16 —	16 7	11 7	8 6	3 5	— 2
N 807	Fracture of rib(s) and sternum . . . . .	M 138 F 56	— —	— —	1 —	4 —	5 2	10 4	11 2	21 3	32 10	37 18	17 17
N 808	Fracture of pelvis . . . . .	M 83 F 55	— —	2 —	5 1	3 1	14 —	9 2	9 2	12 3	8 9	15 28	6 9
N 809	Multiple, and ill-defined fractures of trunk . . . . .	M 177 F 77	— —	3 2	4 1	10 2	16 4	18 3	23 7	30 9	41 12	32 29	— 8
<b>N810—N819</b>	<b>Fracture of upper limb</b>												
N 810	Fracture of clavicle . . . . .	M 6 F 11	— —	1 —	— —	— —	— —	— —	1 1	— 1	2 —	1 5	1 4
N 811	Fracture of scapula . . . . .	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1
N 812	Fracture of humerus . . . . .	M 35 F 59	— —	— —	— —	— —	1 —	— —	1 —	3 4	4 10	19 26	7 18
N 813	Fracture of radius and ulna . . . . .	M 8 F 15	— —	— —	— —	— —	— —	— —	2 —	— 1	3 1	3 5	— 8
N 814	Fracture of carpal bone(s) . . . . .	M 2 F 24	— —	— —	— —	— —	— —	— —	— —	— 1	— 2	1 11	1 10
N 815	Fracture of metacarpal bone(s) . . . . .	M 2 F 1	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —
N 818	Other, multiple, and ill-defined fractures of upper limb . . . . .	M 3 F 7	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— 3	2 3
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum . . . . .	M 30 F 18	— —	1 —	— 1	— —	— —	1 —	2 1	4 1	11 4	6 8	5 3
<b>N820—N829</b>	<b>Fracture of lower limb</b>												
N 820	Fracture of neck of femur . . . . .	M 303 F 841	— —	— —	— —	— —	1 —	— 1	1 2	8 15	58 121	166 394	69 308
N 821	Fracture of other and unspecified parts of femur . . . . .	M 348 F 1003	— —	— —	— —	3 —	6 2	2 1	10 4	16 20	69 135	169 493	73 348
N 822	Fracture of patella . . . . .	M 7 F 7	— —	— —	— —	— —	— —	— —	— —	3 1	1 2	1 3	2 1
N 823	Fracture of tibia and fibula . . . . .	M 49 F 65	— —	— —	— —	3 —	— —	3 —	4 5	7 9	13 18	14 21	5 12
N 824	Fracture of ankle . . . . .	M 8 F 28	— —	— —	— —	— —	— 1	1 2	— 4	— 6	1 3	6 5	— 7
N 825	Fracture of one or more tarsal and metatarsal bones . . . . .	M 2 F 3	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	1 —
N 827	Other, multiple, and ill-defined fractures of lower limb . . . . .	M 29 F 17	— —	— —	1 —	3 —	4 —	1 —	3 1	4 2	5 4	7 6	1 4
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum . . . . .	M 88 F 61	— —	1 —	5 —	8 —	7 —	3 —	6 3	9 3	18 17	26 23	5 15
N 829	Fracture of unspecified bones . . . . .	M 36 F 8	— 1	— 2	1 —	10 1	6 1	5 1	6 —	5 —	— —	3 2	— —
<b>N830—N839</b>	<b>Dislocation without fracture</b>												
N 831	Dislocation of shoulder . . . . .	M 5 F 3	— —	— —	— —	— —	— —	— —	— —	— —	1 2	2 1	2 —
N 835	Dislocation of hip . . . . .	M 1 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —
N 836	Dislocation of knee . . . . .	M 1 F 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
N 839	Other, multiple, and ill-defined dislocations . . . . .	M 36 F 8	— —	— —	— —	6 —	4 1	4 1	6 1	6 —	8 1	2 1	— 3



TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N840-N848</b>	<b>Sprains and strains of joints and adjacent muscles</b>												
N 844	Sprains and strains of knee and leg .. .. .	M 1 F 1	—	—	—	—	—	—	—	1	—	—	—
N 847	Sprains and strains of other unspecified parts of back ..	M 1 F —	—	—	—	—	—	—	1	—	—	—	—
<b>N850-N856</b>	<b>Head injury (excluding skull fracture)</b>												
N 850	Open wound of scalp .. .. .	M 45 F 27	—	—	2	2	1	1	7	5	7	15	5
N 851	Contusion and hæmatoma of scalp .. .. .	M 17 F 21	—	1	—	2	1	1	1	2	1	9	6
N 852	Concussion .. .. .	M 38 F 34	—	—	2	7	4	2	1	2	10	5	5
			1	—	1	—	1	1	2	2	10	10	6
N 853	Cerebral laceration and concussion .. .. .	M 242 F 81	—	5	17	35	32	25	47	30	27	21	3
N 854	Subarachnoid, subdural, and extradural hæmorrhage following injury (without mention of cerebral laceration or contusion)	M 87 F 69	—	4	6	9	6	2	10	17	17	12	7
			—	1	6	—	2	—	4	15	16	18	7
N 855	Other and unspecified intracranial hæmorrhage following injury (without mention of cerebral laceration or contusion)	M 96 F 36	4	1	7	18	9	10	8	4	13	18	4
			—	3	3	—	1	—	3	6	9	7	4
N 856	Head injury of other and unspecified nature .. .. .	M 337 F 92	—	12	20	58	52	53	46	44	30	17	5
			1	9	5	6	6	10	9	10	11	18	7
<b>N860-N869</b>	<b>Internal injury of chest, abdomen, and pelvis</b>												
N 860	Traumatic pneumothorax and hæmorrhax .. .. .	M 43 F 9	—	—	1	7	4	3	7	8	6	4	3
N 861	Injury to heart and lung .. .. .	M 164 F 34	1	3	5	32	27	21	28	24	16	7	—
N 862	Injury to other and unspecified intrathoracic organs .. .. .	M 219 F 47	1	5	6	27	40	38	42	30	20	9	1
N 863	Injury to gastro-intestinal tract .. .. .	M 37 F 8	—	4	3	4	3	2	6	8	4	3	—
N 864	Injury to liver .. .. .	M 62 F 16	2	4	10	13	5	5	7	14	2	—	1
N 865	Injury to spleen .. .. .	M 25 F 14	—	—	2	4	4	5	4	3	4	1	—
N 866	Injury to kidney .. .. .	M 15 F 7	—	—	—	1	3	3	4	4	—	3	1
N 867	Injury to pelvic organs .. .. .	M 25 F 9	—	—	2	1	4	3	4	4	2	5	—
N 868	Injury to other and unspecified intra-abdominal organs .. .. .	M 90 F 22	—	—	4	21	24	10	17	6	6	2	—
N 869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	M 174 F 34	—	2	15	34	34	26	25	22	10	5	1
			—	5	10	3	2	—	4	1	6	2	1
<b>N870-N879</b>	<b>Laceration and open wound of face, neck, and trunk</b>												
N 870	Open wound of eye and orbit .. .. .	M 3 F —	—	—	1	—	—	—	—	1	—	1	—
N 873	Other and unspecified laceration of face .. .. .	M 13 F 6	—	—	—	1	—	1	2	—	3	4	2
N 874	Open wound of neck .. .. .	M 213 F 27	—	2	1	11	18	16	41	42	50	28	4
N 875	Open wound of chest .. .. .	M 15 F 1	—	1	—	1	4	2	4	3	10	4	—
N 876	Open wound of back .. .. .	M 4 F 2	—	—	1	—	—	1	1	1	—	—	—
N 877	Open wound of buttock .. .. .	M 1 F 1	—	—	—	—	—	—	—	1	—	—	1
N 879	Multiple and unspecified open wounds of face, neck, and trunk	M 16 F 4	—	—	2	2	4	1	1	1	4	1	—
			—	—	—	—	1	—	2	1	—	—	—

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N880-N888</b>	<b>Laceration and open wound of upper limb</b>												
N 880	Open wound of shoulder and upper arm .. .. .	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —
N 881	Open wound of elbow and forearm, and wrist not involving tendons .. .. .	M F	18 1	— —	— —	— —	2 —	2 —	2 1	5 —	4 —	3 —	— —
N 883	Open wound of hand, except finger(s) .. .. .	M F	3 1	— —	— —	— —	— —	1 1	— —	1 —	1 —	— —	— —
N 884	Open wound of finger(s) .. .. .	M F	4 1	— —	1 —	— —	— —	— —	1 —	— —	2 —	— —	— —
N 885	Multiple and unspecified open wounds of one upper limb .. .. .	M F	2 2	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —
N 888	Traumatic amputation of arm and hand .. .. .	M F	6 —	— —	— —	1 —	2 —	— —	2 —	— —	— —	— —	1 —
<b>N890-N898</b>	<b>Laceration and open wound of lower limb</b>												
N 890	Open wound of hip and thigh .. .. .	M F	7 1	— —	1 —	— —	1 —	— —	1 —	3 —	1 —	— —	— —
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons .. .. .	M F	15 5	— —	— —	2 —	2 —	4 —	1 1	1 2	3 —	2 2	— —
N 892	Open wound of ankle involving tendons .. .. .	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
N 896	Traumatic amputation of toe(s) .. .. .	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
N 898	Traumatic amputation of leg .. .. .	M F	13 —	— —	— —	— —	1 —	1 —	2 —	4 —	5 —	— —	— —
<b>N900-N908</b>	<b>Laceration and open wounds of multiple location</b>												
N 900	Multiple open wounds of both upper limbs .. .. .	M F	3 1	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —
N 901	Multiple open wounds of both lower limbs .. .. .	M F	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —
N 902	Multiple open wounds of both upper and lower limb(s) .. .. .	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
N 904	Multiple open wounds of both head and limb .. .. .	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
N 905	Multiple open wounds of both head and trunk .. .. .	M F	2 —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —
N 906	Multiple open wounds of both trunk and limb .. .. .	M F	14 3	— —	2 —	1 —	1 —	1 —	2 —	3 1	3 —	3 —	— —
N 907	Multiple open wounds of face with other sites .. .. .	M F	5 —	1 —	— —	— —	— —	— —	— —	1 —	— —	3 —	— —
N 908	Multiple open wounds of unspecified location .. .. .	M F	138 32	— 1	5 2	14 1	17 3	34 4	21 6	15 7	19 4	12 3	— 1
<b>N910-N918</b>	<b>Superficial Injury</b>												
N 910	Superficial injury of face and neck .. .. .	M F	3 2	— —	— —	— —	— —	— —	— —	1 —	2 1	— 1	— —
N 911	Superficial injury of trunk .. .. .	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —
N 916	Superficial injury of hip, thigh, leg, and ankle .. .. .	M F	— 2	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —
N 918	Superficial injury of other, multiple, and unspecified sites .. .. .	M F	4 3	— —	— —	— —	— —	— —	— —	1 —	— —	2 2	1 1
<b>N920-N929</b>	<b>Contusion and crushing with intact skin surface</b>												
N 920	Contusion of face and neck, except eye(s) .. .. .	M F	5 14	— —	1 —	— —	1 —	— —	— —	— —	1 2	2 6	— 5
N 921	Contusion of eye and orbit .. .. .	M F	2 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —
N 922	Contusion of trunk .. .. .	M F	7 5	— —	— —	— —	— —	— —	— —	— —	3 1	3 2	1 2
N 923	Contusion of shoulder and upper arm .. .. .	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— 3	— —
N 924	Contusion of elbow, forearm, and wrist .. .. .	M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 927	Contusion of hip, thigh, leg, and ankle .. .. .	M F	9 17	— —	— —	— —	1 —	— —	2 —	2 —	3 7	— 7	1 3
N 928	Contusion of foot and toe(s) .. .. .	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —
N 929	Contusion of other, multiple, and unspecified sites .. .. .	M F	9 23	— —	— —	— —	1 —	— —	— —	— 1	1 2	5 10	2 9



TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N930-N936</b>	<b>Effects of foreign body entering through orifice</b>												
N 933	Foreign body in pharynx and larynx .. .. .	M 223 F 164	121 104	13 14	5 6	6 2	12 4	15 2	10 6	12 7	13 11	13 8	3 —
N 934	Foreign body in bronchus and lung .. .. .	M 8 F 3	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 935	Foreign body in digestive tract .. .. .	M 15 F 22	1 —	3 4	— —	— 1	1 1	— 1	3 2	2 5	3 5	2 3	— —
N 936	Foreign body in genito-urinary tract .. .. .	M 1 F 2	— —	— —	— —	— —	— 1	— 1	— —	— —	1 —	— —	— —
<b>N940-N949</b>	<b>Burns</b>												
N 941	Burn confined to face, head, and neck .. .. .	M 11 F 9	1 1	1 1	— —	— —	— —	— —	— —	— 1	3 2	6 3	— 1
N 942	Burn confined to trunk .. .. .	M 17 F 28	— 2	3 3	— 1	— —	— 2	— —	— —	2 2	4 7	8 11	— —
N 943	Burn confined to upper limb(s), except wrist and hand .. .. .	M 6 F 9	— —	— 1	— —	— —	— —	1 —	— —	— —	— 2	— 3	— 3
N 944	Burn confined to wrist(s) and hand(s) .. .. .	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 945	Burn confined to lower limb(s) .. .. .	M 15 F 14	— —	— —	— —	1 —	1 —	— —	— —	1 2	1 3	9 6	2 2
N 946	Burn involving face, head, and neck, with limb(s) .. .. .	M 17 F 10	— —	4 4	— —	— —	2 —	1 —	2 —	1 —	2 1	5 3	— 2
N 947	Burn involving trunk with limb(s) .. .. .	M 63 F 122	1 1	16 12	5 8	3 2	2 1	1 2	8 8	6 7	6 29	10 41	5 11
N 948	Burn involving face, head, and neck, with trunk and limb(s) .. .. .	M 95 F 122	3 —	10 16	7 14	16 2	12 1	10 3	11 8	6 15	4 22	13 30	3 11
N 949	Burn involving other and un- specified parts .. .. .	M 63 F 78	1 3	10 8	2 9	— 3	11 2	8 4	8 8	7 6	8 17	7 11	1 7
<b>N950-N959</b>	<b>Injury to nerves and spinal cord without bone injury</b>												
N 958	Spinal cord lesion without evi- dence of spinal bone injury .. .. .	M 28 F 13	— —	— —	— —	2 1	3 —	2 —	3 2	10 3	6 5	2 2	— —
<b>N960-N979</b>	<b>Effects of poisons</b>												
N 961	Poisoning by alcohol .. .. .	M 11 F 2	— —	— —	— —	1 —	2 —	2 —	5 —	— 1	— 1	1 —	— —
N 962	Poisoning by petroleum pro- ducts .. .. .	M 2 F 1	— 1	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
N 963	Poisoning by industrial solvents .. .. .	M 5 F 3	— —	— —	— —	1 1	— —	— —	1 —	1 1	1 1	1 —	— —
N 964	Poisoning by corrosive aro- matics, acids, and caustic alkalis .. .. .	M 65 F 52	— —	1 —	— —	4 —	3 3	8 7	19 12	13 13	9 11	8 5	— 1
N 965	Poisoning by mercury and its compounds .. .. .	M 6 F 3	— 1	2 1	— —	1 —	1 —	1 —	— —	— —	1 —	— —	— 1
N 966	Poisoning by lead and its com- pounds .. .. .	M 3 F 1	— —	1 1	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
N 967	Poisoning by arsenic and anti- mony, and their compounds .. .. .	M 2 F 1	— —	— —	— —	— —	— —	— 1	1 —	1 —	— —	— —	— —
N 968	Poisoning by carbon monoxide .. .. .	M 1657 F 1302	5 —	15 10	14 14	58 33	154 84	216 155	349 273	336 263	283 254	200 178	27 38
N 969	Poisoning by other gases and vapours .. .. .	M 59 F 7	— —	1 —	— —	1 —	2 —	2 —	2 —	30 3	20 3	1 3	— 1
N 970	Poisoning by morphine and other opium derivatives .. .. .	M 7 F 6	— —	— —	— 1	— —	— —	— 1	5 2	1 1	— —	1 —	— —
N 971	Poisoning by barbituric acid and derivatives .. .. .	M 208 F 282	— —	1 —	— —	6 6	23 18	34 43	52 66	54 74	29 57	9 17	— 1
N 972	Poisoning by aspirin and sali- cylates .. .. .	M 63 F 73	— —	1 3	— —	6 1	8 6	10 10	14 14	16 18	7 14	1 7	— —
N 974	Poisoning by other analgesic and soporific drugs .. .. .	M 14 F 16	— —	— —	— —	1 —	2 1	5 3	3 6	— 4	— 2	— —	— —
N 975	Poisoning by Sulphonamides .. .. .	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
N 976	Poisoning by strychnine .. .. .	M 7 F 6	— —	2 1	— —	— 1	— —	2 2	2 1	1 —	— —	— 1	— —
N 977	Poisoning by belladonna, hyo- scine, and atropine .. .. .	M 1 F 2	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —
N 978	Poisoning by venom .. .. .	M 2 F 4	— —	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— —
N 979	Poisoning by other and unspec- ified substances .. .. .	M 42 F 39	— 1	6 8	— —	4 3	3 2	8 3	4 9	6 5	8 4	2 2	1 2

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N980-N989</b>	<b>Effects of weather, exposure, and related conditions</b>												
N 980	Effects of reduced temperature.. {M	4	—	—	—	—	—	—	—	1	2	—	1
	F	3	—	—	—	—	—	—	1	—	—	2	—
N 981	Effects of heat and insolation .. {M	4	—	—	—	—	—	1	1	1	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—
N 984	Effects of lightning .. .. . {M	12	—	—	—	1	4	4	1	2	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—
N 985	Effects of hunger.. .. . {M	1	—	—	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	—	—	—	—	—
N 987	Effects of exposure, not else- {M	19	—	2	3	1	2	1	—	—	2	6	2
	where classified .. .. . F	11	—	1	—	—	1	—	2	—	4	2	1
N 988	Effects of excessive exertion .. {M	2	—	—	—	—	—	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
<b>N990-N999</b>	<b>Other and unspecified injuries and reactions</b>												
N 990	Drowning .. .. . {M	1187	10	81	172	134	89	123	137	170	170	91	10
	F	595	10	32	35	22	36	67	69	123	130	61	10
N 991	Asphyxia and strangulation .. {M	733	130	13	24	44	60	59	113	132	109	45	4
	F	267	102	9	3	10	19	20	32	40	23	9	—
N 992	Electrocution .. .. . {M	93	—	1	12	24	24	14	11	7	—	—	—
	F	25	—	1	4	—	8	4	2	2	4	—	—
N 994	Other general effects of external {M	35	35	—	—	—	—	—	—	—	—	—	—
	causes .. .. . F	19	19	—	—	—	—	—	—	—	—	—	—
N 995	Certain early complications of {M	7	—	—	—	—	1	—	1	—	1	1	3
	trauma .. .. . F	9	—	—	—	—	—	—	—	1	1	3	4
N 996	Injury of other and unspecified {M	365	—	7	8	56	61	43	56	48	50	25	11
	nature .. .. . F	120	—	6	4	3	5	7	9	7	26	34	19
N 997	Reactions and complications {M	4	2	—	—	1	—	1	—	—	—	—	—
	due to nontherapeutic medi- {F	3	2	1	—	—	—	—	—	—	—	—	—
N 998	Adverse reactions to injections, {M	4	1	—	—	—	—	—	2	—	1	—	—
	infusions and transfusions {F	4	—	—	—	1	1	2	—	—	—	—	—
N 999	for therapeutic purposes {M	26	—	—	—	—	2	1	8	5	7	3	—
	Adverse reaction to other thera- {F	20	—	1	—	—	1	—	5	3	6	4	—
	peutic procedure .. .. .												



TABLE 18C—Deaths from Violent Causes—Nature of Injury according to External Cause, 1953.—England and Wales.  
(AE 138-AE 150 ; AN 138-AN 150)

See Note at head of Table 18A)

External Cause of Injury (Intermediate List)														
	AE 138	AE 139	AE 140	AE 141	AE 142	AE 143	AE 144	AE 145	AE 146	AE 147	AE 148	AE 149	AE 150	
Nature of Injury (Intermediate List)	Motor vehicle accidents	Other transport accidents	Acciden- tal poison- ing	Acciden- tal falls	Accident caused by mach- inery	Accident caused by fire and ex- plosion of com- bustible material	Accident caused by hot sub- stance, corrosive liquid, steam, & radia- tion	Accident caused by fire- arm	Acciden- tal drown- ing and sub- mersion	All other acciden- tal causes	Suicide and self- inflicted injury	Homi- cide & injury pur- posely inflicted by other persons (not in war)	Injury resulting from opera- tions of war	
Total .. .. .	3342 1033	860 99	458 474	1787 2812	167 5	220 359	71 53	87 5	719 194	1424 664	3020 1734	83 98	95 1	
AN 138 Fracture of skull .. .. .	1953 550	316 51	—	520 198	52 —	4 —	—	4 —	—	198 12	73 23	22 21	1 —	
AN 139 Fracture of spine and trunk .. .. .	254 105	57 5	—	234 165	30 —	1 —	—	2 —	—	104 7	22 11	12 1	—	
AN 140 Fracture of limbs .. .. .	174 68	40 6	—	709 2068	4 —	—	—	3 —	—	22 24	4 2	—	1 —	
AN 141 Dislocation without fracture .. .. .	11 3	3 1	—	18 9	—	—	—	—	—	5 —	6 —	—	—	
AN 142 Sprains and strains of joints and adjacent muscles .. .. .	—	—	—	2 1	—	—	—	—	—	—	—	—	—	
AN 143 Head injury (excluding fracture) .. .. .	372 122	66 13	—	152 182	9 1	1 —	—	27 —	—	76 20	140 10	10 11	9 1	
AN 144 Internal injury of chest, abdomen and pelvis .. .. .	404 117	106 9	—	46 34	47 1	2 —	—	25 3	—	171 15	35 8	9 13	9 —	
AN 145 Laceration and open wounds .. .. .	57 22	47 3	—	25 10	12 1	—	—	20 2	—	30 4	286 39	4 8	21 —	
AN 146 Superficial injury, contusion and crushing with intact skin surface .. .. .	7 7	1 —	—	24 64	2 —	—	—	—	—	5 2	—	—	1 —	
AN 147 Effects of foreign body entering through orifice .. .. .	—	2 —	—	—	—	—	—	—	—	241 190	2 —	2 —	—	
AN 148 Burns .. .. .	9	20	—	—	—	185 331	69 53	1 —	—	3 1	1 8	—	—	
AN 149 Effects of poisons .. .. .	—	2 —	458 474	—	—	23 27	—	—	—	3 5	1610 1278	11 15	47 —	
AN 150 All other and unspecified effects of external causes .. .. .	100 37	200 11	—	57 81	11 2	4 —	2 —	5 —	719 194	566 384	841 355	13 29	6 —	

**TABLE 19.—Causes of Death by Sex, at Different Periods of Life, 1953.**  
Classified in accordance with the International Abbreviated List,  
with certain sub-divisions.

Abbrevi- ated List No.	Causes of Death	England and Wales									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	<b>ALL CAUSES</b>	<b>M 259490</b> <b>F 244039</b>	<b>7001</b> <b>5087</b>	<b>3486</b> <b>2750</b>	<b>1757</b> <b>1447</b>	<b>1708</b> <b>1216</b>	<b>2744</b> <b>1610</b>	<b>12553</b> <b>10286</b>	<b>69529</b> <b>45605</b>	<b>73936</b> <b>61949</b>	<b>86776</b> <b>114089</b>
B1	Tuberculosis of respiratory system	M 5447 F 2466	3 —	12 10	10 18	12 13	123 220	1170 1036	2717 710	1120 313	280 146
B2	Tuberculosis, other forms	M 517 F 472	— 1	17 20	83 85	45 37	47 51	112 75	149 119	43 42	21 42
B3	Syphilis and its sequelæ	M 1001 F 444	4 —	4 —	— —	— —	3 3	44 24	437 151	361 141	148 125
B4	Typhoid fever	M 1 F 2	— —	— —	— —	— —	— —	1 1	— —	— —	— —
B5	Cholera	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	M 19 F 17	1 —	4 1	2 1	1 1	— —	3 1	2 4	4 4	2 5
B7	Scarlet fever and streptococcal sore throat	M 23 F 38	— —	1 2	4 4	1 3	— 4	4 6	8 14	2 3	3 2
B8	Diphtheria	M 11 F 12	— —	— —	6 5	4 3	— —	— 2	1 2	— —	— —
B9	Whooping cough	M 104 F 139	— 4	70 93	32 40	2 —	— —	— 1	— 1	— —	— —
B10	Meningococcal infections	M 166 F 125	1 3	73 46	57 46	14 8	3 4	7 5	8 6	1 5	2 2
B11	Plague	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	M 199 F 121	2 —	3 1	22 16	58 34	33 22	67 41	11 7	3 —	— —
B13	Smallpox	M 6 F 2	— —	— —	— —	1 —	3 —	— 1	2 1	— —	— —
B14	Measles	M 142 F 103	— 1	33 23	75 44	25 32	2 1	2 1	3 1	2 —	— —
B15	Typhus and other rickettsial diseases	M — F 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —
B16	Malaria	M — F 4	— —	— —	— —	— —	— —	3 —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	M 563 F 555	8 4	44 35	37 36	34 23	30 26	108 112	172 133	74 84	56 102
B18	Malignant neoplasm : (140-205)	M 45935 F 41989	1 6	18 25	158 143	225 174	285 168	2386 2926	17885 15110	14591 12043	10386 11394
	stomach (151)	M 8044 F 6209	— —	— —	— —	— —	2 3	334 210	3058 1576	2813 2060	1837 2360
	trachea, bronchus and lung (162, 163)	M 12881 F 2251	— —	— —	— —	— 1	11 2	627 168	7302 956	3809 696	1132 428
	breast (170)	M 81 F 8158	— —	— —	— —	— —	— 1	9 825	39 3571	21 2068	12 1693
	uterus (171-174)	M — F 3945	— —	— —	1 —	— —	5 —	389 —	1849 —	1012 —	689 —
	Leukæmia and aleukæmia (204)	M 1116 F 1005	1 1	7 11	85 68	100 73	65 36	164 151	367 305	203 250	124 110
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	M 23813 F 20421	— 5	11 14	73 74	125 100	207 121	1252 1183	7119 6853	7745 5957	7281 6114
B19	Benign and unspecified neoplasms	M 838 F 918	6 3	9 4	16 15	35 36	25 21	123 153	368 413	157 150	99 123
B20	Diabetes mellitus	M 1066 F 2128	— —	1 —	5 4	7 13	15 26	62 67	256 445	341 810	379 763
B21	Anæmias	M 580 F 1024	— —	3 3	6 6	6 8	7 8	15 31	122 198	192 313	229 457
B22	Vascular lesions affecting central nervous system	M 28762 F 39307	1 1	8 7	8 7	11 15	49 50	502 521	5726 6473	9520 11696	12937 20537
B23	Nonmeningococcal meningitis	M 230 F 184	26 23	57 56	32 14	12 6	6 4	12 12	55 38	22 15	8 16
B24	Rheumatic fever	M 143 F 167	— —	1 —	6 3	33 59	19 28	34 41	29 21	17 8	4 7
B25	Chronic rheumatic heart disease	M 3334 F 5503	— —	— —	— —	22 15	82 90	611 1003	1370 2136	759 1205	490 1054

Note :—The figures shown throughout this table for B40 (Complications of pregnancy, childbirth and puerperium) include some cases where the interval between maternal condition and death was stated to exceed 1 year. These deaths are also shown separately at the foot of the page where they occur.



{ England and Wales, Regions, Conurbations, and Aggregates of Urban and Rural Areas outside conurbations.

Abbreviated List No.	Causes of Death	England and Wales—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	38966	1	—	—	—	6	1056	13786	13861	10256
		F	22785	1	—	—	1	144	4239	8494	9905	
		M	29285	—	5	2	5	14	153	2544	7353	19209
		F	40400	—	—	—	7	6	106	2083	7837	30361
B27	Other diseases of heart	M	3588	2	8	6	6	39	166	848	1163	1350
		F	3942	2	4	3	9	13	110	709	1145	1947
B28	Hypertension with heart disease	M	5216	—	—	—	1	—	61	1211	1945	1998
		F	6084	—	—	—	—	4	55	967	2041	3017
B29	Hypertension without mention of heart	M	4021	—	—	—	1	10	163	1122	1195	1530
		F	4102	—	—	—	1	12	95	734	1221	2039
B46 (Pt.)	Other circulatory diseases (450-468)	M	6903	3	3	1	4	11	138	868	1863	4012
		F	7779	—	2	—	7	18	126	708	1720	5198
B30	Influenza	M	2905	3	40	20	18	19	126	732	836	1111
		F	3560	3	31	15	13	21	144	481	828	2024
B31	Pneumonia	M	10698	—	1163	229	85	64	294	2101	2767	3995
		F	10061	—	887	228	78	61	252	1209	2211	5135
B32	Bronchitis	M	19502	23	223	58	19	15	264	5681	6890	6329
		F	10890	16	168	60	16	16	154	1439	2893	6128
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3283	17	39	38	34	33	212	1352	940	618
		F	1448	8	31	27	36	28	121	312	308	577
B33	Ulcer of stomach and duodenum	M	3795	—	—	2	—	6	235	1527	1170	855
		F	1331	2	1	1	—	2	49	314	411	551
B34	Appendicitis	M	550	—	1	35	46	31	72	165	105	95
		F	356	—	1	12	36	24	29	80	83	91
B35	Intestinal obstruction and hernia	M	1484	78	71	22	12	9	62	353	400	477
		F	1506	43	25	11	2	5	58	331	451	580
B36	Gastritis, enteritis, and diarrhoea except	M	1057	3	366	45	11	20	72	215	166	159
	diarrhoea of newborn	F	1327	1	250	32	12	27	108	223	281	393
B37	Cirrhosis of liver	M	650	2	5	2	6	4	73	313	171	74
		F	505	—	3	1	4	7	37	210	170	73
B38	Nephritis and nephrosis	M	2802	—	14	15	38	111	417	904	626	677
		F	2627	—	7	10	33	81	293	792	659	752
B39	Hyperplasia of prostate	M	4173	—	—	—	—	—	—	292	1220	2661
B40	Complications of pregnancy, childbirth & puerperium	F	527	—	—	—	—	95	417	15	—	—
B41	Congenital malformations	M	2216	944	577	140	96	67	144	167	47	34
		F	2045	880	533	148	72	50	121	157	55	29
B42	Birth injuries, postnatal asphyxia & atelectasis	M	2640	2599	40	1	—	—	—	—	—	—
		F	1687	1666	21	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	36	36	—	—	—	—	—	—	—	—
		F	24	24	—	—	—	—	—	—	—	—
		M	586	580	6	—	—	—	—	—	—	—
		F	378	373	5	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	2571	2509	62	—	—	—	—	—	—	—
		F	1961	1907	52	1	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2804	7	11	5	1	3	13	36	206	2522
		F	4834	7	12	9	1	3	13	23	249	4517
B46 (Rem.)	All other diseases (Remainder 001-795)	M	8335	57	243	188	157	209	794	2531	2154	2002
		F	10632	38	197	140	153	183	1056	2944	2768	3153
BE47	Motor vehicle accidents	M	3342	—	4	156	282	655	870	712	337	326
		F	1033	—	3	94	131	104	112	232	168	189
BE48	All other accidents	M	5793	74	242	228	329	542	1182	1344	717	1135
		F	4665	59	189	157	109	68	220	553	790	2520
BE49	Suicide and self-inflicted injury	M	3020	—	—	—	2	130	679	1342	565	302
		F	1734	—	—	—	4	46	383	840	329	132
BE50	Homicide and operations of war	M	178	10	5	5	7	14	42	61	29	5
		F	99	11	2	11	10	8	23	26	5	3
BN47	Fractures, head injuries and internal injuries	M	6532	4	19	187	353	925	1579	1559	775	1131
		F	3878	5	10	121	148	131	181	468	609	2205
BN48	Burns	M	288	—	6	44	14	20	49	53	31	71
		F	393	—	7	45	32	7	16	57	83	146
BN49	Effects of poisons	M	2155	—	5	31	14	83	487	924	358	253
		F	1800	—	3	24	15	45	342	765	348	258
BN50	All other injuries	M	3358	80	221	127	239	313	658	923	484	313
		F	1460	65	174	72	59	43	199	361	252	235

"Delayed " maternal deaths  
(see page 190)

32

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Northern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 19100 F 16474	622 437	341 297	143 119	157 78	239 147	1046 829	5145 3434	5300 4388	6107 6745	
B1	Tuberculosis of respiratory system	{ M 395 F 242	1 —	1 —	— 1	2 —	18 25	94 120	195 60	60 30	24 6	
B2	Tuberculosis, other forms	{ M 57 F 44	— 1	2 1	5 9	9 3	5 4	13 10	14 11	3 4	6 1	
B3	Syphilis and its sequelæ	{ M 55 F 24	— —	— —	— —	— —	1 —	4 2	23 9	25 8	2 5	
B4	Typhoid fever	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 3 F 3	— —	2 —	1 1	— —	— —	— —	— —	— —	— 2	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 4	— —	— —	— —	— —	— 1	1 —	— 3	— —	— —	
B8	Diphtheria	{ M 1 F 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M 6 F 8	— —	4 7	2 1	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 13 F 12	— —	5 5	5 4	2 1	— —	1 —	— 2	— —	— —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 7 F 5	1 —	1 —	2 1	1 1	1 2	1 1	— —	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 11 F 14	— —	3 3	6 7	2 4	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 65 F 44	— —	10 4	5 4	7 1	3 1	9 8	19 10	6 9	6 7	
B18	Malignant neoplasm : (140-205) stomach (151)	{ M 3251 F 2716	— —	1 1	15 10	13 8	22 14	179 229	1268 1006	1040 779	713 669	
		{ M 669 F 488	— —	— —	— —	— —	— —	30 18	249 133	243 176	147 161	
		{ M 799 F 129	— —	— —	— —	— —	— —	51 11	468 59	221 37	59 22	
		{ M 3 F 452	— —	— —	— —	— —	— —	— 67	1 207	2 99	— 79	
	uterus (171-174)	{ M 279 F —	— —	— —	— —	— —	— —	42 —	138 —	63 —	36 —	
		{ M 62 F 57	— —	— —	6 4	3 —	5 5	13 12	20 17	8 15	7 4	
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M 1718 F 1311	— —	1 1	9 6	10 8	17 9	85 79	530 452	566 389	500 367	
		{ M 69 F 54	— —	— —	1 1	4 4	1 2	16 12	31 22	9 8	7 5	
	B20	Diabetes mellitus	{ M 74 F 157	— —	— —	1 —	1 1	— 1	7 4	14 41	24 67	27 43
	B21	Anæmias	{ M 46 F 64	— —	— —	— —	2 1	3 3	5 2	10 11	11 21	15 26
B22	Vascular lesions affecting central nervous system	{ M 2488 F 2854	— —	— —	— 1	2 2	3 4	36 39	487 538	848 890	1112 1380	
B23	Nonmeningococcal meningitis	{ M 26 F 13	3 1	5 5	2 2	3 —	1 —	2 —	8 4	1 1	1 —	
B24	Rheumatic fever	{ M 16 F 15	— —	— —	1 2	6 2	1 2	3 7	4 2	1 —	— —	
B25	Chronic rheumatic heart disease	{ M 271 F 407	— —	— —	— —	— —	3 11	12 87	56 174	113 77	26 58	



TABLE 19—continued.

Abbreviated List No.	Causes of Death	Northern Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	3024	—	—	—	—	102	1070	1102	750
		{ F	1809	—	—	—	—	14	430	742	623
		{ M	2090	—	1	—	2	9	191	513	1374
		{ F	2555	—	—	—	1	10	177	571	1796
B27	Other diseases of heart	{ M	251	—	2	1	—	13	82	75	78
		{ F	212	—	—	1	—	10	43	65	91
B28	Hypertension with heart disease	{ M	371	—	—	—	—	6	83	139	143
		{ F	362	—	—	—	—	3	77	122	160
B29	Hypertension without mention of heart	{ M	283	—	—	—	2	12	72	80	117
		{ F	247	—	—	—	4	7	53	63	120
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	517	—	—	1	1	11	48	126	330
		{ F	543	—	—	—	3	14	45	132	349
B30	Influenza	{ M	129	—	6	—	—	9	34	34	46
		{ F	140	—	5	—	1	8	19	36	71
B31	Pneumonia	{ M	702	—	130	19	3	5	17	145	224
		{ F	586	—	125	12	8	8	16	68	224
B32	Bronchitis	{ M	1115	3	21	5	1	13	385	374	312
		{ F	595	1	25	3	1	10	96	186	272
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	206	4	1	—	3	19	78	63	35
		{ F	107	1	2	—	1	9	25	17	45
B33	Ulcer of stomach and duodenum	{ M	228	—	—	—	—	22	98	57	51
		{ F	87	—	—	—	—	2	29	22	34
B34	Appendicitis	{ M	33	—	—	—	3	4	10	8	5
		{ F	27	—	—	—	3	2	6	11	5
B35	Intestinal obstruction and hernia	{ M	74	3	4	—	1	5	18	17	24
		{ F	90	4	4	3	—	6	23	26	23
B36	Gastritis, enteritis and diarrhoea except	{ M	68	—	31	2	1	4	18	8	3
	diarrhoea of newborn	{ F	91	—	19	5	2	7	20	17	19
B37	Cirrhosis of liver	{ M	51	—	1	—	—	1	4	30	13
		{ F	38	—	1	—	—	4	15	15	3
B38	Nephritis and nephrosis	{ M	181	—	1	1	8	11	31	56	38
		{ F	182	—	1	1	—	8	24	51	48
B39	Hyperplasia of prostate	M	322	—	—	—	—	—	26	98	198
B40	Complications of pregnancy, childbirth & puerperium	F	43	—	—	—	4	38	1	—	—
B41	Congenital malformations	{ M	189	78	61	13	8	4	10	12	1
		{ F	178	81	46	13	7	7	7	12	5
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	216	213	2	1	—	—	—	—	—
		{ F	118	115	3	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	3	3	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—
		{ M	49	48	1	—	—	—	—	—	—
		{ F	32	32	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	262	259	3	—	—	—	—	—	—
		{ F	194	189	5	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	181	1	—	—	—	—	3	9	168
		{ F	319	—	2	—	—	—	2	30	285
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	595	2	15	11	14	19	68	193	155
		{ F	762	3	12	18	9	13	86	254	181
BE47	Motor vehicle accidents	{ M	260	—	—	28	25	36	64	53	27
		{ F	56	—	—	7	13	7	3	11	10
BE48	All other accidents	{ M	600	2	27	16	30	62	146	147	71
		{ F	311	4	21	12	5	4	10	34	46
BE49	Suicide and self-inflicted injury	{ M	224	—	—	—	—	14	48	95	41
		{ F	101	—	—	—	—	2	19	48	24
BE50	Homicide and operations of war	{ M	21	1	—	—	1	—	3	12	3
		{ F	6	3	—	—	—	1	2	—	—
BN47	Fractures, head injuries and internal injuries	{ M	612	—	1	30	35	72	154	147	66
		{ F	247	1	—	7	13	9	7	24	41
BN48	Burns	{ M	36	—	1	4	1	4	7	7	4
		{ F	38	—	—	6	2	1	2	6	6
BN49	Effects of poisons	{ M	152	—	—	—	—	8	37	63	30
		{ F	89	—	—	—	—	—	16	37	20
BN50	All other injuries	{ M	305	3	25	10	20	28	63	90	42
		{ F	100	6	21	6	3	3	8	28	13

"Delayed" maternal deaths  
(see page 190)

1

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Tyneside Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	5111 4295	163 129	82 67	35 26	30 21	49 39	289 241	1517 936	1457 1124	1489 1712
B1	Tuberculosis of respiratory system	{ M F	128 69	1 —	— —	— —	— —	5 6	25 39	73 17	18 6	6 1
B2	Tuberculosis, other forms	{ M F	18 13	— 1	1 —	2 2	— 1	3 2	4 4	3 2	1 1	4 —
B3	Syphilis and its sequelæ	{ M F	15 11	— —	— —	— —	— —	— —	2 —	6 7	7 3	— 1
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	3 2	— —	2 2	1 —	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	6 3	— —	3 1	3 —	— 1	— —	— —	1 —	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 3	— —	2 1	1 —	— 2	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	20 9	— —	3 1	2 2	3 —	1 —	4 2	4 —	2 2	1 2
B18	Malignant neoplasm : (140-205)	{ M F	994 741	— —	1 —	2 1	2 4	7 5	52 67	412 286	312 201	206 177
	stomach (151)	{ M F	202 128	— —	— —	— —	— —	— —	11 9	81 35	63 45	47 39
	trachea, bronchus and lung (162, 163)	{ M F	281 46	— —	— —	— —	— —	— —	16 5	169 19	77 14	19 8
	breast (170)	{ M F	1 125	— —	— —	— —	— —	— —	— 13	1 65	— 23	— 24
	uterus (171-174)	{ M F	82	—	—	—	—	—	12	43	17	10
	Leukæmia and aleukæmia (204)	{ M F	15 19	— —	— —	1 —	— —	— 3	2 4	6 7	4 4	2 1
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	495 341	— —	1 —	1 1	2 4	7 2	23 24	155 117	168 98	138 95
	Benign and unspecified neoplasms	{ M F	14 15	— —	— —	1 —	— 1	— 1	2 2	9 7	2 1	— 3
	Diabetes mellitus	{ M F	16 33	— —	— —	— —	— 1	— —	1 1	2 10	3 9	10 12
	Anæmias	{ M F	13 18	— —	— —	— —	1 —	2 —	3 1	2 3	3 6	2 8
B22	Vascular lesions affecting central nervous system	{ M F	628 709	— —	— —	— —	— —	1 2	15 16	146 140	214 228	252 323
B23	Nonmeningococcal meningitis	{ M F	8 2	— —	1 1	1 —	1 —	1 —	1 —	2 1	1 —	— —
B24	Rheumatic fever	{ M F	6 3	— —	— —	— —	3 —	1 1	1 2	1 —	— —	— —
B25	Chronic rheumatic heart disease	{ M F	67 124	— —	— —	— —	— —	4 3	16 18	24 66	16 21	7 16



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Tyneside Conurbation—continued									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	825	—	—	—	—	—	30	297	309	189
		{ F	488	—	—	—	—	—	6	125	194	163
		{ M	445	—	1	—	—	2	—	45	126	271
		{ F	615	—	—	—	—	—	2	37	139	437
B27	Other diseases of heart	{ M	65	—	1	—	—	—	4	24	19	17
		{ F	42	—	—	—	—	—	3	9	11	19
B28	Hypertension with heart disease	{ M	108	—	—	—	—	—	3	24	44	37
		{ F	95	—	—	—	—	—	1	19	29	46
B29	Hypertension without mention of heart	{ M	79	—	—	—	—	—	5	20	21	33
		{ F	68	—	—	—	—	2	2	9	24	31
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	121	—	—	—	1	—	5	13	24	78
		{ F	146	—	—	—	—	2	4	9	32	99
B30	Influenza	{ M	39	—	3	—	—	—	1	10	12	13
		{ F	50	—	1	—	—	—	3	7	12	27
B31	Pneumonia	{ M	191	—	20	3	—	1	5	45	44	73
		{ F	144	—	18	2	—	3	6	17	30	68
B32	Bronchitis	{ M	349	1	4	1	—	—	4	123	129	87
		{ F	176	—	10	3	1	—	4	30	51	77
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	57	2	—	—	1	1	8	22	13	10
		{ F	40	—	1	—	—	4	5	7	5	18
B33	Ulcer of stomach and duodenum	{ M	63	—	—	—	—	—	8	33	13	9
		{ F	27	—	—	—	—	—	1	7	8	11
B34	Appendicitis	{ M	12	—	—	—	1	—	2	2	5	2
		{ F	4	—	—	—	—	1	—	—	2	1
B35	Intestinal obstruction and hernia	{ M	26	1	2	—	—	2	—	6	5	10
		{ F	22	1	—	2	—	—	1	3	8	7
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	10	—	4	—	—	—	1	2	2	1
		{ F	18	—	6	1	—	—	1	3	2	5
B37	Cirrhosis of liver	{ M	16	—	—	—	—	—	1	10	4	1
		{ F	12	—	—	—	—	—	1	5	5	1
B38	Nephritis and nephrosis	{ M	49	—	—	1	1	2	7	19	10	9
		{ F	46	—	—	1	—	1	7	16	11	10
B39	Hyperplasia of prostate	M	86	—	—	—	—	—	—	6	22	58
B40	Complications of pregnancy, childbirth & puerperium	F	13	—	—	—	—	1	12	—	—	—
B41	Congenital malformations	{ M	64	25	20	5	4	2	3	4	—	1
		{ F	50	24	13	3	3	1	2	3	1	—
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	44	44	—	—	—	—	—	—	—	—
		{ F	36	34	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	1	1	—	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—	—
		{ M	9	8	1	—	—	—	—	—	—	—
		{ F	8	8	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	75	75	—	—	—	—	—	—	—	—
		{ F	60	58	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	48	1	—	—	—	—	—	—	1	46
		{ F	77	—	—	—	—	—	—	1	9	67
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	140	2	2	1	—	6	17	53	41	18
		{ F	184	—	2	2	—	2	24	64	49	41
BE47	Motor vehicle accidents	{ M	61	—	—	8	7	1	18	15	6	6
		{ F	11	—	—	1	3	2	1	3	1	—
BE48	All other accidents	{ M	125	2	11	3	5	7	28	33	13	23
		{ F	78	1	6	4	4	—	1	10	13	39
BE49	Suicide and self-inflicted injury	{ M	59	—	—	—	—	—	12	24	15	8
		{ F	26	—	—	—	—	—	2	12	10	2
BE50	Homicide and operations of war	{ M	5	—	—	—	—	—	1	3	—	1
		{ F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	{ M	128	—	1	8	10	4	33	32	17	23
		{ F	54	—	—	1	4	2	1	4	9	33
BN48	Burns	{ M	8	—	—	1	—	1	1	2	—	3
		{ F	8	—	—	1	2	—	—	1	2	2
BN49	Effects of poisons	{ M	52	—	—	—	—	—	10	21	13	8
		{ F	28	—	—	—	—	—	2	14	8	4
BN50	All other injuries	{ M	62	2	10	2	2	3	15	20	4	4
		{ F	25	1	6	3	1	—	1	6	5	2

TABLE 19—continued.

Abbreviated List No	Causes of Death		East and West Ridings Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 25466 F 23260		767 507	403 284	152 147	140 122	256 161	1223 983	7140 4536	7385 6232	8000 10288
B1	Tuberculosis of respiratory system	{ M 500 F 200		1 —	1 —	— 2	2 1	12 18	112 93	248 56	103 20	21 10
B2	Tuberculosis, other forms	{ M 51 F 43		— —	3 3	10 7	3 4	5 5	13 7	13 11	3 3	1 3
B3	Syphilis and its sequelæ	{ M 109 F 42		1 —	— —	— —	— —	— —	5 3	50 20	41 9	12 10
B4	Typhoid fever	{ M — F —		— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M — F —		— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M 2 F 1		— —	— —	— —	— —	— —	1 —	— —	1 1	— —
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 4		— —	— —	— —	— —	— —	— —	1 4	— —	— —
B8	Diphtheria	{ M — F 1		— —	— —	— 1	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M 10 F 14		— —	7 7	2 7	1 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M 20 F 13		1 1	10 3	6 6	— 1	— 1	— 1	3 —	— —	— —
B11	Plague	{ M — F —		— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 22 F 6		— —	— —	4 2	5 —	5 2	6 1	2 1	— —	— —
B13	Smallpox	{ M 5 F 2		— —	— —	— —	1 —	3 —	— 1	1 1	— —	— —
B14	Measles	{ M 11 F 8		— —	3 5	5 2	3 1	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —		— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M — F —		— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 53 F 40		1 —	2 3	4 2	3 2	3 3	12 7	15 9	8 7	5 7
B18	Malignant neoplasm : (140-205)	{ M 4217 F 3930		— 2	2 2	8 18	16 17	29 13	214 277	1754 1436	1321 1148	873 1017
	stomach (151)	{ M 774 F 646		— —	— —	— —	— —	— —	37 29	332 176	259 209	146 232
	trachea, bronchus and lung (162, 163)	{ M 1184 F 199		— —	— —	— —	— 1	— —	57 14	687 80	346 63	94 41
	breast (170)	{ M 13 F 737		— —	— —	— —	— —	— —	3 88	6 311	3 188	1 150
	uterus (171-174)	{ M — F 446		— —	— —	— —	— —	2 39	— 39	— 214	— 118	— 73
	Leukæmia and aleukæmia (204)	{ M 105 F 89		— —	1 2	5 11	9 8	6 3	13 13	42 28	17 16	12 8
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M 2141 F 1813		— 2	1 —	3 7	7 8	23 8	104 94	687 627	696 554	620 513
B19	Benign and unspecified neoplasms	{ M 74 F 88		1 —	— —	— 2	4 4	3 2	13 16	34 40	11 17	8 7
B20	Diabetes mellitus	{ M 97 F 206		— —	— —	— —	— 2	1 3	11 5	21 54	31 78	33 64
B21	Anæmias	{ M 71 F 105		— —	— —	2 1	1 —	— —	1 —	14 18	29 41	24 45
B22	Vascular lesions affecting central nervous system	{ M 3046 F 3809		— 1	— 1	2 1	1 —	4 8	48 46	628 588	1076 1203	1287 1961
B23	Nonmeningococcal meningitis	{ M 20 F 14		2 4	10 4	2 1	— —	— —	1 1	5 3	— —	— 1
B24	Rheumatic fever	{ M 14 F 24		— —	— —	1 —	1 9	2 4	6 4	2 6	2 —	— 1
B25	Chronic rheumatic heart disease	{ M 311 F 547		— —	— —	— —	— 1	8 14	62 141	143 219	59 103	37 69



TABLE 19—continued.

Abbreviated List No.	Causes of Death	East and West Ridings Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3943	—	—	—	—	1	95	1512	1400	935
		F	2295	—	—	—	—	15	499	848	933	
		M	2988	—	—	—	2	18	301	795	1872	
		F	3826	—	—	2	—	12	250	867	2695	
B27	Other diseases of heart	M	299	—	1	—	—	5	11	76	105	10
		F	311	—	1	1	3	1	12	69	93	131
B28	Hypertension with heart disease	M	513	—	—	—	—	—	5	129	198	181
		F	585	—	—	—	—	—	7	92	229	257
B29	Hypertension without mention of heart	M	296	—	—	—	1	1	16	69	98	111
		F	311	—	—	—	—	1	5	62	92	151
B46 (Pt.)	Other circulatory diseases (450-468)	M	823	1	—	—	—	3	8	79	208	524
		F	970	—	—	—	—	—	9	68	226	667
B30	Influenza	M	217	—	7	1	1	2	13	63	72	58
		F	238	—	5	2	—	7	13	36	67	108
B31	Pneumonia	M	1066	—	158	16	3	4	47	209	291	338
		F	904	—	106	20	4	5	24	135	204	406
B32	Bronchitis	M	2051	4	27	2	2	2	38	630	755	591
		F	1101	2	20	9	2	1	17	179	332	539
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	265	1	5	3	3	4	27	109	62	51
		F	108	1	2	1	—	3	9	29	31	32
B33	Ulcer of stomach and duodenum	M	347	—	—	—	—	—	21	164	104	58
		F	95	—	1	—	—	—	5	21	32	36
B34	Appendicitis	M	65	—	—	6	6	3	7	18	8	17
		F	31	—	—	2	2	2	1	9	9	6
B35	Intestinal obstruction and hernia	M	121	11	12	1	—	1	6	27	25	38
		F	139	4	1	—	—	1	3	34	41	55
B36	Gastritis, enteritis and diarrhoea except	M	102	2	35	7	—	6	9	20	12	11
	diarrhoea of newborn	F	110	—	31	2	2	4	12	19	19	21
B37	Cirrhosis of liver	M	53	—	—	1	—	—	3	29	16	4
		F	48	—	—	—	1	2	2	16	21	6
B38	Nephritis and nephrosis	M	300	—	1	1	6	18	39	111	63	61
		F	272	—	1	—	3	7	24	90	72	75
B39	Hyperplasia of prostate	M	332	—	—	—	—	—	—	19	113	200
B40	Complications of pregnancy, childbirth & puerperium	F	39	—	—	—	—	11	28	—	—	—
B41	Congenital malformations	M	213	101	56	11	9	4	10	19	2	1
		F	163	78	41	11	6	5	6	8	5	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	291	287	4	—	—	—	—	—	—	—
		F	183	182	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
		M	67	67	—	—	—	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	277	267	10	—	—	—	—	—	—	—
		F	187	184	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	207	2	1	1	—	1	—	2	16	184
		F	390	—	1	2	—	1	—	2	16	368
B46 (Rem.)	All other diseases (Remainder 001-795)	M	754	7	25	19	12	12	68	243	196	172
		F	1043	4	22	23	25	17	112	278	273	289
BE47	Motor vehicle accidents	M	326	—	1	17	27	57	83	78	36	27
		F	86	—	—	9	14	8	8	22	12	13
BE48	All other accidents	M	616	7	22	20	26	44	129	151	81	136
		F	513	6	20	13	11	8	21	61	82	291
BE49	Suicide and self-inflicted injury	M	275	—	—	—	1	11	59	137	40	27
		F	165	—	—	—	2	3	29	90	31	10
BE50	Homicide and operations of war	M	23	1	—	—	—	—	6	11	4	1
		F	13	1	—	—	3	1	6	1	—	1
N47	Fractures, head injuries and internal injuries	M	706	—	2	19	31	81	167	184	85	137
		F	430	1	1	9	15	15	16	51	63	259
N48	Burns	M	28	—	1	7	1	1	2	6	3	7
		F	39	—	—	5	5	1	2	4	11	11
N49	Effects of poisons	M	216	—	1	3	—	8	56	91	31	26
		F	180	—	—	1	3	2	29	95	31	19
N50	All other injuries	M	290	8	19	8	22	22	52	96	42	21
		F	128	6	19	7	7	2	17	24	20	26

"Delayed" maternal deaths  
(see page 190)

1

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 11037 F 10910	299 201	166 111	57 66	56 48	92 65	523 402	3256 2176	3248 2992	3340 4849
B1	Tuberculosis of respiratory system	{ M 207 F 77	— —	— —	— 1	— —	4 5	49 34	108 24	41 8	5 5
B2	Tuberculosis, other forms	{ M 20 F 17	— —	1 —	2 3	1 1	1 4	6 —	8 6	1 1	— 2
B3	Syphilis and its sequelæ	{ M 55 F 22	— —	— —	— —	— —	— —	3 2	26 14	20 3	6 3
B4	Typhoid fever	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M — F 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —
B7	Scarlet fever and streptococcal sore throat	{ M — F 4	— —	— —	— —	— —	— —	— —	4 —	— —	— —
B8	Diphtheria	{ M — F 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M 2 F 4	— —	2 1	— 3	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M 13 F 7	1 —	8 1	2 4	— —	— 1	— 1	2 —	— —	— —
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 8 F 2	— —	— —	2 1	— —	2 1	3 —	1 —	— —	— —
B13	Smallpox	{ M 4 F —	— —	— —	— —	1 —	2 —	— —	1 —	— —	— —
B14	Measles	{ M 7 F 4	— —	2 3	3 1	2 —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 22 F 11	1 —	— 1	2 —	1 —	2 1	5 3	6 3	2 1	3 2
B18	Malignant neoplasm : (140-205)	{ M 1804 F 1825	— 1	1 1	2 10	7 9	7 6	90 111	793 681	570 530	334 476
	stomach (151)	{ M 342 F 304	— —	— —	— —	— —	— —	13 9	163 78	104 98	62 119
	trachea, bronchus and lung (162, 163)	{ M 518 F 80	— —	— —	— —	— 1	— —	25 1	295 40	166 23	32 15
	breast (170)	{ M 7 F 336	— —	— —	— —	— —	— —	2 38	3 148	2 80	— 70
	uterus (171-174)	{ M — F 212	— —	— —	— —	— —	1 —	17 —	99 —	59 —	36 —
	Leukæmia and aleukæmia (204)	{ M 51 F 46	— —	— 1	1 8	4 2	1 —	6 5	22 16	10 9	7 5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M 886 F 847	— 1	1 —	1 2	3 6	6 5	44 41	310 300	288 261	233 231
	Benign and unspecified neoplasms	{ M 30 F 40	— —	— —	— 1	3 1	— 1	7 8	14 19	4 6	2 4
	Diabetes mellitus	{ M 45 F 94	— —	— —	— —	— —	1 1	7 2	8 24	13 39	16 28
	Anæmias	{ M 32 F 53	— —	— —	2 —	— —	— —	— —	8 9	13 19	9 25
B22	Vascular lesions affecting central nervous system	{ M 1399 F 1879	— —	— 1	— 1	1 —	2 4	24 15	327 269	491 585	554 1004
B23	Nonmeningococcal meningitis	{ M 7 F 5	1 2	4 1	— —	— —	— —	— —	2 1	— —	— 1
B24	Rheumatic fever	{ M 5 F 12	— —	— —	1 —	— 7	2 2	2 1	— 2	— —	— —
B25	Chronic rheumatic heart disease	{ M 127 F 270	— —	— —	— —	1 1	— 6	20 61	55 123	27 47	22 32



TABLE 19—continued.

Abbreviated List No.	Causes of Death		West Yorkshire Conurbation—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1841	—	—	—	—	1	48	716	639	437
		F	1193	—	—	—	—	—	7	266	439	481
		M	1244	—	—	—	—	1	6	151	317	769
		F	1762	—	—	—	1	—	5	121	410	1225
B27	Other diseases of heart	M	114	—	—	—	—	3	4	29	45	33
		F	152	—	—	—	1	—	8	41	37	65
B28	Hypertension with heart disease	M	236	—	—	—	—	—	3	57	91	85
		F	278	—	—	—	—	—	4	41	114	119
B29	Hypertension without mention of heart	M	115	—	—	—	1	1	7	30	36	40
		F	136	—	—	—	—	—	2	25	40	69
B46 (Pt.)	Other circulatory diseases (450-468)	M	222	—	—	—	—	1	1	30	65	125
		F	329	—	—	—	—	—	3	25	80	221
B30	Influenza	M	92	—	3	—	1	—	6	28	29	25
		F	97	—	—	—	—	1	7	18	24	47
B31	Pneumonia	M	495	—	69	7	—	2	19	87	131	180
		F	475	—	47	7	—	1	5	60	117	238
B32	Bronchitis	M	967	1	9	—	—	—	11	294	373	279
		F	535	—	4	—	—	—	10	87	169	265
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	112	—	1	2	1	—	13	49	23	23
		F	53	—	1	1	—	1	4	16	19	11
B33	Ulcer of stomach and duodenum	M	157	—	—	—	—	—	9	68	52	28
		F	40	—	—	—	—	—	2	10	10	18
B34	Appendicitis	M	25	—	—	1	1	1	4	8	3	7
		F	13	—	—	—	1	—	—	3	6	3
B35	Intestinal obstruction and hernia	M	61	6	5	1	—	1	3	11	12	22
		F	61	1	—	—	—	1	2	18	15	24
B3	Gastritis, enteritis, and diarrhoea except	M	33	—	10	1	—	1	3	12	3	3
	diarrhoea of newborn	F	45	—	9	—	1	4	4	9	8	10
B37	Cirrhosis of liver	M	29	—	—	—	—	—	2	16	9	2
		F	27	—	—	—	—	—	1	9	13	4
B38	Nephritis and nephrosis	M	133	—	—	1	3	8	13	52	30	26
		F	130	—	—	—	1	2	9	45	38	35
B39	Hyperplasia of prostate	M	134	—	—	—	—	—	—	5	45	84
B40	Complications of pregnancy, childbirth & puerperium	F	12	—	—	—	—	4	8	—	—	—
B41	Congenital malformations	M	87	38	26	4	5	2	3	9	—	—
		F	70	35	20	5	1	—	2	3	2	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	113	113	—	—	—	—	—	—	—	—
		F	68	68	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	34	34	—	—	—	—	—	—	—	—
		F	17	17	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	100	97	3	—	—	—	—	—	—	—
		F	74	73	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	69	2	1	1	—	—	—	2	3	60
		F	149	—	1	1	—	1	—	2	6	138
B46 (Rem.)	All other diseases (Remainder 001-795)	M	335	1	11	7	5	6	34	102	90	79
		F	506	2	13	15	12	8	49	114	139	154
BE47	Motor vehicle accidents	M	124	—	—	6	9	17	36	28	16	12
		F	39	—	—	5	6	5	5	7	7	4
BE48	All other accidents	M	249	2	10	10	13	19	53	53	31	58
		F	231	—	6	6	4	3	10	38	39	125
BE49	Suicide and self-inflicted injury	M	118	—	—	—	—	3	27	54	22	12
		F	84	—	—	—	—	2	15	38	20	9
BE50	Homicide and operations of war	M	10	1	—	—	—	—	2	6	1	—
		F	4	—	—	—	1	—	2	1	—	—
BN47	Fractures, head injuries and internal injuries	M	262	—	1	6	12	27	67	60	34	55
		F	186	—	—	5	7	8	9	22	26	109
BN48	Burns	M	13	—	—	3	—	1	2	2	1	4
		F	21	—	—	1	2	—	1	3	8	6
BN49	Effects of poisons	M	113	—	1	2	—	1	27	49	18	15
		F	105	—	—	1	—	1	17	49	22	15
BN50	All other injuries	M	113	3	8	5	10	10	22	30	17	8
		F	46	—	6	4	2	1	5	10	10	8

TABLE 19—continued.

Abbreviated List No.	Causes of Death		North Western Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	39826 37948	1161 895	542 479	319 236	259 181	344 283	1997 1737	11934 7739	11513 10558	11757 15840
B1	Tuberculosis of respiratory system	{ M F	866 424	1 —	1 1	1 1	— 1	14 48	189 183	466 123	160 46	34 21
B2	Tuberculosis, other forms	{ M F	80 68	— —	1 —	13 13	6 4	7 8	21 9	21 21	7 6	4 7
B3	Syphilis and its sequelæ	{ M F	136 80	1 —	2 —	— —	— —	1 1	7 4	65 33	45 28	15 14
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	4 2	— —	— —	1 —	— —	— —	— —	1 —	1 1	1 1
B7	Scarlet fever and streptococcal sore throat	{ M F	1 3	— —	— —	— —	— —	— —	— 1	— 1	1 1	— —
B8	Diphtheria	{ M F	3 4	— —	— —	2 1	1 1	— —	1 2	— —	— —	— —
B9	Whooping cough	{ M F	15 23	— 1	12 14	3 7	— —	— —	— —	— 1	— —	— —
B10	Meningococcal infections	{ M F	26 17	— 1	14 8	10 4	— 1	— —	— 1	1 1	1 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	20 5	— —	1 —	5 2	3 —	1 1	10 2	— —	— —	— —
B13	Smallpox	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B14	Measles	{ M F	16 16	— 1	4 4	8 7	2 4	— —	— —	2 —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	85 113	— 1	6 5	7 7	6 5	8 7	20 30	27 29	5 15	6 14
B18	Malignant neoplasm : (140-205)	{ M F	7023 6454	— —	1 4	24 26	25 20	35 29	366 461	2913 2411	2253 1962	1406 1541
	stomach (151)	{ M F	1376 1091	— —	— —	— —	— —	1 —	51 31	554 270	501 430	269 360
	trachea, bronchus and lung (162, 163)	{ M F	2098 378	— —	— —	— —	— —	3 —	111 40	1233 169	588 108	163 61
	breast (170)	{ M F	13 1178	— —	— —	— —	— —	— —	2 114	7 536	3 312	1 216
	uterus (171-174)	{ M F	623 —	— —	— —	— —	— —	— —	66 310	310 161	161 —	86 —
	Leukæmia and aleukæmia (204)	{ M F	131 153	— —	— 3	12 15	14 11	10 8	15 28	38 43	29 37	13 8
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	3405 3031	— —	1 1	12 11	11 9	21 21	187 182	1081 1083	1132 914	960 810
B19	Benign and unspecified neoplasms	{ M F	130 126	2 —	1 —	4 2	8 5	1 1	14 15	59 65	32 28	9 10
B20	Diabetes mellitus	{ M F	158 335	— —	— —	1 —	2 2	3 5	9 11	51 76	44 127	48 114
B21	Anæmias	{ M F	99 227	— —	1 1	1 —	— 3	— —	1 —	29 55	36 56	31 112
B22	Vascular lesions affecting central nervous system	{ M F	4563 6164	— —	— 2	1 1	3 4	8 8	84 92	1032 1107	1579 2041	1856 2909
B23	Nonmeningococcal meningitis	{ M F	43 27	9 1	6 9	8 3	3 —	1 2	3 1	8 9	5 1	— 1
B24	Rheumatic fever	{ M F	19 22	— —	— —	— —	4 8	4 5	2 6	8 2	1 1	— —
B25	Chronic rheumatic heart disease	{ M F	533 938	— —	— —	— —	4 4	19 23	100 219	257 371	95 181	58 140



TABLE 19—continued.

Abbreviated List No.	Causes of Death	North Western Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	6031	—	—	—	2	195	2442	2121	1271
		F	3312	—	—	—	1	33	776	1364	1138
		M	4661	—	1	—	4	23	557	1270	2806
		F	6593	—	—	2	3	21	408	1594	4565
B27	Other diseases of heart	M	607	—	—	2	6	29	166	222	181
		F	726	—	—	2	3	22	157	237	305
B28	Hypertension with heart disease	M	797	—	—	—	—	11	225	279	282
		F	939	—	—	—	1	8	173	351	406
B29	Hypertension without mention of heart	M	509	—	—	—	4	26	170	148	161
		F	540	—	—	1	1	19	107	178	234
B46 (Pt.)	Other circulatory diseases (450-468)	M	945	—	1	—	1	24	135	267	517
		F	1121	—	1	2	2	20	98	294	704
B30	Influenza	M	279	1	3	3	—	14	98	87	72
		F	333	1	1	3	2	21	51	88	165
B31	Pneumonia	M	1443	—	204	47	5	49	318	412	395
		F	1260	—	168	43	8	36	178	305	513
B32	Bronchitis	M	3361	3	48	9	4	61	1124	1176	934
		F	1899	3	39	9	5	29	319	596	897
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	455	4	10	5	4	42	198	111	78
		F	221	1	6	8	4	23	63	33	77
B33	Ulcer of stomach and duodenum	M	532	—	—	—	—	50	230	154	98
		F	177	—	—	—	—	9	46	64	58
B34	Appendicitis	M	76	—	—	3	5	2	12	30	16
		F	35	—	—	1	4	2	8	16	4
B35	Intestinal obstruction and hernia	M	219	8	12	3	5	3	9	69	50
		F	240	8	3	3	—	1	5	58	80
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	151	—	51	7	1	—	10	30	27
		F	172	—	33	4	2	4	13	32	31
B37	Cirrhosis of liver	M	96	1	—	—	1	11	48	26	8
		F	78	—	—	—	1	4	41	24	7
B38	Nephritis and nephrosis	M	454	—	—	3	3	12	78	149	94
		F	467	—	—	—	3	19	58	155	107
B39	Hyperplasia of prostate	M	565	—	—	—	—	—	43	182	340
B40	Complications of pregnancy, childbirth & puerperium	F	83	—	—	—	12	68	3	—	—
B41	Congenital malformations	M	336	158	76	26	16	9	20	17	8
		F	338	163	95	25	9	4	17	16	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	435	426	9	—	—	—	—	—	—
		F	294	290	4	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—
		M	103	102	1	—	—	—	—	—	—
		F	69	67	2	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	420	412	8	—	—	—	—	—	—
		F	340	333	7	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	489	1	4	3	—	1	2	4	42
		F	798	2	5	2	—	1	3	1	47
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1236	10	28	35	30	38	124	410	317
		F	1704	7	34	19	31	36	190	483	448
BE47	Motor vehicle accidents	M	455	—	—	34	54	67	117	104	36
		F	185	—	—	21	26	11	22	37	29
BE48	All other accidents	M	849	18	36	47	55	60	156	203	115
		F	697	10	32	24	18	11	27	89	125
BE49	Suicide and self-inflicted injury	M	471	—	—	—	—	19	103	213	83
		F	261	—	—	—	—	10	49	131	49
BE50	Homicide and operations of war	M	28	3	1	2	1	5	9	5	1
		F	15	2	1	—	3	3	4	1	1
BN47	Fractures, head injuries and internal injuries	M	903	—	1	38	62	107	215	225	100
		F	614	1	4	27	24	15	35	80	103
BN48	Burns	M	42	—	—	10	2	2	6	10	5
		F	63	—	—	6	9	1	1	13	16
BN49	Effects of poisons	M	372	—	1	8	6	10	77	159	63
		F	286	—	1	3	5	13	55	113	54
BN50	All other injuries	M	486	21	35	27	40	28	83	135	71
		F	195	11	28	9	9	3	10	55	31

"Delayed" maternal deaths  
(see page 190)

3

TABLE 19—continued.

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	15191 14824	434 295	170 155	105 87	92 66	127 91	750 649	4765 3089	4499 4278	4249 6114
B1	Tuberculosis of respiratory system	{ M F	332 154	— —	— —	1 —	— —	4 12	67 60	189 55	61 16	10 11
B2	Tuberculosis, other forms	{ M F	25 19	— —	— —	2 3	— —	3 5	8 1	10 4	1 4	1 2
B3	Syphilis and its sequelæ	{ M F	53 30	1 —	— —	— —	— —	— —	2 —	21 12	21 13	8 5
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —
B9	Whooping cough	{ M F	5 6	— —	5 3	— 2	— —	— —	— —	— 1	— —	— —
B10	Meningococcal infections	{ M F	10 6	— —	4 3	6 1	— 1	— —	— —	— 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	4 1	— —	— —	1 —	— —	— —	3 1	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 6	— 1	— —	3 3	— 2	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	27 37	— 1	3 1	1 3	2 —	1 2	5 8	11 10	2 5	2 7
B18	Malignant neoplasm : (140-205) stomach (151)	{ M F	2698 2550	— —	— 1	8 12	8 9	16 13	151 189	1133 955	861 778	521 593
		{ M F	532 414	— —	— —	— —	— —	— —	22 19	211 119	198 153	101 123
		{ M F	825 149	— —	— —	— —	— —	1 —	43 20	493 56	226 45	62 28
		{ M F	4 466	— —	— —	— —	— —	— —	— 45	3 201	1 125	— 95
	uterus (171-174)	{ M F	260 —	— —	— —	— —	— —	— —	19 —	134 —	71 —	36 —
		{ M F	48 61	— —	— 1	4 5	7 5	4 4	5 10	15 19	10 14	3 3
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	1289 1200	— —	— —	4 7	1 4	11 9	81 76	411 426	426 370	355 308
		{ M F	51 59	— —	— —	— 2	5 2	1 1	9 6	19 28	10 15	7 5
B19	Benign and unspecified neoplasms	{ M F	51 59	— —	— —	— 2	5 2	1 1	9 6	19 28	10 15	7 5
B20	Diabetes mellitus	{ M F	57 119	— —	— —	1 —	1 —	— 1	2 3	25 25	14 51	14 39
B21	Anæmias	{ M F	30 92	— —	— —	— —	— —	— —	— —	6 21	11 23	13 48
B22	Vascular lesions affecting central nervous system	{ M F	1724 2380	— —	— 1	— —	2 1	3 4	36 35	382 434	609 824	692 1081
B23	Nonmeningococcal meningitis	{ M F	15 8	4 —	2 3	2 —	1 —	— —	— 1	4 4	2 —	— —
B24	Rheumatic fever	{ M F	5 6	— —	— —	— —	2 2	1 —	— 1	2 —	— 1	— —
B25	Chronic rheumatic heart disease	{ M F	231 382	— —	— —	— —	3 2	4 7	43 83	119 152	40 81	22 57



TABLE 19—continued.

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2151	—	—	—	—	1	72	900	746	432
		F	1216	—	—	—	—	1	14	283	508	410
		M	1630	—	—	—	—	1	5	235	469	920
		F	2553	—	—	—	2	1	7	169	636	1738
B27	Other diseases of heart	M	258	—	—	—	—	2	14	73	98	71
		F	279	—	—	—	1	1	10	66	88	113
B28	Hypertension with heart disease	M	290	—	—	—	—	—	5	85	98	102
		F	340	—	—	—	—	1	3	71	125	140
B29	Hypertension without mention of heart	M	203	—	—	—	—	2	5	70	71	55
		F	208	—	—	—	—	—	9	36	70	93
B46 (Pt.)	Other circulatory diseases (450-468)	M	434	—	—	—	—	—	10	62	130	232
		F	525	—	—	—	1	1	6	52	132	333
B30	Influenza	M	138	—	1	1	1	—	8	53	40	34
		F	169	—	1	2	—	—	5	30	46	85
B31	Pneumonia	M	539	—	52	14	8	1	18	119	187	140
		F	475	—	52	12	5	3	12	77	128	186
B32	Bronchitis	M	1580	2	13	6	1	1	20	543	563	431
		F	941	—	13	3	—	—	15	161	315	434
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	167	2	3	2	2	1	8	81	46	22
		F	84	—	2	4	1	1	7	19	17	33
B33	Ulcer of stomach and duodenum	M	214	—	—	—	—	—	22	95	60	37
		F	64	—	—	—	—	—	5	20	19	20
B34	Appendicitis	M	33	—	—	1	2	1	6	13	7	3
		F	14	—	—	—	1	1	—	4	7	1
B35	Intestinal obstruction and hernia	M	88	3	4	1	2	2	2	30	21	23
		F	92	5	1	—	—	1	2	20	30	33
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	47	—	14	1	—	—	4	11	7	10
		F	58	—	8	1	1	1	6	11	14	16
B37	Cirrhosis of liver	M	43	—	—	—	—	1	4	22	14	2
		F	35	—	—	—	—	1	—	17	14	3
B38	Nephritis and nephrosis	M	130	—	—	—	—	5	21	52	26	26
		F	144	—	—	—	1	4	17	56	35	31
B39	Hyperplasia of prostate	M	196	—	—	—	—	—	—	18	62	116
B40	Complications of pregnancy, childbirth & puerperium	F	34	—	—	—	—	6	25	3	—	—
B41	Congenital malformations	M	119	51	31	11	6	2	7	7	—	4
		F	115	51	27	11	6	1	9	6	1	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	180	177	3	—	—	—	—	—	—	—
		F	107	104	3	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
		M	32	31	1	—	—	—	—	—	—	—
		F	25	24	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	149	145	4	—	—	—	—	—	—	—
		F	98	97	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	148	—	2	1	—	—	—	—	7	138
		F	292	1	4	1	—	1	1	—	9	275
B46 (Rem.)	All other diseases (Remainder 001-795)	M	479	4	12	16	9	17	43	170	116	92
		F	682	4	17	8	12	10	64	191	198	178
BE47	Motor vehicle accidents	M	161	—	—	10	14	25	47	36	12	17
		F	77	—	—	9	6	3	11	14	16	18
BE48	All other accidents	M	304	11	15	15	22	22	57	75	53	34
		F	238	5	13	10	7	4	12	29	42	116
BE49	Suicide and self-inflicted injury	M	194	—	—	—	—	10	42	90	34	18
		F	95	—	—	—	—	2	19	50	17	7
BE50	Homicide and operations of war	M	13	2	1	1	1	—	4	4	—	—
		F	7	1	—	—	3	—	1	2	—	—
BN47	Fractures, head injuries and internal injuries	M	314	—	—	11	17	43	75	85	41	42
		F	215	1	2	12	6	3	17	28	41	105
BN48	Burns	M	13	—	—	3	1	2	3	—	3	1
		F	25	—	—	2	3	—	—	8	4	8
BN49	Effects of poisons	M	150	—	1	3	2	5	33	70	25	11
		F	103	—	—	3	3	4	23	40	20	10
BN50	All other injuries	M	195	13	15	9	17	7	39	50	30	15
		F	74	5	11	2	4	2	3	19	10	18

"Delayed" maternal deaths  
(see page 190)

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Merseyside Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
1-	5-	15-				25-	45-	65-				
	ALL CAUSES	{ M F	7623 6985	300 253	166 152	95 57	63 46	78 83	439 394	2280 1366	2113 1799	2089 2835
B1	Tuberculosis of respiratory system	{ M F	246 136	1 —	1 —	— —	— 1	9 21	55 67	126 31	44 12	10 4
B2	Tuberculosis, other forms	{ M F	23 12	— —	1 —	7 3	— 2	4 1	5 2	3 2	3 1	— 1
B3	Syphilis and its sequelæ	{ M F	28 15	— —	— —	— —	— —	— 1	4 1	14 3	9 7	1 3
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	3 1	— —	— —	1 —	— —	— —	— —	— —	1 1	1 —
B7	Scarlet fever and streptococcal sore throat	{ M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	3 3	— —	— —	2 1	1 1	— —	— 1	1 —	— —	— —
B9	Whooping cough	{ M F	3 8	— —	1 6	2 2	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	8 4	— —	5 2	3 1	— —	— —	— —	— —	— 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	4 4	— —	— —	2 2	— —	— 1	2 1	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 3	— —	1 2	1 1	— —	— —	— —	1 —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	22 27	— —	1 2	2 1	3 3	4 1	6 7	5 6	— 3	1 4
B18	Malignant neoplasm : (140-205)	{ M F	1445 1279	— —	1 1	10 5	11 4	6 9	78 106	612 466	476 377	251 311
	stomach (151)	{ M F	240 229	— —	— —	— —	— —	1 —	7 8	95 50	90 91	47 80
	trachea, bronchus and lung (162, 163)	{ M F	514 102	— —	— —	— —	— —	1 —	24 10	295 44	154 27	40 21
	breast (170)	{ M F	2 215	— —	— —	— —	— —	— —	1 28	— 88	— 58	1 41
	uterus (171-174)	{ M F	107	—	—	—	—	—	13	55	24	15
	Leukæmia and alukæmia (204)	{ M F	33 34	— —	— —	6 4	4 3	2 2	4 10	6 6	7 9	4 —
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	656 592	— —	1 1	4 1	7 1	2 7	42 37	216 223	225 168	159 154
	Benign and unspecified neoplasms	{ M F	23 19	1 —	— —	1 —	1 1	— —	1 2	10 12	9 3	— 1
	Diabetes mellitus	{ M F	27 49	— —	— —	— —	— —	1 —	3 2	9 10	6 20	8 17
	Anæmias	{ M F	12 28	— —	1 —	— —	2 —	— —	— —	3 7	6 5	3 13
B22	Vascular lesions affecting central nervous system	{ M F	737 961	— —	— 1	— —	1 —	1 2	19 19	174 183	254 285	288 471
B23	Nonmeningococcal meningitis	{ M F	8 10	3 1	3 2	1 2	— —	— —	1 —	— 3	— 1	— 1
B24	Rheumatic fever	{ M F	4 5	— —	— —	— —	1 3	1 1	— 1	2 —	— —	— —
B25	Chronic rheumatic heart disease	{ M F	74 201	— —	— —	— —	— 1	4 6	24 56	32 85	7 26	7 27



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Merseyside Conurbation—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years			
								25-	45-	65-	75 & over	
B26	{ Arteriosclerotic heart dis. incl. coronary dis. (420)	{ M	1163	—	—	—	—	1	40	482	416	224
		{ F	628	—	—	—	—	6	136	270	216	
		{ M	828	—	—	—	—	4	79	211	534	
		{ F	1031	—	—	—	—	1	5	40	215	770
B27	Other diseases of heart	{ M	126	—	—	1	—	3	5	30	46	41
B28	{ Hypertension with heart disease	{ F	155	—	—	—	1	—	4	21	56	73
		{ M	186	—	—	—	—	2	45	60	79	
B29	{ Hypertension without mention of heart	{ F	239	—	—	—	—	—	3	37	90	109
		{ M	96	—	—	—	—	1	5	31	22	37
B46 (Pt.)	{ Other circulatory diseases (450-468)	{ F	101	—	—	—	—	1	6	24	30	40
		{ M	108	—	—	1	—	1	7	21	27	51
B30	{ Influenza	{ F	152	—	—	—	—	—	5	13	40	94
		{ M	23	—	1	—	—	—	—	8	7	7
B31	{ Pneumonia	{ F	38	—	—	—	—	—	3	2	10	22
		{ M	362	—	63	13	—	1	14	70	98	103
B32	{ Bronchitis	{ F	377	—	51	11	1	2	5	38	93	176
		{ M	570	1	21	2	—	—	13	208	183	142
B46 (Pt.)	{ Other diseases of respiratory system (470-475, 510-527)	{ F	286	2	19	3	1	2	4	41	78	136
		{ M	100	—	3	1	1	1	11	34	28	21
B33	{ Ulcer of stomach and duodenum	{ F	43	1	1	1	—	1	5	12	6	16
		{ M	127	—	—	—	—	—	12	53	35	27
B34	{ Appendicitis	{ F	42	—	—	—	—	—	1	8	18	15
		{ M	15	—	—	2	—	—	2	4	4	3
B35	{ Intestinal obstruction and hernia	{ F	7	—	—	1	2	—	—	2	1	1
		{ M	39	3	4	1	—	—	2	7	9	13
B36	{ Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{ F	39	1	1	—	—	—	1	5	18	13
		{ M	46	—	23	3	—	—	—	6	8	6
B37	{ Cirrhosis of liver	{ F	47	—	16	1	—	3	2	6	5	14
		{ M	15	—	—	—	—	—	4	6	3	2
B38	{ Nephritis and nephrosis	{ F	17	—	—	—	1	—	1	10	3	2
		{ M	81	—	—	2	1	3	15	25	15	20
B39	{ Hyperplasia of prostate	{ F	87	—	—	—	1	9	16	21	14	26
		{ M	102	—	—	—	—	—	—	5	33	64
B40	Complications of pregnancy, childbirth & puerperium	F	12	—	—	—	—	2	10	—	—	—
B41	{ Congenital malformations	{ F	89	35	23	7	4	3	8	3	4	2
		{ M	99	52	30	5	1	1	4	3	1	2
B42	{ Birth injuries, postnatal asphyxia & atelectasis	{ F	121	120	1	—	—	—	—	—	—	—
		{ M	91	91	—	—	—	—	—	—	—	—
B43	{ Diarrhoea of newborn (764)	{ F	—	—	—	—	—	—	—	—	—	—
		{ M	—	—	—	—	—	—	—	—	—	—
		{ F	38	38	—	—	—	—	—	—	—	—
		{ M	22	21	1	—	—	—	—	—	—	—
B44	{ Other infections of newborn (763, 765-768)	{ F	93	91	2	—	—	—	—	—	—	—
		{ M	85	82	3	—	—	—	—	—	—	—
B45	{ Senility without mention of psychosis, ill-defined and unknown causes	{ F	63	—	—	2	—	—	1	1	4	55
		{ M	95	—	—	1	—	—	—	1	4	89
B46 (Rem.)	{ All other diseases (Remainder 001-795)	{ F	186	1	5	5	7	3	20	62	48	35
		{ M	288	—	6	4	9	10	29	82	67	81
BE47	{ Motor vehicle accidents	{ F	99	—	—	12	19	11	17	25	5	10
		{ M	41	—	—	6	5	2	4	10	6	8
BE48	{ All other accidents	{ F	192	5	6	11	13	15	36	50	21	35
		{ M	145	2	6	6	5	3	4	20	23	76
BE49	Suicide and self-inflicted injury	{ M	78	—	—	—	—	4	23	33	11	7
BE50	{ Homicide and operations of war	{ F	48	—	—	—	—	3	10	24	8	3
		{ M	3	1	—	—	—	1	—	—	—	1
BN47	{ Fractures, head injuries and internal injuries	{ F	4	—	1	—	—	—	1	1	1	—
		{ M	211	—	1	13	23	21	45	54	21	33
BN48	{ Burns	{ F	128	—	1	8	4	3	7	19	19	67
		{ M	8	—	—	2	—	—	1	3	—	2
BN49	{ Effects of poisons	{ F	10	—	—	2	1	—	—	2	5	—
		{ M	76	—	—	4	1	3	18	30	9	11
BN50	{ All other injuries	{ F	70	—	—	—	2	5	12	25	10	16
		{ M	77	6	5	4	8	7	12	21	7	7
	{	{ F	30	2	6	2	3	—	—	9	4	4
		{ M	—	—	—	—	—	—	—	—	—	—

TABLE 19—continued.

Abbrevi- ated List No.	Causes of Death		North Midland Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	19378 17378	567 422	323 209	128 113	145 96	239 120	1027 723	4696 3320	5511 4379	6742 7996
B1	Tuberculosis of respiratory system	{ M F	418 193	— —	1 —	1 —	1 —	16 21	109 78	194 61	77 23	19 10
B2	Tuberculosis, other forms	{ M F	46 37	— —	1 4	10 4	2 3	5 5	7 7	18 7	3 6	— 1
B3	Syphilis and its sequelæ	{ M F	77 28	— —	— —	— —	— —	— 1	3 3	37 12	24 7	13 5
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	1 4	— —	— —	— 1	— 1	— 1	— —	1 1	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	10 14	— 1	8 9	2 4	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	16 8	— —	6 1	5 6	3 —	— —	1 —	1 —	— 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	9 13	— —	1 —	— 1	3 5	4 2	1 4	— 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	10 1	— —	2 —	4 1	1 —	— —	— —	1 —	2 —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	43 59	2 —	7 3	2 4	1 4	1 1	17 8	7 19	2 11	4 9
B18	Malignant neoplasm : (140-205)	{ M F	3146 2864	— —	— 4	11 10	20 9	25 14	190 201	1152 1050	1014 812	734 764
	stomach (151)	{ M F	577 401	— —	— —	— —	— —	— —	31 14	215 125	180 107	151 155
	trachea, bronchus and lung (162, 163)	{ M F	743 129	— —	— —	— —	— —	2 1	36 13	413 57	238 37	54 21
	breast (170)	{ M F	6 578	— —	— —	— —	— —	— —	— 57	4 243	2 159	— 119
	uterus (171-174)	{ M F	259	—	—	—	—	1	28	127	66	37
	Leukæmia and aleukæmia (204)	{ M F	91 78	— —	— 2	7 4	8 5	3 1	18 13	24 18	20 27	11 8
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	1729 1419	— —	— 2	4 6	12 4	20 11	105 76	496 480	574 416	518 424
	Benign and unspecified neoplasms	{ M F	56 44	1 —	1 1	1 1	1 4	4 1	7 3	24 20	10 5	7 9
	Diabetes mellitus	{ M F	81 134	— —	— —	— —	1 —	— 4	2 10	23 33	25 44	30 43
	Anæmias	{ M F	42 65	— —	— —	— 1	1 2	— —	2 5	11 13	13 24	15 20
B22	Vascular lesions affecting central nervous system	{ M F	2305 2955	— —	— 3	— 1	— 1	4 5	40 36	410 533	763 891	1088 1485
B23	Nonmeningococcal meningitis	{ M F	20 13	3 2	4 6	2 —	— —	— —	1 1	6 3	4 1	— —
B24	Rheumatic fever	{ M F	5 6	— —	— —	— —	2 3	— —	— 1	1 1	2 —	— 1
B25	Chronic rheumatic heart disease	{ M F	239 354	— —	— —	— —	3 1	5 4	64 66	75 142	55 80	37 61



TABLE 19—continued.

Abbreviated List No.	Causes of Death	North Midland Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	2669	—	—	—	1	63	882	966	757
		{ F	1519	—	—	—	—	12	267	578	662
		{ M	2390	—	1	—	1	13	210	620	1544
		{ F	2939	—	—	1	—	10	162	580	2186
B27	Other diseases of heart	{ M	298	—	1	—	2	19	69	93	114
		{ F	320	1	—	—	—	7	54	89	169
B28	Hypertension with heart disease	{ M	459	—	—	1	—	7	81	182	188
		{ F	464	—	—	—	—	5	73	177	209
B29	Hypertension without mention of heart	{ M	270	—	—	—	1	8	84	76	101
		{ F	284	—	—	—	—	4	54	91	135
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	544	1	1	—	1	10	61	145	325
		{ F	524	—	—	—	1	8	54	89	372
B30	Influenza	{ M	219	—	5	—	2	8	40	69	93
		{ F	247	—	4	—	1	6	30	46	159
B31	Pneumonia	{ M	799	—	111	20	10	8	23	156	192
		{ F	659	—	55	22	6	4	19	83	319
B32	Bronchitis	{ M	1409	6	23	6	2	—	14	341	534
		{ F	673	2	14	3	1	1	12	98	163
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	214	2	3	6	2	2	11	79	62
		{ F	110	2	5	1	3	1	10	18	23
B33	Ulcer of stomach and duodenum	{ M	238	—	—	—	—	—	15	90	70
		{ F	86	—	—	—	—	—	3	21	31
B34	Appendicitis	{ M	48	—	—	6	3	1	9	12	9
		{ F	24	—	—	1	4	1	2	4	3
B35	Intestinal obstruction and hernia	{ M	124	11	4	2	1	1	3	27	33
		{ F	101	2	2	—	1	—	6	27	25
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	68	—	21	4	—	1	7	16	13
		{ F	88	—	12	4	—	5	8	18	16
B37	Cirrhosis of liver	{ M	47	—	1	1	1	—	5	23	12
		{ F	46	—	—	—	1	—	5	21	13
B38	Nephritis and nephrosis	{ M	196	—	2	2	3	5	36	70	42
		{ F	195	—	2	—	4	6	21	55	52
B39	Hyperplasia of prostate	M	320	—	—	—	—	—	19	90	211
B40	Complications of pregnancy, childbirth & puerperium	F	41	—	—	—	—	12	29	—	—
B41	Congenital malformations	{ M	180	77	50	7	9	5	13	12	3
		{ F	175	82	40	15	7	4	8	15	3
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	201	195	6	—	—	—	—	—	—
		{ F	129	125	4	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	3	3	—	—	—	—	—	—	—
		{ F	1	1	—	—	—	—	—	—	—
		{ M	31	30	1	—	—	—	—	—	—
		{ F	24	24	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	227	219	8	—	—	—	—	—	—
		{ F	188	175	12	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	237	—	2	—	1	—	3	3	16
		{ F	428	—	—	—	1	1	—	3	30
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	637	6	30	13	14	20	67	181	160
		{ F	769	3	12	11	12	12	71	220	217
BE47	Motor vehicle accidents	{ M	284	—	—	11	35	64	73	64	21
		{ F	80	—	—	8	14	4	9	19	10
BE48	All other accidents	{ M	474	10	22	12	21	56	111	102	53
		{ F	345	2	16	11	6	5	16	61	68
BE49	Suicide and self-inflicted injury	{ M	251	—	—	—	—	3	60	110	50
		{ F	122	—	—	—	—	3	29	66	18
BE50	Homicide and operations of war	{ M	17	1	—	—	—	1	5	3	6
		{ F	5	—	—	2	1	—	1	1	—
BN47	Fractures, head injuries and internal injuries	{ M	556	1	—	14	36	89	150	138	56
		{ F	289	—	—	10	17	6	14	50	47
BN48	Burns	{ M	20	—	2	2	—	4	3	4	1
		{ F	26	—	—	3	2	1	1	5	5
BN49	Effects of poisons	{ M	157	—	—	1	—	2	37	64	32
		{ F	118	—	—	1	—	3	24	60	18
BN50	All other injuries	{ M	293	10	20	6	20	29	59	73	41
		{ F	119	2	16	7	2	2	15	32	27

"Delayed" maternal deaths  
(see page 190)

5

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Midland Region									
			Age									75 & over
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M F	24398 22286	771 602	359 282	186 158	178 126	280 177	1317 1126	6791 4338	6761 5553	7755 9924
B1	Tuberculosis of respiratory system	{ M F	630 269	— —	1 3	3 3	1 3	16 31	131 117	350 79	108 25	20 8
B2	Tuberculosis, other forms	{ M F	62 41	— —	2 2	11 11	6 3	7 7	17 7	14 5	4 3	1 3
B3	Syphilis and its sequelæ	{ M F	89 37	1 —	1 —	— —	— —	1 —	6 4	39 15	27 9	14 9
B4	Typhoid fever	{ M F	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	2 1	1 —	— 1	— —	— —	— —	— —	— —	1 —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	3 5	— —	— —	1 —	— 1	— —	— 2	1 1	— —	1 1
B8	Diphtheria	{ M F	5 4	— —	— —	3 3	2 1	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	18 20	— 1	12 13	6 5	— —	— —	— 1	— —	— —	— —
B10	Meningococcal infections	{ M F	17 16	— —	8 9	4 6	3 1	— —	1 —	1 —	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	19 8	— —	— —	3 —	4 —	6 3	4 5	1 —	1 —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	23 21	— —	7 4	14 11	2 6	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	53 50	1 —	7 7	3 4	2 1	3 3	4 12	19 12	9 5	5 6
B18	Malignant neoplasm : (140-205)	{ M F	4348 3820	— —	2 1	16 16	24 17	31 9	248 277	1760 1443	1347 1021	920 1036
	stomach (151)	{ M F	747 560	— —	— —	— —	— —	— 1	35 24	311 149	246 166	155 220
	trachea, bronchus and lung (162, 163)	{ M F	1275 190	— —	— —	— —	— —	3 —	74 15	764 92	344 52	90 31
	breast (170)	{ M F	8 767	— —	— —	— —	— —	— —	— 71	3 338	4 170	1 188
	uterus (171-174)	{ M F	357	—	—	—	—	—	39	169	93	56
	Leukæmia and aleukæmia (204)	{ M F	102 87	— —	— —	8 8	14 7	8 2	16 12	31 33	15 21	10 4
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M F	2216 1859	— —	2 1	8 8	10 10	20 6	123 116	651 662	738 519	664 537
B19	Benign and unspecified neoplasms	{ M F	84 100	1 —	1 1	2 4	1 7	5 4	26 21	27 38	14 10	7 15
B20	Diabetes mellitus	{ M F	107 230	— —	— —	1 —	— —	— 3	12 13	28 50	30 76	36 88
B21	Anæmias	{ M F	58 99	— —	1 1	— 3	— —	— 1	1 4	14 25	23 33	19 32
B22	Vascular lesions affecting central nervous system	{ M F	2647 3591	— —	2 1	1 1	1 —	5 7	51 58	560 630	881 1081	1146 1813
B23	Nonmeningococcal meningitis	{ M F	19 23	2 3	8 7	2 —	1 2	1 1	1 5	1 2	— 1	3 2
B24	Rheumatic fever	{ M F	20 27	— —	— —	1 —	6 12	3 4	5 8	2 3	3 —	— —
B25	Chronic rheumatic heart disease	{ M F	306 538	— —	— —	— —	2 3	6 12	67 122	130 218	69 104	32 79



TABLE 19—continued.

Abbreviated List No.	Causes Of Death		Midland Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	3281	—	—	—	—	—	107	1162	1131	881
		{ F	1803	—	—	—	—	—	15	323	717	748
		{ M	2750	—	—	—	—	1	15	258	695	1781
		{ F	3627	—	—	—	—	—	16	210	713	2688
B27	Other diseases of heart	{ M	363	—	1	—	—	4	20	90	113	135
		{ F	383	—	—	—	—	—	15	80	124	164
B28	Hypertension with heart disease	{ M	497	—	—	—	—	—	8	119	188	182
		{ F	578	—	—	—	—	—	9	113	180	276
B29	Hypertension without mention of heart	{ M	380	—	—	—	—	—	17	108	122	133
		{ F	291	—	—	—	—	—	8	58	96	129
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	534	—	—	—	1	2	13	59	164	295
		{ F	601	—	—	—	—	1	14	79	136	371
B30	Influenza	{ M	297	—	3	3	1	2	18	104	74	92
		{ F	355	1	5	2	1	2	18	55	88	183
B31	Pneumonia	{ M	945	—	109	21	12	9	33	198	252	311
		{ F	897	—	88	22	11	10	33	131	213	389
B32	Bronchitis	{ M	1946	1	29	4	—	1	30	610	715	556
		{ F	999	2	10	2	2	2	22	143	260	556
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	334	—	5	6	4	6	29	143	78	63
		{ F	144	1	5	2	4	4	13	31	27	57
B33	Ulcer of stomach and duodenum	{ M	392	—	—	1	—	—	27	176	111	77
		{ F	139	—	—	—	—	1	10	41	40	47
B34	Appendicitis	{ M	59	—	—	2	9	3	5	25	8	7
		{ F	41	—	—	3	2	6	5	11	9	5
B35	Intestinal obstruction and hernia	{ M	142	9	5	3	—	—	9	38	34	44
		{ F	136	2	4	1	—	—	6	26	45	52
B36	Gastritis, enteritis and diarrhoea except	{ M	99	1	29	3	2	2	10	19	16	17
	diarrhoea of newborn	{ F	114	—	21	—	1	2	12	18	27	33
B37	Cirrhosis of liver	{ M	82	—	1	—	—	1	11	44	18	7
		{ F	52	—	2	1	—	1	5	19	14	10
B38	Nephritis and nephrosis	{ M	280	—	2	2	3	20	39	94	53	67
		{ F	261	—	—	3	7	17	34	71	67	62
B39	Hyperplasia of prostate	M	324	—	—	—	—	—	—	24	87	213
B40	Complications of pregnancy, childbirth & puerperium	F	51	—	—	—	—	8	43	—	—	—
B41	Congenital malformations	{ M	228	110	56	13	10	6	14	12	3	4
		{ F	200	100	48	11	7	5	7	14	6	2
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	325	322	3	—	—	—	—	—	—	—
		{ F	213	213	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	7	7	—	—	—	—	—	—	—	—
		{ F	3	3	—	—	—	—	—	—	—	—
		{ M	72	72	—	—	—	—	—	—	—	—
		{ F	52	51	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	231	228	3	—	—	—	—	—	—	—
		{ F	222	215	7	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	402	1	—	—	—	—	4	4	39	354
		{ F	590	1	—	—	—	—	1	2	35	551
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	729	4	33	21	12	25	73	238	172	151
		{ F	889	3	22	12	15	12	97	252	241	235
BE47	Motor vehicle accidents	{ M	363	—	1	13	28	63	109	77	38	34
		{ F	111	—	—	13	13	10	17	22	20	16
BE48	All other accidents	{ M	506	10	26	23	40	38	86	108	63	112
		{ F	437	6	19	18	5	4	23	35	83	244
BE49	Suicide and self-inflicted injury	{ M	308	—	—	—	—	13	64	127	69	35
		{ F	188	—	—	—	1	5	44	81	43	14
BE50	Homicide and operations of war	{ M	11	—	1	—	1	—	2	7	—	—
		{ F	8	—	—	1	—	2	2	2	1	—
BN47	Fractures, head injuries and internal injuries	{ M	659	—	3	15	40	83	172	155	80	111
		{ F	389	—	—	17	14	13	29	31	72	213
BN48	Burns	{ M	26	—	1	4	2	—	3	4	1	11
		{ F	36	—	—	6	1	—	2	5	7	15
BN49	Effects of poisons	{ M	205	—	1	1	—	10	43	83	41	26
		{ F	159	—	1	2	1	2	35	63	34	21
BN50	All other injuries	{ M	298	10	23	16	27	21	43	77	48	33
		{ F	160	6	18	7	3	6	20	41	34	25
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	3	—	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		West Midland Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	Years				
							15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M 12183 F 10810	372 289	201 156	95 83	97 55	143 89	677 589	3648 2142	3364 2782	3586 4625	
B1	Tuberculosis of respiratory system	{ M 365 F 150	— —	1 1	1 1	1 2	9 22	78 63	211 47	55 10	9 4	
B2	Tuberculosis, other forms	{ M 38 F 14	— —	1 1	7 3	5 1	7 2	9 2	7 2	2 1	— 2	
B3	Syphilis and its sequelæ	{ M 44 F 16	— —	1 —	— —	— —	— —	3 2	19 4	15 4	6 6	
B4	Typhoid fever	{ M 1 F 1	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B7	Scarlet fever and streptococcal sore throat	{ M 3 F 1	— —	— —	1 —	— —	— —	— —	1 1	— —	1 —	
B8	Diphtheria	{ M 4 F 4	— —	— —	3 3	1 1	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M 10 F 13	— —	8 8	2 4	— —	— —	— 1	— —	— —	— —	
B10	Meningococcal infections	{ M 12 F 11	— —	7 8	2 3	2 —	— —	— —	1 —	— —	— —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 6 F 3	— —	— —	2 —	1 —	1 1	1 2	— —	1 —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 18 F 11	— —	6 2	10 7	2 2	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 28 F 25	— —	4 6	2 1	1 —	2 2	2 5	12 5	3 3	2 3	
B18	Malignant neoplasm : (140-205) stomach (151)	{ M 2227 F 1886	— —	1 —	8 8	11 8	15 4	137 158	962 718	663 497	430 493	
		{ M 377 F 273	— —	— —	— —	— —	— 1	18 15	174 77	111 86	74 94	
		{ M 725 F 105	— —	— —	— —	— —	2 —	44 9	433 50	192 24	54 22	
		{ M 5 F 384	— —	— —	— —	— —	— —	— 45	2 174	3 85	— 80	
	trachea, bronchus and lung (162, 163) breast (170)	{ M 725 F 105	— —	— —	— —	— —	2 —	44 9	433 50	192 24	54 22	
		{ M 5 F 384	— —	— —	— —	— —	— —	— 45	2 174	3 85	— 80	
		{ M 384 F 170	— —	— —	— —	— —	— —	45 16	174 81	85 45	80 28	
		{ M 48 F 46	— —	— —	6 3	7 2	4 1	9 8	14 20	6 10	2 2	
	Leukæmia and aleukæmia (204) Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 1072 F 908	— —	1 —	2 5	4 6	9 2	66 65	339 316	351 247	300 267	
		{ M 40 F 52	— —	— —	1 2	— 4	3 2	13 8	15 22	3 7	5 7	
	B19	Benign and unspecified neoplasms	{ M 40 F 52	— —	— —	1 2	— 4	3 2	13 8	15 22	3 7	5 7
	B20	Diabetes mellitus	{ M 64 F 102	— —	1 —	— —	— —	— 1	8 5	22 25	17 37	16 34
B21	Anæmias	{ M 19 F 50	— —	— 1	— 3	— —	— 1	— 2	3 12	7 17	9 14	
B22	Vascular lesions affecting central nervous system	{ M 1223 F 1688	— —	— —	— —	— —	2 4	25 26	283 300	425 531	488 827	
B23	Nonmeningococcal meningitis	{ M 11 F 12	1 —	5 3	1 —	1 1	— —	— 4	1 2	— 1	2 1	
B24	Rheumatic fever	{ M 10 F 15	— —	— —	1 —	3 6	2 2	3 6	1 1	— —	— —	
B25	Chronic rheumatic heart disease	{ M 149 F 282	— —	— —	— —	1 2	3 8	33 68	64 104	34 62	14 38	



TABLE 19—continued.

Abbreviated List No.	Causes Of Death	West Midland Conurbation—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1594	—	—	—	—	48	591	519	436
		F	846	—	—	—	—	6	146	352	342
		M	1181	—	—	—	1	7	138	321	714
		F	1625	—	—	—	—	8	101	344	1172
B27	Other diseases of heart	M	171	—	—	—	1	8	46	56	60
		F	208	—	—	—	—	9	42	65	92
B28	Hypertension with heart disease	M	272	—	—	—	—	6	74	89	103
		F	333	—	—	—	—	5	64	99	165
B29	Hypertension without mention of heart	M	235	—	—	—	—	9	64	75	87
		F	160	—	—	—	—	4	35	53	68
B46 (Pt.)	Other circulatory diseases (450-468)	M	235	—	—	1	1	8	29	81	115
		F	244	—	—	—	—	4	37	58	145
B30	Influenza	M	173	—	2	1	1	2	12	63	48
		F	190	1	3	2	1	10	30	48	94
B31	Pneumonia	M	516	—	56	8	6	2	19	121	137
		F	461	—	53	13	6	1	15	64	115
B32	Bronchitis	M	1128	—	16	2	—	1	17	377	419
		F	533	2	5	2	1	14	79	155	274
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	150	—	1	3	3	4	15	65	31
		F	75	—	2	1	1	5	20	16	29
B33	Ulcer of stomach and duodenum	M	222	—	—	—	—	16	100	69	37
		F	81	—	—	—	—	8	23	21	29
B34	Appendicitis	M	26	—	—	2	6	2	3	10	1
		F	22	—	—	2	—	5	3	6	3
B35	Intestinal obstruction and hernia	M	58	1	5	1	—	3	15	15	18
		F	62	1	2	1	—	1	13	24	20
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	60	1	20	2	2	8	8	8	9
		F	58	—	10	—	1	5	10	13	19
B37	Cirrhosis of liver	M	39	—	—	—	—	1	8	18	8
		F	24	—	2	1	—	1	2	6	7
B38	Nephritis and nephrosis	M	147	—	1	2	2	13	25	50	29
		F	116	—	—	—	3	9	15	36	30
B39	Hyperplasia of prostate	M	141	—	—	—	—	—	15	41	85
B40	Complications of pregnancy, childbirth & puerperium	F	24	—	—	—	—	3	21	—	—
B41	Congenital malformations	M	119	60	29	5	6	4	11	2	1
		F	103	50	27	6	2	2	3	10	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	159	159	—	—	—	—	—	—	—
		F	104	104	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—
		M	31	31	—	—	—	—	—	—	—
		F	25	24	1	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	108	108	—	—	—	—	—	—	—
		F	102	100	2	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	230	—	—	—	—	2	2	28	198
		F	313	1	—	—	—	1	1	22	288
B46 (Rem.)	All other diseases (Remainder 001-795)	M	371	3	19	10	8	14	32	119	85
		F	422	2	13	6	6	6	48	108	117
BE47	Motor vehicle accidents	M	147	—	1	6	13	29	35	30	17
		F	52	—	—	6	6	6	8	10	10
BE48	All other accidents	M	230	5	16	12	20	15	38	44	32
		F	192	3	6	8	—	1	13	21	40
BE49	Suicide and self-inflicted injury	M	160	—	—	—	—	7	35	60	32
		F	96	—	—	—	1	2	29	39	18
BE50	Homicide and operations of war	M	5	—	—	—	—	—	—	5	—
		F	2	—	—	—	—	1	1	—	—
BN47	Fractures, head injuries and internal injuries	M	271	—	2	7	15	34	63	64	37
		F	173	—	—	8	6	7	12	17	34
BN48	Burns	M	14	—	1	3	1	—	3	2	—
		F	16	—	—	3	—	—	1	2	2
BN49	Effects of poisons	M	124	—	1	1	—	4	27	49	24
		F	92	—	—	1	1	2	26	35	15
BN50	All other injuries	M	133	5	13	7	17	13	15	24	20
		F	61	3	6	2	—	1	10	14	17

TABLE 19—continued.

Abb a revi- Listed t No.	Causes of Death		Eastern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	18251 17586	454 333	226 153	131 94	125 83	207 93	795 656	4162 2939	5034 4292	7117 8943
B1	Tuberculosis of respiratory system	{ M F	265 133	— —	2 —	— 1	1 1	5 5	54 50	132 39	54 24	17 13
B2	Tuberculosis, other forms	{ M F	28 23	— —	— —	7 4	2 4	2 1	5 3	8 9	2 1	2 1
B3	Syphilis and its sequelæ	{ M F	79 29	1 —	— —	— —	— —	— 1	2 —	35 8	25 9	16 11
B4	Typhoid fever	{ M F	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1
B7	Scarlet fever and streptococcal sore throat	{ M F	4 2	— —	— —	1 —	— —	— —	1 —	2 1	— —	— 1
B8	Diphtheria	{ M F	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B9	Whooping cough	{ M F	4 7	— —	4 6	— 1	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	10 8	— —	3 4	2 1	3 1	1 —	1 1	— —	— —	— 1
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	21 11	— —	— —	3 1	3 6	2 —	13 4	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	10 4	— —	2 —	4 4	3 —	1 —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	41 37	1 —	2 3	2 2	3 2	2 —	3 7	15 9	7 5	6 9
B18	Malignant neoplasm : (140-205) stomach (151)	{ M F	3217 2964	— 1	3 3	10 14	14 15	15 13	154 198	1106 995	991 837	924 888
		{ M F	511 392	— —	— —	— —	— —	— 1	20 8	160 96	172 120	159 167
		{ M F	815 150	— —	— —	— —	— —	— 1	42 12	453 56	224 50	96 31
		{ M F	3 597	— —	— —	— —	— —	— —	1 49	1 262	— 151	1 135
	trachea, bronchus and lung (162, 163) breast (170)	{ M F	597 250	— —	— —	— —	— —	— —	49 30	262 101	151 61	135 58
		{ M F	85 66	— —	2 2	5 6	7 3	5 2	12 11	29 20	18 15	7 7
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1803 1509	— 1	1 1	5 8	7 12	10 9	79 88	463 460	577 440	661 490
		{ M F	63 69	— 2	1 —	— —	5 —	2 3	7 9	35 30	4 15	9 10
B19	Benign and unspecified neoplasms	{ M F	63 69	— 2	1 —	— —	5 —	2 3	7 9	35 30	4 15	9 10
B20	Diabetes mellitus	{ M F	91 152	— —	— —	— 4	1 1	— 2	2 1	17 20	34 57	37 67
B21	Anæmias	{ M F	45 58	— —	— —	— —	— —	— —	2 2	4 8	15 25	24 23
B22	Vascular lesions affecting central nervous system	{ M F	2069 2901	— —	1 —	2 —	— 1	3 4	40 40	343 415	672 817	1008 1624
B23	Nonmeningococcal meningitis	{ M F	13 15	— 2	6 2	3 1	— 1	— —	1 1	1 5	2 1	— 2
B24	Rheumatic fever	{ M F	8 15	— —	1 —	— —	4 7	1 —	1 3	— 1	1 3	— 1
B25	Chronic rheumatic heart disease	{ M F	198 324	— —	— —	— —	— —	1 1	33 37	68 113	48 87	48 86



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Eastern Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2694	—	—	—	—	—	47	790	996	861
		F	1762	—	—	—	—	—	7	286	567	902
		M	2205	—	—	—	—	2	5	128	502	1568
		F	2975	—	—	—	—	—	6	124	545	2300
B27	Other diseases of heart	M	284	—	—	—	—	2	11	53	91	127
		F	328	—	—	—	—	2	2	45	96	183
B28	Hypertension with heart disease	M	327	—	—	—	—	—	3	65	102	157
		F	390	—	—	—	—	1	4	62	117	206
B29	Hypertension without mention of heart	M	298	—	—	—	—	—	11	78	76	133
		F	342	—	—	—	—	1	6	44	101	190
B46 (Pt.)	Other circulatory diseases (450-468)	M	511	—	—	—	1	1	8	63	128	310
		F	543	—	—	—	1	—	8	50	116	368
B30	Influenza	M	239	—	1	6	4	2	7	44	76	99
		F	268	—	1	1	1	1	6	27	55	176
B31	Pneumonia	M	826	—	64	16	8	3	20	150	212	353
		F	842	—	45	9	5	4	21	94	173	491
B32	Bronchitis	M	1055	2	10	3	2	3	11	251	351	422
		F	600	2	6	5	1	—	7	55	147	377
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	188	2	4	1	1	1	7	70	57	45
		F	122	—	—	2	3	—	8	24	28	57
B33	Ulcer of stomach and duodenum	M	260	—	—	—	—	—	9	95	86	70
		F	85	1	—	—	—	—	2	20	23	39
B34	Appendicitis	M	46	—	—	4	3	1	3	13	13	9
		F	33	—	—	1	3	3	8	6	6	6
B35	Intestinal obstruction and hernia	M	112	5	2	1	1	—	1	22	36	44
		F	98	2	1	—	—	—	4	24	24	43
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	76	—	30	4	1	—	4	18	10	9
		F	98	—	20	1	—	2	15	11	22	27
B37	Cirrhosis of liver	M	43	—	—	—	1	—	7	19	11	5
		F	21	—	—	—	—	—	2	9	9	1
B38	Nephritis and nephrosis	M	156	—	2	1	—	5	29	48	25	46
		F	155	—	—	—	1	4	18	52	37	43
B39	Hyperplasia of prostate	M	359	—	—	—	—	—	—	24	107	228
B40	Complications of pregnancy, childbirth & puerperium	F	31	—	—	—	—	7	23	1	—	—
B41	Congenital malformations	M	154	66	35	16	5	5	11	9	4	3
		F	132	60	32	12	5	1	6	10	3	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	155	151	4	—	—	—	—	—	—	—
		F	98	97	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	41	40	1	—	—	—	—	—	—	—
		F	23	22	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	183	179	4	—	—	—	—	—	—	—
		F	136	135	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	237	—	2	—	—	1	—	—	10	224
		F	390	—	2	1	—	—	2	1	20	364
B46 (Rem.)	All other diseases (Remainder 001-795)	M	629	4	21	15	8	13	58	188	156	166
		F	719	2	13	10	4	11	71	190	197	221
BE47	Motor vehicle accidents	M	280	—	—	7	17	64	75	63	26	28
		F	69	—	—	3	5	9	9	24	11	8
BE48	All other accidents	M	486	2	20	23	34	57	91	98	67	94
		F	437	5	12	16	14	15	42	59	85	189
BE49	Suicide and self-inflicted injury	M	231	—	—	—	—	12	57	104	33	25
		F	127	—	—	—	—	2	21	65	29	10
BE50	Homicide and operations of war	M	9	—	1	—	—	—	1	3	4	—
		F	5	—	—	—	1	—	2	1	—	1
BN47	Fractures, head injuries and internal injuries	M	492	—	—	7	24	86	115	117	64	79
		F	259	—	—	3	9	12	16	36	38	145
BN48	Burns	M	32	—	—	4	3	2	5	4	5	9
		F	25	—	—	2	1	1	2	6	7	6
BN4	Effects of poisons	M	111	—	1	2	—	4	23	59	9	13
		F	109	—	—	2	—	4	17	51	20	15
BN5	All other injuries	M	371	2	20	17	24	41	81	88	52	46
		F	245	5	12	12	10	9	39	56	60	42
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	3	—	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		London and South Eastern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	61910 61474	1351 972	620 534	364 296	388 258	540 312	2873 2398	16784 10938	17931 14916	21059 30850
B1	Tuberculosis of respiratory system	{ M F	1314 553	— —	3 4	3 5	1 4	15 32	264 218	618 161	324 85	86 44
B2	Tuberculosis, other forms	{ M F	106 106	— —	4 5	8 11	11 9	7 11	27 18	34 27	10 7	5 18
B3	Syphilis and its sequelæ	{ M F	279 147	— —	— —	— —	— —	— —	6 8	108 33	113 54	52 52
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	7 7	— —	2 —	— —	1 —	— —	1 1	1 3	1 2	1 1
B7	Scarlet fever and streptococcal sore throat	{ M F	3 6	— —	— —	— 1	— —	— 1	— 2	2 —	1 2	— —
B8	Diphtheria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B9	Whooping cough	{ M F	20 23	— —	12 18	8 5	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	33 24	— 1	9 7	16 8	1 3	2 1	3 —	1 2	— 2	1 —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	58 34	1 —	— —	2 3	24 11	7 6	21 10	2 4	1 —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	32 14	— —	5 2	17 7	9 5	1 —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	113 120	— 3	3 7	8 8	6 6	5 6	21 21	40 29	23 15	7 25
B18	Malignant neoplasm : (140-205)	{ M F	12088 11306	— 2	8 7	42 28	71 42	72 42	652 752	4707 4014	3846 3181	2690 3238
	stomach (151)	{ M F	1780 1425	— —	— —	— —	— —	1 —	81 48	662 355	627 449	409 573
	trachea, bronchus and lung (162, 163)	{ M F	3870 727	— —	— —	— —	— —	3 —	183 43	2083 294	1226 235	375 155
	breast (170)	{ M F	16 2300	— —	— —	— —	— —	— —	1 239	7 1004	3 583	5 474
	uterus (171-174)	{ M F	964 —	— —	— —	1 —	— —	— —	68 424	424 267	267 204	204 —
	Leukæmia and aleukæmia (204)	{ M F	305 276	— 1	3 1	23 11	30 17	17 7	45 37	93 89	54 67	40 46
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	6117 5614	— 1	5 6	19 16	41 25	51 35	342 317	1862 1848	1936 1580	1861 1786
B19	Benign and unspecified neoplasms	{ M F	204 262	— —	4 2	6 3	6 6	6 2	20 40	92 117	42 46	28 46
B20	Diabetes mellitus	{ M F	230 495	— —	— —	1 —	2 2	6 2	9 11	53 84	74 195	85 201
B21	Anæmias	{ M F	113 191	— —	1 —	2 1	1 1	2 3	3 8	21 26	33 47	50 105
B22	Vascular lesions affecting central nervous system	{ M F	5839 9068	1 —	— —	— 1	2 2	14 7	110 125	1165 1405	1813 2476	2734 5052
B23	Nonmeningococcal meningitis	{ M F	52 40	3 5	8 11	7 4	5 —	— —	2 1	18 7	5 6	4 6
B24	Rheumatic fever	{ M F	26 32	— —	— —	2 —	4 9	2 6	7 5	6 4	2 4	3 4
B25	Chronic rheumatic heart disease	{ M F	882 1406	— —	— —	— —	4 3	17 13	147 182	341 544	224 335	149 329



TABLE 19—continued.

Abbreviated List No.	Causes of Death		London and South Eastern Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	9658	1	—	—	—	2	255	3397	3404	2599
		{ F	5939	1	—	—	1	—	34	896	2103	2904
		{ M	5810	—	2	2	3	1	28	395	1333	4046
		{ F	9414	—	—	—	1	1	13	312	1464	7623
B27	Other diseases of heart	{ M	827	1	—	3	3	7	32	180	260	34
		{ F	922	1	1	—	1	1	23	138	236	521
B28	Hypertension with heart disease	{ M	1278	—	—	—	—	—	5	255	465	553
		{ F	1622	—	—	—	—	1	8	184	485	944
B29	Hypertension without mention of heart	{ M	1188	—	—	—	—	—	38	335	349	466
		{ F	1319	—	—	—	—	3	23	205	391	697
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	1600	—	2	—	1	2	32	242	451	870
		{ F	1930	—	—	—	3	6	37	182	420	1282
B30	Influenza	{ M	880	1	10	2	3	4	33	201	251	375
		{ F	1190	1	6	2	5	2	43	157	266	708
B31	Pneumonia	{ M	3049	—	184	44	20	13	61	569	813	1345
		{ F	3101	—	153	52	14	6	58	308	695	1815
B32	Bronchitis	{ M	5504	1	40	15	4	1	64	1497	1944	1938
		{ F	3387	3	40	14	3	4	39	377	816	2091
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	689	3	5	11	7	8	36	271	204	144
		{ F	348	1	6	7	10	5	26	65	87	141
B33	Ulcer of stomach and duodenum	{ M	1067	—	—	—	—	1	50	380	372	264
		{ F	428	—	—	1	—	1	9	83	126	208
B34	Appendicitis	{ M	134	—	—	9	10	9	20	34	30	22
		{ F	86	—	—	3	8	4	7	17	12	35
B35	Intestinal obstruction and hernia	{ M	389	17	12	8	2	1	15	86	125	123
		{ F	424	14	4	4	1	1	18	84	116	182
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	256	—	91	9	1	2	15	49	41	48
		{ F	367	—	62	8	4	6	24	49	88	126
B37	Cirrhosis of liver	{ M	147	—	1	—	3	1	16	68	39	19
		{ F	117	—	—	—	—	—	7	52	35	23
B38	Nephritis and nephrosis	{ M	593	—	5	2	7	18	87	202	148	124
		{ F	533	—	2	3	8	10	63	161	132	154
B39	Hyperplasia of prostate	M	930	—	—	—	—	—	—	70	258	602
B40	Complications of pregnancy, childbirth & puerperium	F	127	—	—	—	—	17	106	4	—	—
B41	Congenital malformations	{ M	505	199	118	35	20	20	40	53	14	6
		{ F	476	169	112	36	16	11	45	58	20	9
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	521	517	4	—	—	—	—	—	—	—
		{ F	337	333	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	6	6	—	—	—	—	—	—	—	—
		{ F	3	3	—	—	—	—	—	—	—	—
		{ M	114	113	1	—	—	—	—	—	—	—
		{ F	68	68	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	461	450	11	—	—	—	—	—	—	—
		{ F	341	336	4	—	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	372	—	—	—	—	—	2	10	22	338
		{ F	763	3	—	1	—	—	3	3	24	729
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	2002	15	43	45	32	43	177	568	534	545
		{ F	2583	9	39	29	33	44	223	711	647	848
BE47	Motor vehicle accidents	{ M	663	—	1	13	55	116	165	135	86	92
		{ F	259	—	1	17	22	28	23	59	42	67
BE48	All other accidents	{ M	1083	18	30	43	65	92	219	250	130	236
		{ F	1047	15	37	30	22	10	49	131	169	584
BE49	Suicide and self-inflicted injury	{ M	743	—	—	—	—	33	179	321	143	67
		{ F	481	—	—	—	1	15	110	232	85	38
BE50	Homicide and operations of war	{ M	41	4	1	1	4	10	11	6	3	1
		{ F	27	4	—	4	1	3	5	10	—	—
BN47	Fractures, head injuries and internal injuries	{ M	1267	2	6	27	69	158	282	287	173	263
		{ F	921	2	1	25	25	31	35	116	144	542
BN48	Burns	{ M	40	—	—	4	2	2	10	4	4	14
		{ F	90	—	4	8	4	1	4	11	14	44
BN49	Effects of poisons	{ M	615	—	1	8	4	25	149	262	102	64
		{ F	552	—	1	4	5	17	104	233	108	80
BN50	All other injuries	{ M	608	20	25	18	49	66	133	159	83	55
		{ F	251	17	32	14	12	7	44	72	30	23
“Delayed” maternal deaths (see page 190)			7	—	—	—	—	—	5	2	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Greater London									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M 45682 F 43982	1032 745	469 399	275 197	286 185	381 233	2257 1842	13250 8258	13218 10785	14514 21338	
B1	Tuberculosis of respiratory system	{ M 1056 F 438	—	2 4	2 2	1 3	9 25	203 177	511 125	259 66	69 36	
B2	Tuberculosis, other forms	{ M 75 F 81	—	3 5	6 8	4 8	4 7	22 15	25 19	7 4	4 15	
B3	Syphilis and its sequelæ	{ M 213 F 114	—	—	—	—	—	3 6	83 24	90 39	37 45	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 6 F 5	—	2	—	1	—	1	—	1	1	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 4	—	—	—	—	—	—	—	1	—	
B8	Diphtheria	{ M 1 F —	—	—	—	—	—	—	1	—	—	
B9	Whooping cough	{ M 17 F 18	—	9 14	8 4	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 30 F 17	—	8 5	15 6	1 2	2 1	2	1	1	1	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 41 F 20	1	—	2	16 6	6 3	15 7	—	1	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 21 F 5	—	4 1	11 3	6 1	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F 1	—	—	—	—	1	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 83 F 82	—	2 3	4 3	3 5	4 5	18 11	29 20	18 14	5 19	
B18	Malignant neoplasm : (140-205) stomach (151)	{ M 9242 F 8378	—	4 5	30 19	59 32	57 27	533 584	3727 3072	2923 2343	1909 2295	
		{ M 1359 F 1089	—	—	—	—	1	69 36	533 282	461 347	295 424	
		{ M 3113 F 577	—	—	—	—	3	161 35	1674 242	982 186	293 114	
		{ M 12 F 1685	—	—	—	—	—	1 178	6 756	2 427	3 324	
	trachea, bronchus and lung (162, 163)	{ M — F —	—	—	—	—	—	—	—	—	—	
		{ M — F —	—	—	—	—	—	—	—	—	—	
	breast (170)	{ M — F —	—	—	—	—	—	—	—	—	—	
		{ M — F —	—	—	—	—	—	—	—	—	—	
	uterus (171-174)	{ M — F —	—	—	1	—	—	53	329	191	134	
		{ M — F —	—	—	—	—	—	—	—	—	—	
	Leukæmia and aleukæmia (204)	{ M 225 F 208	—	1 1	16 9	27 11	13 6	34 28	73 73	35 52	26 28	
		{ M 4533 F 4111	—	3 5	14 9	32 21	40 21	268 254	1441 1390	1443 1140	1292 1271	
B19	Benign and unspecified neoplasms	{ M 162 F 196	—	3 1	6 2	6 5	4 2	18 28	71 87	33 35	21 36	
B20	Diabetes mellitus	{ M 177 F 355	—	—	1	1	6 1	8 9	41 60	60 139	60 145	
B21	Anæmias	{ M 68 F 131	—	1	2 1	— 1	2 3	2 6	10 20	17 31	34 69	
B22	Vascular lesions affecting central nervous system	{ M 4017 F 6125	1	—	—	1	12 7	88 98	867 1000	1247 1684	1801 3334	
B23	Nonmeningococcal meningitis	{ M 42 F 33	2 4	8 8	6 3	4 —	—	2 1	13 5	3 6	4 6	
B24	Rheumatic fever	{ M 18 F 20	—	—	2	2	2	6	4	1	1	
B25	Chronic rheumatic heart disease	{ M 698 F 1132	—	—	—	—	4 2	16 11	123 153	285 452	172 250	98 264



TABLE 19—continued.

Abbreviated L st No.	Causes of Death	Greater London—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	7314	1	—	—	—	2	206	2735	2527	1843
		F	4325	1	—	—	—	—	26	671	1580	2047
		M	3556	—	1	1	2	1	21	260	807	2463
		F	6028	—	—	—	1	1	9	208	917	4892
B27	Other diseases of heart	M	592	—	—	1	2	6	20	136	179	244
		F	623	1	1	—	1	1	17	105	158	339
B28	Hypertension with heart disease	M	969	—	—	—	—	—	3	203	340	423
		F	1206	—	—	—	—	1	7	128	344	726
B29	Hypertension without mention of heart	M	903	—	—	—	—	—	29	247	274	353
		F	1038	—	—	—	—	3	17	167	303	548
B46 (Pt.)	Other circulatory diseases (450-468)	M	1122	—	2	—	1	2	22	187	309	599
		F	1405	—	—	—	2	5	25	135	320	918
B30	Influenza	M	554	1	3	2	3	1	24	143	149	228
		F	782	1	1	1	4	1	31	114	170	459
B31	Pneumonia	M	2354	—	150	33	17	8	40	472	643	991
		F	2352	—	111	38	10	3	35	230	558	1367
B32	Bronchitis	M	4546	1	32	11	3	—	52	1288	1626	1533
		F	2790	2	35	10	2	3	32	327	676	1703
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	541	1	3	6	6	4	30	217	164	110
		F	253	1	5	5	8	5	22	50	64	93
B33	Ulcer of stomach and duodenum	M	804	—	—	—	—	1	39	303	278	183
		F	337	—	—	1	—	1	7	68	93	167
B34	Appendicitis	M	94	—	—	7	5	7	16	22	23	14
		F	61	—	—	3	6	4	6	8	11	23
B35	Intestinal obstruction and hernia	M	283	13	11	6	2	—	13	58	87	93
		F	311	10	4	2	1	1	17	63	83	130
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	193	—	70	7	1	2	10	38	29	36
		F	281	—	54	6	2	4	16	41	66	92
B37	Cirrhosis of liver	M	103	—	1	—	2	1	12	45	27	15
		F	88	—	—	—	—	—	5	39	23	21
B38	Nephritis and nephrosis	M	421	—	5	1	6	9	69	163	93	75
		F	357	—	2	1	6	7	51	106	94	90
B39	Hyperplasia of prostate	M	645	—	—	—	—	—	—	55	196	394
B40	Complications of pregnancy, childbirth & puerperium	F	90	—	—	—	—	12	76	2	—	—
B41	Congenital malformations	M	380	152	86	30	18	13	32	36	9	4
		F	360	125	85	24	13	10	36	47	13	7
B42	Birth injuries, postnatal asphyxia & atelectasis	M	432	428	4	—	—	—	—	—	—	—
		F	281	277	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	89	88	1	—	—	—	—	—	—	—
		F	53	53	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	317	312	5	—	—	—	—	—	—	—
		F	240	236	3	—	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	215	—	—	—	—	—	2	8	16	189
		F	438	3	—	—	—	—	2	2	11	420
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1424	9	31	34	19	25	132	433	355	386
		F	1840	9	29	19	22	28	162	519	460	592
BE47	Motor vehicle accidents	M	471	—	1	9	40	81	122	91	54	73
		F	194	—	1	9	15	22	17	48	37	45
BE48	All other accidents	M	800	14	17	32	47	65	170	193	92	170
		F	699	13	18	20	15	9	39	98	123	364
BE49	Suicide and self-inflicted injury	M	558	—	—	—	—	22	138	246	106	46
		F	373	—	—	—	1	14	83	183	64	28
BE50	Homicide and operations of war	M	29	3	—	—	3	7	11	3	2	—
		F	20	3	—	3	1	3	4	6	—	—
BN47	Fractures, head injuries and internal injuries	M	898	2	5	19	48	113	207	195	111	198
		F	611	1	1	17	17	25	26	88	107	329
BN48	Burns	M	26	—	—	3	1	1	6	4	3	8
		F	73	—	4	5	3	1	4	8	13	35
BN49	Effects of poisons	M	484	—	—	7	3	20	124	205	81	44
		F	433	—	—	3	5	15	76	189	84	61
BN50	All other injuries	M	450	15	13	12	38	41	104	129	59	39
		F	169	15	14	7	7	7	37	50	20	12
"Delayed" maternal deaths (see page 190)			4	—	—	—	—	—	4	—	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Southern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	15499 14931	380 267	189 146	105 88	94 78	206 83	644 527	3642 2424	4450 3595	5789 7723
B1	Tuberculosis of respiratory system	{ M F	268 105	— —	— —	2 2	— —	8 6	55 45	115 30	68 14	20 8
B2	Tuberculosis, other forms	{ M F	23 19	— —	4 —	4 4	1 —	1 3	1 2	9 4	3 4	— 2
B3	Syphilis and its sequelæ	{ M F	63 17	— —	— —	— —	— —	— —	3 —	25 6	25 5	10 6
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 1	— —	— —	— —	1 —	— —	1 —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— 4	— —	— —	— 1	— —	— —	— 1	— 2	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	5 13	— —	3 8	2 5	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	11 8	— —	6 2	4 4	1 —	— —	— 1	— 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	15 20	— —	1 —	4 4	6 4	3 3	4 7	2 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	7 8	— —	1 2	6 —	— 6	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	2 —	— —	— —	— —	— —	— —	2 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	26 24	— —	2 1	— 1	— —	2 3	6 4	4 3	5 6	7 6
B18	Malignant neoplasm : (140-205)	{ M F	2787 2564	1 —	— 1	7 5	13 14	18 11	116 170	1028 876	903 732	701 755
	stomach (151)	{ M F	427 326	— —	— —	— —	— —	— —	15 11	144 63	152 104	116 148
	trachea, bronchus and lung (162, 163)	{ M F	711 129	— —	— —	— —	— —	— —	13 6	409 49	210 46	79 28
	breast (170)	{ M F	5 546	— —	— —	— —	— —	— —	— 50	3 231	1 143	1 122
	uterus (171-174)	{ M F	— 238	— —	— —	— —	— —	1 23	— 23	— 113	— 58	— 43
	Leukæmia and aleukæmia (204)	{ M F	92 74	1 —	— 1	5 3	6 8	4 3	13 6	32 20	17 21	14 12
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	1552 1251	— —	— —	2 2	7 6	14 7	75 74	440 400	523 360	491 402
	Benign and unspecified neoplasms	{ M F	48 52	1 —	— —	— —	1 —	1 1	7 4	17 26	12 11	9 10
	Diabetes mellitus	{ M F	68 115	— —	— —	1 —	— 2	— —	6 2	13 20	19 40	29 51
	B21	Anæmias	{ M F	30 62	— —	1 —	— —	— —	1 1	— 2	5 9	14 16
B22	Vascular lesions affecting central nervous system	{ M F	1706 2451	— —	2 —	1 —	— 1	2 1	30 19	316 323	564 691	791 1416
B23	Nonmeningococcal meningitis	{ M F	12 14	2 3	3 4	1 —	— —	1 —	— —	3 2	2 3	— 2
B24	Rheumatic fever	{ M F	9 4	— —	— —	— —	2 —	1 2	3 1	2 1	1 —	— —
B25	Chronic rheumatic heart disease	{ M F	161 302	— —	— —	— —	1 —	1 2	17 31	54 109	50 76	38 84



TABLE 19—continued.

Abbreviated List No.	Causes of Death	Southern Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years			
								25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 2421	—	—	—	—	—	55	716	862	788
		F 1466	—	—	—	—	—	4	220	516	726
		M 1843	—	—	—	1	—	10	126	432	1274
		F 2437	—	—	—	—	—	4	84	403	1946
B27	Other diseases of heart	M 212	1	1	—	—	4	13	43	61	89
		F 229	—	1	—	1	2	3	35	66	121
B28	Hypertension with heart disease	M 241	—	—	—	—	—	3	59	93	86
		F 362	—	—	—	—	1	1	53	121	186
B29	Hypertension without mention of heart	M 250	—	—	—	—	—	11	58	72	109
		F 238	—	—	—	—	1	11	37	57	132
B46 (Pt.)	Other circulatory diseases (450-468)	M 409	—	—	—	—	—	7	42	116	244
		F 463	—	—	—	—	2	3	38	85	335
B30	Influenza	M 242	1	1	1	2	4	8	48	70	107
		F 295	—	2	4	2	1	11	36	66	173
B31	Pneumonia	M 657	—	45	16	8	6	14	113	165	290
		F 745	—	38	16	6	6	19	67	153	440
B32	Bronchitis	M 925	1	10	5	3	—	6	233	323	344
		F 546	—	7	5	2	2	4	41	127	358
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 198	—	4	3	5	2	6	71	53	54
		F 82	—	—	1	4	1	8	13	16	39
B33	Ulcer of stomach and duodenum	M 268	—	—	1	—	3	7	87	82	88
		F 70	—	—	—	—	—	—	15	19	36
B34	Appendicitis	M 32	—	1	2	1	2	4	5	7	10
		F 29	—	—	1	2	1	2	6	7	10
B35	Intestinal obstruction and hernia	M 97	3	6	2	1	1	3	18	31	32
		F 84	1	1	—	—	—	4	17	25	36
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M 76	—	31	2	2	1	6	12	15	7
		F 104	—	14	3	1	—	7	24	25	30
B37	Cirrhosis of liver	M 46	1	—	—	—	—	3	19	12	11
		F 44	—	—	—	1	2	2	14	17	8
B38	Nephritis and nephrosis	M 152	—	—	1	4	4	19	43	34	47
		F 149	—	—	—	4	3	14	39	32	57
B39	Hyperplasia of prostate	M 288	—	—	—	—	—	—	14	75	199
B40	Complications of pregnancy, childbirth & puerperium	F 36	—	—	—	—	7	26	3	—	—
B41	Congenital malformations	M 124	49	33	7	6	1	12	9	4	3
		F 104	34	38	8	4	2	6	8	2	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M 142	141	1	—	—	—	—	—	—	—
		F 101	101	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M 2	2	—	—	—	—	—	—	—	—
		F 1	1	—	—	—	—	—	—	—	—
		M 32	32	—	—	—	—	—	—	—	—
		F 21	21	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M 148	142	6	—	—	—	—	—	—	—
		F 109	103	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 142	1	—	—	—	—	1	5	5	130
		F 297	—	—	—	—	—	2	1	9	285
B46 (Rem.)	All other diseases (Remainder 001-795)	M 547	2	14	9	10	16	43	146	154	153
		F 661	1	10	2	9	8	58	175	180	218
BE47	Motor vehicle accidents	M 256	—	—	10	12	70	65	51	28	20
		F 59	—	1	9	4	9	10	9	12	5
BE48	All other accidents	M 321	—	15	17	14	39	63	52	48	73
		F 299	2	8	11	9	—	8	24	40	197
BE49	Suicide and self-inflicted injury	M 178	—	—	—	—	13	34	75	40	16
		F 105	—	—	—	—	1	27	48	19	10
BE50	Homicide and operations of war	M 8	—	—	1	—	1	—	4	2	—
		F 12	—	—	2	1	1	4	4	—	—
BN47	Fractures, head injuries and internal injuries	M 427	—	2	11	17	93	94	81	57	72
		F 248	—	2	10	6	8	12	24	34	152
BN48	Burns	M 17	—	—	4	1	1	2	3	3	3
		F 19	—	—	2	3	—	1	2	2	9
BN49	Effects of poisons	M 123	—	—	2	2	5	26	47	25	16
		F 124	—	—	6	1	1	23	42	26	25
BN50	All other injuries	M 196	—	13	11	6	24	40	51	33	18
		F 84	2	7	4	4	2	13	17	9	26
	"Delayed" maternal deaths (see page 190)	4	—	—	—	—	—	2	2	—	—

TABLE 19—continue.

Abbreviated List No.	Causes of Death		South Western Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	18545 18427	431 330	215 154	100 93	121 109	218 115	815 621	4458 3036	5215 4349	6972 9620
B1	Tuberculosis of respiratory system	{ M F	344 162	— —	— —	— 2	2 1	9 16	77 52	168 52	75 22	13 17
B2	Tuberculosis, other forms	{ M F	28 39	— —	— 3	7 6	— 3	6 2	3 4	8 13	3 3	1 5
B3	Syphilis and its sequelæ	{ M F	54 28	— —	1 —	— —	— —	— —	6 9	23 9	16 10	8 9
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	7 2	— —	— —	1 —	1 1	— —	2 —	1 1	— —	2 —
B8	Diphtheria	{ M F	1 1	— —	— —	1 —	— —	— —	— —	1 1	— —	— —
B9	Whooping cough	{ M F	8 8	— —	3 6	4 2	1 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	9 6	— —	5 2	3 2	— —	— 1	— 1	— —	— —	1 —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	19 13	— —	— —	2 —	7 6	4 3	5 4	1 —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	8 8	— —	3 —	3 2	— 4	— 1	2 —	— 1	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	41 41	— —	3 1	4 2	2 —	1 2	7 9	14 7	4 6	6 14
B18	Malignant neoplasm : (140-205)	{ M F	3036 2991	— 1	1 1	12 9	18 22	16 15	140 190	1072 1002	1008 852	769 899
	stomach (151)	{ M F	546 436	— —	— —	— —	— —	— 1	10 12	178 97	204 132	154 194
	trachea, bronchus and lung (162, 163)	{ M F	710 132	— —	— —	— —	— —	— —	35 9	395 66	218 37	62 20
	breast (170)	{ M F	7 568	— —	— —	— —	— —	1 43	1 234	4 154	1 154	1 136
	uterus (171-174)	{ M F	291	—	—	—	—	1	26	137	74	53
	Leukæmia and aleukæmia (204)	{ M F	73 84	— —	1 —	8 4	6 9	3 4	10 16	25 17	12 24	8 10
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1700 1480	— 1	— 1	4 5	12 13	13 8	84 84	470 451	573 431	544 486
	Benign and unspecified neoplasms	{ M F	53 63	— 1	— —	— 1	2 5	1 1	9 20	20 23	11 7	10 5
	Diabetes mellitus	{ M F	97 159	— —	1 —	— —	— 1	2 1	3 7	22 32	33 60	36 58
	Anæmias	{ M F	43 68	— —	— —	1 —	— —	— —	— 6	10 13	8 22	24 27
B22	Vascular lesions affecting central nervous system	{ M F	2125 3045	— —	2 —	1 —	2 1	3 2	35 37	390 462	669 806	1023 1737
B23	Nonmeningococcal meningitis	{ M F	7 13	— 1	1 4	1 2	— 1	1 —	— 1	4 2	— —	— 2
B24	Rheumatic fever	{ M F	10 10	— —	— —	1 —	2 5	— 1	2 4	1 —	3 —	1 —
B25	Chronic rheumatic heart disease	{ M F	234 316	— —	— —	— —	1 3	— 2	29 31	94 101	62 93	45 86



TABLE 19—continued.

Abbreviated List No.	Causes of Death		South Western Region—continued.									
			Age									75 & over
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2665	—	—	—	—	—	49	849	968	799
		F	1639	—	—	—	—	—	3	254	580	802
		M	2664	—	—	—	—	1	16	202	665	1780
		F	3687	—	—	—	1	1	5	193	603	2884
B27	Other diseases of heart	M	241	—	—	—	—	2	9	47	82	101
		F	301	—	—	—	1	—	10	44	88	158
B28	Hypertension with heart disease	M	421	—	—	—	—	—	8	113	168	132
		F	457	—	—	—	—	—	6	82	132	237
B29	Hypertension without mention of heart	M	262	—	—	—	—	1	6	73	78	104
		F	274	—	—	—	—	1	4	54	82	133
B46 (Pt.)	Other circulatory diseases (450-468)	M	568	—	—	—	—	—	15	75	147	331
		F	640	—	1	—	1	2	7	55	130	444
B30	Influenza	M	266	—	3	—	2	1	13	63	65	119
		F	368	—	2	1	1	2	9	51	86	216
B31	Pneumonia	M	749	—	82	11	4	8	24	148	168	304
		F	718	—	49	17	10	5	17	92	135	393
B32	Bronchitis	M	937	—	3	3	1	2	13	236	303	376
		F	590	—	1	6	2	—	6	57	128	390
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	261	—	2	2	4	1	18	114	83	37
		F	113	1	—	2	5	—	6	27	29	43
B33	Ulcer of stomach and duodenum	M	267	—	—	—	—	1	16	109	77	64
		F	106	—	—	—	—	—	5	22	36	43
B34	Appendicitis	M	31	—	—	1	2	4	6	9	3	6
		F	24	—	1	—	2	1	2	7	4	7
B35	Intestinal obstruction and hernia	M	112	6	6	2	—	—	7	22	29	40
		F	110	5	2	—	—	—	2	23	40	38
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	75	—	14	2	2	3	3	19	11	21
		F	100	—	13	4	—	1	5	19	24	34
B37	Cirrhosis of liver	M	46	—	—	—	—	—	6	22	12	6
		F	23	—	—	—	—	—	5	7	8	3
B38	Nephritis and nephrosis	M	253	—	1	1	2	8	28	66	67	80
		F	195	—	—	2	2	2	17	41	63	68
B39	Hyperplasia of prostate	M	375	—	—	—	—	—	—	26	100	249
B40	Complications of pregnancy, childbirth & puerperium	F	36	—	—	—	—	14	20	2	—	—
B41	Congenital malformations	M	140	52	44	4	8	4	8	11	5	4
		F	152	61	40	9	7	3	11	12	8	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	189	185	4	—	—	—	—	—	—	—
		F	117	116	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	36	36	—	—	—	—	—	—	—	—
		F	28	28	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	148	146	2	—	—	—	—	—	—	—
		F	110	107	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	231	—	1	1	—	—	—	1	17	211
		F	406	1	—	2	—	—	—	5	11	387
B46 (Rem.)	All other diseases (Remainder 001-795)	M	627	2	17	6	15	12	57	190	174	154
		F	756	2	13	6	8	15	60	179	192	281
BE47	Motor vehicle accidents	M	238	—	1	10	17	65	56	51	19	19
		F	67	—	—	3	6	11	6	17	12	12
BE48	All other accidents	M	388	1	14	15	25	50	81	80	41	81
		F	312	5	10	11	10	8	12	25	53	178
BE49	Suicide and self-inflicted injury	M	212	—	—	—	1	9	49	99	39	15
		F	116	—	—	—	—	1	37	47	22	9
BE50	Homicide and operations of war	M	16	—	1	1	—	—	7	5	2	—
		F	8	1	1	2	—	1	—	1	2	—
BN47	Fractures, head injuries and internal injuries	M	459	1	2	14	22	87	104	108	45	76
		F	259	—	—	4	10	15	11	27	38	154
BN48	Burns	M	22	—	—	1	2	3	7	—	4	5
		F	28	—	2	3	1	1	—	2	8	11
BN49	Effects of poisons	M	136	—	—	5	2	7	24	63	17	18
		F	123	—	—	5	—	1	26	42	27	22
BN50	All other injuries	M	237	—	14	6	17	27	58	64	35	16
		F	93	6	9	4	5	4	18	19	16	12
"Delayed" maternal deaths (see page 190)			2	—	—	—	—	—	1	1	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M F	12234 9721	353 241	207 156	101 72	70 69	149 87	611 518	3555 2104	3492 2535	3696 3939
B1	Tuberculosis of respiratory system	{ M F	315 138	— —	2 1	— 1	2 2	9 15	67 63	164 33	58 16	13 7
B2	Tuberculosis, other forms	{ M F	25 38	— —	— 2	7 12	4 4	1 2	1 7	7 9	4 2	1 —
B3	Syphilis and its sequelæ	{ M F	49 10	— —	— —	— —	— —	— —	1 —	25 6	19 —	4 4
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	1 3	— —	— 2	1 —	— —	— 1	— —	— —	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	6 7	— 1	3 3	3 3	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	9 9	— —	6 5	1 4	1 —	— —	— —	1 —	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	5 2	— —	— —	1 1	— —	— —	2 1	1 —	1 —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	10 8	— —	2 3	6 3	2 1	— —	— 1	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	28 14	2 —	1 1	2 —	4 1	— —	6 5	8 3	3 1	2 3
B18	Malignant neoplasm : (140-205)	{ M F	2008 1637	— —	— 1	10 5	9 10	12 6	90 127	820 622	611 484	456 382
	stomach (151)	{ M F	419 301	— —	— —	— —	— —	— —	14 12	175 84	143 113	87 92
	trachea, bronchus and lung (162, 163)	{ M F	538 56	— —	— —	— —	— —	— —	21 5	317 24	155 18	45 9
	breast (170)	{ M F	3 304	— —	— —	— —	— —	— —	— 31	1 152	1 70	1 51
	uterus (171-174)	{ M F	182	—	—	—	—	—	21 85	152 42	70 42	51 34
	Leukæmia and aleukæmia (204)	{ M F	45 28	— —	— —	5 2	3 5	2 —	5 12	20 7	9 7	1 2
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1003 766	— —	— 1	5 3	6 5	10 6	50 58	307 265	303 234	322 194
B19	Benign and unspecified neoplasms	{ M F	43 47	— —	— —	2 —	2 1	1 3	3 10	21 27	10 3	4 3
B20	Diabetes mellitus	{ M F	45 105	— —	— —	— —	— 1	3 4	1 3	10 26	17 49	14 22
B21	Anæmias	{ M F	25 60	— —	— —	— —	1 1	1 —	— 1	4 14	8 23	11 21
B22	Vascular lesions affecting central nervous system	{ M F	1328 1580	— —	1 —	— 1	— 3	3 3	21 22	287 332	435 516	581 703
B23	Nonmeningococcal meningitis	{ M F	13 9	— 1	5 1	4 1	— 2	— 1	— 1	1 1	3 1	— —
B24	Rheumatic fever	{ M F	14 11	— —	— —	— 1	1 4	5 4	4 2	3 —	1 —	— —
B25	Chronic rheumatic heart disease	{ M F	151 287	— —	— —	— —	2 —	9 7	28 73	72 125	27 46	13 36



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1856	—	—	—	—	—	70	698	676	412
		F	867	—	—	—	—	—	5	211	340	311
		M	1315	—	—	—	—	—	10	130	377	798
		F	1568	—	—	—	—	—	5	115	355	1093
B27	Other diseases of heart	M	138	—	2	—	2	1	9	29	41	54
		F	130	—	1	1	—	1	4	26	35	62
B28	Hypertension with heart disease	M	199	—	—	—	—	—	3	55	91	50
		F	206	—	—	—	—	—	3	43	82	78
B29	Hypertension without mention of heart	M	203	—	—	—	—	1	11	56	73	62
		F	176	—	—	—	—	—	6	42	52	76
B46 (Pt.)	Other circulatory diseases (450-468)	M	314	—	—	—	—	—	9	40	83	182
		F	300	—	—	—	—	1	4	29	62	204
B30	Influenza	M	94	—	1	2	—	1	2	28	25	35
		F	93	—	—	—	—	2	9	13	23	46
B31	Pneumonia	M	348	—	60	14	2	1	5	74	79	113
		F	237	—	42	12	3	1	6	43	37	93
B32	Bronchitis	M	968	2	10	5	2	1	11	319	334	284
		F	381	1	4	3	—	—	5	57	113	198
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	408	—	—	—	1	3	13	200	141	50
		F	62	—	4	3	2	—	9	11	9	24
B33	Ulcer of stomach and duodenum	M	148	—	—	—	—	—	17	72	45	14
		F	44	1	—	—	—	—	3	13	14	13
B34	Appendicitis	M	16	—	—	2	2	1	1	7	1	2
		F	18	—	—	—	5	1	1	5	4	2
B35	Intestinal obstruction and hernia	M	58	3	6	—	—	—	2	18	13	16
		F	54	1	2	—	—	1	2	10	18	20
B36	Gastritis, enteritis, and diarrhoea except	M	69	—	29	4	—	4	3	10	9	10
	diarrhoea of newborn	F	57	1	22	—	—	1	4	9	9	11
B37	Cirrhosis of liver	M	25	—	1	—	—	—	3	8	7	6
		F	25	—	—	—	—	1	1	14	6	3
B38	Nephritis and nephrosis	M	157	—	—	1	2	8	25	50	35	36
		F	145	—	1	—	1	5	16	56	31	35
B39	Hyperplasia of prostate	M	207	—	—	—	—	—	—	20	60	127
B40	Complications of pregnancy, childbirth & puerperium	F	25	—	—	—	—	2	23	—	—	—
B41	Congenital malformations	M	95	37	30	5	4	6	4	7	1	1
		F	92	39	30	3	4	5	6	3	1	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	113	111	2	—	—	—	—	—	—	—
		F	67	64	3	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
		M	36	35	1	—	—	—	—	—	—	—
		F	24	23	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	152	148	4	—	—	—	—	—	—	
		F	101	99	2	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	207	1	1	—	—	—	—	2	21	182
		F	289	—	2	1	—	—	1	—	21	264
B46 (Rem.)	All other diseases (Remainder 001-795)	M	429	3	15	12	4	10	46	125	108	106
		F	536	3	16	6	4	12	70	152	143	130
BE47	Motor vehicle accidents	M	150	—	—	11	9	28	45	27	16	14
		F	45	—	—	3	13	4	2	10	7	6
BE48	All other accidents	M	361	5	25	8	14	37	80	117	38	37
		F	163	3	7	8	7	2	5	22	25	84
BE49	Suicide and self-inflicted injury	M	85	—	—	—	—	3	16	39	21	6
		F	47	—	—	—	—	2	12	22	7	4
BE50	Homicide and operations of war	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	338	—	2	10	13	43	100	91	40	39
		F	143	—	1	7	14	4	3	18	20	76
BN48	Burns	M	17	—	1	3	—	1	3	8	—	1
		F	21	—	1	2	4	—	1	2	4	7
BN49	Effects of poisons	M	45	—	—	—	—	3	11	21	7	3
		F	46	—	—	—	—	1	8	25	8	4
BN50	All other injuries	M	197	5	22	6	10	21	28	63	28	14
		F	45	3	5	2	2	3	7	9	7	7

"Delayed" maternal deaths  
(see page 190)

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales II									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 4883 F 4554		144 81	61 56	28 31	31 16	66 32	205 168	1222 797	1344 1152	1782 2221
B1	Tuberculosis of respiratory system	{ M 132 F 47		—	—	—	—	1 3	18 17	67 16	33 8	13 2
B2	Tuberculosis, other forms	{ M 11 F 14		—	—	1 4	1 —	1 3	4 1	3 2	1 3	— 1
B3	Syphilis and its sequelæ	{ M 11 F 2		—	—	—	—	—	1 —	7 —	1 2	2 —
B4	Typhoid fever	{ M — F —		—	—	—	—	—	—	—	—	—
B5	Cholera	{ M — F —		—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M — F —		—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 1		—	1 —	— 1	—	—	—	—	—	—
B8	Diphtheria	{ M — F —		—	—	—	—	—	—	—	—	—
B9	Whooping cough	{ M 2 F 2		—	2 2	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M 2 F 4		—	1 —	1 1	—	— 1	—	—	— 1	— 1
B11	Plague	{ M — F —		—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M 4 F 4		—	—	— 1	2 1	—	— 2	— 2	—	—
B13	Smallpox	{ M — F —		—	—	—	—	—	—	—	—	—
B14	Measles	{ M 4 F 1		—	1 —	2 —	1 1	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M — F —		—	—	—	—	—	—	—	—	—
B16	Malaria	{ M — F —		—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M 15 F 13		1 —	1 —	— 2	— 1	2 —	3 1	4 3	2 4	2 2
B18	Malignant neoplasm : (140-205) stomach (151)	{ M 814 F 743		—	—	3 2	2 —	10 2	37 44	305 255	257 235	200 205
		{ M 218 F 143		—	—	—	—	—	10 3	78 28	86 54	44 58
		{ M 138 F 32		—	—	—	—	—	4 —	80 10	39 13	15 9
		{ M 4 F 131		—	—	—	—	—	1 16	2 53	1 39	— 23
	trachea, bronchus and lung (162, 163) breast (170)	{ M 131 F 56		—	—	—	—	—	— 7	— 31	— 9	— 9
		{ M 25 F 13		—	—	1 —	—	2 1	4 3	13 8	4 —	1 1
	Leukæmia and aleukæmia (204) Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 429 F 368		—	—	2 2	2 —	8 1	18 15	132 125	127 120	140 105
		{ M 14 F 13		—	1 —	— 1	1 —	— 1	1 3	8 5	2 —	1 3
	Benign and unspecified neoplasms	{ M 18 F 40		—	—	—	—	—	—	4 9	10 17	4 12
		{ M 8 F 25		—	—	—	—	—	— 1	— 6	2 5	6 13
B22	Vascular lesions affecting central nervous system	{ M 646 F 889		—	—	—	—	—	7 —	108 140	220 284	311 457
B23	Nonmeningococcal meningitis	{ M 5 F 3		2 —	1 3	—	—	1 —	7 1	—	—	—
B24	Rheumatic fever	{ M 2 F 1		—	—	—	1 —	—	1 —	—	—	—
B25	Chronic rheumatic heart disease	{ M 48 F 84		—	—	—	—	1 1	8 14	23 20	9 23	7 26



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales II—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	724	—	—	—	—	—	18	268	235	203
		F	374	—	—	—	—	—	2	77	139	156
	Degenerative heart disease (421, 422)	M	569	—	—	—	—	—	6	46	151	366
		F	779	—	—	—	—	—	4	48	142	585
B27	Other diseases of heart	M	68	—	—	—	—	6	—	13	20	29
B28	Hypertension with heart disease	M	113	—	—	—	1	1	2	18	16	42
		F	119	—	—	—	—	—	2	27	40	44
B29	Hypertension without mention of heart	M	82	—	—	—	—	—	7	19	23	33
		F	80	—	—	—	—	—	2	18	18	42
B46 (Pt.)	Other circulatory diseases (450-468)	M	138	1	—	—	—	—	1	24	28	84
		F	144	—	—	—	—	—	2	10	30	102
B30	Influenza	M	43	—	—	2	2	1	1	9	13	15
B31	Pneumonia	M	33	—	—	—	—	—	—	6	7	19
		F	114	—	16	5	2	2	1	21	24	43
B32	Bronchitis	M	112	—	18	3	3	3	3	10	20	52
		F	231	—	2	1	—	—	3	55	81	89
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	119	—	2	1	—	—	3	17	25	71
		F	65	1	—	1	—	—	4	19	26	14
B33	Ulcer of stomach and duodenum	M	31	—	1	—	—	1	—	6	8	15
		F	48	—	—	—	—	1	1	26	12	8
B34	Appendicitis	M	14	—	—	—	—	—	1	3	4	6
		F	10	—	—	—	2	1	2	2	2	1
B35	Intestinal obstruction and hernia	M	8	—	—	—	1	1	1	1	2	2
		F	36	2	2	—	1	—	2	8	7	14
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	30	—	1	—	—	—	2	5	11	11
		F	17	—	4	1	1	—	1	4	4	2
B37	Cirrhosis of liver	M	26	—	3	1	—	—	1	4	3	14
		F	14	—	—	—	—	—	4	3	5	2
B38	Nephritis and nephrosis	M	13	—	—	—	—	—	—	2	8	3
		F	80	—	—	—	—	2	6	15	27	30
B39	Hyperplasia of prostate	M	73	—	—	1	—	—	4	21	18	29
		F	151	—	—	—	—	—	—	7	50	94
B40	Complications of pregnancy, childbirth & puerperium	F	15	—	—	—	—	1	13	1	—	—
B41	Congenital malformations	M	52	17	18	3	1	3	2	6	2	—
		F	35	13	11	5	—	3	2	1	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	52	51	1	—	—	—	—	—	—	—
		F	30	30	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	62	59	3	—	—	—	—	—	—	—
		F	33	31	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	99	—	—	—	—	—	1	2	9	87
		F	164	—	—	—	—	—	1	3	6	154
B46(Rem.)	All other diseases (Remainder 001-795)	M	150	2	2	2	6	1	13	49	28	47
		F	210	1	4	4	3	3	18	50	49	78
BE47	Motor vehicle accidents	M	67	—	—	2	3	25	18	9	4	6
BE48	All other accidents	M	16	—	1	1	1	3	3	2	3	2
		F	109	1	5	4	5	7	20	36	10	21
BE49	Suicide and self-inflicted injury	M	104	1	7	3	2	1	7	12	14	57
		F	42	—	—	—	—	—	10	22	6	4
BE50	Homicide and operations of war	M	21	—	—	—	—	—	6	10	2	1
		F	3	—	—	—	—	1	1	1	—	—
BN47	Fractures, head injuries and internal injuries	M	113	—	—	2	4	26	26	26	9	20
BN48	Burns	M	79	—	1	2	1	3	3	11	9	49
		F	8	—	—	1	—	—	1	3	1	2
BN49	Effects of poisons	M	8	—	—	2	—	—	—	1	3	2
		F	23	—	—	1	—	1	4	12	1	4
BN50	All other injuries	M	14	—	—	—	—	1	5	4	2	2
		F	77	1	5	2	4	6	18	27	9	5
		F	40	1	7	—	2	2	8	8	5	7
"Delayed" maternal deaths (see page 190)			2	—	—	—	—	—	1	1	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		All Conurbations									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	96827 91806	2600 1912	1254 1040	662 516	624 421	870 600	4935 4117	28716 17967	27899 23760	29267 41473
B1	Tuberculosis of respiratory system	{ M F	2334 1024	2 —	4 5	4 4	2 6	40 91	477 440	1218 299	478 118	109 61
B2	Tuberculosis, other forms	{ M F	199 156	— 1	7 6	26 22	10 13	22 21	54 24	56 35	15 12	9 22
B3	Syphilis and its sequelæ	{ M F	408 208	1 —	1 —	— —	— —	— 1	17 11	169 64	162 69	58 63
B4	Typhoid fever	{ M F	1 1	— —	— —	— —	— —	— —	— 1	— —	1 —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	9 8	— —	2 —	1 1	1 —	— —	1 —	— 2	2 4	2 1
B7	Scarlet fever and streptococcal sore throat	{ M F	4 10	— —	— —	1 1	— —	— —	— 1	1 6	1 2	1 —
B8	Diphtheria	{ M F	8 9	— —	— —	5 5	2 2	— —	— 2	1 —	— —	— —
B9	Whooping cough	{ M F	40 51	— —	27 34	13 15	— —	— —	— 1	— 1	— —	— —
B10	Meningococcal infections	{ M F	79 48	1 1	35 20	31 15	3 4	2 2	2 1	4 3	— 2	1 —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	63 31	1 —	— —	9 6	17 6	9 6	24 11	1 2	2 —	— —
B13	Smallpox	{ M F	4 —	— —	— —	— —	1 —	2 —	— —	1 —	— —	— —
B14	Measles	{ M F	55 32	— 1	15 9	29 15	10 7	— —	— —	1 —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —
B16	Malaria	{ M F	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	202 191	1 3	13 14	13 10	13 8	14 11	40 36	67 44	27 28	14 37
B18	Malignant neoplasm : (140-205)	{ M F	18410 16659	— 2	8 8	60 55	98 66	108 64	1041 1215	7639 6178	5805 4726	3651 4345
	stomach (151)	{ M F	3052 2437	— —	— —	— —	— —	2 1	140 96	1257 641	1027 820	626 879
	trachea, bronchus and lung (162, 163)	{ M F	5976 1059	— —	— —	— —	— 1	7 —	313 80	3359 451	1797 319	500 208
	breast (170)	{ M F	31 3211	— —	— —	— —	— —	— —	4 347	15 1432	8 798	4 634
	uterus (171-174)	{ M F	1539 —	— —	— —	1 —	— —	1 —	130 741	741 407	407 259	259 —
	Leukæmia and aleukæmia (204)	{ M F	420 414	— 1	1 2	34 29	49 23	24 16	60 65	136 141	72 98	44 39
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	8931 7999	— 1	7 6	26 25	49 42	75 46	524 497	2872 2772	2901 2284	2477 2326
B19	Benign and unspecified neoplasms	{ M F	320 381	1 —	3 1	9 7	15 14	8 7	50 54	138 175	61 67	35 56
B20	Diabetes mellitus	{ M F	386 752	— —	1 —	2 —	2 2	8 4	29 22	107 154	113 295	124 275
B21	Anæmias	{ M F	174 372	— —	1 2	4 4	1 3	4 4	5 9	32 72	57 101	70 177
B22	Vascular lesions affecting central nervous system	{ M F	9728 13742	1 —	— 3	— 2	5 2	21 23	207 209	2179 2326	3240 4137	4075 7040
B23	Nonmeningococcal meningitis	{ M F	91 70	11 7	23 18	11 5	7 1	1 —	4 6	22 16	6 8	6 9
B24	Rheumatic fever	{ M F	48 61	— —	— —	4 —	11 25	9 10	12 15	10 7	1 2	1 2
B25	Chronic rheumatic heart disease	{ M F	1346 2391	— —	— —	— —	9 8	33 41	259 439	579 982	296 487	170 434



TABLE 19—continued.

Abbreviated List No.	Causes of Death		All Conurbations—continued.									
			All Ages	0-4 weeks	4 wks. -1 yr.	Age						
						Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	14888	1	—	—	—	5	444	5721	5156	3561
		F	8696	1	—	—	—	1	65	1627	3343	3659
		M	8884	—	2	1	2	6	43	908	2251	5671
		F	13614	—	—	—	4	3	36	676	2661	10234
B27	Other diseases of heart	M	1326	—	1	2	2	15	55	338	443	470
		F	1459	1	1	—	4	2	51	284	415	701
B28	Hypertension with heart disease	M	2061	—	—	—	—	—	22	488	722	829
		F	2491	—	—	—	—	2	23	360	801	1305
B29	Hypertension without mention of heart	M	1631	—	—	—	1	4	60	462	499	605
		F	1711	—	—	—	—	6	40	296	520	849
B46 (Pt.)	Other circulatory diseases (450-468)	M	2242	—	2	1	3	5	53	342	636	1200
		F	2801	—	—	—	3	8	47	271	662	1810
B30	Influenza	M	1019	1	13	4	6	3	51	305	281	355
		F	1326	2	6	5	6	3	59	201	310	734
B31	Pneumonia	M	4457	—	410	78	31	15	115	914	1240	1654
		F	4284	—	332	83	22	13	78	486	1041	2229
B32	Bronchitis	M	9140	6	95	22	4	2	117	2833	3293	2768
		F	5261	6	86	21	5	6	79	725	1444	2889
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	1127	5	11	14	14	11	85	468	305	214
		F	548	2	12	12	10	13	48	124	127	200
B33	Ulcer of stomach and duodenum	M	1587	—	—	—	—	1	106	652	507	321
		F	591	—	—	1	—	1	24	136	169	260
B34	Appendicitis	M	205	—	—	13	15	11	33	59	43	31
		F	121	—	—	6	10	11	9	23	30	32
B35	Intestinal obstruction and hernia	M	555	27	31	10	4	5	23	127	149	179
		F	587	19	8	5	1	3	24	122	178	227
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	389	1	141	14	3	5	26	77	57	65
		F	507	—	103	9	5	12	34	80	108	156
B37	Cirrhosis of liver	M	245	—	1	—	2	3	31	117	65	26
		F	203	—	2	1	1	2	10	86	65	36
B38	Nephritis and nephrosis	M	961	—	6	7	13	40	150	361	203	181
		F	880	—	2	2	12	32	115	280	222	215
B39	Hyperplasia of prostate	M	1304	—	—	—	—	—	—	104	399	801
B40	Complications of pregnancy, childbirth & puerperium	F	185	—	—	—	—	28	152	5	—	—
B41	Congenital malformations	M	858	361	215	62	43	26	64	61	14	12
		F	797	337	202	54	26	15	56	72	20	15
B42	Birth injuries, postnatal asphyxia & atelectasis	M	1049	1041	8	—	—	—	—	—	—	—
		F	687	678	9	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	11	11	—	—	—	—	—	—	—	—
		F	8	8	—	—	—	—	—	—	—	—
		M	233	230	3	—	—	—	—	—	—	—
		F	150	147	3	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	842	828	14	—	—	—	—	—	—	—
		F	659	646	12	—	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	773	3	3	4	—	—	5	13	59	686
		F	1364	5	5	3	—	2	4	7	61	1277
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2935	20	80	73	48	71	278	939	735	691
		F	3922	17	80	54	61	64	376	1078	1030	1162
BE47	Motor vehicle accidents	M	1063	—	2	51	102	164	275	225	110	134
		F	414	—	1	36	41	40	44	90	77	85
BE48	All other accidents	M	1900	39	75	83	120	143	382	448	242	368
		F	1583	24	55	54	35	20	79	216	280	820
BE49	Suicide and self-inflicted injury	M	1167	—	—	—	—	46	277	507	220	117
		F	722	—	—	—	2	23	158	346	137	56
BE50	Homicide and operations of war	M	65	7	1	1	4	8	18	21	3	2
		F	37	4	1	3	5	4	9	10	1	—
BN47	Fractures, head injuries and internal injuries	M	2084	2	10	64	125	242	490	490	261	400
		F	1367	2	4	51	44	48	72	178	236	732
BN48	Burns	M	82	—	1	15	3	5	16	13	7	22
		F	153	—	4	14	11	1	6	24	34	59
BN49	Effects of poisons	M	999	—	3	17	6	33	239	424	170	107
		F	831	—	—	8	11	27	156	352	159	118
BN50	All other injuries	M	1030	44	64	39	92	81	207	274	137	92
		F	405	26	49	20	17	11	56	108	66	52

"Delayed" maternal deaths  
(see page 190)

6

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Areas outside the Conurbations									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 162663 F 152233	4401 3175	2232 1710	1095 931	1084 795	1874 1010	7618 6169	40813 27638	46037 38189	57509 72616
B1	Tuberculosis of respiratory system	{ M 3113 F 1442	1 —	8 5	6 14	10 7	83 129	693 596	1499 411	642 195	171 85
B2	Tuberculosis, other forms	{ M 318 F 316	— —	10 14	57 63	35 24	25 30	58 51	93 84	28 30	12 20
B3	Syphilis and its sequelæ	{ M 593 F 236	3 —	3 —	— —	— —	3 2	27 13	268 87	199 72	90 62
B4	Typhoid fever	{ M — F 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M 10 F 9	1 —	2 1	1 —	— 1	— —	2 1	2 2	2 —	— 4
B7	Scarlet fever and streptococcal sore throat	{ M 19 F 28	— —	1 2	3 3	1 3	— 4	4 5	7 8	1 1	2 2
B8	Diphtheria	{ M 3 F 3	— —	— —	1 —	2 1	— —	— —	— 2	— —	— —
B9	Whooping cough	{ M 64 F 88	— 4	43 59	19 25	2 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M 87 F 77	— 2	38 26	26 31	11 4	1 2	5 4	4 3	1 3	1 2
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 136 F 90	1 —	3 1	13 10	41 28	24 16	43 30	10 5	1 —	— —
B13	Smallpox	{ M 2 F 2	— —	— —	— —	— —	1 —	— 1	1 1	— —	— —
B14	Measles	{ M 87 F 71	— —	18 14	46 29	15 25	2 1	2 1	2 1	2 —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M 3 F —	— —	— —	— —	— —	— —	3 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 361 F 364	7 1	31 21	24 26	21 15	16 15	68 76	105 89	47 56	42 65
B18	Malignant neoplasm : (140-205)	{ M 27525 F 25330	1 4	10 17	98 88	127 108	177 104	1345 1711	10246 8932	8786 7317	6735 7049
	stomach (151)	{ M 4992 F 3772	— —	— —	— —	— —	— 2	194 114	1801 935	1786 1240	1211 1481
	trachea, bronchus and lung (162, 163)	{ M 6905 F 1192	— —	— —	— —	— —	4 2	314 88	3943 505	2012 377	632 220
	breast (170)	{ M 50 F 4947	— —	— —	— —	— —	— 1	5 478	24 2139	13 1270	8 1059
	uterus (171-174)	{ M — F 2406	— —	— —	— —	— —	— 4	— 259	— 1108	— 605	— 430
	Leukæmia and aleukæmia (204)	{ M 696 F 591	1 —	6 9	51 39	51 50	41 20	104 86	231 164	131 152	80 71
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 14882 F 12422	— 4	4 8	47 49	76 58	132 75	728 686	4247 4081	4844 3673	4804 3788
	Benign and unspecified neoplasms	{ M 518 F 537	5 3	6 3	7 8	20 22	17 14	73 99	230 238	96 83	64 67
	Diabetes mellitus	{ M 680 F 1376	— —	— —	3 4	5 11	7 22	33 45	149 291	228 515	255 488
	Anæmias	{ M 406 F 652	— —	2 1	2 2	5 5	3 4	10 22	90 126	135 212	159 280
	Vascular lesions affecting central nervous system	{ M 19034 F 25565	— 1	8 4	8 5	6 13	28 27	295 312	3547 4147	6280 7559	8862 13497
B23	Nonmeningococcal meningitis	{ M 139 F 114	15 16	34 38	21 9	5 5	5 4	8 6	33 22	16 7	2 7
B24	Rheumatic fever	{ M 95 F 106	— —	1 —	2 3	22 34	10 18	22 26	19 14	16 6	3 5
B25	Chronic rheumatic heart disease	{ M 1988 F 3112	— —	— —	— —	— —	13 49	49 564	791 1154	463 718	320 620



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Areas outside the Conurbations—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	24078	—	—	—	—	1	612	8065	8705	6695
		F	14089	—	—	—	1	—	79	2612	5151	6246
		M	20401	—	3	1	3	8	110	1636	5102	13538
		F	26786	—	—	—	3	3	70	1407	5176	20127
B27	Other diseases of heart	M	2262	2	7	4	4	24	111	510	720	880
		F	2483	1	3	3	5	11	59	425	730	1246
B28	Hypertension with heart disease	M	3155	—	—	—	1	—	39	723	1223	1169
		F	3593	—	—	—	—	2	32	607	1240	1712
B29	Hypertension without mention of heart	M	2390	—	—	—	—	6	103	660	696	925
		F	2391	—	—	—	1	6	55	438	701	1190
B46 (Pt.)	Other circulatory diseases (450-468)	M	4661	3	1	—	1	6	85	526	1227	2812
		F	4978	—	2	—	4	10	79	437	1058	3388
B30	Influenza	M	1886	2	27	16	12	16	75	427	555	756
		F	2234	1	25	10	7	18	85	280	518	1290
B31	Pneumonia	M	6241	—	753	151	54	49	179	1187	1527	2341
		F	5777	—	555	145	56	48	174	723	1170	2906
B32	Bronchitis	M	10362	17	128	36	15	13	147	2848	3597	3561
		F	5629	10	82	39	11	10	75	714	1449	3239
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	2156	12	28	24	20	22	127	884	635	404
		F	900	6	19	15	26	15	73	188	181	377
B33	Ulcer of stomach and duodenum	M	2208	—	—	2	—	5	129	875	663	534
		F	740	2	1	—	—	1	25	178	242	291
B34	Appendicitis	M	345	—	1	22	31	20	39	106	62	64
		F	235	—	1	6	26	13	20	57	53	59
B35	Intestinal obstruction and hernia	M	929	51	40	12	8	4	39	226	251	298
		F	919	24	17	6	1	2	34	209	273	353
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	668	2	225	31	8	15	46	138	109	94
		F	820	1	147	23	7	15	74	143	173	237
B37	Cirrhosis of liver	M	405	2	4	2	4	1	42	196	106	48
		F	302	—	1	—	3	5	27	124	105	37
B38	Nephritis and nephrosis	M	1841	—	8	8	25	71	267	543	423	496
		F	1747	—	5	8	21	49	178	512	437	537
B39	Hyperplasia of prostate	M	2869	—	—	—	—	—	—	188	821	1860
B40	Complications of pregnancy, childbirth & puerperium	F	342	—	—	—	—	67	265	10	—	—
B41	Congenital malformations	M	1358	583	362	78	53	41	80	106	33	22
		F	1248	543	331	94	46	35	65	85	35	14
B42	Birth injuries, postnatal asphyxia & atelectasis	M	1591	1558	32	1	—	—	—	—	—	—
		F	1000	988	12	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	25	25	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	353	350	3	—	—	—	—	—	—	—
		F	228	226	2	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	1729	1681	48	—	—	—	—	—	—	—
		F	1302	1261	40	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2031	4	8	1	1	3	8	23	147	1836
		F	3470	2	7	6	1	1	9	16	188	3240
B46 (Rem.)	All other diseases (Remainder 001-795)	M	5400	37	163	115	109	138	516	1592	1419	1311
		F	6710	21	117	86	92	119	680	1866	1738	1991
BE47	Motor vehicle accidents	M	2279	—	2	105	180	491	595	487	227	192
		F	619	—	2	58	90	64	68	142	91	104
BE48	All other accidents	M	3893	35	167	145	209	399	800	896	475	767
		F	3082	35	134	103	74	48	141	337	510	1700
BE49	Suicide and self-inflicted injury	M	1853	—	—	—	2	84	402	835	345	185
BE50	Homicide and operations of war	F	1012	—	—	—	2	23	225	494	192	76
		M	113	3	4	4	3	6	24	40	26	3
		F	62	7	1	8	5	4	14	16	4	3
BN47	Fractures, head injuries and internal injuries	M	4448	2	9	123	228	683	1089	1069	514	731
BN48	Burns	F	2511	3	6	70	104	83	109	290	373	1473
		M	206	—	5	29	11	15	33	40	24	49
		F	240	—	3	31	21	6	10	33	49	87
BN49	Effects of poisons	M	1156	—	2	14	8	50	248	500	188	146
BN50	All other injuries	F	969	—	3	16	4	18	186	413	189	140
		M	2328	36	157	88	147	232	451	649	347	221
		F	1055	39	125	52	42	32	143	253	186	183
"Delayed" maternal deaths (see page 190)			26	—	—	—	—	1	17	8	—	—

TABLE 19—continued.

Abbrevi- ated List No.	Causes of Death		Urban areas with populations of 100,000 and over									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	34912 32262	995 686	513 401	213 177	210 150	320 230	1820 1405	9823 6256	10153 8346	10865 14611
B1	Tuberculosis of respiratory system	{ M F	896 370	— —	1 1	1 4	3 —	29 42	210 145	430 106	177 50	45 22
B2	Tuberculosis, other forms	{ M F	71 68	— —	1 3	16 15	3 8	6 5	17 11	18 17	5 8	5 1
B3	Syphilis and its sequelæ	{ M F	136 58	1 —	— —	— —	— —	— —	5 2	60 24	51 19	19 13
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	3 2	— —	2 1	— —	— —	— —	— —	— —	1 —	— 1
B7	Scarlet fever and streptococcal sore throat	{ M F	7 6	— —	— 1	1 —	— —	— 1	— —	3 4	1 —	2 —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	13 23	— 1	9 16	4 6	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	20 19	— 1	11 7	4 9	3 —	— —	— 1	2 —	— 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	22 15	— —	— —	1 1	7 3	4 2	8 7	2 2	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	12 11	— —	3 3	8 4	1 4	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	72 70	2 —	6 7	4 2	2 1	3 4	20 11	17 20	10 12	8 13
B18	Malignant neoplasm : (140-205) stomach (151)	{ M F M F	6329 5509 1087 822	— — — —	3 2 — —	22 14 — —	32 20 — —	44 25 — —	353 392 46 39	2573 2038 459 236	1977 1598 344 257	1325 1420 238 290
		{ M F M F	1844 314 9 1063	— — — —	— — — —	— — — —	— — — —	2 — — —	94 28 2 103	1064 129 4 458	525 107 2 288	159 50 1 214
		{ M F M F	545	—	—	—	—	1	52	268	134	90
		{ M F M F	158 112 3231 2653	— — — —	2 1 1 1	8 8 14 6	15 11 17 9	9 7 33 17	23 10 188 160	52 30 994 917	34 32 1072 780	15 13 912 763
	trachea, bronchus and lung (162, 163) breast (170)	{ M F M F	1844 314 9 1063	— — — —	— — — —	— — — —	— — — —	2 — — —	94 28 2 103	1064 129 4 458	525 107 2 288	159 50 1 214
		{ M F M F	545	—	—	—	—	1	52	268	134	90
		{ M F M F	158 112 3231 2653	— — — —	2 1 1 1	8 8 14 6	15 11 17 9	9 7 33 17	23 10 188 160	52 30 994 917	34 32 1072 780	15 13 912 763
		{ M F M F	545	—	—	—	—	1	52	268	134	90
	uterus (171-174)	{ M F M F	158 112 3231 2653	— — — —	2 1 1 1	8 8 14 6	15 11 17 9	9 7 33 17	23 10 188 160	52 30 994 917	34 32 1072 780	15 13 912 763
		{ M F M F	545	—	—	—	—	1	52	268	134	90
		{ M F M F	158 112 3231 2653	— — — —	2 1 1 1	8 8 14 6	15 11 17 9	9 7 33 17	23 10 188 160	52 30 994 917	34 32 1072 780	15 13 912 763
		{ M F M F	545	—	—	—	—	1	52	268	134	90
B19	Leukæmia and aleukæmia (204)	{ M F	158 112	— —	2 1	8 8	15 11	9 7	23 10	52 30	34 32	15 13
B20	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	3231 2653	— —	1 1	14 6	17 9	33 17	188 160	994 917	1072 780	912 763
B21	Benign and unspecified neoplasms	{ M F	107 130	— 1	— 1	2 1	5 6	3 3	21 24	46 59	19 20	11 15
B22	Diabetes mellitus	{ M F	144 292	— —	— —	— 1	— 2	1 5	10 9	34 63	57 115	42 97
B23	Anæmias	{ M F	84 142	— —	2 —	— —	4 1	— —	3 4	21 25	23 56	31 56
B24	Vascular lesions affecting central nervous system	{ M F	3763 5031	— 1	4 2	1 1	— 1	7 10	66 73	789 882	1307 1535	1589 2526
B25	Nonmeningococcal meningitis	{ M F	38 33	5 2	8 12	7 5	2 1	2 —	1 2	8 6	4 1	1 4
B26	Rheumatic fever	{ M F	22 27	— —	— —	— —	5 7	3 5	5 9	6 2	3 3	— 1
B27	Chronic rheumatic heart disease	{ M F	457 756	— —	— —	— —	2 2	9 10	85 145	196 299	109 165	56 135



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban areas with populations of 100,000 and over—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	5179	—	—	—	—	—	139	1938	1839	1263
		F	2964	—	—	—	—	—	15	592	1096	1261
		M	3728	—	—	—	—	1	22	328	984	2393
		F	5247	—	—	—	1	—	14	257	1015	3960
B27	Other diseases of heart	M	459	—	3	—	1	5	23	117	160	150
		F	540	—	2	—	—	2	7	103	161	265
B28	Hypertension with heart disease	M	720	—	—	—	—	—	12	182	282	244
		F	869	—	—	—	—	1	10	135	309	414
B29	Hypertension without mention of heart	M	545	—	—	—	—	1	25	162	180	177
		F	531	—	—	—	—	1	10	99	181	240
B46 (Pt.)	Other circulatory diseases (450-468)	M	1126	1	—	—	—	2	22	108	309	684
		F	1237	—	—	—	—	2	11	101	261	862
B30	Influenza	M	345	1	3	2	2	2	17	116	92	110
		F	401	—	1	2	—	6	22	61	99	210
B31	Pneumonia	M	1524	—	185	31	13	9	51	302	400	533
		F	1425	—	153	32	14	7	39	185	306	689
B32	Bronchitis	M	2643	3	25	9	1	3	53	779	991	779
		F	1444	1	9	6	4	3	19	187	429	786
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	479	1	7	3	2	3	32	231	129	71
		F	195	—	4	1	6	3	14	50	43	74
B33	Ulcer of stomach and duodenum	M	527	—	—	—	—	3	36	225	149	114
		F	182	—	—	—	—	—	8	42	56	76
B34	Appendicitis	M	70	—	—	6	5	4	10	25	9	11
		F	48	—	—	2	3	5	3	11	10	14
B35	Intestinal obstruction and hernia	M	161	7	6	2	2	—	6	46	43	49
		F	195	2	5	—	—	1	6	48	60	73
B36	Gastritis, enteritis, and diarrhoea except	M	151	1	54	5	1	6	13	29	26	16
	diarrhoea of newborn	F	180	—	41	7	—	3	19	36	35	39
B37	Cirrhosis of liver	M	101	—	3	—	—	—	8	54	26	10
		F	69	—	1	—	—	2	5	26	27	8
B38	Nephritis and nephrosis	M	380	—	1	1	6	15	52	129	83	93
		F	354	—	—	—	1	15	41	115	79	103
B39	Hyperplasia of prostate	M	510	—	—	—	—	—	—	49	155	306
B40	Complications of pregnancy, childbirth & puerperium	F	77	—	—	—	—	15	61	1	—	—
B41	Congenital malformations	M	303	153	72	10	12	8	14	22	5	7
		F	272	120	74	17	10	7	13	18	9	4
B42	Birth injuries, postnatal asphyxia & atelectasis	M	359	351	8	—	—	—	—	—	—	—
		F	224	220	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	7	7	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
		M	95	94	1	—	—	—	—	—	—	—
		F	53	51	2	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	356	347	9	—	—	—	—	—	—	—
		F	269	264	5	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	258	1	4	1	1	—	3	4	25	219
		F	498	—	1	2	—	—	2	1	29	463
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1137	10	46	23	18	19	129	332	302	258
		F	1407	5	23	21	17	20	145	394	378	404
BE47	Motor vehicle accidents	M	407	—	1	23	34	61	114	82	52	40
		F	127	—	—	10	19	11	14	27	26	20
BE48	All other accidents	M	711	9	35	26	42	49	135	163	96	156
		F	584	9	20	14	16	12	16	66	107	324
BE49	Suicide and self-inflicted injury	M	408	—	—	—	1	18	93	181	67	48
		F	288	—	—	—	1	2	70	152	47	16
BE50	Homicide and operations of war	M	27	1	—	—	—	—	7	14	5	—
		F	14	2	—	—	2	—	6	2	—	2
BN47	Fractures, head injuries and internal injuries	M	802	—	2	27	48	78	201	184	109	153
		F	492	1	2	12	24	16	21	58	86	272
BN48	Burns	M	38	—	1	6	3	1	4	8	5	10
		F	48	—	1	7	5	2	3	6	9	15
BN49	Effects of poisons	M	344	—	—	1	2	17	65	149	58	52
		F	310	—	1	1	2	4	60	138	59	45
BN50	All other injuries	M	369	10	33	15	24	32	79	99	48	29
		F	163	10	16	4	7	3	22	45	26	30
"Delayed" maternal deaths (see page 190)			9	—	—	—	—	1	6	2	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations of 50,000 and under 100,000									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 19941 F 19435	589 397	269 229	117 122	144 88	188 125	955 775	5206 3474	5727 4817	6746 9408	
B1	Tuberculosis of respiratory system	{ M 398 F 181	—	2 1	1 1	— 1	10 13	90 79	201 50	77 27	17 9	
B2	Tuberculosis, other forms	{ M 37 F 46	—	3 1	5 11	5 2	3 5	4 4	11 13	5 4	1 6	
B3	Syphilis and its sequelæ	{ M 73 F 28	—	2 —	— —	— —	— —	3 3	35 8	18 8	15 9	
B4	Typhoid fever	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B5	Cholera	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 1 F 1	1 1	— —	— —	— —	— —	— 1	— —	— —	— —	
B7	Scarlet fever and streptococcal sore throat	{ M 2 F 3	—	— —	1 —	1 1	— —	— 1	— 1	— —	— —	
B8	Diphtheria	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M 3 F 15	—	3 2	— 10	— 3	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 13 F 13	—	6 1	4 5	1 5	— —	2 1	— 1	— —	— —	
B11	Plague	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 14 F 11	—	1 —	1 1	4 5	2 2	6 3	— —	— —	— —	
B13	Smallpox	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 11 F 11	—	1 4	6 5	2 —	1 1	— —	1 1	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	—	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 35 F 51	2 —	4 2	1 1	3 3	2 3	7 14	10 10	4 7	2 11	
B18	Malignant neoplasm : (140-205)	{ M 3453 F 3262	— 1	3 3	9 12	23 13	19 20	180 226	1334 1161	1120 925	765 901	
	stomach (151)	{ M 591 F 444	— —	— —	— —	— —	— 1	28 11	213 114	215 154	135 164	
	trachea, bronchus and lung (162, 163)	{ M 938 F 145	— —	— —	— —	— —	1 —	45 13	521 65	296 39	75 28	
	breast (170)	{ M 10 F 652	— —	— —	— —	— —	— —	1 56	5 289	4 168	— 139	
	uterus (171-174)	{ M 341 F —	— —	— —	— —	— —	2 —	49 —	154 —	77 —	59 —	
	Leukæmia and aleukæmia (204)	{ M 93 F 84	— —	2 2	6 8	9 8	3 2	9 9	31 24	16 20	17 11	
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 1821 F 1596	— 1	1 1	3 4	14 5	15 15	97 88	564 515	589 467	538 500	
	Benign and unspecified neoplasms	{ M 63 F 63	2 —	2 2	— 2	2 1	3 —	9 9	27 28	9 14	9 7	
	Diabetes mellitus	{ M 90 F 157	— —	— —	2 2	3 1	— 2	2 4	15 36	33 52	35 60	
	Anæmias	{ M 62 F 85	— —	— —	— —	— —	— 1	2 3	14 11	22 28	24 42	
B22	Vascular lesions affecting central nervous system	{ M 2313 F 3318	— —	— —	2 1	— 1	4 1	34 39	450 525	763 959	1060 1792	
B23	Nonmeningococcal meningitis	{ M 16 F 13	5 1	2 3	2 1	— 2	1 1	1 —	3 3	3 2	— —	
B24	Rheumatic fever	{ M 12 F 9	— —	— —	— —	4 2	— 2	7 3	1 1	— —	— 1	
B25	Chronic rheumatic heart disease	{ M 263 F 418	— —	— —	— —	— 1	2 5	10 76	57 159	97 91	39 86	



TABLE 19—continued.

Abbreviated List No.		Causes of Death	Urban Areas with populations of 50,000 and under 100,000—contd.										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-	15-				25-	45-	65-	75 & over				
B26	{	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3133	—	—	—	—	94	1067	1122	850	
		F	1895	—	—	—	—	13	310	694	878		
		Degenerative heart disease (421, 422)	M	2335	—	1	—	1	2	17	195	597	1522
		F	3331	—	—	—	1	1	6	164	594	2565	
B27		Other diseases of heart	M	290	—	—	1	—	4	17	70	91	107
			F	353	1	1	—	1	1	9	59	104	177
B28		Hypertension with heart disease	M	365	—	—	—	—	—	4	83	151	127
			F	478	—	—	—	—	—	2	84	165	227
B29		Hypertension without mention of heart	M	267	—	—	—	—	2	15	70	69	111
			F	292	—	—	—	1	—	9	60	74	148
B46 (Pt.)		Other circulatory diseases (450-468)	M	507	—	—	—	—	—	12	65	146	284
			F	552	—	1	—	2	2	15	53	108	371
B30		Influenza	M	227	—	1	3	4	2	10	44	71	92
			F	252	—	—	—	1	1	8	25	61	156
B31		Pneumonia	M	813	—	86	19	8	5	14	170	187	324
			F	735	—	70	19	2	5	24	90	144	381
B32		Bronchitis	M	1342	—	14	3	5	4	14	376	485	441
			F	768	—	14	4	—	2	13	106	197	432
B46 (Pt.)		Other diseases of respiratory system (470-475, 510-527)	M	236	2	2	4	4	1	17	92	61	53
			F	115	2	3	2	2	4	12	15	23	52
B33		Ulcer of stomach and duodenum	M	273	—	—	—	—	—	20	115	80	58
			F	104	—	—	—	—	—	1	25	35	43
B34		Appendicitis	M	42	—	—	4	2	3	2	15	9	7
			F	35	—	—	1	4	2	3	6	8	11
B35		Intestinal obstruction and hernia	M	116	7	9	2	1	—	5	35	20	37
			F	130	4	1	1	1	—	3	25	34	61
B36		Gastritis, enteritis, and diarrhoea except	M	84	—	38	1	—	—	5	18	11	11
		diarrhoea of newborn	F	102	—	18	3	2	1	10	8	26	34
B37		Cirrhosis of liver	M	59	1	—	—	—	—	10	25	16	7
			F	31	—	—	—	—	—	5	12	12	2
B38		Nephritis and nephrosis	M	200	—	—	1	2	9	35	65	44	44
			F	210	—	2	—	6	8	20	60	64	50
B39		Hyperplasia of prostate	M	351	—	—	—	—	—	—	21	104	226
B40		Complications of pregnancy, childbirth & puerperium	F	34	—	—	—	—	9	24	1	—	—
B41		Congenital malformations	M	161	66	44	11	4	2	12	15	5	2
			F	180	73	53	15	6	7	9	10	5	2
B42		Birth injuries, postnatal asphyxia & atelectasis	M	223	219	4	—	—	—	—	—	—	—
			F	133	131	2	—	—	—	—	—	—	—
B43	{	Diarrhoea of newborn	M	3	3	—	—	—	—	—	—	—	—
		(764)	F	1	1	—	—	—	—	—	—	—	—
		Other infections of	M	52	51	1	—	—	—	—	—	—	—
		newborn (763, 765-768)	F	32	32	—	—	—	—	—	—	—	—
B44		Other dis. of early infancy & immaturity unqualified	M	220	216	4	—	—	—	—	—	—	
			F	146	141	5	—	—	—	—	—	—	
B45		Senility without mention of psychosis, ill-defined and	M	189	—	1	—	—	1	1	3	16	167
		unknown causes	F	354	1	—	—	—	1	2	2	17	331
B46(Rem.)		All other diseases (Remainder 001-795)	M	689	5	17	17	19	13	54	210	191	163
			F	824	1	8	11	9	14	72	206	216	287
BE47		Motor vehicle accidents	M	236	—	—	7	27	46	54	56	26	20
			F	82	—	1	11	12	6	5	21	11	15
BE48		All other accidents	M	403	8	18	9	17	31	85	90	48	97
			F	427	5	19	9	5	4	17	42	77	249
BE49		Suicide and self-inflicted injury	M	254	—	—	—	—	9	49	104	63	29
			F	149	—	—	—	—	1	25	81	30	12
BE50		Homicide and operations of war	M	12	1	—	1	—	—	5	3	2	—
			F	5	—	—	1	—	—	2	1	1	—
BN47		Fractures, head injuries and internal injuries	M	471	—	1	7	31	64	105	114	62	87
			F	359	—	1	12	14	8	11	39	57	217
BN48		Burns	M	23	—	1	1	1	2	2	8	3	5
			F	31	—	—	4	1	—	2	3	8	13
BN49		Effects of poisons	M	191	—	—	2	3	6	39	75	40	26
			F	158	—	1	3	1	2	25	73	35	18
BN50		All other injuries	M	220	9	16	7	9	14	47	56	34	28
			F	115	5	18	2	1	1	11	30	19	28
		"Delayed" maternal deaths (see page 190)		3	—	—	—	—	—	2	1	—	—

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations under 50,000									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M	59126	1461	764	410	367	571	2552	14698	17007	21296
		{ F	56316	1134	611	319	294	347	2229	10151	14265	26966
B1	Tuberculosis of respiratory system	{ M	1073	1	2	3	5	24	235	508	225	70
		{ F	501	—	1	6	3	43	211	140	66	31
B2	Tuberculosis, other forms	{ M	118	—	1	19	18	10	22	37	6	5
		{ F	107	—	5	15	9	12	14	34	12	6
B3	Syphilis and its sequelæ	{ M	217	1	1	—	—	1	11	100	71	32
		{ F	82	—	—	—	—	1	5	28	25	23
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	1	—	—	—	—	—	—	1	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	3	—	—	1	—	—	1	1	—	—
		{ F	6	—	—	—	1	—	—	2	—	3
B7	Scarlet fever and streptococcal sore throat	{ M	3	—	—	1	—	—	1	1	—	—
		{ F	10	—	1	1	1	2	2	2	—	1
B8	Diphtheria	{ M	2	—	—	1	1	—	—	—	—	—
		{ F	2	—	—	—	1	—	—	1	—	—
B9	Whooping cough	{ M	26	—	17	8	1	—	—	—	—	—
		{ F	23	1	16	6	—	—	—	—	—	—
B10	Meningococcal infections	{ M	29	—	11	12	2	—	2	1	1	—
		{ F	22	—	8	7	1	2	1	1	1	1
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	57	—	2	8	13	10	20	4	—	—
		{ F	34	—	1	4	9	7	12	1	—	—
B13	Smallpox	{ M	2	—	—	—	—	1	—	1	—	—
		{ F	2	—	—	—	—	—	1	1	—	—
B14	Measles	{ M	33	—	7	17	9	—	—	—	—	—
		{ F	29	—	5	11	12	—	1	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M	2	—	—	—	—	—	2	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	126	1	13	10	10	3	15	37	19	18
		{ F	125	—	8	11	4	6	27	29	20	20
B18	Malignant neoplasm : (140-205)	{ M	9922	1	2	45	30	55	451	3646	3205	2487
		{ F	9412	2	7	29	39	24	625	3247	2754	2685
		{ M	1820	—	—	—	—	—	69	652	667	432
	stomach (151)	{ F	1409	—	—	—	—	—	46	342	479	542
		{ M	2414	—	—	—	—	1	109	1368	708	228
		{ F	417	—	—	—	—	2	25	175	125	90
	trachea, bronchus and lung (162, 163)	{ M	13	—	—	—	—	—	2	8	2	1
		{ F	1843	—	—	—	—	—	178	793	449	423
		{ M	897	—	—	—	—	—	96	400	247	154
	breast (170)	{ F	—	—	—	—	—	—	—	—	—	—
		{ M	238	1	1	25	10	11	38	84	42	26
		{ F	227	—	4	9	20	7	38	67	57	25
B18	uterus (171-174)	{ M	5437	—	1	20	20	43	233	1534	1786	1800
		{ F	4619	2	3	20	19	15	242	1470	1397	1451
		{ M	238	1	1	25	10	11	38	84	42	26
	Leukæmia and aleukæmia (204)	{ F	227	—	4	9	20	7	38	67	57	25
		{ M	5437	—	1	20	20	43	233	1534	1786	1800
		{ F	4619	2	3	20	19	15	242	1470	1397	1451
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M	192	1	2	4	7	1	16	88	46	27
		{ F	197	1	—	4	7	5	40	90	28	22
		{ M	237	—	—	—	1	3	13	56	69	95
	Benign and unspecified neoplasms	{ F	511	—	—	—	4	5	15	109	199	179
		{ M	147	—	—	2	—	1	4	29	50	61
		{ F	242	—	1	—	2	3	5	48	75	108
B22	Vascular lesions affecting central nervous system	{ M	7261	—	1	2	5	9	106	1325	2412	3401
		{ F	9814	—	1	2	7	9	104	1588	2904	5199
B23	Nonmeningococcal meningitis	{ M	49	2	13	9	1	2	4	12	5	1
		{ F	34	4	11	2	—	3	2	8	3	1
B24	Rheumatic fever	{ M	40	—	1	1	8	3	8	10	8	1
		{ F	45	—	—	2	16	8	8	6	3	2
B25	Chronic rheumatic heart disease	{ M	684	—	—	—	8	20	125	263	165	103
		{ F	1114	—	—	—	—	20	216	412	258	208



TABLE 19—continued.

Abbreviated List No.	Causes of Death	Urban Areas with populations under 50,000—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	8869	—	—	—	—	224	2939	3244	2462
		{ F	5210	—	—	1	—	26	996	1931	2256
		{ M	7642	—	1	—	1	41	610	1947	5042
		{ F	10004	—	—	1	1	22	545	2000	7435
B27	Other diseases of heart	{ M	765	1	2	1	5	35	161	247	313
		{ F	877	—	2	2	7	24	152	254	436
B28	Hypertension with heart disease	{ M	1167	—	—	1	—	15	278	452	421
		{ F	1295	—	—	—	1	10	211	452	621
B29	Hypertension without mention of heart	{ M	866	—	—	—	1	38	239	244	344
		{ F	840	—	—	—	4	26	140	241	429
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	1645	1	—	1	2	27	191	419	1004
		{ F	1747	—	1	2	4	32	148	394	1166
B30	Influenza	{ M	682	1	16	6	3	6	18	148	275
		{ F	867	1	12	3	2	8	41	116	490
B31	Pneumonia	{ M	2090	—	267	48	12	18	44	382	795
		{ F	1973	—	205	51	18	19	50	243	1007
B32	Bronchitis	{ M	3864	6	50	11	5	3	53	1097	1334
		{ F	1980	3	31	14	5	2	25	250	501
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	785	4	12	8	7	12	46	319	227
		{ F	321	2	5	8	9	5	24	76	58
B33	Ulcer of stomach and duodenum	{ M	790	—	—	1	—	2	46	317	239
		{ F	261	1	—	—	—	9	60	93	98
B34	Appendicitis	{ M	130	—	—	6	15	8	16	37	23
		{ F	84	—	1	2	12	3	3	21	22
B35	Intestinal obstruction and hernia	{ M	325	16	11	2	3	2	12	83	86
		{ F	351	11	5	5	—	—	19	78	103
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	236	1	70	10	4	5	21	50	37
		{ F	289	1	42	5	2	4	28	56	63
B37	Cirrhosis of liver	{ M	133	—	1	2	2	1	14	59	40
		{ F	116	—	—	—	2	3	7	53	37
B38	Nephritis and nephrosis	{ M	710	—	6	5	11	24	109	209	153
		{ F	646	—	3	6	6	18	59	181	167
B39	Hyperplasia of prostate	M	1055	—	—	—	—	—	61	307	687
B40	Complications of pregnancy, childbirth & puerperium	F	120	—	—	—	18	100	2	—	—
B41	Congenital malformations	{ M	455	187	115	26	24	19	30	35	13
		{ F	423	186	114	35	17	11	18	27	10
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	530	522	8	—	—	—	—	—	—
		{ F	340	337	3	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	13	13	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—
		{ M	111	110	1	—	—	—	—	—	—
		{ F	80	80	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	586	571	15	—	—	—	—	—	—
		{ F	500	480	19	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	817	1	2	—	—	—	8	48	758
		{ F	1441	1	4	2	1	2	8	80	1343
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	1905	8	62	45	29	49	164	554	526
		{ F	2472	7	49	24	33	42	253	706	632
BE47	Motor vehicle accidents	{ M	680	—	1	40	49	144	165	158	61
		{ F	184	—	—	16	29	22	19	33	25
BE48	All other accidents	{ M	1364	11	50	55	79	98	256	344	198
		{ F	1201	10	52	41	34	15	59	128	210
BE49	Suicide and self-inflicted injury	{ M	641	—	—	—	—	24	135	286	134
		{ F	359	—	—	—	1	9	79	169	70
BE50	Homicide and operations of war	{ M	47	1	3	—	2	4	7	14	13
		{ F	20	4	—	4	1	1	5	4	—
BN47	Fractures, head injuries and internal injuries	{ M	1392	1	4	47	64	185	306	367	175
		{ F	895	2	1	21	28	26	35	90	134
BN48	Burns	{ M	65	—	—	11	3	3	12	14	9
		{ F	92	—	—	11	12	2	3	13	17
BN49	Effects of poisons	{ M	423	—	2	7	2	13	102	180	68
		{ F	344	—	—	7	1	9	67	138	68
BN50	All other injuries	{ M	852	11	48	30	61	69	143	241	154
		{ F	433	12	51	22	24	10	57	93	86

"Delayed" maternal deaths  
(see page 190)

7 | — | — | — | — | — | 5 | 2 | — | —

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Rural Areas									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M	48684	1356	686	355	363	795	2291	11086	13150	18602
		{ F	44220	958	469	313	263	308	1760	7757	10761	21631
B1	Tuberculosis of respiratory system	{ M	746	—	3	1	2	20	158	360	163	39
		{ F	390	—	2	3	3	31	161	115	52	23
B2	Tuberculosis, other forms	{ M	92	—	5	17	9	6	15	27	12	1
		{ F	95	—	5	22	5	8	22	20	6	7
B3	Syphilis and its sequelæ	{ M	167	1	—	—	—	2	8	73	59	24
		{ F	68	—	—	—	—	1	3	27	20	17
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	3	—	—	—	—	—	1	1	1	—
		{ F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M	7	—	1	—	—	—	3	3	—	—
		{ F	9	—	—	2	1	1	2	1	1	1
B8	Diphtheria	{ M	1	—	—	—	1	—	—	—	—	—
		{ F	1	—	—	—	—	—	—	1	—	—
B9	Whooping cough	{ M	22	—	14	7	1	—	—	—	—	—
		{ F	27	—	17	10	—	—	—	—	—	—
B10	Meningococcal infections	{ M	25	—	10	6	5	1	1	1	—	1
		{ F	23	—	6	10	3	—	1	1	1	1
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	43	1	—	3	17	8	9	4	1	—
		{ F	30	—	—	4	11	5	8	2	—	—
B13	Smallpox	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M	31	—	7	15	3	1	2	1	2	—
		{ F	20	—	2	9	9	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M	1	—	—	—	—	—	1	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	128	2	8	9	6	8	26	41	14	14
		{ F	118	1	4	12	7	2	24	30	17	21
B18	Malignant neoplasm : (140-205)	{ M	7821	—	2	22	42	59	361	2693	2484	2158
		{ F	7147	1	5	33	36	35	468	2486	2040	2043
	stomach (151)	{ M	1494	—	—	—	—	—	51	477	560	406
		{ F	1097	—	—	—	—	1	18	243	350	485
	trachea, bronchus and lung (162, 163)	{ M	1709	—	—	—	—	—	66	990	483	170
		{ F	316	—	—	—	—	—	22	136	106	52
	breast (170)	{ M	18	—	—	—	—	—	—	7	5	6
		{ F	1389	—	—	—	—	1	141	599	365	283
	uterus (171-174)	{ M	623	—	—	—	—	1	62	286	147	127
		{ F	—	—	—	—	—	—	—	—	—	—
	Leukæmia and aleukæmia (204)	{ M	207	—	1	12	17	18	34	64	39	22
		{ F	168	—	2	14	11	4	29	43	43	22
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M	4393	—	1	10	25	41	210	1155	1397	1554
		{ F	3554	1	3	19	25	28	196	1179	1029	1074
B19	Benign and unspecified neoplasms	{ M	156	2	2	1	6	10	27	69	22	17
		{ F	147	1	—	1	8	6	26	61	21	23
B20	Diabetes mellitus	{ M	209	—	—	1	1	3	8	44	69	83
		{ F	416	—	—	1	4	10	17	83	149	152
B21	Anæmias	{ M	113	—	—	—	1	2	1	26	40	43
		{ F	183	—	—	2	2	—	10	42	53	74
B22	Vascular lesions affecting central nervous system	{ M	5697	—	3	3	1	8	89	983	1798	2812
		{ F	7402	—	1	1	4	7	96	1152	2161	3980
B23	Nonmeningococcal meningitis	{ M	36	3	11	3	2	1	2	10	4	—
		{ F	34	9	12	1	2	—	2	5	1	2
B24	Rheumatic fever	{ M	21	—	—	1	5	4	2	2	5	2
		{ F	25	—	—	1	9	3	6	5	—	1
B25	Chronic rheumatic heart disease	{ M	584	—	—	—	1	10	85	235	131	122
		{ F	824	—	—	—	4	14	127	284	204	191



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Rural Areas—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	6897	—	—	—	—	1	155	2121	2500	2120
		F	4020	—	—	—	—	—	25	714	1430	1851
	Degenerative heart disease (421, 422)	M	6696	—	1	1	2	4	30	503	1574	4581
		F	8204	—	—	—	—	1	28	441	1567	6167
B27	Other diseases of heart	M	748	1	4	1	2	10	36	162	222	310
		F	713	—	—	1	2	1	19	111	211	368
B28	Hypertension with heart disease	M	903	—	—	—	—	—	8	180	338	377
		F	951	—	—	—	—	—	10	177	314	450
B29	Hypertension without mention of heart	M	712	—	—	—	—	2	25	189	203	293
		F	728	—	—	—	—	1	10	139	205	373
B46 (Pt.)	Other circulatory diseases (450-468)	M	1383	1	1	—	—	2	24	162	353	840
		F	1442	—	—	—	—	2	21	135	295	989
B30	Influenza	M	632	—	7	5	3	6	30	119	183	279
		F	714	—	12	5	4	3	14	78	164	434
B31	Pneumonia	M	1814	—	215	53	21	17	70	333	416	689
		F	1644	—	127	43	22	17	61	205	340	829
B32	Bronchitis	M	2513	8	39	13	4	3	27	596	787	1036
		F	1437	6	28	15	2	3	18	171	322	872
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	656	5	7	9	7	6	32	242	218	130
		F	269	2	7	4	9	3	23	47	57	117
B33	Ulcer of stomach and duodenum	M	618	—	—	1	—	—	27	218	195	177
		F	193	1	1	—	—	1	7	51	58	74
B34	Appendicitis	M	103	—	1	6	9	5	11	29	21	21
		F	68	—	—	1	7	3	11	19	13	14
B35	Intestinal obstruction and hernia	M	327	21	14	6	2	2	16	62	102	102
		F	243	7	6	—	—	1	6	58	76	89
B36	Gastritis, enteritis, and diarrhoea except	M	197	—	63	15	3	4	7	41	35	29
	diarrhoea of newborn	F	249	—	46	8	3	7	17	43	49	76
B37	Cirrhosis of liver	M	112	1	—	—	2	—	10	58	24	17
		F	86	—	—	—	1	—	10	33	29	13
B38	Nephritis and nephrosis	M	551	—	1	1	6	23	71	140	143	166
		F	537	—	—	2	8	8	58	156	127	178
B39	Hyperplasia of prostate	M	953	—	—	—	—	—	—	57	255	641
B40	Complications of pregnancy, childbirth & puerperium	F	111	—	—	—	—	25	80	6	—	—
B41	Congenital malformations	M	439	177	131	31	13	12	24	34	10	7
		F	373	164	90	27	13	10	25	30	11	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	479	466	12	1	—	—	—	—	—	—
		F	303	300	3	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	95	95	—	—	—	—	—	—	—	—
		F	63	63	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	567	547	20	—	—	—	—	—	—	—
		F	387	376	11	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	767	2	1	—	—	2	4	8	58	692
		F	1177	—	2	2	—	—	3	5	62	1103
B46(Rem.)	All other diseases (Remainder 001-795)	M	1669	14	38	30	43	57	169	496	400	422
		F	2007	8	37	30	33	43	210	560	512	574
BE47	Motor vehicle accidents	M	956	—	—	35	70	240	262	191	88	70
		F	226	—	1	21	30	25	30	61	29	29
BE48	All other accidents	M	1415	7	64	55	71	221	324	299	133	241
		F	870	11	43	39	19	17	49	101	116	475
BE49	Suicide and self-inflicted injury	M	550	—	—	—	1	33	125	264	81	46
		F	216	—	—	—	—	11	51	92	45	17
BE50	Homicide and operations of war	M	27	—	1	3	1	2	5	9	6	—
		F	23	1	1	3	2	3	1	9	3	—
BN47	Fractures, head injuries and internal injuries	M	1783	1	2	42	85	356	477	404	168	248
		F	765	—	2	25	38	33	42	103	96	426
BN48	Burns	M	80	—	3	11	4	9	15	10	7	21
		F	69	—	2	9	3	2	2	11	15	25
BN49	Effects of poisons	M	198	—	—	4	1	14	42	96	22	19
		F	157	—	1	5	—	3	34	64	27	23
BN50	All other injuries	M	887	6	60	36	53	117	182	253	111	69
		F	344	12	40	24	10	18	53	85	55	47
"Delayed" maternal deaths (see page 190)			7	—	—	—	—	—	4	3	—	—

TABLE 20.—Suspended.

TABLE 21.—Causes of Death by Sex, 1953, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below). }

Note:—Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Abridged List as well as the Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, Standard Regions, Conurbations and National Density Aggregates in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International Classification.

No.	Registrar General's Abridged List.					Corresponding number in the Detailed International Classification.
1.	Tuberculosis, respiratory	...	...	...	...	001-008.
2.	Tuberculosis, other	...	...	...	...	010-019.
3.	Syphilitic disease	...	...	...	...	020-029.
4.	Diphtheria	...	...	...	...	055.
5.	Whooping cough	...	...	...	...	056.
6.	Meningococcal infections	...	...	...	...	057.
7.	Acute poliomyelitis	...	...	...	...	080.
8.	Measles	...	...	...	...	085.
9.	Other infective and parasitic diseases	...	...	...	...	030-054, 058-074, 081-084, 086-138.
10.	Malignant neoplasm, stomach	...	...	...	...	151.
11.	Malignant neoplasm, lung, bronchus	...	...	...	...	162, 163.
12.	Malignant neoplasm, breast	...	...	...	...	170.
13.	Malignant neoplasm, uterus	...	...	...	...	171-174.
14.	Other malignant and lymphatic neoplasms	...	...	...	...	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukæmia, aleukæmia	...	...	...	...	204.
16.	Diabetes	...	...	...	...	260.
17.	Vascular lesions of nervous system	...	...	...	...	330-334.
18.	Coronary disease, angina	...	...	...	...	420.
19.	Hypertension with heart disease	...	...	...	...	440-443.
20.	Other heart disease	...	...	...	...	410-416, 421-434.
21.	Other circulatory disease	...	...	...	...	444-468.
22.	Influenza	...	...	...	...	480-483.
23.	Pneumonia	...	...	...	...	490-493, 763.
24.	Bronchitis	...	...	...	...	500-502.
25.	Other diseases of respiratory system	...	...	...	...	470-475, 510-527.
26.	Ulcer of stomach and duodenum	...	...	...	...	540, 541.
27.	Gastritis, enteritis and diarrhœa	...	...	...	...	543, 571, 572, 764.
28.	Nephritis and nephrosis	...	...	...	...	590-594.
29.	Hyperplasia of prostate	...	...	...	...	610.
30.	Pregnancy, childbirth, abortion	...	...	...	...	640-689.*
31.	Congenital malformations	...	...	...	...	750-759.
32.	Other defined and ill-defined diseases	...	...	...	...	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	...	...	...	...	E810-835.
34.	All other accidents	...	...	...	...	E800-802, 840-962.
35.	Suicide	...	...	...	...	E963, 970-979.
36.	Homicide and operations of war	...	...	...	...	E964, 965, 980-999.

\*640-689. The deaths against this heading include some cases where it was stated that the interval between maternal condition and death exceeded 12 months. These deaths are distinguished by footnotes where they occur.



*See Explanatory notes on page vi.*

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF  
DEATH and its relation to the detailed International Classification.

<i>No.</i>	<i>Registrar General's Supplementary Abridged List.</i>	<i>Detailed International Classification No.</i>
2 (1)	Tuberculosis of meninges and nervous system	010.
9 (1)	Typhoid fever .. .. .	040.
9 (2)	Scarlet fever .. .. .	050.
9 (3)	Streptococcal sore throat .. .. .	051.
9 (4)	Erysipelas, septicæmia, pyæmia .. .. .	052, 053.
9 (5)	Acute infectious encephalitis .. .. .	082.
9 (6)	Smallpox .. .. .	084.
9 (7)	Infectious hepatitis .. .. .	092.
14 (1)	Malignant neoplasm, mouth and pharynx ..	140-148.
14 (2)	„ „ œsophagus .. ..	150.
14 (3)	„ „ intestine and rectum ..	152-154.
14 (4)	„ „ larynx .. ..	161.
13 (1)	„ „ cervix uteri .. ..	171.
14 (5)	Hodgkin's disease .. .. .	201.
14 (6)	Lymphosarcoma, reticulosarcoma .. ..	200.
32 (1)	Thyrotoxicosis .. .. .	252.
32 (2)	Otitis media and mastoiditis .. .. .	391-393.
32 (3)	Rheumatic fever .. .. .	400-402.
20 (1)	Chronic rheumatic heart disease .. ..	410-416.
21 (1)	Hypertension without mention of heart ..	444-447.
32 (4)	Appendicitis .. .. .	550-553.
32 (5)	Intestinal obstruction and hernia .. ..	560, 561, 570.
32 (6)	Cirrhosis of liver .. .. .	581.
32 (7)	Cholelithiasis, cholecystitis .. .. .	584, 585.
30 (1)	Maternal sepsis (not abortion) .. ..	640, 641, 681, 682, 684.
30 (2)	Toxæmias of pregnancy and puerperium ..	642, 685, 686.
30 (3)	Abortion .. .. .	650-652.
32 (8)	Birth injury .. .. .	760, 761.
32 (9)	Post-natal asphyxia and atelectasis .. ..	762.
23 (1)	Pneumonia of newborn .. .. .	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn ..	765-768.
32 (12)	Hæmolytic disease of newborn .. ..	770.
32 (13)	Immaturity (without other disease peculiar to early infancy) .. .. .	774, 776.
32 (14)	Senility without psychosis .. .. .	794.
32 (15)	Ill-defined and unknown cause .. ..	780-789, 790-793, 795.



TABLE 21—continued. England and Wales, Standard Regions and Conurbations.

Abridged List Causes of Death (See first page of Table)			England and Wales	Northern			East & West Ridings			North Western				Midland			
				Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis, respiratory	M	5447	395	128	267	500	207	293	866	332	246	288	418	630	365	265
		F	2466	242	69	173	200	77	123	424	154	136	134	193	269	150	119
2	Tuberculosis, other	M	517	57	18	39	51	20	31	80	25	23	32	46	62	38	24
		F	472	44	13	31	43	17	26	68	19	12	37	37	41	14	27
3	Syphilitic disease	M	1001	55	15	40	109	55	54	136	53	28	55	77	89	44	45
		F	444	24	11	13	42	22	20	80	30	15	35	28	37	16	21
4	Diphtheria	M	11	1	—	1	—	—	—	3	—	3	—	—	5	4	1
		F	12	1	—	1	1	1	—	4	1	3	—	—	4	4	—
5	Whooping cough	M	104	6	3	3	10	2	8	15	5	3	7	10	18	10	8
		F	139	8	2	6	14	4	10	23	6	8	9	14	20	13	7
6	Meningococcal infections	M	166	13	6	7	20	13	7	26	10	8	8	16	17	12	5
		F	125	12	3	9	13	7	6	17	6	4	7	8	16	11	5
7	Acute poliomyelitis	M	199	7	—	7	22	8	14	20	4	4	12	9	19	6	13
		F	121	5	1	4	6	2	4	5	1	4	—	13	8	3	5
8	Measles	M	142	11	3	8	11	7	4	16	3	3	10	10	23	18	5
		F	103	14	3	11	8	4	4	16	6	3	7	1	21	11	10
9	Other infective, etc., diseases	M	616	69	20	49	61	26	35	92	27	26	39	44	59	32	27
		F	615	51	10	41	47	16	31	118	37	29	52	63	57	27	30
10	Malignant neoplasm: stomach	M	8044	669	202	467	774	342	432	1376	532	240	604	577	747	377	370
		F	6209	488	128	360	646	304	342	1091	414	229	448	401	560	273	287
11	lung, bronchus	M	12881	799	281	518	1184	518	666	2098	825	514	759	743	1275	725	550
		F	2251	129	46	83	199	80	119	378	149	102	127	129	190	105	85
12	breast	M	81	3	1	2	13	7	6	13	4	2	7	6	8	5	3
		F	8158	452	125	327	737	336	401	1178	466	215	497	578	767	384	383
13	uterus	F	3945	279	82	197	446	212	234	623	260	107	256	259	357	170	187
14	Other malignant and lymphatic neoplasms	M	23813	1718	495	1223	2141	886	1255	3405	1289	656	1460	1729	2216	1072	1144
		F	20421	1311	341	970	1813	847	966	3031	1200	592	1239	1419	1859	908	951
15	Leukæmia, aleukæmia	M	1116	62	15	47	105	51	54	131	48	33	50	91	102	48	54
		F	1005	57	19	38	89	46	43	153	61	34	58	78	87	46	41
16	Diabetes	M	1066	74	16	58	97	45	52	158	57	27	74	81	107	64	43
		F	2128	157	33	124	206	94	112	335	119	49	167	134	230	102	128
17	Vascular lesions of nervous system	M	28762	2488	628	1860	3046	1399	1647	4563	1724	737	2102	2305	2647	1223	1424
		F	39307	2854	709	2145	3809	1879	1930	6164	2380	961	2823	2955	3591	1688	1903
18	Coronary disease, angina	M	38966	3024	825	2199	3943	1841	2102	6031	2151	1163	2717	2669	3281	1594	1687
		F	22785	1809	488	1321	2295	1193	1102	3312	1216	628	1468	1519	1803	846	957
19	Hypertension with heart disease	M	5216	371	108	263	513	236	277	797	290	186	321	459	497	272	225
		F	6084	362	95	267	585	278	307	939	340	239	360	464	578	333	245
20	Other heart disease	M	36207	2612	577	2035	3598	1485	2113	5801	2119	1028	2654	2927	3419	1501	1918
		F	49845	3174	781	2393	4684	2184	2500	8257	3214	1387	3656	3613	4548	2115	2433
21	Other circulatory disease	M	10924	800	200	600	1119	337	782	1454	637	204	613	814	914	470	444
		F	11881	790	214	576	1281	465	816	1661	733	253	675	808	892	404	488
22	Influenza	M	2905	129	39	90	217	92	125	279	138	23	118	219	297	173	124
		F	3560	140	50	90	238	97	141	333	169	38	126	247	355	190	165
23	Pneumonia	M	11252	747	199	548	1132	528	604	1538	566	398	574	828	1013	545	468
		F	10397	615	152	463	933	490	443	1318	494	397	427	680	943	482	461
24	Bronchitis	M	19502	1115	349	766	2051	967	1084	3361	1580	570	1211	1409	1946	1128	818
		F	10890	595	176	419	1101	535	566	1899	941	286	672	673	999	533	466
25	Other diseases of respiratory system	M	3283	206	57	149	265	112	153	455	167	100	188	214	334	150	184
		F	1448	107	40	67	108	53	55	221	84	43	94	110	144	75	69
26	Ulcer of stomach and duodenum	M	3795	228	63	165	347	157	190	532	214	127	191	238	392	222	170
		F	1331	87	27	60	95	40	55	177	64	42	71	86	139	81	58
27	Gastritis, enteritis and diarrhoea	M	1093	71	11	60	104	34	70	152	48	46	58	71	106	63	43
		F	1351	93	20	73	115	47	68	175	59	47	69	89	117	59	58
28	Nephritis and nephrosis	M	2802	181	49	132	300	133	167	454	130	81	243	196	280	147	133
		F	2627	182	46	136	272	130	142	467	144	87	236	195	261	116	143
29	Hyperplasia of prostate	M	4173	322	86	236	332	134	198	565	196	102	267	320	324	141	183
30	Pregnancy, childbirth, abortion.*	F	527	43	13	30	39	12	27	83	34	12	37	41	51	24	27
31	Congenital malformations	M	2216	189	64	125	213	87	126	336	119	89	128	180	228	119	109
		F	2045	178	50	128	163	70	93	338	115	99	124	175	200	103	97
32	Other defined and ill-defined dis.	M	20857	1573	403	1170	1948	807	1141	3270	1226	581	1463	1646	2155	1073	1083
		F	23816	1697	433	1264	2255	1010	1245	3902	1491	686	1725	1816	2398	1182	1216
33	Motor vehicle accidents	M	3342	260	61	199	326	124	202	455	161	99	195	284	363	147	216
		F	1033	56	11	45	86	39	47	185	77	41	67	80	111	52	59
34	All other accidents	M	5793	600	125	475	616	249	367	849	304	192	353	474	506	230	270
		F	4665	311	78	233	513	231	282	697	238	145	314	345	437	192	241
35	Suicide	M	3020	224	59	165	275	118	157	471	194	78	199	251	308	160	144
		F	1734	101	26	75	165	84	81	261	95	48	118	122	188	96	91
36	Homicide, operations of war	M	178	21	5	16	23	10	13	28	13	3	12	17	11	5	9
		F	99	6	—	6	13	4	9	15	7	4	4	5	8	2	6
** "Delayed" maternal deaths (see page 238)			32	1	—	1	1	—	1	3	1	1	1	5	3	—	—



TABLE 21—continued. England and Wales, Standard Regions and Conurbations.

Supplementary Abridged List of Causes of Death (See first page of Table)		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland			
			Total	Tyne-side Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland	
1)	Tub. of meninges and nervous system	M	177	19	7	12	17	8	9	25	9	9	7	19	29	23	6
		F	168	18	5	13	15	5	10	25	8	6	11	11	19	6	13
1)	Typhoid fever	M	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—
2)	Scarlet fever	M	8	—	—	—	1	—	1	—	—	—	—	—	2	2	—
		F	19	3	—	3	2	—	—	3	—	—	—	—	2	—	2
3)	Streptococcal sore throat	M	15	1	—	1	—	—	—	1	—	—	1	1	1	1	—
		F	19	1	—	1	2	2	—	—	—	—	—	3	3	1	2
4)	Erysipelas, septicæmia, pyæmia	M	77	6	2	4	5	—	5	14	6	4	4	7	11	8	3
		F	65	7	2	5	6	3	3	15	2	7	6	5	6	4	2
5)	Acute infectious encephalitis	M	70	10	1	9	7	2	5	11	5	3	3	8	6	4	2
		F	64	3	1	2	4	1	3	18	5	4	9	8	10	5	5
6)	Smallpox	M	6	—	—	—	5	4	1	1	—	—	1	—	—	—	—
		F	2	—	—	—	2	—	2	—	—	—	—	—	—	—	—
7)	Infectious hepatitis	M	126	14	3	11	8	6	2	21	3	12	6	8	5	3	2
		F	162	15	5	10	13	4	9	30	13	6	11	20	10	4	6
1)	Malig. neoplasm, mouth and pharynx	M	1402	118	33	85	129	47	82	194	73	39	82	95	137	66	71
		F	568	35	8	27	54	24	30	94	31	21	42	34	49	26	23
2)	Malig. neoplasm, œsophagus	M	1335	97	35	62	99	43	56	224	75	45	104	91	113	44	69
		F	865	47	13	34	56	18	38	150	53	40	57	57	76	33	43
3)	Malig. neoplasm, intestine and rectum	M	7520	580	168	412	695	278	417	1164	452	195	517	549	734	343	391
		F	8084	526	137	389	769	356	413	1219	498	219	502	573	787	390	397
4)	Malig. neoplasm, larynx	M	737	42	9	33	77	32	45	98	36	23	39	53	76	39	37
		F	168	10	2	8	17	7	10	38	15	9	14	11	27	9	18
1)	Malig. neoplasm, cervix uteri	F	2501	209	64	145	316	147	169	398	170	71	157	166	220	108	112
5)	Hodgkin's disease	M	488	34	10	24	42	15	27	90	37	19	34	37	29	18	11
		F	287	21	4	17	29	16	13	41	22	6	13	24	20	10	10
6)	Lymphosarcoma, reticulosarcoma	M	454	27	7	20	32	10	22	50	13	16	21	31	45	24	21
		F	301	13	2	11	20	13	7	37	15	6	16	18	26	11	15
1)	Thyrotoxicosis	M	65	2	—	2	6	—	6	7	4	1	2	5	7	4	3
		F	317	17	1	16	26	10	16	48	17	7	24	29	29	12	17
2)	Otitis media and mastoiditis	M	222	14	4	10	23	12	11	29	9	4	16	29	24	16	8
		F	110	5	2	3	16	11	5	12	6	3	3	12	21	12	9
3)	Rheumatic fever	M	143	16	6	10	14	5	9	19	5	4	10	5	20	10	10
		F	167	15	3	12	24	12	12	22	6	5	11	6	27	15	12
1)	Chronic rheumatic heart disease	M	3334	271	67	204	311	127	184	533	231	74	228	239	306	149	157
		F	5503	407	124	283	547	270	277	938	382	201	355	354	538	282	256
1)	Hyperten. without mention of heart	M	4021	283	79	204	296	115	181	509	203	96	210	270	380	235	145
		F	4102	247	68	179	311	136	175	540	208	101	231	284	291	160	131
4)	Appendicitis	M	550	33	12	21	65	25	40	76	33	15	28	48	59	26	33
		F	356	27	4	23	31	13	18	35	14	7	14	24	41	22	19
5)	Intestinal obstruc. and hernia	M	1484	74	26	48	121	61	60	219	88	39	92	124	142	58	84
		F	1506	90	22	68	139	61	78	240	92	39	109	101	136	62	74
6)	Cirrhosis of liver	M	650	51	16	35	53	29	24	96	43	15	38	47	82	39	43
		F	505	38	12	26	48	27	21	78	35	17	26	46	52	24	28
7)	Cholelithiasis, cholecystitis	M	445	37	7	30	55	21	34	67	26	14	27	23	42	23	19
		F	1039	85	22	63	109	53	56	164	65	32	67	82	85	41	44
1)	Maternal sepsis (not abortion)	F	71	7	3	4	7	3	4	8	1	1	6	6	8	5	3
2)	Toxæmias of pregnancy and puerperium	F	166	14	3	11	8	1	7	22	6	3	13	14	21	9	12
3)	Abortion	F	76	4	2	2	7	3	4	10	3	4	3	6	5	3	2
8)	Birth injury	M	1147	103	22	81	130	58	72	203	86	51	66	71	141	65	76
		F	689	56	19	37	69	27	42	105	36	32	37	47	99	49	50
9)	Post-natal asphyxia and atelectasis	M	1493	113	22	91	161	55	106	232	94	70	68	130	184	94	90
		F	998	62	17	45	114	41	73	189	71	59	59	82	114	55	59
1)	Pneumonia of newborn	M	554	45	8	37	66	33	33	95	27	36	32	29	68	29	39
		F	336	29	8	21	29	15	14	58	19	20	19	21	46	21	25
11)	Ophth., pemphigus, sepsis of newborn	M	32	4	1	3	1	1	—	8	5	2	1	2	4	2	2
		F	42	3	—	3	3	2	1	11	6	2	3	3	6	4	2
12)	Hæmolytic disease of newborn	M	225	10	—	10	21	4	17	33	12	11	10	20	21	16	5
		F	185	15	5	10	9	3	6	31	8	9	14	17	33	28	5
13)	Immaturity (without other dis. peculiar to early infancy)	M	1999	218	62	156	238	91	147	344	121	78	145	175	167	73	94
		F	1547	161	52	109	163	67	96	272	82	64	126	146	163	63	100
14)	Senility without psychosis	M	2667	175	46	129	193	61	132	465	142	57	266	222	390	224	166
		F	4707	311	76	235	381	143	238	780	282	93	405	412	580	308	272
15)	Ill-defined and unknown cause	M	137	6	2	4	14	8	6	24	6	6	12	15	12	6	6
		F	127	8	1	7	9	6	3	18	10	2	6	16	10	5	5



TABLE 21—continued. Standard Regions and Conurbations. Density Aggregate Summary.

Abridged List of Causes of Death (See first page of Table)			London & South Eastern			Wales											
			Eastern	Total	Greater London	Remainder of South Eastern	Southern	South Western	Total	Wales I	Wales II	Conurbations	Areas outside the Conurbations	Urban Areas with Populations of 100,000 and over	Urban Areas with Populations of 50,000 & under 100,000	Urban Areas with Populations under 50,000	Rural Areas
1	Tuberculosis, respiratory	M	265	1314	1056	258	268	344	447	315	132	2334	3113	896	398	1073	746
		F	133	553	438	115	105	162	185	138	47	1024	1442	370	181	501	390
2	Tuberculosis, other	M	28	106	75	31	23	28	36	25	11	199	318	71	37	118	92
		F	23	106	81	25	19	39	52	38	14	156	316	68	46	107	95
3	Syphilitic disease	M	79	279	213	66	63	54	60	49	11	408	593	136	73	217	167
		F	29	147	114	33	17	28	12	10	2	208	236	58	28	82	68
4	Diphtheria	M	—	1	1	—	—	1	—	—	—	8	3	—	—	2	1
		F	1	—	—	—	—	1	—	—	—	9	3	—	—	2	1
5	Whooping cough	M	4	20	17	3	5	8	8	6	2	40	64	13	3	26	22
		F	7	23	18	5	13	8	9	7	2	51	88	23	15	23	27
6	Meningococcal infections	M	10	33	30	3	11	9	11	9	2	79	87	20	13	29	25
		F	8	24	17	7	8	6	13	9	4	48	77	19	13	22	23
7	Acute poliomyelitis	M	21	58	41	17	15	19	9	5	4	63	136	22	14	57	43
		F	11	34	20	14	20	13	6	2	4	31	90	15	11	34	30
8	Measles	M	10	32	21	11	7	8	14	10	4	55	87	12	11	33	31
		F	4	14	5	9	8	8	9	8	1	32	71	11	11	29	20
9	Other infective, etc., diseases	M	45	123	90	33	29	48	46	30	16	221	395	82	38	136	139
		F	41	134	92	42	29	44	31	17	14	211	404	78	55	144	127
10	Malignant neoplasm: stomach	M	511	1780	1359	421	427	546	637	419	218	3052	4992	1087	591	1820	1494
		F	392	1425	1089	336	326	436	444	301	143	2437	3772	822	444	1409	1097
11	lung, bronchus	M	815	3870	3113	757	711	710	676	538	138	5976	6905	1844	938	2414	1709
		F	150	727	577	150	129	132	88	56	32	1059	1192	314	145	417	316
12	breast	M	3	16	12	4	5	7	7	3	4	31	50	9	10	13	18
		F	597	2300	1685	615	546	568	435	304	131	3211	4947	1063	652	1843	1389
13	uterus	M	250	964	708	256	238	291	238	182	56	1539	2406	545	341	897	623
14	Other malignant and lymphatic neoplasms	M	1803	6117	4533	1584	1552	1700	1432	1003	429	8931	14882	3231	1821	5437	4393
		F	1509	5614	4111	1503	1251	1480	1134	766	368	7999	12422	2653	1596	4619	3554
15	Leukæmia, aleukæmia	M	85	305	225	80	92	73	70	45	25	420	696	158	93	238	207
		F	66	276	208	68	74	84	41	28	13	414	591	112	84	227	168
16	Diabetes	M	91	230	177	53	68	97	63	45	18	386	680	144	90	237	209
		F	152	495	355	140	115	159	145	105	40	752	1376	292	157	511	416
17	Vascular lesions of nervous system	M	2069	5839	4017	1822	1706	2125	1974	1328	646	9728	19034	3763	2313	7261	5697
		F	2901	9068	6125	2943	2451	3045	2469	1580	889	13742	25565	5031	3318	9814	7402
18	Coronary disease, angina	M	2694	9658	7314	2344	2421	2665	2580	1856	724	14888	24078	5179	3133	8869	6897
		F	1762	5939	4325	1614	1466	1639	1241	867	374	8696	14089	2964	1895	5210	4020
19	Hypertension with heart disease	M	327	1278	969	309	241	421	312	199	113	2061	3155	720	365	1167	903
		F	390	1622	1206	416	362	457	325	206	119	2491	3593	869	478	1295	951
20	Other heart disease	M	2687	7519	4846	2673	2216	3139	2289	1604	685	11556	24651	4644	2888	9091	8028
		F	3627	11742	7783	3959	2968	4304	2928	1985	943	17464	32381	6543	4102	11995	9741
21	Other circulatory disease	M	809	2788	2025	763	659	830	737	517	220	3873	7051	1671	774	2511	2095
		F	885	3249	2443	806	701	914	700	476	224	4512	7369	1768	844	2587	2170
22	Influenza	M	239	880	554	326	242	266	137	94	43	1019	1886	345	227	682	632
		F	268	1190	782	408	295	368	126	93	33	1326	2234	401	252	867	714
23	Pneumonia	M	863	3157	2438	719	689	785	500	381	119	4674	6578	1613	864	2197	1904
		F	862	3163	2400	763	763	746	374	258	116	4415	5982	1473	765	2043	1701
24	Bronchitis	M	1055	5504	4546	958	925	937	1199	968	231	9140	10362	2643	1342	3864	2513
		F	600	3387	2790	597	546	590	500	381	119	5261	5629	1444	768	1980	1437
25	Other diseases of respiratory system	M	188	689	541	148	198	261	473	408	65	1127	2156	479	236	785	656
		F	122	348	253	95	82	113	93	62	31	548	900	195	115	321	269
26	Ulcer of stomach and duodenum	M	260	1067	804	263	268	267	196	148	48	1587	2208	527	273	790	618
		F	85	428	337	91	70	106	58	44	14	591	740	182	104	261	193
27	Gastritis, enteritis and diarrhoea	M	77	262	198	64	78	78	94	75	19	400	693	158	87	249	199
		F	100	370	283	87	105	100	87	61	26	515	836	186	103	291	256
28	Nephritis and nephrosis	M	156	593	421	172	152	253	237	157	80	961	1841	380	200	710	551
		F	155	533	357	176	149	195	218	145	73	880	1747	354	210	646	537
29	Hyperplasia of prostate	M	359	930	645	285	288	375	358	207	151	1304	2869	510	351	1055	953
30	Pregnancy, childbirth, abortion*	F	31	127	90	37	36	36	40	25	15	185	342	77	34	120	111
31	Congenital malformations	M	154	505	380	125	124	140	147	95	52	858	1358	303	161	455	439
		F	132	476	360	116	104	152	127	92	35	797	1248	272	180	423	373
32	Other defined and ill-defined dis.	M	1538	4427	3163	1264	1253	1497	1550	1098	452	7253	13604	2699	1692	4858	4355
		F	1655	5182	3644	1538	1460	1700	1751	1220	531	8446	15370	3047	1825	5832	4666
33	Motor vehicle accidents	M	280	663	471	192	256	238	217	150	67	1063	2279	407	236	680	956
		F	69	259	194	65	59	67	61	45	16	414	619	127	82	184	226
34	All other accidents	M	486	1083	800	283	321	388	470	361	109	1900	3893	711	403	1364	1415
		F	437	1047	699	348	299	312	267	163	104	1583	3082	584	427	1201	870
35	Suicide	M	231	743	558	185	178	212	127	85	42	1167	1853	408	254	641	550
		F	127	481	373	108	105	116	68	47	21	722	1012	288	149	359	216
36	Homicide, operations of war	M	9	41	29	12	8	16	4	1	3	65	113	27	12	47	27
		F	5	27	20	7	12	8	—	—	—	37	62	14	5	20	23
*** Delayed ** maternal deaths (see page 238)			3	7	4	3	4	2	3	1	2	6	26	9	3	7	7



TABLE 21—continued. Standard Regions and Conurbations. Density Aggregate Summary.

Supplementary Abridged List of Causes of Death (See first page of Table)		Eastern	London & South Eastern			Southern	South Western	Wales			Conurbations	Areas outside the Conurbations	Urban Areas with Popula- tions of 100,000 and over	Urban Areas with Poplns of 50,000 & under 100,000	Urban Areas with Popula- tions under 50,000	Rural Areas
			Total	Greater London	Remainder of South Eastern			Total	Wales I	Wales II						
(1) Tub. of meninges and nervous system	M	11	25	13	12	7	8	17	13	4	69	108	20	10	43	35
	F	7	33	26	7	6	9	25	19	6	56	112	29	17	35	31
(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—
(2) Scarlet fever	M	—	1	—	1	—	3	1	—	1	2	6	2	—	1	3
	F	2	4	3	1	—	1	1	1	—	6	13	3	2	4	4
(3) Streptococcal sore throat	M	4	2	1	1	—	4	1	1	—	2	13	5	2	2	4
	F	—	2	1	1	4	1	3	2	1	4	15	3	1	6	5
(4) Erysipelas, septicaemia, pyaemia	M	8	8	7	1	7	5	6	4	2	27	50	14	3	16	17
	F	6	14	8	6	1	2	3	3	—	26	39	10	4	12	13
(5) Acute infectious encephalitis	M	3	15	10	5	1	4	5	3	2	25	45	8	8	13	16
	F	2	10	7	3	4	4	1	—	1	23	41	6	5	14	16
(6) Smallpox	M	—	—	—	—	—	—	—	—	—	4	2	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—
(7) Infectious hepatitis	M	11	35	27	8	5	9	10	8	2	54	72	10	6	38	18
	F	11	40	30	10	6	10	7	3	4	62	100	17	11	37	35
(1) Malig. neoplasm, mouth and pharynx	M	83	351	242	109	90	106	99	78	21	500	902	207	105	343	247
	F	47	133	97	36	36	31	55	35	20	207	361	79	40	139	103
(2) Malig. neoplasm, oesophagus	M	90	336	254	82	99	90	96	71	25	496	839	191	106	311	231
	F	62	221	162	59	39	86	71	38	33	319	546	100	58	201	187
(3) Malig. neoplasm, intestine and rectum	M	591	1746	1250	496	481	520	460	312	148	2686	4834	1039	575	1801	1419
	F	608	2101	1497	604	498	567	436	303	133	3097	4987	1059	666	1875	1387
(4) Malig. neoplasm, larynx	M	54	206	156	50	46	51	34	25	9	295	442	119	65	165	93
	F	12	27	17	10	2	11	13	10	3	59	109	15	16	49	29
(1) Malig. neoplasm, cervix uteri	F	153	585	448	137	151	155	148	108	40	1008	1493	360	231	553	349
(5) Hodgkin's disease	M	35	123	98	25	35	30	33	26	7	197	291	68	44	88	91
	F	25	83	61	22	12	13	19	15	4	119	168	29	18	64	57
(6) Lymphosarcoma, reticulosarcoma	M	29	148	123	25	27	37	28	21	7	193	261	68	26	91	76
	F	30	108	82	26	13	23	13	10	3	129	172	24	24	73	51
(1) Thyrotoxicosis	M	6	16	8	8	6	6	4	3	1	17	48	9	5	23	11
	F	28	54	27	27	20	43	23	15	8	74	243	46	25	81	91
(2) Otitis media and mastoiditis	M	20	50	39	11	13	11	9	4	5	84	138	36	18	53	31
	F	11	23	17	6	1	1	8	8	—	51	59	12	6	19	22
(3) Rheumatic fever	M	8	26	18	8	9	10	16	14	2	48	95	22	12	40	21
	F	15	32	20	12	4	10	12	11	1	61	106	27	9	45	25
(1) Chronic rheumatic heart disease	M	198	882	698	184	161	234	199	151	48	1346	1988	457	263	684	584
	F	324	1406	1132	274	302	316	371	287	84	2391	3112	756	418	1114	824
(1) Hyperten. without mention of heart	M	298	1188	903	285	250	262	285	203	82	1631	2390	545	267	866	712
	F	342	1319	1038	281	238	274	256	176	80	1711	2391	531	292	840	728
(4) Appendicitis	M	46	134	94	40	32	31	26	16	10	205	345	70	42	130	103
	F	33	86	61	25	29	24	26	18	8	121	235	48	35	84	68
(5) Intestinal obstruc. and hernia	M	112	389	283	106	97	112	94	58	36	555	929	161	116	325	327
	F	98	424	311	113	84	110	84	54	30	587	919	195	130	351	243
(6) Cirrhosis of liver	M	43	147	103	44	46	46	39	25	14	245	405	101	59	133	112
	F	21	117	88	29	44	23	38	25	13	203	302	69	31	116	86
(7) Cholelithiasis, cholecystitis	M	37	97	74	23	36	21	30	21	9	165	280	61	37	97	85
	F	65	227	171	56	52	84	86	59	27	384	655	146	85	236	188
(1) Maternal sepsis (not abortion)	F	5	13	9	4	7	6	4	4	—	22	49	10	7	14	18
(2) Toxæmias of pregnancy and puerperium	F	12	39	27	12	12	9	15	10	5	49	117	27	12	46	32
(3) Abortion	F	1	28	24	4	5	5	5	4	1	39	37	12	6	11	8
(8) Birth injury	M	62	205	165	40	56	95	81	66	15	447	700	157	103	238	202
	F	54	135	110	25	42	41	41	32	9	273	416	88	66	153	109
(9) Post-natal asphyxia and atelectasis	M	93	316	267	49	86	94	84	47	37	602	891	202	120	292	277
	F	44	202	171	31	59	76	56	35	21	414	584	136	67	187	194
(1) Pneumonia of newborn	M	37	108	84	24	32	36	38	33	5	217	337	89	51	107	90
	F	20	62	48	14	18	28	25	21	4	131	205	48	30	70	57
(11) Ophth., pemphigus, sepsis of newborn	M	4	6	5	1	—	—	3	3	—	16	16	6	1	4	5
	F	3	6	5	1	3	—	4	3	1	19	23	5	2	10	6
(12) Hæmolytic disease of newborn	M	23	49	34	15	16	17	15	8	7	77	148	27	13	55	53
	F	5	42	33	9	13	10	10	7	3	86	99	22	15	34	28
(13) Immaturity (without other dis. peculiar to early infancy)	M	134	347	236	111	106	111	159	121	38	661	1338	287	177	444	430
	F	114	257	179	78	81	89	101	74	27	507	1040	221	113	392	314
(14) Senility without psychosis	M	229	347	198	149	131	220	295	201	94	728	1939	238	176	788	737
	F	377	743	426	317	291	393	439	281	158	1328	3379	484	344	1403	1148
(15) Ill-defined and unknown cause	M	8	25	17	8	11	11	11	6	5	45	92	20	13	29	30
	F	13	20	12	8	6	13	14	8	6	36	91	14	10	38	29



TABLE 21—continued.—London Metropolitan Boroughs.

Abridged List of Causes of Death (See first page of Table)			London Administrative County.	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
1	Tuberculosis, respiratory	M	510	3	—	8	9	8	34	3	19	9	15	14	15	28	7
		F	180	—	—	6	3	1	10	1	6	2	8	2	6	3	4
2	Tuberculosis, other	M	29	1	—	1	—	—	2	—	1	—	1	1	1	1	—
		F	44	—	—	4	1	—	3	—	1	—	—	1	2	1	1
3	Syphilitic disease	M	112	1	—	3	2	—	4	2	—	2	6	3	5	3	4
		F	63	—	—	2	2	2	4	—	—	3	4	—	2	2	2
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	7	—	—	—	—	—	1	—	—	—	2	—	—	1	—
		F	13	—	—	—	1	—	1	—	—	—	—	2	—	—	—
6	Meningococcal infections	M	14	—	—	—	—	—	2	—	—	—	1	1	—	—	1
		F	10	—	—	1	—	—	—	—	2	—	1	—	—	—	—
7	Acute poliomyelitis	M	10	—	—	—	—	—	1	—	—	—	—	1	1	—	2
		F	9	—	—	—	—	—	—	—	—	—	—	—	—	2	—
8	Measles	M	7	—	—	—	—	—	—	—	—	—	1	—	1	—	—
		F	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—
9	Other infective, etc., diseases	M	44	—	—	—	—	1	3	1	—	—	2	2	3	—	2
		F	35	—	—	2	—	1	2	—	—	—	—	—	3	—	—
10	Malignant neoplasm: stomach	M	639	1	—	22	17	12	31	10	15	4	25	18	21	27	22
		F	460	—	—	17	11	7	28	4	13	6	11	15	25	16	31
11	lung, bronchus	M	1431	3	—	49	22	31	69	16	35	16	43	23	78	47	60
		F	276	—	—	10	3	3	6	4	4	3	8	4	14	5	17
12	breast	M	4	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	728	1	—	24	10	8	31	11	15	2	22	12	26	14	60
13	uterus	M	331	—	—	5	3	4	7	8	4	2	10	11	11	11	29
14	Other malignant and lymphatic neoplasms	M	2004	6	—	58	31	34	116	41	46	13	84	34	90	65	94
		F	1761	—	—	57	23	20	86	27	34	13	46	42	79	37	96
15	Leukæmia, aleukæmia	M	99	—	—	3	3	1	5	3	3	—	3	5	5	1	6
		F	90	—	—	2	1	2	3	4	1	1	2	4	4	1	3
16	Diabetes	M	82	—	—	4	1	1	3	3	3	—	5	1	2	3	3
		F	160	—	—	4	1	2	7	2	4	3	7	2	7	4	3
17	Vascular lesions of nervous system	M	1610	2	—	84	22	21	98	30	34	13	65	31	64	51	38
		F	2408	1	—	110	37	31	130	58	60	20	100	55	109	81	73
18	Coronary disease, angina	M	2927	6	—	89	49	39	155	33	71	34	100	60	156	99	112
		F	1865	—	—	55	18	17	109	43	31	18	55	44	98	69	69
19	Hypertension with heart disease	M	414	1	—	29	3	7	17	3	12	3	12	13	19	18	11
		F	510	—	—	20	5	6	29	4	14	6	26	15	34	24	12
20	Other heart disease	M	1979	3	—	118	28	18	104	43	64	11	70	46	76	46	34
		F	3157	2	—	160	27	40	146	55	97	22	96	68	114	84	65
21	Other circulatory disease	M	864	1	—	28	19	10	74	23	25	3	27	24	29	24	13
		F	1103	—	—	46	22	24	72	36	38	8	32	28	21	19	33
22	Influenza	M	203	—	—	9	2	4	6	4	3	5	4	6	11	9	1
		F	311	—	—	11	2	3	22	5	6	3	12	9	16	8	5
23	Pneumonia	M	1107	8	—	43	27	17	47	13	30	7	59	21	57	44	17
		F	1017	1	—	40	15	16	52	35	22	13	50	12	43	32	32
24	Bronchitis	M	2217	2	—	96	33	42	160	11	73	31	88	46	109	77	29
		F	1365	1	—	45	25	40	102	29	45	15	57	36	74	44	22
25	Other diseases of respiratory system	M	258	—	—	11	11	8	11	8	6	1	7	4	14	14	1
		F	127	1	—	5	3	2	5	2	4	1	4	4	7	1	4
26	Ulcer of stomach and duodenum	M	386	1	—	12	7	7	14	4	7	2	20	8	15	14	7
		F	163	—	—	5	—	6	7	2	7	2	7	6	9	4	3
27	Gastritis, enteritis and diarrhoea	M	85	—	—	9	2	1	5	1	1	1	1	3	6	3	3
		F	118	—	—	4	2	1	9	1	4	—	1	2	9	1	3
28	Nephritis and nephrosis	M	176	1	—	6	2	4	7	2	4	—	9	3	11	7	4
		F	157	—	—	3	2	4	12	5	2	—	6	8	10	3	5
29	Hyperplasia of prostate	M	274	1	—	9	1	3	21	6	11	2	10	8	13	11	4
30	Pregnancy, childbirth, abortion*	M	37	—	—	1	2	—	2	3	—	—	1	—	3	3	2
31	Congenital malformations	M	150	—	—	2	1	1	10	1	3	1	7	6	9	7	—
		F	133	—	—	4	3	4	7	1	1	2	3	1	6	3	2
32	Other defined and ill-defined dis.	M	1335	5	—	41	32	17	92	19	40	12	52	21	71	36	25
		F	1589	4	—	51	23	19	132	33	26	18	71	28	76	42	36
33	Motor vehicle accidents	M	166	—	—	4	2	1	15	6	6	—	2	8	8	8	7
		F	81	—	—	7	1	3	9	1	1	2	1	3	4	4	2
34	All other accidents	M	386	—	—	15	6	3	14	9	6	8	16	9	9	17	6
		F	301	—	—	6	2	6	8	10	7	3	10	3	3	10	9
35	Suicide	M	288	—	—	4	4	6	15	6	6	5	13	6	9	11	5
		F	185	—	—	7	1	2	10	8	3	1	8	5	5	5	12
36	Homicide, operations of war	M	18	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	1	—	—	—	—	—	—	—	—	—	—	—
*“Delayed” maternal deaths (see page 238)			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 21—continued.—London Metropolitan Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)			London. Administrative County	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
2(1)	Tub. of meninges and nervous system	M	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9(1)	Typhoid fever	F	17	—	—	2	—	—	2	—	—	—	—	—	1	—	1
		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—
9(3)	Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	6	—	—	—	—	—	—	—	—	—	1	—	1	—	1
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	14	—	—	—	—	—	1	1	—	—	—	—	1	—	1
		F	8	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4(1)	Malig. neoplasm, mouth and pharynx	M	129	—	—	3	1	—	6	2	2	2	5	2	4	4	7
		F	38	—	—	1	—	1	5	1	1	—	—	1	1	—	1
4(2)	Malig. neoplasm, œsophagus	M	119	—	—	6	—	2	8	6	5	2	4	3	6	4	4
		F	73	—	—	4	1	—	3	2	2	2	—	1	6	1	3
4(3)	Malig. neoplasm, intestine and rectum	M	541	1	—	18	10	6	27	10	13	3	22	12	18	24	24
		F	626	—	—	21	12	6	27	10	15	8	15	10	21	15	36
4(4)	Malig. neoplasm, larynx	M	72	—	—	1	1	1	4	3	1	—	3	1	2	1	3
		F	10	—	—	1	—	—	—	1	—	—	1	—	—	1	1
3(1)	Malig. neoplasm, cervix uteri	F	218	—	—	3	—	4	5	2	1	—	9	6	9	7	19
4(5)	Hodgkin's disease	M	41	—	—	—	1	—	1	2	1	1	2	—	4	—	3
		F	23	—	—	—	—	—	1	—	—	—	1	—	—	1	2
4(6)	Lymphosarcoma, reticulosarcoma	M	45	—	—	1	2	—	1	—	2	—	6	—	3	—	2
		F	44	—	—	3	1	—	2	—	—	1	1	1	1	—	1
2(1)	Thyrototoxicosis	M	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	11	—	—	—	—	—	1	—	—	—	—	—	—	—	—
2(2)	Otitis media and mastoiditis	M	22	—	—	—	1	—	—	1	—	—	2	—	—	1	1
		F	6	—	—	—	—	—	1	—	—	—	1	1	—	1	—
2(3)	Rheumatic fever	M	14	—	—	—	—	—	1	—	2	—	—	—	—	—	—
		F	10	—	—	1	—	—	1	—	—	1	1	—	—	—	—
3(1)	Chronic rheumatic heart disease	M	306	1	—	10	6	3	18	2	8	2	7	9	18	6	7
		F	514	1	—	16	7	14	27	6	15	7	18	10	25	17	12
1(1)	Hyperten. without mention of heart	M	407	1	—	17	11	4	32	11	15	3	11	14	12	9	9
		F	486	—	—	15	10	16	25	16	22	4	12	13	10	7	16
2(4)	Appendicitis	M	25	—	—	—	2	—	1	—	—	—	1	—	—	1	1
		F	27	—	—	1	1	—	2	—	—	—	2	—	1	—	1
2(5)	Intestinal obstruc. and hernia	M	134	1	—	4	2	5	10	2	2	1	3	3	8	3	3
		F	146	1	—	3	—	2	11	1	1	1	6	5	6	5	1
2(6)	Cirrhosis of liver	M	51	—	—	2	—	1	4	—	2	1	4	2	2	1	2
		F	37	—	—	1	—	1	2	—	2	—	1	—	1	2	3
2(7)	Cholelithiasis, cholecystitis	M	25	—	—	3	—	—	1	—	—	—	1	1	—	1	—
		F	84	1	—	1	1	—	8	1	—	1	6	4	6	3	—
0(1)	Maternal sepsis (not abortion)	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0(2)	Toxæmias of pregnancy and puerperium	F	12	—	—	—	1	—	1	2	—	—	—	—	1	1	—
0(3)	Abortion	F	16	—	—	1	—	—	—	—	—	—	1	—	1	1	2
2(8)	Birth injury	M	81	1	—	3	1	—	5	2	—	1	3	2	4	1	3
		F	57	—	—	—	—	1	1	1	—	1	3	1	1	2	1
2(9)	Post-natal asphyxia and atelectasis	M	122	—	—	—	2	—	12	—	5	—	9	1	3	4	1
		F	77	—	—	3	1	—	6	—	2	—	2	—	4	5	4
0(1)	Pneumonia of newborn	M	33	—	—	—	—	1	1	—	1	—	—	—	2	—	2
		F	26	—	—	2	—	—	1	—	—	—	1	—	1	—	3
2(11)	Ophth., pemphigus, sepsis of newborn	M	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2(12)	Hæmolytic disease of newborn	M	12	—	—	—	1	—	—	—	—	—	—	2	—	2	—
		F	15	—	—	—	—	—	—	1	—	—	2	—	1	1	—
2(13)	Immatutity (without other dis. peculiar to early infancy)	M	113	—	—	3	5	2	7	2	6	1	3	1	10	3	—
		F	90	—	—	2	2	1	7	—	6	2	2	1	4	2	2
2(14)	Senility without psychosis	M	69	—	—	2	2	1	8	1	4	—	2	—	7	4	—
		F	172	—	—	5	6	—	35	2	—	1	9	2	3	1	3
2(15)	Ill-defined and unknown cause	M	8	—	—	—	—	—	—	—	—	—	1	1	—	—	—
		F	6	—	—	—	—	—	—	1	—	—	—	—	—	—	—

TABLE 21—continued.—Metropolitan and County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Districts																			
			Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
1	Tuberculosis, respiratory	M	7	28	17	38	32	15	18	13	29	6	14	30	10	46	24	11	8	11	7	13
		F	2	9	9	8	12	9	7	1	8	5	7	9	1	21	4	16	5	3	6	15
2	Tuberculosis, other	M	1	2	4	2	2	—	—	—	1	1	1	1	—	1	2	—	—	—	—	3
		F	1	4	3	5	2	2	—	1	1	1	1	3	1	5	—	—	—	3	2	—
3	Syphilitic disease	M	1	8	1	9	12	4	2	1	3	3	1	4	3	14	6	5	4	—	1	5
		F	1	4	5	4	2	2	—	3	3	—	1	—	1	9	3	2	—	—	—	3
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1
		F	1	1	—	—	—	—	1	—	1	—	—	1	—	3	—	1	1	2	—	—
6	Meningococcal infections	M	—	1	—	—	1	—	1	—	1	—	1	2	—	1	1	1	1	—	—	1
		F	—	2	—	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1
7	Acute poliomyelitis	M	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	2	1	—	—	1
		F	—	3	—	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
8	Measles	M	—	—	—	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
9	Other infective, etc., diseases	M	—	5	2	4	3	1	1	1	1	1	1	1	1	7	—	1	1	—	1	3
		F	—	3	2	1	2	1	—	—	3	1	—	1	—	7	—	3	1	—	—	4
10	Malignant neoplasm: stomach	M	7	41	19	31	34	40	11	13	30	12	14	26	5	90	9	32	7	18	17	30
		F	2	29	19	18	20	26	11	8	8	3	11	19	7	67	9	19	9	3	15	23
11	lung, bronchus	M	5	114	46	73	83	86	33	28	70	25	55	48	22	152	43	56	16	34	31	45
		F	5	19	19	23	13	13	10	2	10	7	7	5	1	40	10	11	2	2	1	8
12	breast	M	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	36	36	32	51	83	11	15	16	12	15	7	7	122	22	17	7	7	17	27
13	uterus	M	—	16	17	16	16	44	2	11	12	4	9	7	4	48	10	10	9	5	6	10
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	19	125	87	110	115	117	41	36	73	25	53	66	20	248	61	96	46	45	48	82
		F	5	115	95	111	107	133	23	36	47	17	47	45	18	289	45	68	24	25	42	64
15	Leukæmia, aleukæmia	M	2	6	2	7	5	3	2	6	—	—	3	4	1	3	4	7	1	4	1	4
		F	3	9	2	5	8	7	2	3	3	1	4	2	1	5	4	3	—	3	1	2
16	Diabetes	M	—	7	2	3	6	7	2	4	2	1	1	5	—	5	4	4	1	3	4	4
		F	2	14	2	11	14	7	4	—	8	3	5	6	2	25	3	8	4	4	3	5
17	Vascular lesions of nervous system	M	8	98	48	95	128	55	38	83	55	36	55	50	26	172	41	69	32	59	53	95
		F	15	174	126	149	154	64	41	94	80	41	65	46	28	301	48	117	42	46	104	92
18	Coronary disease, angina	M	31	205	128	172	219	91	53	91	134	40	87	94	48	291	98	142	66	59	80	122
		F	11	144	95	113	112	71	32	57	83	24	49	55	30	211	58	94	22	32	39	54
19	Hypertension with heart disease	M	2	29	12	25	24	12	11	40	8	7	8	13	3	35	12	25	8	6	5	23
		F	1	38	18	29	37	10	8	36	11	21	7	15	9	48	10	17	6	5	12	21
20	Other heart disease	M	8	129	63	150	156	52	33	38	46	37	72	42	19	346	47	80	73	81	60	135
		F	10	236	149	228	227	80	47	40	78	43	94	52	32	691	45	129	106	80	120	174
21	Other circulatory disease	M	8	43	37	54	49	26	17	53	26	11	39	43	13	97	19	29	17	4	28	23
		F	7	73	57	64	64	45	26	58	36	15	30	28	11	153	25	32	8	4	28	28
22	Influenza	M	1	16	14	18	24	2	3	4	8	2	10	3	1	20	4	9	6	2	4	3
		F	2	21	19	25	35	5	8	2	11	3	8	3	3	44	10	10	8	2	20	2
23	Pneumonia	M	12	70	42	68	68	39	17	21	49	22	47	45	21	136	29	31	26	29	23	43
		F	6	85	54	60	51	27	15	22	36	13	39	38	18	125	25	40	15	19	30	30
24	Bronchitis	M	24	186	68	151	128	61	54	68	95	39	95	89	22	208	46	86	40	28	23	59
		F	11	116	47	87	76	53	23	37	54	27	47	26	24	145	26	31	14	16	21	35
25	Other diseases of respiratory system	M	4	12	11	13	7	8	13	6	9	7	18	14	4	19	7	10	5	4	6	22
		F	1	7	8	11	4	4	14	2	3	2	2	3	—	18	3	2	—	4	4	3
26	Ulcer of stomach and duodenum	M	3	31	20	26	24	17	15	9	22	7	16	14	2	36	11	15	9	8	7	18
		F	1	19	4	13	11	2	3	4	6	2	3	4	1	18	6	8	2	—	1	4
27	Gastritis, enteritis and diarrhoea	M	1	3	5	4	4	2	2	3	2	1	1	7	—	9	4	1	5	1	2	7
		F	1	13	8	8	7	6	—	2	2	1	5	8	2	11	3	3	1	2	1	5
28	Nephritis and nephrosis	M	2	8	6	12	6	5	6	1	8	4	4	9	9	21	3	12	6	1	3	5
		F	1	10	4	12	10	6	1	8	5	3	3	6	2	22	3	1	3	1	7	11
29	Hyperplasia of prostate	M	—	14	13	11	26	15	4	6	8	7	6	13	4	31	7	9	1	9	12	17
30	Pregnancy, childbirth, abortion*	M	2	4	—	4	1	2	—	1	1	—	1	1	1	2	—	—	—	—	—	—
31	Congenital malformations	M	—	8	6	10	11	6	2	7	7	1	7	6	3	13	6	9	2	5	1	13
		F	4	9	9	11	7	4	3	3	8	2	7	6	2	18	1	2	2	4	6	13
32	Other defined and ill-defined dis.	M	11	78	58	86	96	56	30	26	46	18	52	53	22	141	43	56	52	30	35	64
		F	5	88	94	104	118	55	33	36	56	30	45	37	27	183	56	63	50	26	50	60
33	Motor vehicle accidents	M	2	9	6	12	12	4	1	2	9	1	4	7	—	17	4	9	5	7	2	14
		F	—	9	8	1	3	5	—	1	2	—	2	1	—	8	—	2	—	—	1	4
34	All other accidents	M	4	26	26	28	20	21	11	8	15	6	14	21	2	33	16	17	14	12	6	14
		F	3	20	19	20	11	26	8	10	15	5	3	16	3	42	13	10	6	4	15	10
35	Suicide	M	2	25	25	13	15	14	2	15	21	4	8	10	1	17	11	15	4			



TABLE 21—continued.—Metropolitan and County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
2(1)	Tub. of meninges and nervous system	M	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
9(1)	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3)	Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14(1)	Malig. neoplasm, mouth and pharynx	M	2	8	3	5	9	15	5	2	3	3	4	2	1	16	5	8	3	2	6
		F	—	2	—	2	1	6	2	1	2	1	2	—	—	6	—	1	2	3	4
14(2)	Malig. neoplasm, œsophagus	M	—	6	8	7	10	4	2	1	4	1	3	3	3	14	1	2	3	1	6
		F	—	6	3	4	4	6	1	1	5	—	2	1	—	11	1	3	—	—	6
14(3)	Malig. neoplasm, intestine and rectum	M	2	41	17	29	36	33	9	6	15	7	12	30	6	71	12	27	15	7	23
		F	1	34	29	46	41	40	7	15	22	4	20	16	5	108	14	28	14	14	26
14(4)	Malig. neoplasm, larynx	M	—	5	2	7	4	6	1	2	3	—	2	—	—	10	3	4	1	3	1
		F	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	1	1	—	—
13(1)	Malig. neoplasm, cervix uteri	F	—	11	9	12	9	31	1	6	10	3	7	5	2	33	8	6	7	4	8
14(5)	Hodgkin's disease	M	—	1	1	2	1	2	1	2	5	—	1	—	—	6	1	3	3	2	3
		F	—	3	1	3	4	2	—	—	—	1	—	—	1	2	—	1	—	1	—
14(6)	Lymphosarcoma, reticulosarcoma	M	2	4	1	2	1	—	2	—	3	1	—	1	—	6	4	1	—	—	2
		F	—	2	5	—	2	4	—	—	1	—	2	4	1	7	—	5	—	—	—
32(1)	Thyrototoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	1	1	—	—	—	—	—	1	—	1	2	1	2	—	3	1
32(2)	Otitis media and mastoiditis	M	1	2	1	1	—	—	1	1	2	2	1	—	4	—	—	—	—	—	1
		F	—	—	—	—	2	—	—	—	—	—	—	—	4	—	—	—	—	—	—
32(3)	Rheumatic fever	M	—	1	—	2	2	—	1	—	—	—	—	—	—	—	1	1	—	—	—
		F	—	—	—	2	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—
(1)	Chronic rheumatic heart disease	M	—	21	13	22	28	11	7	9	17	6	16	7	3	25	8	16	8	3	11
		F	3	46	27	45	36	15	12	5	26	5	21	11	6	41	14	26	14	9	18
21(1)	Hyperten. without mention of heart	M	1	25	21	21	25	13	8	15	15	5	23	25	4	33	10	14	2	—	10
		F	3	46	25	37	39	12	7	13	18	6	17	14	7	50	11	15	1	3	13
32(4)	Appendicitis	M	—	—	5	1	2	1	—	1	—	1	2	—	1	2	1	2	—	1	2
		F	—	2	2	4	3	—	1	1	—	1	—	—	4	1	1	—	1	1	1
32(5)	Intestinal obstruc. and hernia	M	1	8	5	4	13	8	1	3	6	—	4	9	2	12	2	9	5	2	7
		F	2	8	15	15	11	9	4	1	4	1	3	4	5	12	5	4	6	2	2
32(6)	Cirrhosis of liver	M	3	3	2	1	1	4	4	3	1	1	1	1	1	3	—	—	1	2	5
		F	—	2	1	1	5	2	2	2	2	2	1	—	4	—	2	—	—	2	2
32(7)	Cholelithiasis, cholecystitis	M	—	—	—	2	3	1	—	2	—	2	1	2	—	5	—	—	1	—	1
		F	—	3	4	4	2	2	3	2	6	1	3	2	3	9	4	4	1	2	3
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
30(2)	Toxæmias of pregnancy and puerperium	F	1	—	—	1	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—
30(3)	Abortion	F	1	4	—	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
32(8)	Birth injury	M	—	6	5	6	3	5	3	—	3	2	4	5	1	4	3	5	10	4	3
		F	—	6	2	1	4	3	1	—	8	1	1	2	2	8	4	2	2	—	6
32(9)	Post-natal asphyxia and atelectasis	M	—	9	5	12	7	5	4	1	5	1	3	7	—	11	6	9	1	3	4
		F	—	10	3	6	4	3	3	1	2	2	5	2	—	5	1	3	5	2	3
23(1)	Pneumonia of newborn	M	—	8	1	1	2	1	1	—	4	2	2	1	—	2	1	—	1	—	3
		F	—	3	1	1	2	3	1	1	2	—	—	—	—	—	—	—	—	—	1
32(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12)	Hæmolytic disease of newborn	M	—	—	—	2	—	1	—	—	1	—	—	—	1	1	—	1	—	—	1
		F	—	—	—	2	2	1	2	2	—	—	—	—	1	—	—	1	—	2	1
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	—	9	2	9	14	5	5	2	3	1	2	5	2	9	1	1	3	2	5
		F	—	5	4	8	6	2	7	1	1	—	2	5	3	8	3	4	—	1	6
32(14)	Senility without psychosis	M	—	2	3	3	11	1	1	—	—	3	2	—	10	—	2	7	1	2	7
		F	—	10	12	7	23	3	—	—	5	1	3	2	24	7	8	16	3	11	3
32(15)	Ill-defined and unknown cause	M	—	—	—	1	1	—	—	—	—	—	1	—	1	1	1	—	—	—	1
		F	—	—	2	—	—	—	1	—	—	—	—	—	2	—	—	—	—	2	—



TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
1	Tuberculosis, respiratory	M	168	18	15	13	15	16	32	23	61	11	9	4	2	7	5	30	23	5	18	7
		F	86	4	5	5	5	4	8	10	32	2	2	3	2	6	4	9	7	5	7	—
2	Tuberculosis, other	M	14	3	2	2	1	1	1	1	6	3	1	1	—	1	—	3	2	1	2	1
		F	3	—	2	1	1	1	3	1	6	2	—	—	—	—	—	2	2	—	—	—
3	Syphilitic disease	M	25	—	4	5	—	5	6	4	8	2	—	3	—	2	1	6	6	3	5	—
		F	7	3	2	—	—	2	6	3	6	4	—	3	—	2	—	3	1	1	2	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	6	—	—	2	—	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—
		F	6	—	—	—	—	—	1	1	1	—	—	—	—	—	—	4	—	2	—	—
6	Meningococcal infections	M	5	—	—	—	1	—	1	—	1	1	1	—	—	—	—	—	1	2	1	—
		F	6	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	3	—	—	1	—	1	2	—	5	—	—	—	—	1	—	1	3	—	—	—
		F	2	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	9	—	1	1	1	—	—	—	1	—	—	—	—	1	—	—	2	—	1	1
		F	7	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	1	—	2
9	Other infective, etc., diseases	M	18	—	1	2	2	1	1	—	8	—	1	—	—	2	—	2	3	1	1	—
		F	15	—	1	2	2	3	3	1	6	2	1	1	—	—	2	2	4	2	5	1
10	Malignant neoplasm: stomach	M	198	23	33	45	11	28	56	33	69	21	15	11	2	10	17	41	45	15	29	13
		F	139	25	28	23	9	21	51	31	60	12	8	13	1	3	7	28	41	14	13	12
11	lung, bronchus	M	405	43	50	54	21	44	91	53	131	19	12	15	7	15	16	68	72	13	34	16
		F	64	9	9	7	6	12	13	12	23	1	2	5	2	3	4	8	20	6	5	4
12	breast	M	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1
		F	200	28	27	36	4	51	68	46	75	16	11	15	6	8	5	44	56	20	23	8
13	uterus	F	94	14	20	17	4	15	44	17	35	4	7	5	2	6	5	17	27	8	13	9
14	Other malignant and lymphatic neoplasms	M	565	87	93	85	27	97	150	98	224	47	26	35	10	46	22	119	133	47	74	18
		F	521	58	96	97	22	100	165	106	205	38	27	28	14	33	19	101	126	47	56	23
15	Leukæmia, aleukæmia	M	28	—	4	3	3	9	12	6	7	2	1	2	—	2	1	8	11	1	5	2
		F	25	4	2	6	3	3	8	3	9	—	1	—	2	3	1	3	9	2	2	3
16	Diabetes	M	28	—	8	6	1	4	8	3	10	3	3	3	—	1	—	5	1	5	3	2
		F	49	8	13	11	3	5	19	11	24	4	1	2	2	2	3	11	11	2	4	4
17	Vascular lesions of nervous system	M	634	76	130	125	24	112	241	98	292	77	33	47	26	54	30	139	143	100	102	47
		F	878	131	189	181	36	175	336	185	379	104	49	71	29	77	34	147	251	110	109	71
18	Coronary disease, angina	M	859	105	193	182	54	177	287	146	415	105	35	60	23	68	39	215	188	82	153	59
		F	488	68	135	100	27	107	223	102	230	48	23	28	14	48	17	96	135	54	83	40
19	Hypertension with heart disease	M	164	15	13	24	4	16	66	33	123	21	4	8	2	6	9	26	26	3	20	11
		F	207	27	12	22	7	23	63	45	113	19	4	13	2	5	7	14	52	9	23	10
20	Other heart disease	M	691	119	183	128	35	147	309	205	308	102	58	69	12	59	37	126	204	46	108	50
		F	1086	208	257	211	61	242	471	297	514	139	73	154	20	100	66	170	341	68	151	78
21	Other circulatory disease	M	262	44	33	45	6	29	42	44	138	18	6	22	20	20	6	36	62	26	51	19
		F	237	44	52	72	13	39	78	42	193	22	6	62	14	25	10	29	62	21	65	21
22	Influenza	M	73	3	6	10	—	17	27	33	24	5	—	1	1	4	1	13	35	5	5	3
		F	102	5	3	10	—	15	11	30	48	6	—	2	1	1	3	12	44	3	2	3
23	Pneumonia	M	292	38	20	54	21	36	110	62	136	25	19	9	2	20	8	48	69	14	46	16
		F	277	35	18	49	12	41	90	60	148	20	5	6	2	14	9	36	68	12	59	10
24	Bronchitis	M	573	69	74	83	41	39	197	86	156	54	29	32	5	17	18	90	137	31	52	28
		F	300	41	33	62	11	35	98	62	96	50	8	17	4	12	5	42	83	30	24	20
25	Other diseases of respiratory system	M	68	9	5	15	4	9	17	7	59	11	1	5	4	5	1	24	14	4	8	3
		F	44	6	3	2	3	7	9	4	21	2	1	2	3	3	3	8	4	3	4	3
26	Ulcer of stomach and duodenum	M	113	7	11	15	1	24	26	20	39	5	7	3	4	6	1	22	14	4	15	4
		F	44	4	3	2	5	8	9	7	12	2	1	5	—	2	2	3	10	2	10	1
27	Gastritis, enteritis and diarrhoea	M	28	2	7	4	2	8	7	3	11	3	—	1	1	1	3	5	4	1	3	—
		F	36	4	4	3	2	5	8	7	13	—	—	2	—	4	1	5	8	1	2	2
28	Nephritis and nephrosis	M	66	10	19	18	4	15	24	10	30	4	5	3	2	2	3	10	10	4	7	5
		F	55	13	19	10	—	11	11	13	17	7	1	9	3	9	2	15	10	4	5	9
29	Hyperplasia of prostate	M	77	8	14	14	4	23	21	17	30	9	1	4	3	5	6	16	20	4	11	2
30	Pregnancy, childbirth, abortion*	F	12	2	1	4	—	—	1	3	7	—	2	—	—	1	—	2	3	—	2	—
31	Congenital malformations	M	66	4	4	8	2	6	16	9	22	3	2	2	—	1	2	8	9	9	10	3
		F	44	3	5	9	7	6	14	9	27	6	—	2	—	2	3	15	9	8	7	2
32	Other defined and ill-defined dis.	M	466	43	75	80	27	70	131	86	182	47	43	25	16	34	26	129	96	51	64	21
		F	527	50	104	70	20	75	187	97	178	47	48	24	23	36	26	102	109	44	69	31
33	Motor vehicle accidents	M	75	5	9	6	6	14	21	9	28	7	5	5	2	9	3	30	9	5	14	4
		F	29	5	4	6	—	3	8	3	11	2	1	2	1	1	4	4	9	—	4	2
34	All other accidents	M	116	9	12	28	7	20	37	17	37	5	2	8	3	10	5	26	18	9	17	13
		F	93	18	19	14	8	30	66	23	41	8	5	4	8	9	12	18	10	10	10	4
35	Suicide	M	75	15	9	14	2	12	24	13	27	14	5	5	3	5	2	24	13	8	9	1
		F	59	13	5	9	3	14	14	12	24	9	—	2	—	4	2	17	15	4	6	2
36	Homicide, operations of war	M	2	—	2	2	—	1	—	1	2	—	2	—	—	—	—	—	2	1	—	—
		F	1	—	2	1	—	1	—	—	—	—	2	—	—	—	—	—	1	—	—	—

\*"Delayed" maternal deaths  
(see page 238)



TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)			Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
2(1)	Tub. of meninges and nervous system	M	8	—	—	2	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	1	—	—	1	—	2	1	1	—	—	1	1	—	1	1	2	—
9(1)	Typhoid fever	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
9(3)	Streptococcal sore throat	M	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
9(4)	Erysipelas, septicæmia, pyæmia	M	4	—	—	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—
		F	2	—	—	—	1	—	1	—	1	—	—	1	—	—	1	—	1	—	—	—
9(5)	Acute infectious encephalitis	M	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	2	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
		F	4	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	1	—	1	1
14(1)	Malig. neoplasm, mouth and pharynx	M	37	5	5	3	1	4	9	7	15	3	—	1	1	4	1	2	9	—	5	2
		F	17	3	2	3	—	2	6	3	2	1	1	—	2	1	1	5	4	2	1	1
14(2)	Malig. neoplasm, œsophagus	M	17	5	5	4	3	3	7	8	9	2	3	4	1	4	2	6	9	3	8	2
		F	23	2	4	4	1	4	4	4	11	1	2	2	1	1	2	2	4	2	5	—
14(3)	Malig. neoplasm, intestine and rectum	M	169	30	42	32	9	33	51	31	75	22	11	12	2	13	9	33	29	20	17	8
		F	222	28	38	34	11	45	74	45	72	19	14	13	3	18	3	44	41	17	16	9
14(4)	Malig. neoplasm, larynx	M	20	3	2	1	1	4	7	3	6	3	2	2	1	—	1	5	7	4	2	1
		F	7	—	1	—	—	—	1	1	1	—	—	—	—	—	—	1	—	1	—	—
13(1)	Malig. neoplasm, cervix uteri	F	60	6	12	12	3	9	33	11	23	3	5	2	1	5	3	11	17	7	6	4
14(5)	Hodgkin's disease	M	9	1	1	3	—	2	4	1	5	1	1	4	—	—	—	2	3	—	4	—
		F	5	2	1	1	—	1	4	1	1	—	—	—	—	—	—	2	3	3	—	1
14(6)	Lymphosarcoma, reticulosarcoma	M	13	1	3	1	1	2	3	2	5	—	—	1	—	1	1	3	8	—	1	—
		F	8	—	—	3	—	1	—	2	5	—	—	—	—	—	1	1	4	—	—	1
32(1)	Thyrototoxicosis	M	2	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
		F	2	—	3	1	—	—	2	3	2	—	—	—	1	—	1	1	—	1	1	—
32(2)	Otitis media and mastoiditis	M	5	1	1	1	—	1	—	—	—	1	—	—	—	2	—	1	3	—	—	—
		F	9	—	1	—	—	—	2	1	—	—	—	—	—	—	—	1	1	—	—	—
32(3)	Rheumatic fever	M	2	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	3	—	—
		F	9	—	4	1	1	—	3	2	4	1	—	—	3	—	—	2	1	—	—	—
20(1)	Chronic rheumatic heart disease	M	76	12	19	14	2	14	15	9	42	12	3	7	4	8	5	17	19	5	14	1
		F	149	15	22	31	11	27	42	27	60	10	7	5	3	7	6	23	27	6	17	8
21(1)	Hyperten. without mention of heart	M	144	16	11	18	3	11	16	22	36	5	5	4	10	9	1	14	18	6	10	5
		F	86	26	16	28	4	10	26	21	39	4	2	7	4	11	6	7	20	7	19	5
32(4)	Appendicitis	M	10	1	3	1	1	1	4	2	4	4	—	—	1	—	1	5	9	—	4	1
		F	6	—	—	2	—	4	2	1	1	—	—	—	—	—	1	1	—	1	—	—
32(5)	Intestinal obstruc. and hernia	M	31	4	7	3	1	8	11	5	12	2	4	—	2	1	—	7	9	1	8	—
		F	35	4	7	12	—	5	12	14	15	5	1	5	—	6	2	7	8	1	4	1
32(6)	Cirrhosis of liver	M	30	—	2	4	1	4	3	5	8	1	2	1	—	2	—	4	4	—	2	—
		F	13	—	3	3	—	5	4	3	4	—	2	—	—	1	—	1	5	3	4	—
32(7)	Cholelithiasis, cholecystitis	M	11	2	2	4	—	4	2	4	—	—	—	1	—	—	1	3	—	1	2	—
		F	17	2	2	2	—	5	10	4	8	4	1	1	1	2	1	4	4	1	4	1
30(1)	Maternal sepsis (not abortion)	F	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	—	—	—	—
30(2)	Toxæmias of pregnancy and puerperium	F	7	1	—	—	—	—	—	1	1	—	1	—	—	1	—	1	1	—	1	—
30(3)	Abortion	F	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	2	—	1	—
32(8)	Birth injury	M	32	3	3	6	4	4	14	1	13	—	1	2	1	3	3	15	3	3	—	1
		F	29	—	3	2	1	2	11	1	6	2	—	—	—	1	1	6	2	1	2	2
32(9)	Post-natal asphyxia and atelectasis	M	47	2	1	6	5	—	9	6	23	2	6	1	—	6	2	10	6	2	9	2
		F	27	1	2	2	5	1	4	2	19	1	1	2	—	3	—	7	4	2	6	1
23(1)	Pneumonia of newborn	M	11	5	—	2	1	3	11	2	2	3	1	—	—	2	—	2	3	1	1	1
		F	14	1	—	1	1	1	6	1	3	4	1	—	—	—	—	4	3	—	2	—
32(11)	Ophth., pemphigus, sepsis of newborn	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12)	Hæmolytic disease of newborn	M	9	—	—	—	—	—	1	2	2	—	—	—	—	1	2	2	3	—	1	—
		F	22	1	—	—	—	—	2	—	3	—	—	—	1	1	—	1	—	2	—	—
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	30	4	6	13	5	7	18	4	3	5	2	4	3	3	3	21	5	10	3	3
		F	22	4	6	2	1	3	17	6	3	2	—	2	1	3	4	22	7	4	—	6
32(14)	Senility without psychosis	M	34	7	8	7	2	5	7	1	11	8	5	3	1	1	—	4	3	3	3	4
		F	75	8	21	3	4	5	22	11	10	5	21	1	3	—	6	5	11	15	6	1
32(15)	Ill-defined and unknown cause	M	3	—	1	—	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	2
		F	2	—	1	1	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	1



TABLE 21—continued—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
1	Tuberculosis, respiratory	M	7	11	7	12	16	20	10	3	14	15	7	9	11	51	78	51	8	172	129	22
		F	4	4	4	6	6	9	3	2	9	5	4	1	3	23	33	19	5	90	69	15
2	Tuberculosis, other	M	4	1	—	1	—	1	1	—	2	—	1	—	1	7	8	3	1	14	12	2
		F	—	1	—	2	1	2	2	—	—	2	2	1	—	6	4	3	—	7	6	4
3	Syphilitic disease	M	1	—	1	3	1	5	—	5	4	3	1	8	4	10	17	9	1	14	12	2
		F	—	—	1	1	—	1	—	—	—	3	1	3	—	6	5	2	1	8	5	—
4	Diphtheria	M	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—
5	Whooping cough	M	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—
		F	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	2	—	2	2	—
6	Meningococcal infections	M	—	2	—	1	—	2	—	—	2	2	—	2	1	—	3	2	—	6	2	—
		F	—	1	—	—	—	1	—	—	1	—	—	—	—	—	3	2	—	2	4	1
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	3	—	—
8	Measles	M	—	1	—	—	—	—	1	—	1	—	—	—	—	—	2	—	1	2	1	1
		F	—	1	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	3	—	—
9	Other infective, etc., diseases	M	—	1	—	1	1	3	3	—	—	1	1	1	1	2	11	2	—	12	5	5
		F	3	—	—	1	—	1	—	—	3	—	1	1	1	2	3	8	1	14	15	5
10	Malignant neoplasm : stomach	M	17	9	9	20	19	26	9	6	20	34	8	28	10	40	90	37	12	127	127	26
		F	8	7	8	15	13	15	12	8	8	31	9	20	9	47	72	38	3	129	109	26
11	lung, bronchus	M	22	16	16	41	15	35	12	18	32	44	23	30	38	97	177	73	13	339	290	61
		F	2	2	4	6	—	6	1	1	2	5	7	4	4	23	31	13	4	64	47	11
12	breast	M	—	1	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1	1	—	—
		F	15	5	14	21	18	17	11	22	10	28	14	19	19	41	87	59	17	111	119	15
13	uterus	M	15	3	8	9	12	9	2	13	5	17	5	18	9	28	66	27	5	60	75	16
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	40	21	38	60	54	74	24	26	58	52	50	88	52	163	247	128	51	356	361	72
		F	37	11	48	40	40	45	27	40	38	60	52	61	38	104	218	141	36	326	361	56
15	Leukæmia, aleukæmia	M	1	1	1	2	—	2	—	1	1	2	3	5	4	6	13	7	3	20	12	5
		F	—	—	3	2	1	5	—	1	—	2	4	3	1	3	13	11	2	22	18	1
16	Diabetes	M	—	3	—	2	1	1	3	—	—	—	1	4	4	3	9	10	1	18	16	4
		F	—	1	4	4	5	5	3	8	4	11	2	4	4	5	21	14	—	28	30	13
17	Vascular lesions of nervous system	M	54	20	51	40	56	79	45	38	57	90	45	93	57	163	325	176	59	402	461	95
		F	55	43	108	73	88	98	40	69	73	149	112	132	74	224	438	242	79	502	690	122
18	Coronary disease, angina	M	72	41	50	107	82	100	55	52	88	131	54	158	80	200	511	232	65	646	557	134
		F	51	20	39	64	38	64	24	41	47	95	46	93	49	110	313	145	29	360	301	65
19	Hypertension with heart disease	M	14	13	6	8	5	19	6	7	17	10	19	13	4	21	62	56	16	119	97	8
		F	15	6	13	14	14	13	7	3	19	14	15	16	12	47	84	50	10	137	105	15
20	Other heart disease	M	59	47	64	54	77	102	87	47	56	71	92	153	88	310	282	267	81	619	592	116
		F	80	58	133	77	120	113	112	66	72	130	184	171	109	350	426	355	91	792	898	159
21	Other circulatory disease	M	27	13	15	22	25	21	7	15	31	25	28	23	19	43	99	61	25	127	154	46
		F	25	18	15	28	27	32	11	12	38	43	20	42	26	56	128	51	23	126	168	32
22	Influenza	M	7	6	12	4	9	7	6	1	2	4	3	7	7	18	23	15	9	10	43	5
		F	5	3	21	11	6	9	5	4	4	13	5	5	12	27	34	14	3	19	59	5
23	Pneumonia	M	12	17	31	34	18	22	15	6	32	39	15	33	26	108	205	76	11	276	183	55
		F	9	13	23	31	19	21	13	9	24	26	15	24	20	72	214	52	10	279	155	39
24	Bronchitis	M	38	43	16	56	38	60	25	13	38	53	22	71	32	161	308	114	24	357	516	63
		F	15	20	12	42	13	22	12	16	18	28	25	40	21	83	169	75	20	173	275	32
25	Other diseases of respiratory system	M	4	4	2	5	7	6	2	2	3	15	6	6	2	11	28	18	4	52	56	10
		F	2	1	—	3	1	8	3	1	2	1	5	3	6	3	17	7	5	29	20	4
26	Ulcer of stomach and duodenum	M	2	8	8	7	10	10	7	5	7	6	6	21	6	37	31	21	9	66	68	13
		F	—	2	2	8	2	5	1	1	4	7	1	4	5	6	9	5	1	17	19	2
27	Gastritis, enteritis and diarrhœa	M	1	2	1	6	3	—	3	—	3	—	—	2	1	4	9	7	3	24	15	2
		F	2	1	—	4	—	4	3	3	3	2	3	4	2	11	16	10	—	32	23	1
28	Nephritis and neoprosis	M	9	5	4	4	2	5	4	5	7	8	4	12	4	40	34	27	6	42	32	6
		F	6	2	10	4	8	4	5	5	3	7	5	17	2	21	22	21	3	45	33	9
29	Hyperplasia of prostate	M	3	3	8	5	6	11	4	8	12	28	8	5	9	24	25	14	7	58	47	16
30	Pregnancy, childbirth, abortion*	M	—	—	1	7	—	1	—	1	—	—	—	—	2	1	8	5	4	—	5	10
31	Congenital malformations	M	4	2	—	4	5	9	7	1	6	2	1	7	7	21	28	15	—	51	38	13
		F	3	3	2	9	3	8	3	2	5	3	5	7	4	9	19	17	5	54	33	10
32	Other defined and ill-defined dis.	M	43	26	36	35	50	51	41	25	39	49	39	66	51	127	254	123	59	340	387	82
		F	34	26	36	32	50	54	31	19	67	45	53	82	46	147	319	125	49	413	440	100
33	Motor vehicle accidents	M	8	5	3	14	6	9	3	5	2	12	2	5	4	21	35	25	6	49	60	13
		F	3	1	2	1	4	—	2	1	1	2	3	5	1	4	14	8	—	31	26	4
34	All other accidents	M	12	8	6	11	6	21	5	14	12	15	4	20	11	40	73	27	9	127	83	46
		F	10	8	10</																	



TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
2(1) Tub. of meninges and nervous system	M	1	—	—	—	—	1	—	—	1	—	—	—	1	2	3	—	1	6	1	1
	F	—	1	—	—	—	1	1	—	—	—	—	—	—	4	—	1	—	3	4	2
9(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1
9(4) Erysipelas, septicaemia, pyaemia	M	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	3	1	2
9(5) Acute infectious encephalitis	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3	2	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	—	—	—	—	—	2	1	—	—	—	—	—	1	—	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	5	2	1
14(1) Malig. neoplasm, mouth and pharynx	M	2	3	4	4	2	5	2	—	3	6	5	4	2	9	10	5	2	22	22	9
	F	1	1	1	—	2	2	1	—	1	3	1	2	1	5	5	5	—	13	5	2
14(2) Malig. neoplasm, oesophagus	M	1	—	1	2	2	6	2	1	1	—	2	3	5	14	18	7	3	24	15	6
	F	2	—	3	2	3	—	2	1	1	—	1	1	3	2	5	7	2	20	19	4
14(3) Malig. neoplasm, intestine and rectum	M	8	6	10	16	15	26	8	8	25	18	15	23	13	48	67	41	16	106	130	24
	F	19	5	20	15	13	19	14	19	16	26	22	27	11	41	94	60	13	124	155	26
14(4) Malig. neoplasm, larynx	M	1	1	3	2	2	3	2	2	2	—	—	3	2	9	13	5	2	18	12	2
	F	1	—	—	—	—	—	—	—	—	—	1	1	1	2	—	1	1	6	6	—
13(1) Malig. neoplasm, cervix uteri	F	10	—	5	6	8	8	1	13	4	12	3	9	7	26	48	17	2	40	52	14
14(5) Hodgkin's disease	M	1	—	1	—	—	3	2	2	2	—	4	2	3	5	2	2	2	9	9	—
	F	1	—	—	1	2	—	—	—	—	1	—	—	—	2	1	—	—	4	8	—
14(6) Lymphosarcoma, reticulosarcoma	M	1	—	1	—	—	2	1	—	2	—	3	2	2	5	2	2	1	8	3	2
	F	—	—	2	2	2	—	1	—	1	—	1	1	1	—	6	1	—	4	6	—
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	1	—	—	—	—	1	1	—	—	7	2	1	1	4	5	1
32(2) Otitis media and mastoiditis	M	—	—	1	—	2	1	—	1	—	—	—	—	2	4	8	6	—	3	2	1
	F	—	—	—	—	—	1	—	—	1	—	1	—	—	—	6	1	—	1	1	2
32(3) Rheumatic fever	M	—	1	—	—	—	2	—	—	—	—	1	—	—	1	2	2	—	1	1	1
	F	—	—	—	1	—	1	2	—	—	—	—	1	2	1	2	—	—	4	1	—
20(1) Chronic rheumatic heart disease	M	5	4	5	7	3	11	1	5	6	4	2	18	6	23	38	27	2	41	73	8
	F	4	9	8	17	10	13	4	9	8	17	10	22	11	31	93	34	11	120	119	20
21(1) Hyperten. without mention of heart	M	7	7	8	11	7	11	2	2	7	12	14	5	9	11	30	34	11	66	56	18
	F	7	12	3	19	7	11	5	6	9	11	8	9	15	12	45	22	11	55	66	12
32(4) Appendicitis	M	2	2	6	2	—	4	—	2	1	1	—	3	2	5	6	2	—	7	12	1
	F	2	—	—	1	1	—	—	1	2	1	1	1	1	2	4	1	—	3	4	2
32(5) Intestinal obstruc. and hernia	M	4	3	4	3	6	4	2	3	3	4	5	2	2	4	17	9	3	24	23	3
	F	4	1	5	6	3	2	3	1	6	2	6	4	3	10	20	10	—	28	30	7
32(6) Cirrhosis of liver	M	1	1	1	2	4	1	1	1	3	2	1	2	2	3	14	7	1	6	15	6
	F	—	—	1	1	1	1	—	2	1	1	1	2	2	1	7	3	2	9	10	3
32(7) Cholelithiasis, cholecystitis	M	2	1	2	1	1	1	1	—	—	—	1	2	—	2	6	1	2	10	9	1
	F	2	—	—	—	2	3	2	—	3	—	2	7	3	7	12	6	6	19	20	2
30(1) Maternal sepsis (not abortion)	F	—	—	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
30(2) Toxæmias of pregnancy and puerperium	F	—	—	—	4	—	—	—	1	—	—	—	—	—	2	—	3	—	1	3	1
30(3) Abortion	F	—	—	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	3	—	—
32(8) Birth injury	M	—	—	—	1	6	3	5	1	2	1	—	3	6	12	19	—	2	31	35	5
	F	1	—	—	1	1	3	—	—	4	2	1	—	1	8	7	—	4	20	9	2
32(9) Post-natal asphyxia and atelectasis	M	11	1	1	4	3	5	3	1	1	2	2	6	2	14	26	13	1	45	30	10
	F	6	3	—	4	3	1	—	1	2	3	2	3	2	13	19	7	2	41	28	—
23(1) Pneumonia of newborn	M	—	3	1	1	4	1	2	—	—	5	—	2	2	9	11	1	1	29	5	5
	F	—	—	—	—	3	—	2	—	1	—	—	1	—	3	5	—	1	12	8	2
32(11) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	2	—	2
32(12) Hæmolytic disease of newborn	M	—	2	—	3	2	—	—	1	—	1	—	—	1	1	1	2	1	8	4	—
	F	—	—	—	1	—	2	—	—	1	—	—	—	—	2	1	—	1	2	7	—
32(13) Immaturity (without other dis. peculiar to early infancy)	M	4	3	2	4	3	2	4	3	8	3	1	5	11	28	34	14	4	48	45	15
	F	3	2	1	2	4	4	—	—	5	2	1	3	3	11	20	11	2	41	31	11
32(14) Senility without psychosis	M	2	1	4	1	4	10	4	3	8	4	5	12	1	4	8	3	13	31	37	2
	F	7	1	6	1	7	10	4	2	22	5	14	22	2	12	39	13	12	57	65	24
32(15) Ill-defined and unknown cause	M	—	—	—	—	1	—	—	—	—	—	—	—	—	1	3	4	—	4	5	1
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	3	1	—	1	5	—

TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.
1	Tuberculosis, respiratory	M	48	15	9	59	8	17	29	30	22	13	11	5	16	34	74	16	46	12	8	16
		F	33	6	4	25	6	3	10	16	4	7	12	2	11	16	24	3	12	7	5	16
2	Tuberculosis, other	M	8	3	1	4	1	—	2	4	—	1	2	—	4	—	5	1	2	1	2	2
		F	4	1	—	4	1	2	3	2	1	3	—	1	—	2	4	—	1	1	3	1
3	Syphilitic disease	M	2	—	1	9	2	2	1	5	1	4	1	—	3	4	16	2	5	4	3	2
		F	—	—	3	4	3	1	2	1	3	1	—	—	—	3	2	—	1	3	1	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	—	1	—	—	2	1	—	—	—	—	—	—	4	—	1	—	—	—
		F	—	—	—	3	—	1	1	2	—	—	1	—	1	—	—	—	2	—	—	1
6	Meningococcal infections	M	—	—	—	1	—	1	3	1	—	1	—	—	1	1	2	1	1	—	—	—
		F	1	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	1
7	Acute poliomyelitis	M	—	—	—	2	—	—	2	1	1	—	—	1	—	—	2	1	—	3	—	—
		F	—	—	1	—	—	—	1	2	—	—	—	—	—	1	1	—	1	2	—	—
8	Measles	M	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—
9	Other infective, etc., diseases	M	7	2	1	10	3	—	5	4	1	—	1	1	2	1	14	—	2	2	1	4
		F	4	4	2	4	—	—	2	—	—	—	2	1	2	5	8	—	—	3	2	1
10	Malignant neoplasm: stomach	M	66	31	21	48	42	22	38	40	28	21	17	25	29	47	103	12	30	32	18	33
		F	46	14	17	44	21	8	33	20	16	14	25	13	14	28	78	6	25	17	20	17
11	lung, bronchus	M	99	20	40	90	38	29	55	70	38	43	17	16	34	72	194	27	66	61	36	39
		F	14	4	12	12	11	5	6	18	5	6	9	2	3	9	30	2	6	9	4	7
12	breast	M	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	—	1	1	—	—
		F	37	22	22	51	25	23	33	42	23	26	13	14	15	29	99	16	34	42	18	23
13	uterus	M	28	15	14	25	19	9	22	31	16	10	22	10	8	19	41	5	14	9	7	11
14	Other malignant and lymphatic neoplasms	M	185	63	59	150	85	46	140	140	58	69	57	44	51	96	290	33	123	100	50	58
		F	123	39	71	153	55	49	89	109	61	62	53	36	42	90	214	34	86	116	55	38
15	Leukæmia, aleukæmia	M	5	4	6	5	3	3	6	4	—	1	1	1	2	5	20	1	7	3	1	1
		F	4	2	5	3	—	3	7	8	1	4	3	1	3	2	8	3	—	—	—	—
16	Diabetes	M	4	—	7	10	4	3	5	11	2	4	—	—	1	3	9	2	1	5	2	2
		F	13	1	2	16	3	3	13	14	8	5	4	7	10	10	23	2	12	8	9	5
17	Vascular lesions of nervous system	M	193	115	71	174	122	72	141	169	82	61	85	52	57	84	345	37	84	109	73	95
		F	259	139	126	275	129	105	176	177	108	98	115	63	76	127	420	46	131	222	135	91
18	Coronary disease, angina	M	310	120	97	175	105	97	202	221	125	82	79	75	82	133	475	49	156	163	135	79
		F	183	70	60	124	48	78	90	123	63	44	55	29	36	87	250	35	85	148	92	56
19	Hypertension with heart disease	M	32	19	10	29	14	14	26	23	11	8	14	8	13	21	69	3	17	19	9	17
		F	24	23	8	69	28	23	29	25	14	11	10	10	18	18	68	10	26	39	21	23
20	Other heart disease	M	152	110	66	214	160	42	160	196	79	99	89	42	73	132	397	48	131	122	90	46
		F	216	156	129	331	223	63	251	261	134	112	121	48	81	172	509	54	173	206	152	83
21	Other circulatory disease	M	77	14	25	62	49	30	61	63	20	29	40	14	24	37	381	13	38	36	22	27
		F	84	12	25	80	51	28	46	61	23	41	32	17	23	50	402	7	34	46	26	35
22	Influenza	M	5	9	5	16	11	7	17	23	5	8	3	1	6	6	18	5	12	12	3	10
		F	12	8	9	28	3	2	16	33	8	6	2	1	1	12	24	7	15	16	5	8
23	Pneumonia	M	83	10	23	115	30	29	85	79	23	46	24	27	27	68	142	18	43	54	10	25
		F	57	15	36	110	33	32	68	77	17	51	20	19	22	61	73	14	53	86	12	23
24	Bronchitis	M	110	63	39	204	125	38	59	122	47	38	47	43	61	184	244	42	83	62	29	47
		F	55	32	21	87	82	20	40	96	44	30	39	26	16	93	128	21	33	37	17	40
25	Other diseases of respiratory system	M	17	1	8	19	9	11	15	13	9	5	5	1	12	25	41	3	9	12	7	8
		F	12	1	3	10	3	4	17	6	7	3	2	2	3	18	13	1	2	8	4	8
26	Ulcer of stomach and duodenum	M	15	4	11	31	12	8	15	22	11	7	7	5	7	12	38	5	20	14	12	12
		F	8	5	2	11	5	3	14	5	6	1	1	—	2	6	8	1	7	9	6	5
27	Gastritis, enteritis and diarrhœa	M	4	—	1	9	1	2	6	8	1	4	1	1	5	7	10	2	6	8	1	1
		F	8	2	5	13	2	4	4	11	3	4	2	—	4	2	12	—	11	3	6	2
28	Nephritis and nephrosis	M	13	7	6	8	14	6	24	12	11	4	3	5	8	8	19	7	5	6	5	10
		F	17	3	5	19	13	8	14	8	16	6	4	2	11	11	23	2	12	8	3	8
29	Hyperplasia of prostate	M	24	11	12	27	9	13	31	18	8	8	15	12	13	9	31	6	11	15	22	25
30	Pregnancy, childbirth, abortion*	F	3	1	3	4	—	—	5	2	4	3	1	2	1	1	5	1	4	2	—	4
31	Congenital malformations	M	21	4	2	14	5	7	11	8	8	—	5	1	14	13	26	1	10	3	1	11
		F	21	3	3	9	7	4	9	7	7	6	5	4	4	5	23	6	9	4	4	4
32	Other defined and ill-defined dis.	M	141	41	53	129	75	41	120	127	55	48	58	48	69	93	165	22	74	60	34	46
		F	170	42	80	171	87	50	110	152	71	60	76	45	76	97	201	26	75	95	67	51
33	Motor vehicle accidents	M	20	10	6	13	6	9	10	14	15	9	3	7	3	9	37	2	13	11	3	2
		F	4	3	2	5	6	1	—	7	1	2	6	3	1	2	13	1	3	1	5	1
34	All other accidents	M	34	10	11	39	20	7	22	36	7	7	5	15	16	24	54	6	21	17	14	21
		F	17	15	13	32	16	11	22	33	11	6	7	13	8	28	59	5	15	8	20	7
35	Suicide	M	14	8	13	21	10	5	8	21	9	6	11	3	10	10	28	11	11	9	10	7
		F	10	8	6	18	5	5	5	9	2	7	4	—	9	1	19	3	6	6	4	2
36	Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
** "Delayed" maternal deaths (see page 238)			—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—



TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)			Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.
2(1) Tub. of meninges and nervous system	M	3	2	—	2	1	—	1	—	—	—	1	1	1	—	1	—	1	—	—	1	1
9(1) Typhoid fever	F	1	1	—	—	1	—	1	—	1	—	1	—	—	—	—	1	—	1	1	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4) Erysipelas, septicæmia, pyæmia	M	1	—	—	1	1	—	—	—	1	—	—	1	—	—	—	1	—	1	1	—	—
	F	1	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
9(5) Acute infectious encephalitis	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	3	—	—	—	—	—
	F	1	1	—	3	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	1	2	—	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	1
	F	2	1	1	1	—	—	—	1	—	—	—	2	—	—	2	—	—	—	—	1	—
14(1) Malig. neoplasm, mouth and pharynx	M	11	1	1	7	6	3	13	11	5	1	1	1	5	6	6	16	2	11	11	3	3
	F	1	1	2	3	1	2	2	6	3	—	—	1	1	2	1	5	—	2	6	1	1
14(2) Malig. neoplasm, œsophagus	M	13	4	1	6	8	5	4	10	4	6	3	3	2	5	13	12	—	11	7	5	5
	F	12	1	2	3	3	—	6	3	3	—	3	4	—	1	1	4	—	1	1	5	—
14(3) Malig. neoplasm, intestine and rectum	M	61	20	21	41	32	12	42	43	22	18	23	11	11	24	112	15	40	29	22	19	
	F	48	12	35	75	26	22	30	40	29	19	22	22	20	48	94	18	34	31	17	15	
14(4) Malig. neoplasm, larynx	M	2	3	5	4	2	—	3	7	2	2	2	1	—	3	16	2	4	3	—	2	
	F	1	—	1	—	1	—	—	—	1	—	—	—	—	—	1	1	—	1	—	—	
13(1) Malig. neoplasm, cervix uteri	F	22	9	9	18	12	9	13	19	9	6	13	10	5	16	27	2	10	6	4	6	
14(5) Hodgkin's disease	M	3	—	3	6	1	—	3	4	—	2	1	—	—	—	6	6	—	1	2	1	—
	F	—	—	1	3	1	1	—	1	—	—	—	—	—	—	4	3	—	1	1	—	—
14(6) Lymphosarcoma, reticulosarcoma	M	2	1	1	7	2	1	4	5	—	1	—	1	2	2	3	1	1	2	—	1	
	F	1	—	—	1	1	1	2	—	1	1	—	1	—	—	1	—	—	5	1	—	
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	1	3	1	—	3	2	—	2	1	1	—	—	—	3	—	2	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32(2) Otitis media and mastoiditis	M	1	4	—	1	—	1	—	1	2	—	1	1	2	—	3	1	1	1	—	—	
	F	—	—	—	3	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
32(3) Rheumatic fever	M	2	1	—	—	1	—	—	—	2	1	—	—	—	1	—	—	1	1	—	—	
	F	2	—	—	—	—	—	—	—	1	—	—	1	1	—	—	4	1	—	1	—	
20(1) Chronic rheumatic heart disease	M	19	6	5	17	14	4	14	17	13	11	6	10	8	23	43	4	19	6	3	6	
	F	51	13	19	32	18	10	19	33	26	16	11	16	12	33	63	7	14	19	13	9	
21(1) Hyperten. without mention of heart	M	33	11	16	22	18	8	18	22	7	3	8	6	6	15	57	5	21	14	7	7	
	F	29	7	12	28	18	7	19	20	8	7	4	8	9	20	49	6	21	21	9	6	
32(4) Appendicitis	M	3	1	—	5	2	—	2	4	2	2	1	1	1	—	6	2	2	1	—	1	
	F	1	1	1	1	2	1	1	3	—	1	1	1	—	1	4	1	1	3	1	2	
32(5) Intestinal obstruc. and hernia	M	7	3	3	3	6	2	8	13	3	1	6	1	3	4	11	4	4	5	1	6	
	F	9	—	4	16	1	6	3	8	6	6	6	—	3	4	13	—	5	10	12	5	
32(6) Cirrhosis of liver	M	5	1	2	5	1	2	4	4	3	3	3	—	2	3	5	—	4	4	3	4	
	F	4	4	1	2	1	—	—	3	1	1	—	—	—	2	7	—	4	—	2	1	
32(7) Cholelithiasis, cholecystitis	M	3	1	2	2	—	1	—	4	1	2	1	1	—	1	5	—	2	1	2	—	
	F	7	7	4	9	3	2	6	5	2	3	—	2	6	4	12	2	2	3	1	3	
30(1) Maternal sepsis (not abortion)	F	1	—	—	—	—	—	—	1	—	1	—	1	1	—	1	—	—	1	—	1	
30(2) Toxæmias of pregnancy and puerperium	F	2	1	2	2	—	—	2	—	2	2	—	—	—	—	2	—	2	—	—	—	
30(3) Abortion	F	—	—	—	1	—	—	1	1	—	—	—	1	1	—	—	1	1	1	—	—	
32(8) Birth injury	M	7	3	3	10	5	4	8	2	1	1	2	3	—	8	12	2	5	2	3	1	
	F	5	2	4	9	2	4	3	6	3	3	3	3	1	1	5	1	3	1	1	4	
32(9) Post-natal asphyxia and atelectasis	M	6	6	3	11	5	3	3	11	5	6	5	4	3	6	8	2	8	4	—	3	
	F	6	5	1	10	5	2	3	8	2	3	3	3	1	6	1	6	1	1	—	1	
23(1) Pneumonia of newborn	M	2	—	—	2	3	1	6	5	—	—	—	1	2	1	7	5	—	3	2	1	
	F	3	—	—	—	1	—	3	5	2	1	—	—	1	1	1	1	—	—	—	2	
32(11) Ophth., pemphigus, sepsis of newborn	M	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32(12) Hæmolytic disease of newborn	M	—	1	—	1	—	—	—	—	1	—	—	1	2	—	3	—	1	1	—	—	
	F	1	1	1	2	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	
32(13) Immaturity (without other dis. peculiar to early infancy)	M	23	1	10	13	7	—	14	4	5	1	5	9	13	18	26	—	13	3	7	8	
	F	15	1	1	14	3	3	12	2	7	—	7	6	8	10	18	1	13	3	1	5	
32(14) Senility without psychosis	M	21	1	8	10	15	1	17	20	3	2	9	6	13	7	7	3	2	4	2	4	
	F	29	4	26	22	26	5	28	33	9	9	23	9	15	14	28	9	9	24	11	8	
32(15) Ill-defined and unknown cause	M	1	—	1	—	—	1	2	1	2	—	—	—	—	1	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	3	—	—	

TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
1	Tuberculosis, respiratory	M	16	65	35	6	9	9	29	8	17	24	6	14	36	7	9	49	9	14	31
		F	6	32	13	1	5	2	9	3	10	10	4	6	9	5	5	23	4	10	14
2	Tuberculosis, other	M	2	5	1	3	1	4	1	—	4	1	1	—	4	2	—	1	2	1	4
		F	2	4	1	1	1	2	1	1	2	1	2	1	—	3	—	6	3	3	3
3	Syphilitic disease	M	4	5	3	3	3	2	6	—	1	5	3	2	3	2	1	11	—	1	3
		F	3	2	2	2	1	3	2	2	—	—	—	—	2	—	—	2	1	1	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
		F	—	—	—	—	—	2	1	2	—	—	—	1	—	—	—	2	—	1	1
6	Meningococcal infections	M	2	—	—	—	1	—	—	1	—	1	1	—	1	—	—	1	—	—	3
		F	—	2	3	—	—	—	1	3	—	—	—	—	—	—	2	1	—	1	1
7	Acute poliomyelitis	M	—	—	1	—	2	1	—	—	—	—	—	2	—	—	1	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
8	Measles	M	—	—	1	—	—	—	—	—	2	2	1	—	1	—	—	3	—	1	1
		F	—	1	1	1	—	—	—	—	—	—	—	—	2	—	—	—	2	1	2
9	Other infective, etc., diseases	M	3	3	1	1	3	1	—	1	2	—	—	—	2	2	1	4	1	3	1
		F	4	3	2	1	2	3	—	—	2	1	1	2	1	1	2	4	—	2	2
10	Malignant neoplasm: stomach	M	33	56	42	13	11	24	28	22	20	27	18	18	17	8	19	53	18	15	36
		F	36	43	29	9	11	17	15	14	9	22	10	16	15	11	18	32	14	10	34
11	lung, bronchus	M	48	92	51	24	17	29	33	26	20	63	29	25	42	17	30	93	23	38	52
		F	7	17	10	4	—	3	7	1	2	7	3	4	4	2	9	9	1	4	11
12	breast	M	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	1	—	—	—
		F	34	30	31	13	10	25	22	13	11	17	4	20	29	14	16	44	15	19	27
13	uterus	F	12	37	11	8	3	8	10	5	7	8	12	9	9	8	9	24	8	9	22
14	Other malignant and lymphatic neoplasms	M	94	164	110	40	31	60	61	46	43	90	28	39	70	35	57	131	41	50	95
		F	84	118	70	33	30	62	37	27	36	57	20	25	60	27	45	96	26	38	71
15	Leukæmia, aleukæmia	M	2	3	7	3	2	3	2	1	2	2	2	—	1	1	3	2	—	3	8
		F	5	6	3	3	2	1	1	2	2	2	3	1	2	3	1	2	1	1	3
16	Diabetes	M	3	7	6	2	3	1	3	2	4	—	2	2	9	1	6	6	1	1	3
		F	9	12	3	2	2	7	6	7	9	5	—	6	7	3	8	15	7	4	3
17	Vascular lesions of nervous system	M	159	131	122	58	36	71	48	69	56	58	48	66	97	48	78	163	57	72	130
		F	192	194	151	50	35	106	82	61	65	70	58	57	123	73	89	177	55	79	161
18	Coronary disease, angina	M	135	157	181	56	59	97	77	53	60	131	61	76	110	45	116	252	53	94	176
		F	82	113	117	37	44	53	38	27	18	50	38	38	45	23	60	131	32	41	96
19	Hypertension with heart disease	M	19	31	10	13	7	8	16	8	2	8	11	4	14	3	8	29	6	9	20
		F	14	43	10	9	8	18	19	12	12	14	15	9	16	5	9	26	6	11	23
20	Other heart disease	M	149	218	76	63	66	90	92	48	48	85	52	79	128	47	94	135	70	89	113
		F	203	292	107	80	97	102	131	68	71	130	68	90	140	70	124	199	97	107	169
21	Other circulatory disease	M	50	67	46	16	12	12	17	19	26	34	19	28	26	12	26	93	12	18	57
		F	42	77	44	14	12	34	22	26	12	30	16	20	21	13	26	82	21	18	42
22	Influenza	M	9	13	7	1	2	2	7	—	10	9	—	8	14	4	2	17	3	4	5
		F	9	11	6	5	2	6	10	—	13	16	1	3	14	—	8	10	2	3	9
23	Pneumonia	M	26	62	67	14	17	18	31	22	16	49	23	15	41	15	25	48	15	14	27
		F	25	53	58	12	20	15	34	15	16	37	19	22	39	13	42	46	12	8	18
24	Bronchitis	M	105	137	80	20	35	27	66	45	60	97	45	71	87	19	37	117	50	44	81
		F	59	89	44	12	16	17	22	27	31	52	22	21	21	12	14	41	15	17	38
25	Other diseases of respiratory system	M	7	56	10	4	4	12	9	3	7	10	4	11	4	3	2	22	15	5	15
		F	4	11	5	2	2	1	1	2	9	2	3	2	6	3	2	10	1	1	6
26	Ulcer of stomach and duodenum	M	11	24	16	7	11	13	7	4	14	21	2	6	14	4	10	31	2	7	15
		F	6	7	8	2	2	5	2	—	4	6	3	1	5	1	3	12	—	4	4
27	Gastritis, enteritis and diarrhœa	M	4	7	4	1	—	4	6	—	1	5	1	—	9	1	3	9	5	1	6
		F	2	8	9	2	4	3	2	1	1	7	2	1	7	2	2	6	3	7	8
28	Nephritis and nephrosis	M	3	13	10	3	1	15	3	5	6	12	2	5	15	4	7	16	2	10	12
		F	7	18	6	3	6	5	9	7	3	7	3	9	11	2	8	14	6	1	12
29	Hyperplasia of prostate	M	16	18	21	4	2	6	6	5	3	19	3	8	4	5	13	27	9	12	22
30	Pregnancy, childbirth, abortion*	F	3	—	2	3	1	3	2	—	1	—	1	1	2	—	1	—	—	—	1
31	Congenital malformations	M	7	13	14	4	2	10	6	7	6	11	1	2	8	4	5	21	3	3	11
		F	7	14	19	4	5	6	8	3	7	11	4	8	7	2	1	6	3	5	8
32	Other defined and ill-defined dis.	M	80	131	83	30	25	46	62	37	47	64	40	53	109	27	62	130	41	52	104
		F	134	158	72	35	38	61	69	36	56	61	42	50	123	31	66	166	47	78	103
33	Motor vehicle accidents	M	10	10	18	6	4	9	1	3	11	9	3	7	12	8	4	22	3	6	11
		F	3	10	4	1	1	2	1	1	4	1	2	2	4	2	—	10	2	2	4
34	All other accidents	M	16	41	27	7	11	11	9	12	11	9	15	15	11	6	13	38	15	17	31
		F	24	30	13	9	7	13	9	8	6	6	11	9	26	16	9	23	2	8	8
35	Suicide	M	6	22	11	7	3	10	10	11	5	7	2	6	10	6	7	21	5	5	4
		F	6	15	9	4	—	3	2	—	1	8	4	5	4	3	7	8	2	—	5
36	Homicide, operations of war	M	—	2	8	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—
		F	—	—	1	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—	—
**“Delayed” maternal deaths (see page 238)			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 21—continued—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
2(1) Tub. of meninges and nervous system	M	2	1	—	1	—	1	1	—	4	1	—	—	2	—	—	1	1	1	2
	F	—	2	—	—	—	1	—	—	1	—	1	—	—	2	—	4	2	2	1
9(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
9(4) Erysipelas, septicæmia, pyæmia	M	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—
9(5) Acute infectious encephalitis	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	1	1	—	—	1	—	—	—	—	1	—	—	—	—	1	1	—	—	1
14(1) Malig. neoplasm, mouth and pharynx	M	7	12	5	6	2	3	3	5	4	4	1	2	3	2	6	6	5	4	9
	F	3	3	3	1	—	—	—	2	1	4	—	1	2	—	2	3	—	—	1
14(2) Malig. neoplasm, œsophagus	M	2	7	5	2	2	4	3	2	2	4	2	3	2	3	2	14	2	—	10
	F	3	5	—	1	—	5	2	3	1	3	—	—	2	1	3	6	1	1	5
14(3) Malig. neoplasm, intestine and rectum	M	38	57	42	11	11	18	20	18	11	23	7	13	23	7	20	31	12	18	28
	F	32	53	32	13	14	16	15	10	14	18	5	12	27	10	19	34	10	16	30
14(4) Malig. neoplasm, larynx	M	1	8	4	—	—	1	2	—	1	1	2	1	4	—	1	3	—	1	4
	F	3	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—
13(1) Malig. neoplasm, cervix uteri	F	10	30	8	5	3	7	6	4	4	4	7	5	7	7	5	12	5	6	13
14(5) Hodgkin's disease	M	2	2	3	2	—	2	1	2	1	3	1	2	1	—	1	3	1	2	1
	F	2	1	—	—	—	1	—	—	—	1	—	1	2	—	1	1	—	1	2
14(6) Lymphosarcoma, reticulosarcoma	M	—	2	2	1	—	—	—	2	—	7	—	—	—	1	1	2	1	2	1
	F	2	—	1	—	1	1	—	1	—	—	1	—	—	—	—	—	1	—	1
32(1) Thyrotoxicosis	M	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	1	4	—	—	—	—	3	1	1	—	—	—	1	—	—	—	—	2	3
32(2) Otitis media and mastoiditis	M	1	1	—	—	—	—	2	—	1	—	1	2	1	—	1	—	1	—	1
	F	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
32(3) Rheumatic fever	M	1	3	1	—	1	1	—	—	—	—	1	—	2	—	—	—	—	3	1
	F	1	—	1	—	—	—	—	—	1	1	1	—	—	—	—	1	—	2	1
20(1) Chronic rheumatic heart disease	M	14	24	10	6	5	3	10	7	11	19	7	6	10	5	4	14	13	5	10
	F	19	51	19	8	5	16	16	15	17	32	10	9	26	13	7	30	17	13	34
21(1) Hyperten. without mention of heart	M	14	20	24	8	6	3	5	9	8	14	7	6	11	2	9	31	3	9	28
	F	5	26	8	6	8	13	8	13	3	9	9	6	12	5	10	35	6	11	15
32(4) Appendicitis	M	1	3	4	1	1	3	2	—	1	3	—	1	1	1	1	2	1	1	2
	F	3	5	4	—	1	1	3	2	—	2	—	1	3	2	—	1	—	1	4
32(5) Intestinal obstruc. and hernia	M	4	11	4	—	3	4	1	1	—	10	—	3	4	1	2	2	7	2	8
	F	5	8	3	2	4	2	1	1	1	5	3	—	6	—	1	8	3	2	4
32(6) Cirrhosis of liver	M	2	4	2	1	1	1	—	—	1	4	2	—	3	—	2	6	—	1	—
	F	2	3	3	1	—	3	1	1	3	2	1	2	1	—	2	3	1	2	1
32(7) Cholelithiasis, cholecystitis	M	2	3	3	1	1	2	1	—	3	1	—	—	1	1	2	3	—	2	5
	F	3	4	3	3	2	2	2	2	4	6	1	3	2	4	—	8	2	5	9
30(1) Maternal sepsis (not abortion)	F	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2) Toxæmias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
30(3) Abortion	F	—	—	—	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1
32(8) Birth injury	M	5	7	7	3	2	4	4	2	5	2	3	2	4	4	2	11	2	6	7
	F	3	4	—	2	1	1	2	2	2	—	3	—	4	3	—	3	2	2	3
32(9) Post-natal asphyxia and atelectasis	M	4	16	6	2	2	1	9	3	—	8	2	1	9	2	8	2	2	3	4
	F	3	8	1	2	—	1	3	—	3	4	—	1	6	1	2	4	—	4	3
23(1) Pneumonia of newborn	M	1	11	3	2	1	3	2	1	1	3	2	1	3	1	2	8	3	2	1
	F	—	3	2	—	—	—	—	1	—	1	—	3	2	1	—	4	1	3	1
32(11) Ophth., pemphigus, sepsis of newborn	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—
32(12) Hæmolytic disease of newborn	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	1	—	—	2	2	—	—	3	—	—	—	1	—	1	2	1	1
32(13) Immaturity (without other dis. peculiar to early infancy)	M	1	13	14	4	5	3	12	5	2	8	12	4	6	1	4	12	6	8	8
	F	6	18	15	12	3	5	10	1	3	8	6	10	10	2	2	6	2	4	5
32(14) Senility without psychosis	M	17	19	4	3	1	5	12	1	11	3	4	14	47	3	12	3	7	5	17
	F	52	34	5	3	5	13	14	10	16	8	9	18	57	5	26	16	8	12	23
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	1	1	—	—	—	—	2	2	—	—	—	—	2	1
	F	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	1	—	—

TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

\*“Delayed” maternal deaths  
(see page 238)



TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)			Bedfordshire.	Berkshire.	Buckinghamshire.	Cambridgeshire.	Cheshire.	Cornwall.	Cumberland.	Derbyshire.	Devon.	Dorset.	Durham.	Ely, Isle of.	Essex.	Gloucestershire.	Herefordshire.	Hertfordshire.	Huntingdonshire.	Kent.	Lancashire.	Leicestershire.
2(1) Tub. of meninges and nervous system	M	1	—	—	1	1	4	—	1	—	1	6	—	5	1	—	—	—	—	6	7	1
9(1) Typhoid fever	F	1	—	—	1	3	3	—	4	1	—	3	—	6	2	—	—	1	—	5	7	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
9(2) Scarlet fever	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	2	1	—
9(3) Streptococcal sore throat	M	1	—	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	2	—	—
	F	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9(4) Erysipelas, septicæmia, pyæmia	M	—	—	2	1	3	—	—	—	2	—	1	3	1	3	—	—	—	—	—	4	—
	F	1	—	—	—	1	—	—	—	1	—	—	1	—	2	1	—	1	—	5	3	—
9(5) Acute infectious encephalitis	M	—	—	—	—	1	—	1	—	1	1	—	5	—	2	—	1	—	—	4	5	—
	F	—	—	1	—	1	—	—	—	1	1	—	1	—	3	2	1	—	—	3	7	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	2	1	1	—	2	—	1	—	—	—	—	5	—	5	1	—	2	—	5	8	—
	F	—	—	1	—	6	1	2	6	3	2	6	—	—	7	2	—	3	—	6	11	1
14(1) Malig. neoplasm, mouth and pharynx	M	7	6	10	4	20	10	10	20	23	10	28	3	41	11	6	11	—	55	57	7	—
	F	5	1	1	2	13	2	3	5	4	7	6	5	10	5	3	7	3	22	32	4	—
14(2) Malig. neoplasm, œsophagus	M	8	13	9	4	20	9	4	13	25	10	24	2	45	12	6	17	1	38	82	8	—
	F	5	5	5	2	19	14	1	10	17	5	9	1	28	11	4	18	—	30	41	5	—
14(3) Malig. neoplasm, intestine and rectum	M	36	53	62	37	130	72	44	95	91	72	154	17	274	67	27	120	12	280	378	59	—
	F	43	48	60	32	147	72	38	117	119	68	139	25	275	83	24	102	14	312	356	57	—
14(4) Malig. neoplasm, larynx	M	6	5	5	4	12	4	3	4	14	6	13	1	23	4	3	6	—	26	30	5	—
	F	—	—	—	—	8	1	2	2	2	—	2	—	4	—	1	3	—	3	10	2	—
13(1) Malig. neoplasm, cervix uteri	F	22	14	22	11	47	28	9	23	27	17	66	6	58	22	8	23	3	80	118	13	—
14(5) Hodgkin's disease	M	4	4	9	2	9	6	2	5	4	5	3	—	15	4	—	5	1	15	30	5	—
	F	1	1	1	1	3	3	3	7	2	2	4	2	14	2	1	5	—	9	12	3	—
14(6) Lymphosarcoma, reticulosarcoma	M	3	2	3	—	7	4	—	1	7	3	9	—	14	7	—	12	—	18	14	4	—
	F	1	1	4	3	4	1	—	4	1	3	6	1	12	6	—	9	—	12	12	1	—
32(1) Thyrotoxicosis	M	1	—	—	1	—	1	—	2	—	1	1	—	2	—	—	1	—	9	2	—	—
	F	2	3	2	2	13	8	2	12	6	2	4	1	6	9	—	6	1	16	13	4	—
32(2) Otitis media and mastoiditis	M	2	—	2	1	1	2	2	2	3	2	4	2	8	2	1	2	—	7	10	3	—
	F	1	—	—	4	—	—	—	2	—	—	1	—	6	—	—	2	1	4	1	1	—
32(3) Rheumatic fever	M	—	2	—	3	2	—	—	2	3	1	4	—	5	2	1	1	—	4	7	1	—
	F	3	1	1	1	2	1	—	1	—	1	4	—	1	1	—	3	—	5	5	2	—
20(1) Chronic rheumatic heart disease	M	22	14	20	10	65	24	22	44	35	18	106	9	135	35	8	34	5	136	167	20	—
	F	28	29	44	15	97	39	34	76	51	36	128	9	232	37	21	64	9	193	298	36	—
21(1) Hyperten. without mention of heart	M	25	30	35	18	54	33	14	49	48	27	89	9	136	29	8	75	6	168	163	31	—
	F	34	28	24	10	47	19	27	45	52	26	66	5	165	31	6	83	5	166	154	30	—
32(4) Appendicitis	M	2	4	2	5	12	1	2	9	6	8	11	3	18	3	1	9	3	14	20	5	—
	F	3	4	4	1	3	4	3	5	8	2	8	1	11	4	1	11	—	17	8	2	—
32(5) Intestinal obstruc. and hernia	M	8	11	16	5	25	7	10	24	28	12	18	—	57	14	6	21	1	54	83	19	—
	F	9	8	8	5	25	5	6	13	28	8	18	—	52	17	6	24	2	53	77	7	—
32(6) Cirrhosis of liver	M	6	2	9	3	16	4	—	11	6	6	14	—	19	6	2	7	1	19	26	7	—
	F	1	6	8	1	12	3	3	5	2	4	8	1	11	6	2	7	—	14	24	8	—
32(7) Cholelithiasis, cholecystitis	M	3	6	6	1	5	5	4	7	4	5	12	1	22	3	1	7	1	10	22	4	—
	F	7	1	12	5	19	19	5	7	20	5	24	—	31	2	6	13	3	34	65	6	—
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	1	1	2	1	2	—	—	4	—	—	1	—	3	7	2	—
30(2) Toxæmias of pregnancy and puerperium	F	—	2	1	1	2	2	2	1	1	1	6	1	5	1	—	1	—	7	13	—	—
30(3) Abortion	F	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	3	2	1	—
32(8) Birth injury	M	5	6	3	1	17	12	9	14	5	10	27	—	29	12	3	14	—	34	58	9	—
	F	1	4	5	2	9	4	6	5	8	5	17	2	28	7	—	10	1	19	34	5	—
32(9) Post-natal asphyxia and atelectasis	M	7	18	10	6	21	12	4	36	13	7	31	3	53	12	—	26	—	25	74	10	—
	F	5	10	12	1	21	9	6	19	11	3	26	—	30	6	—	14	—	18	56	7	—
32(10) Pneumonia of newborn	M	4	3	2	1	6	2	6	7	7	3	9	1	27	4	1	3	1	13	22	2	—
	F	4	1	2	—	8	5	7	4	4	3	6	—	12	4	2	3	—	5	13	3	—
32(11) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	—	—
	F	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	5	—	—
32(12) Hæmolytic disease of newborn	M	2	2	4	—	3	3	1	1	3	1	5	—	12	3	—	4	1	6	9	5	—
	F	—	—	1	—	7	—	1	4	1	2	—	—	8	2	—	—	—	6	9	2	—
32(13) Immaturity (without other dis. peculiar to early infancy)	M	8	10	12	5	39	20	8	30	23	19	59	6	50	14	5	23	4	68	94	19	—
	F	10	5	4	10	22	9	2	28	27	15	45	2	49	9	5	16	2	52	88	18	—
32(14) Senility without psychosis	M	26	28	15	5	72	41	34	70	50	10	52	11	87	25	10	16	11	82	187	16	—
	F	42	49	35	17	122	65	42	99	85	18	84	18	123	51	11	38	18	136	285	49	—
32(15) Ill-defined and unknown cause	M	—	3	1	1	2	1	—	1	4	1	2	—	5	1	—	—	2	3	5	—	—
	F	—	1	1	1	1	—	—	1	4	—	5	1	3	2	1	—	2	5	5	1	—



TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)			Lincolnshire : (Parts of Holland).	Lincolnshire : (Parts of Kesteven).	Lincolnshire : (Parts of Lindsey).	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutland.	Shropshire.	Somerset.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.
1	Tuberculosis, respiratory	M	5	11	21	222	12	31	52	72	8	2	—	25	49	50	98	16	9	155	24	22
		F	7	6	18	105	12	11	19	25	1	2	—	7	21	25	49	8	1	71	18	4
2	Tuberculosis, other	M	1	5	6	19	2	4	6	10	2	1	—	3	3	7	14	6	2	17	5	5
		F	—	1	7	16	—	1	6	4	—	—	1	3	3	5	10	4	1	8	3	3
3	Syphilitic disease	M	1	1	7	48	15	4	8	19	4	1	—	5	5	19	10	5	6	30	10	11
		F	1	3	4	24	7	4	7	6	—	—	—	3	2	7	8	3	2	16	3	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	2	1	6	1	1	1	1	1	—	—	4	1	2	5	—	—	2	1	—
		F	1	3	2	3	1	1	1	1	2	—	—	—	1	2	7	—	—	—	1	—
6	Meningococcal infections	M	1	4	1	6	—	—	3	2	1	—	—	—	—	4	2	1	—	2	—	—
		F	—	—	1	2	2	1	—	1	—	—	—	—	3	3	4	—	1	5	1	1
7	Acute poliomyelitis	M	—	—	—	19	2	1	2	3	3	—	—	—	7	4	4	1	1	6	—	6
		F	—	—	1	8	—	2	—	2	2	1	—	—	3	3	—	—	1	6	2	2
8	Measles	M	2	—	1	5	—	2	1	—	1	—	—	—	1	2	6	—	—	9	2	1
		F	—	—	1	2	—	—	4	—	—	—	—	2	1	1	—	—	—	5	—	1
9	Other infective, etc., diseases	M	1	4	6	21	6	1	10	8	3	1	—	2	11	9	9	6	6	14	8	3
		F	1	4	4	27	6	5	8	6	1	3	1	5	7	14	13	1	3	17	4	5
10	Malignant neoplasm: stomach	M	21	27	44	290	67	43	99	97	20	13	5	47	90	104	141	36	19	191	53	54
		F	21	7	35	260	55	34	83	58	11	6	3	41	62	71	127	26	13	169	43	42
11	lung, bronchus	M	14	17	72	756	62	55	99	110	32	11	1	62	105	168	229	50	25	440	95	98
		F	7	3	9	137	16	7	20	18	8	3	—	11	30	25	27	14	5	68	19	29
12	breast	M	—	1	4	—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	3	1
		F	11	29	50	417	52	51	63	92	24	10	2	56	92	121	136	44	17	287	100	100
13	uterus	M	9	11	28	173	30	13	38	40	7	8	—	19	32	46	61	15	12	124	28	29
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	60	57	179	1112	221	139	241	268	79	38	12	146	252	362	410	146	75	734	225	244
		F	33	53	130	1112	194	110	193	201	77	32	8	126	227	253	323	111	58	693	246	215
15	Leukæmia, aleukæmia	M	4	4	10	57	12	5	7	16	3	4	—	10	12	30	18	4	6	38	7	17
		F	5	1	6	46	8	8	7	10	4	—	—	10	12	18	16	4	2	37	8	11
16	Diabetes	M	2	6	7	40	7	7	17	9	3	5	2	5	12	10	21	9	2	37	8	6
		F	7	1	23	80	19	17	21	13	6	1	2	17	28	27	43	16	5	61	12	22
17	Vascular lesions of nervous system	M	60	88	219	1037	259	200	377	372	113	55	12	228	354	421	499	165	83	786	244	266
		F	94	124	290	1594	353	258	441	449	150	63	15	269	505	592	695	223	112	1290	497	418
18	Coronary disease, angina	M	75	95	261	1983	310	220	470	406	107	52	13	224	382	587	554	203	112	1188	333	329
		F	37	55	139	1123	202	103	286	238	86	24	5	133	245	330	287	129	74	793	276	205
19	Hypertension with heart disease	M	7	17	35	277	29	29	51	77	19	7	4	28	61	62	85	20	12	138	44	32
		F	7	12	33	295	42	30	62	62	15	2	1	37	64	92	72	36	14	182	58	55
20	Other heart disease	M	93	152	244	1143	396	279	504	415	133	45	20	305	508	630	734	256	116	951	447	344
		F	107	179	292	1754	443	373	546	502	166	53	25	384	685	787	896	303	151	1598	678	536
21	Other circulatory disease	M	30	32	85	493	117	54	84	101	33	12	9	76	148	171	169	83	28	397	102	91
		F	32	29	95	595	114	50	85	86	39	9	25	72	164	165	171	58	35	471	122	99
22	Influenza	M	11	26	18	149	14	20	14	41	12	4	1	20	36	55	68	9	16	163	52	40
		F	9	20	28	188	34	25	11	42	14	5	3	31	66	84	47	9	8	200	74	53
23	Pneumonia	M	29	44	77	548	114	63	80	114	30	15	5	32	90	170	175	40	33	399	98	93
		F	19	20	59	594	100	57	64	84	50	11	4	52	85	151	138	35	22	449	119	110
24	Bronchitis	M	32	53	111	1040	101	98	129	241	50	34	11	105	146	211	373	62	30	565	82	112
		F	18	26	61	653	46	56	63	100	28	11	4	62	87	111	185	33	17	288	80	60
25	Other diseases of respiratory system	M	3	14	17	107	17	15	33	41	17	6	1	15	40	44	70	7	3	87	20	28
		F	4	7	8	54	11	6	11	23	5	2	—	6	19	28	17	9	8	35	13	15
26	Ulcer of stomach and duodenum	M	6	7	14	182	25	23	24	22	9	6	1	15	44	61	66	15	15	121	41	32
		F	2	1	8	73	9	7	8	12	2	—	—	6	18	12	27	5	4	44	13	23
27	Gastritis, enteritis and diarrhoea	M	3	4	11	55	7	1	7	9	5	1	—	2	9	15	18	2	3	36	7	10
		F	—	4	9	68	10	6	11	16	6	3	1	5	18	22	24	6	1	52	12	14
28	Nephritis and nephrosis	M	8	7	18	121	15	14	22	29	12	4	3	24	40	39	63	13	10	64	24	31
		F	8	7	25	82	17	13	21	30	9	3	1	24	34	33	57	11	8	75	29	17
29	Hyperplasia of prostate	M	24	19	37	164	60	39	46	41	12	15	—	28	45	56	59	23	15	139	37	41
30	Pregnancy, childbirth, abortion*	M	3	—	5	22	3	3	6	8	1	1	—	2	2	11	15	2	1	19	5	4
31	Congenital malformations	M	6	8	11	102	19	13	28	30	8	7	1	20	13	41	50	13	2	56	16	16
		F	4	8	10	94	11	12	24	29	7	3	1	8	20	28	40	8	7	69	13	12
32	Other defined and ill-defined dis.	M	73	64	149	793	212	160	208	238	63	28	9	116	259	309	513	96	78	592	166	165
		F	61	81	186	897	228	137	212	272	83	40	7	161	282	416	525	102	59	733	210	184
33	Motor vehicle accidents	M	8	13	40	150	42	22	38	47	32	8	3	43	50	66	72	25	11	76	18	14
		F	—	5	12	63	7	6	9	10	7	3	—	7	12	17	20	3	4	29	10	8
34	All other accidents	M	17	27	80	215	106	24	96	69	25	11	9	31	63	77	113	46	20	118	36	36
		F	4	8	64	214	83	26	54	42	18	13	2	28	46	74	78	49	18	141	51	59
35	Suicide	M	10	15	19	108	26	17	41	45	6	7	3	29	35	40	50	17	12	104	28	16
		F	8	2	7	73	9	8	9	18	4	5	—	3	23	19	31	7	5	62	15	15
36	Homicide, operations of war	M	2	—	2	5	1	1	1	1	1	2	—	—	—	3	3	—	—	6	4	—
		F	1	—	—	3	—	1	1	2	—	—	—	1	—	—	—	—	—	3	3	1
**“Delayed” maternal deaths (see page 238)			—	—	—	2	—	—	—	2	—	—	—	—	—	2	1	—	—	1	—	1



TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)			Lincolnshire: (Parts of Holland.)	Lincolnshire: (Parts of Kesteven.)	Lincolnshire: (Parts of Lindsey.)	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutland.	Shropshire.	Somerset.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.
2(1)	Tub. of meninges and nervous system	M	1	1	4	4	1	2	2	2	2	1		2		2	8	1	1	4	3	1
(1)	Typhoid fever	F			1	2			2	1			1	1		2	4	1		1	1	2
9(2)	Scarlet fever	M													1					1		
9(3)	Streptococcal sore throat	F	1																			
		M													2							
		F		1		1										2	1					1
9(4)	Erysipelas, septicæmia, pyæmia	M		1		1	1	1		1	1			1	1		1		2	1		1
9(5)	Acute infectious encephalitis	F				1	1		2	1		1		1		1	2		1		1	1
		M	1	1	1	3			1	1					1	1	1		1	1		
		F		1		2		1		2			1	1	1	2	2		1	1		
9(6)	Smallpox	M																				
9(7)	Infectious hepatitis	F																				
		M				6	2		1	5					4	2	1	2	1	2	3	
		F			1	11	4	2	2	3		1			1	3	2			6	2	1
14(1)	Malig. neoplasm, mouth and pharynx	M	5	5	13	43	17	7	19	12	6	2	2	11	15	24	24	7		43	11	15
		F	2	1	3	27	8	2	6	3	4	1	2	2	5	7	10	4	4	15	2	4
14(2)	Malig. neoplasm, œsophagus	M	2	8	10	64	12	10	11	10	6		1	9	16	24	30	8	4	34	13	16
		F		4	8	43	5	5	5	6	3	1		8	17	8	12	5	6	23	7	12
14(3)	Malig. neoplasm, intestine and rectum	M	24	17	55	305	82	44	79	88	26	16	4	43	74	102	156	46	29	210	72	79
		F	13	27	49	430	76	4	75	78	22	11	3	40	86	106	134	49	26	254	101	84
14(4)	Malig. neoplasm, larynx	M		3	3	41	6	9	5	8	1			3	7	10	10	9	1	20	8	
		F	2		1	4	2		1	1		1		1	5	1	10		1	5	2	
13(1)	Malig. neoplasm, cervix uteri	F	7	8	20	106	15	9	30	27	6	5		10	11	29	36	11	4	70	10	18
14(5)	Hodgkin's disease	M	2		3	33	4	2	11	5	1			4	5	5	5	1		9	1	5
		F		1	3	17	6	3	6	3	1	2		1	2	2	4	1	1	13	4	3
14(6)	Lymphosarcoma, reticulosarcoma	M	1		2	32	1	2	4	7				4	5	8	7	2	2	19	1	2
		F	2		1	17	1	4	1	3				2	3	2	5	1		10	5	5
32(1)	Thyrotoxicosis	M				2				2	1				3		2		1	2		
		F	2	2	1	8	3	3	2			1		1	9	7	8	3	5	7	4	1
32(2)	Otitis media and mastoiditis	M	1		1	7	2	3	2	8	1		1	1	1	2	6	2		6		1
		F				3	1	2		2				1	1	1	3		2	3		1
32(3)	Rheumatic fever	M				2	1		1		1					2	6		1	4		1
		F	1		2	5	3		2		1			2	1		9	1		1	1	2
20(1)	Chronic rheumatic heart disease	M	7	8	24	180	20	24	37	38	12	6	1	23	43	26	58	14	7	81	20	14
		F	5	6	25	235	31	25	56	61	16	5	5	20	55	66	91	12	6	150	24	26
21(1)	Hyperten. without mention of heart	M	8	9	27	220	32	17	30	40	14	1	2	26	47	69	62	25	7	163	26	30
		F	5	11	37	248	37	26	26	33	16	2	5	16	50	70	45	17	12	181	42	32
32(4)	Appendicitis	M	2	3	4	35	7	6	2	5	1	1		4	7	7	16	1	1	20	3	6
		F	1	2	2	11	3	2	1	3	1		1	2	2	5	9	2		10	5	1
32(5)	Intestinal obstruc. and hernia	M		9	12	66	15	9	13	22	3	1	2	7	14	25	35	9	7	45	15	13
		F	3	4	6	75	9	10	6	19	8	4		11	18	16	17	6	3	43	15	18
32(6)	Cirrhosis of liver	M	1	1	3	23	1	1	5	3		1		4	7	11	12	1	5	17	3	8
		F	2	1		21	1	8	7	6	1	1		6	2	11	7		1	15	5	5
32(7)	Cholelithiasis, cholecystitis	M	1	1		23	6	2	5	1				2	4	4	6	3		11	6	3
		F	2	2	8	34	9	10	11	11	2	1		2	15	12	19	4	1	19	10	11
30(1)	Maternal sepsis (not abortion)	F				3			2	1		1			1	1	5			1	1	1
30(2)	Toxæmias of pregnancy and puerperium	F	1		1	5		1		3				1		4	5	1	1	5	2	1
30(3)	Abortion	F	1			3				1						2	1			3		
32(8)	Birth injury	M	3	4	3	32	5	5	15	15	2	1	3	14	15	15	23	8	5	22	5	6
		F	1	1	2	28	7	2	10	10	1	1		14	4	7	18	3	4	8	3	5
32(9)	Post-natal asphyxia and atelectasis	M	1		10	60	12	17	11	15	4	3		10	21	19	39	3	6	32	10	7
		F	3	2	4	47	7	5	5	11	6	1	1	5	12	12	21	1	1	11	9	4
23(1)	Pneumonia of newborn	M	1	3	1	25	6	5	5	2	4	3		1	3	8	20	1	2	8	2	4
		F	2	1	3	7		3	1	1				3	3	4	10	1		9	2	3
32(11)	Ophth., pemphigus, sepsis of newborn	M					1										2			2		
		F			1	1				2	1			1		1	1			2		
32(12)	Hæmolytic disease of newborn	M			1	6	4	5	1	2	1				2	7	5			12	1	
		F		1		5			2	2	1	1		1	2	5	5		1	4	1	
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	9	9	20	60	17	8	31	36	10	4		8	12	30	36	5	6	43	9	10
		F	9	7	15	33	20	9	13	27	10	3	1	11	16	24	31	11	6	27	1	9
32(14)	Senility without psychosis	M	25	8	29	44	58	19	17	25	7	1		21	48	35	161	17	8	73	14	21
		F	23	15	65	100	71	21	46	55	10	11		42	93	108	198	24	10	152	49	42
32(15)	Ill-defined and unknown cause	M	1	2	1	7	1	5	1	1	1			2	1	2	2				1	
		F		1	6	6	3	7						1		2	2				3	



TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)		Warwickshire.	Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	† Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radnorshire.
1	Tuberculosis, respiratory	M 57 F 12	5 2	9 5	28 13	47 25	15 12	20 22	181 73	10 2	3 1	33 10	10 4	21 11	20 6	19 13	145 57	15 4	43 18	6 2	18 4	1 2
2	Tuberculosis, other	M 3 F 4	— 1	— —	— 6	— 5	— 2	— 8	— 18	— 1	— —	— 2	— 1	— 4	— 3	— 2	— 14	— 1	— 5	— —	— 4	— —
3	Syphilitic disease	M 10 F 7	— —	— 1	4 1	11 3	6 3	5 1	34 11	— —	1 —	1 1	— —	5 —	3 —	5 1	20 5	1 —	8 1	1 —	— —	— —
4	Diphtheria	M — F —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Whooping cough	M 1 F —	1 —	— —	— —	— —	— —	— —	5 8	— 1	— —	1 —	— —	1 —	— —	1 —	1 —	— —	— —	1 —	— —	— —
6	Meningococcal infections	M 4 F —	— —	— 1	— 1	— 2	— 1	— —	— 5	— 1	— —	— 1	— —	— —	— 1	— —	— 5	— 1	— —	— —	— —	— —
7	Acute poliomyelitis	M 9 F 2	— 1	— 1	2 5	— 2	2 —	1 —	8 3	— 1	— 1	— 2	— —	— —	— —	1 —	— —	— —	— —	1 —	2 1	— —
8	Measles	M 1 F 1	— —	— 1	2 2	3 5	— —	1 2	7 2	1 —	— 2	— —	1 —	1 —	1 —	— —	1 —	— 1	3 —	1 —	— —	— —
9	Other infective, etc., diseases	M 10 F 4	2 4	1 —	4 4	5 8	4 1	7 8	21 19	2 2	— 1	1 4	1 1	5 2	3 3	3 1	10 5	— —	6 —	— —	6 2	— 1
10	Malignant neoplasm: stomach	M 73 F 52	13 11	19 22	47 39	70 42	33 34	63 54	298 242	14 15	15 10	50 33	20 11	51 31	38 27	32 19	163 114	8 8	68 56	15 11	28 17	6 2
11	lung, bronchus	M 140 F 26	12 1	23 9	76 13	91 11	53 11	72 14	381 63	9 1	10 4	21 9	10 2	35 2	30 8	40 5	192 13	7 2	95 12	2 1	17 3	2 1
12	breast	M 1 F 82	— 9	— 22	— 65	— 79	— 38	— 54	— 283	— 6	— 9	— 25	— 4	— 29	— 34	— 24	— 116	— 13	— 45	— 7	— 15	— 3
13	uterus	M 33 F —	3 —	13 —	33 —	28 —	21 —	29 —	156 —	3 —	5 —	16 —	2 —	18 —	13 —	11 —	66 —	1 —	30 —	1 —	9 —	— —
14	Other malignant and lymphatic neoplasms	M 249 F 204	35 35	59 65	181 151	196 178	104 116	209 189	811 680	33 33	26 19	75 83	36 38	96 88	88 66	80 62	376 298	20 26	188 130	28 17	57 30	12 13
15	Leukæmia, aleukæmia	M 13 F 8	2 —	8 —	6 16	9 5	4 7	3 9	33 38	— 2	2 —	2 1	— —	2 3	2 2	4 1	9 13	— —	4 —	— —	— —	— —
16	Diabetes	M 3 F 27	2 3	1 5	9 8	10 27	9 10	5 19	42 88	1 4	2 3	2 7	— 3	5 6	3 8	3 6	21 48	— 4	6 19	— 2	7 6	2 —
17	Vascular lesions of nervous system	M 310 F 439	56 87	85 127	236 307	280 362	203 236	278 357	1287 1519	57 81	58 58	102 174	54 66	126 211	147 197	109 145	524 587	52 62	198 252	40 49	66 95	19 20
18	Coronary disease, angina	M 408 F 244	64 57	105 70	328 174	339 186	213 122	367 215	1521 843	60 24	48 16	113 71	54 23	188 86	163 97	159 74	755 322	38 15	290 143	37 15	87 46	13 9
19	Hypertension with heart disease	M 40 F 64	11 8	11 27	32 35	49 50	19 28	41 43	197 207	8 6	7 9	29 29	4 9	27 16	26 24	73 85	3 8	28 30	2 4	14 7	3 —	— —
20	Other heart disease	M 326 F 449	50 61	106 167	419 487	386 482	186 270	382 482	1506 1824	50 79	72 79	117 144	69 101	149 187	145 219	98 140	653 785	32 58	323 362	57 72	87 99	30 31
21	Other circulatory disease	M 90 F 110	19 28	21 17	103 100	73 74	60 70	80 88	331 353	13 12	12 23	68 63	14 20	54 55	48 41	36 27	205 169	7 18	66 66	5 14	26 25	3 4
22	Influenza	M 34 F 50	1 4	12 12	36 43	25 39	17 18	13 17	82 79	2 2	5 1	1 4	4 3	10 7	7 9	7 2	32 36	10 2	18 25	3 4	8 6	1 1
23	Pneumonia	M 127 F 132	8 8	20 40	135 112	76 84	51 39	85 73	321 280	8 5	3 11	14 18	5 14	41 25	38 32	24 24	150 94	4 2	83 44	3 1	20 18	3 2
24	Bronchitis	M 142 F 85	24 10	31 26	107 43	139 82	59 41	89 51	737 409	22 11	27 14	54 20	14 11	65 37	41 31	49 11	413 147	11 5	171 72	11 11	21 14	8 5
25	Other diseases of respiratory system	M 42 F 23	5 4	3 3	23 6	19 9	10 4	14 11	118 47	1 —	11 2	8 2	7 5	80 10	23 6	8 6	203 26	7 4	57 6	3 1	6 —	2 —
26	Ulcer of stomach and duodenum	M 48 F 17	8 3	9 4	36 12	32 11	18 4	29 9	129 40	2 1	5 1	5 1	7 4	14 6	15 2	9 2	48 10	3 1	26 7	3 2	4 1	— —
27	Gastritis, enteritis and diarrhoea	M 11 F 8	— 2	— 1	12 11	13 11	9 6	11 8	53 45	2 5	1 1	5 4	— 2	8 6	4 7	4 4	30 24	1 1	15 6	2 —	1 —	— 1
28	Nephritis and nephrosis	M 23 F 32	5 5	6 4	28 11	22 18	7 15	21 25	123 122	10 8	5 4	13 10	9 7	18 7	19 21	11 3	63 74	4 8	31 27	4 5	6 9	4 2
29	Hyperplasia of prostate	M 42 F 6	7 1	31 3	51 9	40 5	24 1	49 2	141 13	12 1	6 —	28 2	15 —	22 3	38 4	29 5	74 15	9 1	34 6	8 —	9 —	3 —
30	Pregnancy, childbirth, abortion*	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
31	Congenital malformations	M 23 F 19	3 4	5 —	18 24	15 21	7 6	13 14	89 65	3 —	2 5	9 6	3 2	8 4	10 13	13 5	39 42	1 2	8 19	5 5	5 2	3 —
32	Other defined and ill-defined dis.	M 209 F 298	34 64	38 51	158 192	196 194	125 130	199 203	780 880	28 52	26 31	73 78	34 45	113 122	99 119	80 93	456 466	32 31	176 207	36 36	54 64	16 13
33	Motor vehicle accidents	M 43 F 11	10 5	2 1	44 8	32 13	18 5	45 6	145 26	4 1	6 1	8 1	6 4	17 2	18 2	11 3	64 16	4 1	21 8	5 2	6 2	5 —
34	All other accidents	M 62 F 65	7 10	7 11	41 20	46 36	20 27	87 40	279 202	11 10	8 4	17 10	2 8	39 12	28 27	25 21	151 75	6 5	62 31	4 4	12 15	4 4
35	Suicide	M 27 F 25	5 6	7 9	24 16	26 14	12 7	23 9	109 60	3 —	— 3	6 3	7 3	11 9	11 2	7 5	28 14	4 2	11 6	1 —	3 —	— 1
36	Homicide, operations of war	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

\*"Delayed" maternal deaths  
(see page 238)

† The figures for this area include 29 deaths (25M., 4F.,) (including 11M., 2F. deaths from Tuberculosis of the Respiratory System) in a Polish General Hospital which could not be transferred to the area of residence.



TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)			Warwickshire.	Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radnorshire.
2(1)	Tub. of meninges and nervous system	M	—	—	1	—	2	1	4	6	2	—	2	—	3	—	—	4	—	1	—	—	—
		F	1	1	—	—	3	—	4	9	—	—	—	—	2	1	7	—	1	1	—	2	—
9(1)	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3)	Streptococcal sore throat	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—
9(4)	Erysipelas, septicæmia, pyæmia	M	2	—	1	1	2	1	—	2	—	—	—	—	—	1	—	1	—	—	—	1	—
		F	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	1	—	—	—	1	—	1	1	—	—	—	—	2	1	—	—	—	—	—	—	1
		F	1	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	—	1	—	—	—	—	2	5	—	—	1	1	—	—	—	4	—	4	—	—	—
		F	1	—	—	—	—	1	2	6	1	—	1	—	—	1	—	1	—	—	—	—	1
14(1)	Malig. neoplasm, mouth and pharynx	M	18	7	4	13	10	8	10	42	—	4	3	3	6	4	2	28	2	16	1	5	1
		F	3	1	4	5	1	3	6	20	3	—	4	6	6	4	—	19	—	6	1	2	—
14(2)	Malig. neoplasm, œsophagus	M	12	3	2	10	13	4	9	32	1	—	5	4	6	3	5	32	1	7	5	1	—
		F	10	3	2	5	4	9	9	26	3	3	6	6	5	3	2	13	6	4	2	2	3
14(3)	Malig. neoplasm, intestine and rectum	M	83	5	20	60	73	35	75	268	17	6	29	13	39	29	21	123	5	55	6	23	5
		F	86	11	34	62	81	49	70	267	11	9	35	10	36	21	31	120	7	48	5	11	2
14(4)	Malig. neoplasm, larynx	M	8	1	2	6	7	3	1	21	—	1	2	1	2	4	—	10	—	4	1	1	—
		F	1	—	1	2	3	1	2	9	1	2	—	—	2	—	1	3	—	2	—	—	—
13(1)	Malig. neoplasm, cervix uteri	F	17	2	10	19	16	15	20	107	2	5	11	2	13	8	10	40	—	14	1	6	—
14(5)	Hodgkin's disease	M	1	1	2	1	2	—	5	18	2	—	—	—	4	2	1	9	—	6	—	2	—
		F	2	1	1	—	2	—	4	15	—	—	1	—	2	—	—	8	1	1	1	1	—
14(6)	Lymphosarcoma, reticulosarcoma	M	9	2	1	3	5	4	1	10	—	—	3	—	—	2	2	11	—	4	—	—	—
		F	5	—	—	2	5	1	3	8	1	—	2	—	1	—	4	—	3	—	—	—	—
32(1)	Thyrototoxicosis	M	1	—	1	1	1	1	—	5	—	—	—	—	1	—	—	2	—	—	—	—	—
		F	7	—	—	2	1	2	7	8	1	—	1	1	1	3	—	7	—	2	2	—	—
32(2)	Otitis media and mastoiditis	M	2	—	2	1	2	—	—	6	—	—	1	—	1	—	3	1	—	—	—	1	—
		F	3	—	—	—	3	—	1	7	—	—	—	—	1	—	—	3	—	3	—	—	—
32(3)	Rheumatic fever	M	—	—	—	1	2	2	1	7	—	—	—	—	—	1	—	6	—	4	—	1	—
		F	2	1	—	1	1	—	3	10	—	—	—	—	—	—	4	—	3	—	—	1	—
20(1)	Chronic rheumatic heart disease	M	31	5	6	29	22	10	21	127	2	10	8	5	8	13	8	63	1	28	6	4	1
		F	52	5	11	36	36	20	41	205	4	6	17	6	26	17	19	116	8	45	9	3	1
21(1)	Hyperten. without mention of heart	M	32	4	10	30	31	17	23	113	7	5	24	5	15	20	14	79	2	33	—	10	—
		F	34	6	9	38	23	18	23	102	5	8	23	6	13	17	11	55	7	33	7	3	1
32(4)	Appendicitis	M	5	1	1	6	6	5	3	29	1	—	2	—	2	1	1	5	1	3	1	3	—
		F	5	2	3	3	3	1	3	12	—	1	2	1	1	2	5	—	6	1	1	—	—
32(5)	Intestinal obstruc. and hernia	M	13	3	2	17	15	4	4	53	2	1	7	4	9	7	5	15	3	14	2	6	—
		F	30	4	6	17	12	8	18	54	6	—	5	2	5	7	7	21	1	11	—	2	—
32(6)	Cirrhosis of liver	M	10	2	1	4	10	4	7	16	—	1	1	—	—	2	6	10	2	7	1	1	1
		F	7	—	1	5	6	1	2	23	1	2	2	—	2	2	3	12	1	2	—	3	1
32(7)	Cholelithiasis, cholecystitis	M	5	—	2	1	5	2	6	29	1	1	3	1	2	1	3	7	—	1	—	—	—
		F	11	3	3	7	7	11	17	42	3	1	5	3	1	9	3	15	2	18	—	2	—
30(1)	Maternal sepsis (not abortion)	F	1	—	2	1	—	—	—	2	—	—	—	—	1	—	—	2	—	1	—	—	—
30(2)	Toxæmias of pregnancy and puerperium	F	2	1	—	2	3	—	1	4	—	—	2	—	2	1	2	6	—	2	—	—	—
30(3)	Abortion	F	1	—	1	2	1	—	1	1	1	—	—	—	—	—	—	2	—	1	—	—	—
32(8)	Birth injury	M	19	1	4	16	8	4	16	47	—	—	—	1	5	3	2	18	3	17	3	2	1
		F	6	1	2	7	10	3	1	26	2	1	1	1	1	1	15	—	5	—	3	—	
32(9)	Post-natal asphyxia and atelectasis	M	17	2	—	4	16	8	23	60	2	2	9	3	2	9	8	22	1	10	3	2	—
		F	17	1	1	12	11	6	8	45	3	—	2	1	3	3	11	15	—	6	—	1	—
23(1)	Pneumonia of newborn	M	4	2	—	4	7	5	4	11	1	1	—	—	2	2	1	12	—	4	—	1	—
		F	1	1	—	1	4	1	5	11	1	1	—	1	3	1	1	7	—	1	—	—	—
32(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—
32(12)	Hæmolytic disease of newborn	M	—	1	—	2	3	2	1	9	—	—	—	—	—	—	3	4	1	3	—	3	—
		F	—	—	1	—	1	1	2	2	—	—	—	—	—	2	1	2	—	—	—	—	—
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	18	3	—	14	10	19	26	77	2	1	5	4	17	11	6	46	4	23	2	4	—
		F	19	6	2	7	7	6	20	66	4	4	3	2	8	4	4	23	2	22	3	4	1
32(14)	Senility without psychosis	M	13	5	6	18	46	19	15	102	3	6	10	13	25	18	14	118	4	20	15	10	7
		F	49	10	10	39	43	29	26	157	11	7	18	10	48	31	29	131	13	36	20	21	5
32(15)	Ill-defined and unknown cause	M	—	—	—	1	1	1	—	6	—	—	1	—	2	1	1	—	1	—	—	—	—
		F	2	—	—	2	1	—	1	4	1	1	1	1	—	1	4	—	—	—	—	2	—

TABLE 22.—Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1952 and 1953.

{ England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties. }

See Explanatory notes on page vi

Administrative Area	Mortality per Million Population at All Ages																Mortality per 1,000 Total (live and still) births							
																	Infant Mortality per 1,000 related Live Births							
																	Maternal Mortality not due to abortion							
Tuberculosis (all forms) (001-019)	Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		1952	1953	1952	1953	1952	1953	1952	1953
	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953								
England and Wales	241	202	212	179	0	0	1	1	1	4	6	7	7	6	7	3	6	28	27	0·09	0·10	0·50	0·54	
London Admin. County.	303	228	277	206	—	—	1	1	—	3	6	9	7	7	2	3	23	24	0·15	0·02	0·51	0·38		
City of London	958	786	958	589	—	—	—	—	—	—	—	—	—	—	—	—	53	33	—	—	—	—		
The Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Battersea	318	166	292	122	—	—	—	—	—	—	—	9	9	—	—	9	17	19	0·55	—	0·55	—		
Bermondsey	368	219	368	202	—	—	—	—	—	—	17	17	—	—	—	—	19	28	0·99	—	0·99	1·98		
Bethnal Green	368	159	333	159	—	—	—	—	—	—	—	18	—	—	—	—	30	14	—	—	—	—		
Camberwell	287	272	265	244	—	—	—	—	—	6	11	6	11	—	6	6	24	26	0·34	—	0·34	0·71		
Chelsea	288	77	230	77	—	—	—	—	—	—	—	—	—	19	19	19	20	19	—	—	—	3·74		
Deptford	382	360	356	333	—	—	—	—	—	13	—	—	27	—	—	—	32	26	—	—	—	—		
Finsbury	616	309	532	309	—	—	—	—	—	28	—	28	—	—	—	—	16	22	—	—	—	—		
Fulham	277	196	269	188	—	—	—	—	—	16	—	—	16	—	—	8	25	27	—	—	0·57	—		
Greenwich	352	199	319	177	—	—	—	—	—	22	—	11	11	—	11	—	15	18	—	—	2·27	—		
Hackney	275	142	251	124	—	—	—	—	—	6	—	—	—	6	6	12	20	20	—	—	—	0·79		
Hammersmith	362	281	328	264	—	—	—	—	—	—	9	25	—	8	17	—	21	20	—	—	0·56	1·12		
Hampstead	194	122	154	112	—	—	10	—	—	—	—	—	10	10	—	—	24	16	—	—	—	—		
Holborn	292	464	251	380	—	—	—	—	—	—	42	—	—	—	—	—	35	15	—	—	—	3·60		
Islington	323	184	302	158	—	—	—	—	—	8	9	4	13	—	13	—	23	24	—	—	0·25	—		
Kensington	185	192	168	152	—	—	—	—	—	—	—	17	—	12	6	6	27	19	0·35	—	0·70	—		
Lambeth	282	231	261	201	—	—	—	—	—	—	—	4	4	13	—	4	25	26	0·27	—	1·08	0·54		
Lewisham	185	213	154	195	—	—	—	—	—	—	—	—	4	—	9	4	22	23	—	—	0·31	0·30		
Paddington	264	210	256	194	—	—	—	—	—	—	—	24	—	8	—	8	27	24	—	—	0·47	0·46		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Poplar ...	275	345	234	345	—	—	—	—	—	—	—	14	14	14	—	—	—	—	24	35	—	—	0·79	—
St. Marylebone ...	229	203	188	190	—	—	—	—	—	—	—	—	13	—	27	—	—	—	25	21	1·05	—	—	1·09
St. Pancras ...	330	282	308	267	—	—	—	—	—	—	7	7	7	7	7	—	—	—	26	24	0·45	—	0·45	0·46
Shoreditch ...	306	284	284	240	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28	22	—	—	—	—
Southwark ...	500	237	459	217	—	—	—	—	—	—	—	—	10	21	—	—	—	—	28	32	—	0·59	0·56	—
Stepney ...	505	436	495	396	—	—	—	—	—	—	—	30	20	30	10	—	—	10	19	39	0·52	—	1·55	—
Stoke Newington	257	234	237	215	—	—	—	—	20	—	—	—	20	—	—	20	—	—	14	24	—	—	—	1·29
Wandsworth ...	271	221	238	202	—	—	3	—	—	—	3	9	3	6	15	6	6	3	21	23	—	—	0·68	0·22
Westminster ...	476	302	456	282	—	—	—	—	—	—	—	—	—	10	10	—	10	—	25	27	—	—	0·78	—
Woolwich ...	257	192	244	179	—	—	—	—	—	—	7	7	26	—	13	20	—	—	21	23	—	—	—	—
County Boroughs	296	244	265	219	0	0	1	1	1	1	5	6	8	8	5	5	4	6	30	29	0·07	0·08	0·42	0·47
Barnsley ...	348	174	308	174	—	—	—	—	—	—	27	13	27	13	—	13	—	13	39	37	—	—	0·71	—
Barrow-in-Furness	275	260	199	214	—	—	—	—	15	—	—	31	15	—	—	—	15	—	40	29	—	—	—	0·90
Bath ...	189	189	189	164	—	—	—	—	—	—	—	—	13	—	13	—	—	13	28	21	—	—	0·88	—
Birkenhead ...	274	219	232	198	—	—	—	—	7	—	7	7	21	14	—	7	7	—	35	28	—	—	0·74	—
Birmingham ...	273	242	247	227	—	2	1	1	2	—	12	11	8	10	4	4	2	14	27	26	0·11	0·05	0·48	0·57
Blackburn ...	301	229	246	201	—	—	—	—	9	—	—	—	9	—	9	—	—	—	32	28	—	—	1·28	1·37
Blackpool ...	299	164	258	136	—	—	—	—	—	—	—	—	—	—	14	—	—	7	28	27	—	—	0·61	0·59
Bolton ...	282	127	252	109	—	—	—	—	—	—	6	12	—	—	12	6	6	12	28	28	—	—	—	1·20
Bootle ...	531	288	424	262	—	—	—	—	—	—	—	—	40	26	13	—	13	13	43	29	—	—	—	—
Bournemouth...	274	157	238	143	—	—	—	—	—	—	—	—	—	—	7	29	—	7	25	22	—	—	—	—
Bradford ...	271	174	233	140	—	—	3	—	—	—	—	7	3	7	3	10	3	—	34	37	0·21	0·21	0·21	—
Brighton ...	192	223	179	210	—	—	6	—	—	—	—	6	—	—	6	—	—	—	29	25	—	—	—	0·97
Bristol ...	230	236	205	209	—	—	2	2	—	—	2	5	2	2	2	11	—	5	21	22	—	0·28	0·72	0·42
Burnley ...	298	216	274	156	—	—	—	12	—	—	—	12	—	36	—	—	12	—	31	28	—	—	—	—
Burton upon Trent	205	246	184	225	—	—	—	—	—	—	—	—	20	20	41	—	—	—	29	28	—	—	—	2·27
Bury ...	309	138	257	120	—	—	—	—	—	—	—	—	—	—	—	—	34	—	30	18	—	—	1·13	—
Canterbury ...	204	136	170	136	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	23	—	—	4·29	—
Carlisle ...	250	220	206	191	—	—	—	—	—	—	—	15	—	—	29	15	—	29	27	28	—	—	—	0·83
Chester ...	146	207	104	187	—	—	—	—	—	—	—	21	—	—	—	—	—	—	22	33	—	—	—	—
Coventry ...	253	167	195	148	—	—	—	—	—	—	4	15	—	—	—	4	8	—	32	33	—	0·23	0·24	0·23
Croydon ...	240	144	224	120	—	—	4	—	—	—	—	—	8	4	8	12	—	8	20	21	—	—	0·56	0·28
Darlington ...	131	131	119	119	—	—	—	12	—	—	—	24	—	24	—	—	12	12	26	39	—	—	—	—
Derby ...	195	194	166	179	—	—	—	—	—	—	—	—	7	7	—	—	14	7	29	24	—	—	—	0·45
Dewsbury ...	246	151	227	132	—	—	—	—	—	—	19	—	19	—	19	—	—	57	33	39	—	—	—	—

TABLE 22—continued.

Administrative Area	Mortality per Million Population at All Ages																		Infant Mortality per 1,000 related Live Births		Mortality per 1,000 Total (live and still) births			
																					Maternal Mortality not due to abortion			
	Tuberculosis (all forms) (001-019)		Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)		Others (642-649, 660-680, 683, 685-689)			
	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953
Doncaster ...	268	182	244	134	—	—	—	—	—	33	32	—	—	—	—	—	—	—	—	—	—	—	—	—
Dudley ...	276	277	276	244	—	—	—	—	—	33	33	—	—	—	—	—	—	33	—	—	—	—	—	—
Eastbourne ...	175	192	175	192	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.59
East Ham ...	233	176	217	151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	—	—	—	3.67
Exeter ...	274	300	248	287	—	—	—	—	—	—	26	13	—	—	—	—	13	—	—	—	—	—	—	0.88
Gateshead ...	428	282	393	256	—	—	—	—	—	—	—	18	26	17	9	—	—	—	—	—	—	—	—	—
Gloucester ...	286	241	256	196	—	—	—	—	—	—	—	—	15	—	—	—	15	—	—	—	—	—	—	0.90
Great Yarmouth ...	275	97	255	97	—	—	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—	—	1.34
Grimsby ...	333	268	300	247	—	—	—	—	—	—	—	—	21	32	21	21	11	11	—	—	—	—	—	1.73
Halifax ...	195	227	175	206	—	—	—	—	—	—	—	—	10	21	—	—	10	—	—	—	—	—	—	—
Hastings ...	201	217	170	171	—	—	—	—	—	—	15	—	—	—	—	—	15	—	—	—	—	—	—	1.25
Huddersfield ...	173	86	133	79	—	—	—	—	—	—	—	—	—	16	—	8	—	—	—	—	—	—	—	0.53
Ipswich ...	207	140	197	130	—	—	—	—	—	—	—	—	—	9	—	9	—	—	—	—	—	—	—	1.07
Kingston upon Hull ...	314	291	291	247	—	—	—	—	—	—	3	7	10	—	—	7	10	3	—	—	—	—	—	0.52
Leeds ...	252	243	230	220	—	—	—	—	—	—	—	2	6	12	—	2	6	8	—	—	—	—	—	0.52
Leicester ...	346	265	322	244	—	—	—	—	—	—	7	7	3	14	—	3	7	—	—	—	—	—	—	0.38
Lincoln ...	273	199	273	185	—	—	—	—	—	—	—	—	—	—	14	14	—	14	—	—	—	—	—	0.21
Liverpool ...	381	358	337	332	—	—	—	—	—	4	6	5	23	10	3	6	10	6	0.06	—	—	—	—	—
Manchester ...	415	308	381	282	—	—	—	—	—	1	11	6	3	9	1	—	9	3	0.16	—	—	—	—	0.31
Middlesbrough ...	319	291	272	250	—	—	—	—	—	—	7	—	7	7	—	—	7	7	0.31	—	—	—	—	—
Newcastle upon Tyne ...	369	321	328	280	—	—	—	—	—	—	3	3	7	3	—	—	3	7	—	—	—	—	—	1.02
Northampton ...	289	240	251	202	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.40
Norwich ...	308	116	274	108	—	—	—	—	—	—	—	—	8	—	17	8	8	—	—	—	—	—	—	0.65
Nottingham ...	346	295	320	270	—	—	—	—	—	—	10	13	10	6	3	6	—	—	—	—	—	—	—	1.60
Oldham ...	359	134	292	118	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	0.56
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Oxford	...	140	206	103	187	—	—	—	—	—	—	9	19	9	—	—	—	—	24	20	—	—	0.63	—
Plymouth	...	256	199	233	176	—	—	—	5	—	9	14	9	14	9	14	—	—	29	27	—	—	0.56	1.08
Portsmouth	...	256	212	210	187	—	—	—	—	—	4	12	12	12	4	12	—	4	23	24	—	0.26	—	—
Preston	...	235	227	227	219	—	—	—	—	—	8	—	17	—	—	8	—	—	32	33	—	—	—	2.03
Reading	...	207	204	173	170	—	—	—	—	—	9	—	—	8	17	—	—	—	23	20	—	0.58	—	1.16
Rochdale	...	345	290	299	266	—	—	—	—	—	—	12	12	—	—	—	—	—	40	31	—	—	0.74	—
Rotherham	...	232	122	208	85	—	—	—	12	—	12	—	—	—	—	12	—	12	32	31	—	0.73	—	—
St. Helens	...	367	287	339	250	—	—	—	—	—	—	9	9	9	9	—	—	9	37	44	—	0.51	0.49	—
Salford	...	351	311	346	288	—	—	—	—	—	—	—	11	12	—	6	—	12	35	33	—	—	0.32	0.33
Sheffield	...	249	211	229	193	—	2	—	—	—	2	8	4	6	6	6	2	—	24	26	—	0.14	0.70	0.41
Smethwick	...	288	264	275	251	—	—	—	—	—	—	—	26	13	—	13	13	—	36	22	—	—	—	—
Southampton	...	422	344	387	327	—	—	—	—	—	6	17	6	6	6	6	11	6	29	33	—	—	0.33	1.03
Southend-on-Sea	...	132	137	119	124	—	—	—	—	—	7	—	—	—	40	33	7	—	19	17	0.47	0.48	0.47	0.48
Southport	...	217	218	145	158	—	—	—	—	—	12	—	—	—	—	—	—	—	31	21	—	—	2.03	—
South Shields	...	607	326	588	298	9	—	—	—	—	9	9	19	19	—	—	28	9	38	28	0.48	0.49	1.45	1.47
Stockport	...	305	184	248	156	—	—	—	—	—	—	7	14	14	—	—	—	—	29	30	0.92	—	0.46	1.36
Stoke on Trent	...	408	387	382	354	—	—	—	4	—	—	—	7	7	—	—	7	4	28	28	0.22	—	0.44	—
Sunderland	...	371	275	338	264	—	6	—	—	—	—	—	22	17	6	11	17	11	36	38	—	0.28	0.54	0.28
Tynemouth	...	389	165	344	105	—	—	—	—	—	—	—	—	—	—	—	—	15	43	32	—	0.77	0.80	0.77
Wakefield	...	169	268	152	235	—	—	—	—	17	17	—	—	17	—	34	—	—	30	35	—	—	—	—
Wallasey	...	206	167	177	108	—	—	—	—	10	—	20	10	—	—	10	10	—	34	25	—	—	0.59	1.18
Walsall	...	385	348	359	331	—	—	—	—	—	—	9	9	9	9	—	—	—	37	40	0.47	—	0.95	0.94
Warrington	...	225	150	175	137	—	—	—	—	—	—	25	25	50	—	—	12	—	35	24	—	—	—	—
West Bromwich	...	354	375	308	307	—	—	—	—	11	11	—	11	—	11	—	—	23	36	30	—	—	—	0.65
West Ham	...	258	213	229	201	—	—	—	—	—	—	—	18	6	—	—	—	12	25	29	—	—	—	—
West Hartlepool	...	347	180	305	138	—	—	—	—	—	—	—	—	14	—	—	14	14	40	39	—	—	—	0.70
Wigan	...	167	252	120	240	—	—	—	—	—	—	12	12	—	—	24	—	—	41	37	—	—	—	—
Wolverhampton	...	253	304	216	279	—	—	—	—	—	—	—	12	6	—	6	—	19	33	32	—	—	0.37	0.38
Worcester	...	307	270	290	191	—	—	—	—	—	—	—	—	—	—	—	—	—	28	26	—	—	—	—
York	...	170	133	142	133	—	—	10	—	—	9	—	—	19	9	10	—	—	21	24	—	—	0.62	0.62
Cardiff	...	343	320	327	292	—	—	4	—	—	4	8	8	8	8	4	4	12	28	27	—	—	0.22	—
Merthyr Tydfil	...	448	301	381	217	—	—	—	—	—	—	—	—	—	—	—	—	33	46	44	—	—	1.00	—
Newport (Mon.)	...	257	267	219	229	—	—	—	—	—	—	19	19	10	10	—	—	19	35	32	—	—	—	—
Swansea	...	343	324	318	280	—	6	—	—	—	—	19	6	25	—	—	—	19	36	34	0.40	—	—	—

TABLE 22—continued.

Administrative Area	Mortality per Million Population at All Ages																		Mortality per 1,000 Total (live and still) births							
																			Maternal Mortality not due to abortion							
																			Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)				Others (642-649, 660-680, 683, 685-689)			
	Tuberculosis (all forms) (001-019)		Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		Infant Mortality per 1,000 related Live Births		1952	1953	1952	1953		
	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953		
Admin. Counties	216	183	189	162	0	0	1	1	1	0	4	5	6	7	8	3	5	26	26	0.10	0.11	0.54	0.58			
Bedfordshire	166	166	141	150	—	—	—	—	3	—	9	6	3	3	—	3	6	24	24	0.21	—	0.83	0.20			
Berkshire	159	126	142	120	—	—	—	—	—	—	7	10	6	3	19	—	6	22	23	—	—	1.18	0.98			
Buckinghamshire	147	93	127	88	—	—	—	—	—	—	—	—	5	10	15	5	10	25	20	0.16	—	0.49	0.33			
Cambridgeshire	216	158	176	141	—	—	—	—	6	—	—	—	—	6	23	—	—	16	20	—	—	0.38	0.35			
Cheshire	177	125	150	112	—	—	—	—	—	—	4	4	2	6	6	1	6	28	24	0.25	—	0.58	0.48			
Cornwall	251	207	225	169	—	—	—	6	9	—	15	—	12	9	—	3	3	30	27	—	0.20	1.39	0.61			
Cumberland	244	222	202	204	—	—	—	—	—	—	—	—	19	5	5	—	—	32	27	—	0.27	0.52	1.08			
Derbyshire	178	181	161	163	1	—	—	—	—	—	6	9	6	9	4	1	4	30	29	0.09	0.18	0.47	0.28			
Devon	210	179	178	167	—	—	—	—	—	—	2	12	—	12	10	2	6	26	25	0.29	0.14	0.72	0.71			
Dorset	209	150	192	130	—	—	3	—	—	—	—	3	—	3	7	—	3	24	24	—	0.45	0.69	0.67			
Durham	258	261	230	227	1	—	—	—	2	—	8	4	11	8	9	12	7	33	31	0.12	—	0.50	0.67			
Ely, Isle of	205	90	159	68	—	—	—	—	—	—	—	11	—	23	—	—	—	27	18	—	—	—	0.65			
Essex	173	178	154	162	—	—	1	—	1	—	3	4	6	7	6	3	4	24	24	0.08	0.16	0.54	0.40			
Gloucestershire	201	184	169	164	2	—	2	—	—	5	7	5	5	7	7	7	2	28	23	—	—	0.43	0.42			
Herefordshire...	182	188	134	172	—	—	—	8	—	—	8	8	—	39	16	—	16	29	15	0.46	—	0.46	0.47			
Hertfordshire	144	153	136	143	—	2	—	2	—	2	5	2	5	6	8	3	8	19	23	0.21	0.10	0.31	0.30			
Huntingdonshire	131	99	87	85	—	—	—	—	—	—	29	14	—	—	28	—	14	29	22	—	—	—	—			
Kent	225	189	199	167	1	—	1	—	1	—	3	4	6	7	11	2	4	25	22	0.04	0.13	0.43	0.68			
Lancashire	233	197	203	177	1	—	1	0	1	1	3	6	7	4	4	2	6	30	29	0.03	0.22	0.60	0.96			
Leicestershire	241	185	201	162	—	—	—	—	3	—	9	—	6	—	9	—	—	27	28	—	0.36	0.18	0.18			
Lincolnshire, Holland	159	128	129	118	—	—	—	10	—	—	—	10	—	10	—	—	20	28	30	—	—	1.18	1.12			
" Kesteven	201	173	171	128	—	—	—	—	—	—	—	38	—	30	—	—	—	35	37	0.46	—	0.93	—			
" Lindsey	187	167	158	125	—	—	—	—	—	—	6	10	—	6	3	3	6	33	25	—	—	0.76	0.93			
London	303	228	277	206	—	—	1	—	1	—	3	6	9	7	7	2	3	23	24	0.15	0.02	0.51	0.38			
Middlesex	193	160	170	145	0	—	—	—	0	—	2	4	5	4	12	1	3	21	21	—	0.10	0.39	0.52			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)		



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Norfolk ...	131	69	94	64	—	—	—	—	—	—	3	5	8	5	3	5	5	—	28	26	—	—	0·35	0·50
Northamptonshire ...	248	179	213	160	—	—	—	—	—	—	8	8	4	4	8	11	4	8	25	25	—	—	0·24	0·69
Northumberland ...	210	188	176	161	—	—	—	—	—	—	—	5	11	7	7	5	5	11	29	28	0·28	0·27	0·42	0·53
Nottinghamshire ...	217	205	189	179	—	—	—	—	—	—	6	4	6	6	7	9	9	—	29	29	0·46	0·11	0·46	0·67
Oxfordshire ...	113	58	70	48	—	—	—	—	—	—	5	16	16	5	—	26	—	5	27	24	—	—	0·32	0·31
Peterborough, Soke of	141	78	141	62	—	—	—	—	—	—	—	—	—	—	31	16	—	—	20	27	—	0·93	—	—
Rutland ...	88	133	88	89	—	—	—	—	—	—	—	—	—	—	44	—	44	—	18	24	—	—	—	—
Shropshire ...	156	134	125	107	—	—	—	—	—	—	14	13	7	—	—	—	3	7	25	24	0·21	—	1·04	0·42
Somerset ...	228	157	203	145	—	—	—	2	—	—	6	4	8	6	8	21	—	4	25	22	0·14	0·14	0·85	0·14
Southampton	139	129	119	111	—	—	—	—	—	—	6	6	6	10	3	10	—	4	20	24	—	0·09	0·37	0·71
Staffordshire	256	197	219	169	1	—	—	—	2	7	6	14	12	7	2	5	3	7	31	31	0·22	0·35	0·73	0·64
Suffolk, East	179	156	160	110	—	—	—	—	—	—	—	—	—	5	9	5	—	—	26	19	—	—	0·31	0·61
West	155	104	140	80	—	—	—	—	—	—	—	—	—	8	—	16	8	—	28	26	—	—	—	0·46
Surrey ...	185	182	166	164	—	—	—	1	—	1	3	1	2	5	15	9	2	10	21	21	0·11	0·05	0·33	0·81
Sussex, East ...	183	148	138	125	—	—	—	—	—	—	—	6	—	3	18	6	—	6	20	20	—	0·25	0·24	0·99
West ...	207	104	166	79	—	—	—	—	—	—	—	—	—	3	9	24	—	6	18	22	—	0·23	0·70	0·68
Warwickshire	162	152	140	138	—	—	—	—	—	—	—	2	14	8	4	22	2	4	28	24	—	0·12	0·38	0·48
Westmorland	135	120	120	105	—	—	—	—	—	—	—	15	—	—	—	15	—	—	25	29	1·03	—	—	1·04
Wight, Isle of...	183	161	151	150	—	—	—	—	—	—	—	—	—	11	—	11	—	11	22	19	—	1·60	1·61	—
Wiltshire ...	193	131	162	105	—	—	—	—	—	—	—	—	—	3	10	18	—	10	22	24	0·17	0·15	1·33	0·92
Worcestershire	217	201	190	177	—	—	—	5	2	—	—	2	7	7	5	5	—	20	24	26	—	—	0·31	0·63
Yorkshire, East Riding	207	154	174	126	—	—	—	—	—	—	—	5	—	9	9	9	9	—	24	27	0·31	—	0·62	0·30
North	183	156	159	111	—	—	3	3	—	5	3	—	13	—	11	3	—	8	27	30	—	—	0·49	0·16
West	194	179	161	159	—	—	1	1	—	—	9	8	4	8	7	7	4	6	30	29	—	0·08	0·68	0·39
Anglesey ...	334	333	275	235	—	—	—	—	—	—	20	20	20	20	—	20	—	20	48	33	—	—	1·13	—
Brecknockshire	214	72	142	72	—	—	—	—	—	—	—	—	—	—	—	18	—	36	28	30	—	—	—	—
Caernarvonshire	400	400	367	351	—	—	—	—	—	—	—	8	—	8	8	16	—	—	29	32	—	—	0·58	1·14
Cardiganshire	282	280	225	261	—	—	19	—	—	—	—	—	—	—	19	—	—	19	38	26	1·42	—	—	—
Carmarthenshire	264	228	205	187	—	—	6	—	—	—	6	12	6	—	6	—	6	6	33	34	—	0·40	0·82	0·81
Denbighshire	199	170	152	153	—	—	—	—	—	—	—	6	23	12	—	—	—	6	34	31	—	—	0·36	1·53
Flintshire ...	350	234	309	221	—	—	—	7	—	—	7	7	14	7	7	7	—	—	33	33	0·42	—	0·85	2·13
Glamorganshire	325	306	298	274	—	—	1	—	—	—	4	3	3	11	1	5	4	3	34	31	0·16	0·16	0·49	0·90
Mertonethshire	390	490	365	465	—	—	—	—	—	—	—	—	—	24	—	—	—	24	28	30	—	—	1·83	1·63
Monmouthshire	277	223	245	191	3	—	—	—	6	—	9	6	6	9	6	3	3	9	34	33	—	0·18	0·54	0·72
Montgomeryshire	178	200	133	178	—	—	—	—	—	—	22	—	—	—	—	44	—	22	29	30	1·30	—	—	—
Pembrokeshire	275	304	264	239	—	—	—	—	11	—	—	—	—	—	—	22	—	—	25	25	0·62	—	—	1·25
Radnorshire ...	254	153	203	153	—	—	—	—	—	—	51	—	—	—	—	—	—	—	32	37	—	—	—	—

**TABLE 23.—Causes of Death by Month of Occurrence, } { England and Wales.**  
**Jan. – Dec., 1953.**

*Note.*—Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

*See Explanatory notes on page vi.*

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	<b>ALL CAUSES .. ..</b> { M 31471 29989 26073 21301 19483 18028 16901 17162 16880 19706 20445 21860 F 29098 29544 24780 20216 18319 16735 15894 15988 15722 18375 18911 20192												
001-138	<b>I.—Infective and Parasitic Diseases .. ..</b> { M 951 888 849 695 659 572 558 521 557 646 641 648 F 487 479 496 412 308 327 332 317 303 336 362 329												
001-008	Tuberculosis of respiratory system .. .. { M 659 598 586 446 428 368 379 312 363 425 432 446 F 282 277 275 216 165 180 173 149 157 190 205 192												
010	Tuberculosis of meninges & central nervous system .. { M 17 18 18 18 13 18 6 12 19 14 14 8 F 19 12 20 20 14 17 13 14 9 8 7 15												
011	Tuberculosis of intestines, peritoneum, and mesenteric glands { M 6 2 5 8 7 4 8 4 5 6 3 2 F 7 5 7 5 4 2 9 6 5 2 1 6												
012, 013	Tuberculosis of bones and joints .. .. { M 6 6 7 5 6 11 3 4 6 5 6 6 F 6 3 6 6 4 4 9 11 4 8 11 1												
014-019	Tuberculosis, all other forms .. .. { M 19 28 16 21 23 17 8 12 17 16 12 20 F 16 12 17 18 12 8 14 13 19 19 14 9												
020-029	Syphilis and its sequelæ .. { M 99 105 97 79 96 69 61 72 58 80 90 91 F 39 39 37 45 42 38 31 27 35 37 37 36												
030-039	Gonococcal infection and other venereal diseases .. { M — — — — 2 — — — 1 — 1 1 F — — — — — — — — — — — —												
040	Typhoid fever .. .. { M — — 1 — — — — — — — — — F — — — 1 — — — — — — — 1												
041	Paratyphoid fever .. .. { M — — — — 1 — — — — — — — F — — — — 1 — — — — — — 1												
042	Other Salmonella infections { M — — — 1 1 4 7 — 5 3 1 1 F — — 2 1 — 4 2 3 3 2 2 1												
044	Brucellosis (undulant fever) { M — — — 1 — — — — — — 1 — F 1 — — 1 — — — — — — — —												
045	Bacillary dysentery .. { M — 1 1 3 — 2 1 2 1 2 — — F — 4 2 — — 3 — 1 — 4 — 1												
048	Unspecified forms of dysentery .. .. { M — — — — — — — — — — 1 — F — — — — — — — — — — — —												
049	Food poisoning (infection and intoxication) .. { M — — 1 1 2 — 2 — 2 — — — F — — — 1 — 1 2 1 — — — —												
050	Scarlet fever .. .. { M 1 2 — — 1 — — 1 1 2 — — F 3 1 3 — — 2 — 1 1 3 3 2												
051	Streptococcal sore throat .. { M 7 2 2 — 2 — 1 — 1 — 2 — — F 2 3 — — 2 — 1 2 2 2 2 3												
052	Erysipelas .. .. { M 1 1 1 2 1 — 1 1 — — — 2 F 3 3 — 3 — 1 1 — — — 1 —												
053, 054	Septicæmia, pyæmia, and bacterial toxæmia .. { M 4 8 11 10 6 2 3 6 8 5 3 4 F 5 10 9 3 5 3 1 4 2 4 3 4												
055	Diphtheria .. .. { M 2 2 — — — — 1 1 1 2 — 1 F 1 2 4 — 1 — 1 — 1 — 1 1												
056	Whooping cough .. .. { M 5 9 13 8 5 9 11 8 11 7 11 6 F 11 24 12 15 8 12 7 9 9 8 12 13												
057	Meningococcal infections { M 26 29 15 17 10 8 3 7 7 18 12 13 F 15 18 22 13 9 6 7 7 2 9 8 8												
061	Tetanus .. .. { M 3 6 — 5 2 1 4 4 3 4 3 2 F 2 2 2 1 1 3 4 4 2 — 2 1												
070	Vincent's infection .. { M 2 — — — — — — — — — — — F — — 1 — — — — — 1 — —												
072	Leptospirosis icterohæmorrhagica (Weil's disease) { M 2 2 1 2 1 1 — 1 2 5 6 4 F — — — 1 1 — — — — — —												
080	Acute poliomyelitis .. { M 9 4 5 12 11 13 30 42 20 21 21 10 F 5 7 8 4 4 8 22 23 12 8 9 11												
081	Late effects of acute poliomyelitis .. .. { M 1 2 1 — 1 2 — — — — 1 1 F 2 1 — 1 — — 1 — 2 — 1 1												



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis .. .. {M F	15 10	4 5	10 7	4 5	5 3	6 5	5 5	7 8	4 1	1 3	3 9	6 2
083	Late effects of acute infectious encephalitis .. {M F	8 9	10 6	8 7	5 7	8 4	10 7	8 5	12 8	7 8	11 7	4 8	8 6
084	Smallpox .. .. {M F	— —	— —	1 1	3 1	2 —	— —	— —	— —	— —	— —	— —	— —
085	Measles .. .. {M F	36 16	24 16	23 23	21 24	13 9	7 6	5 —	3 2	2 1	— —	1 3	3 2
086	Rubella (German measles) {M F	— —	— —	— —	— 2	1 —	— —	1 —	— 1	— —	— —	1 —	— —
087	Chickenpox .. .. {M F	— 1	— —	1 1	3 —	— —	3 —	— —	— —	— —	— —	2 —	1 —
088	Herpes zoster .. .. {M F	— 4	1 5	2 4	— 3	— 2	2 3	— 2	1 2	1 3	— 3	1 4	— 3
089	Mumps .. .. {M F	1 2	— 1	2 —	— —	— —	— 1	— —	— —	1 —	— 1	— —	— —
092	Infectious hepatitis .. {M F	13 18	15 15	14 15	15 9	6 13	12 9	7 18	6 13	6 18	16 12	9 15	8 8
093	Glandular fever (infectious mononucleosis) .. {M F	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	1 —	— —	— —
096	Other diseases attributable to viruses .. .. {M F	1 1	2 1	— 2	— —	1 1	1 1	— 1	— 2	— 2	— —	— —	1 —
100-108	Typhus and other rickettsial diseases .. .. {M F	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
110-117	Malaria .. .. {M F	2 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
Remainder of 001-138	All other diseases classified as infective and parasitic {M F	6 7	7 6	6 9	5 4	5 4	2 3	3 2	3 6	5 4	2 4	3 3	3 2
140-239	II.—Neoplasms .. .. {M F	4187 3706	3613 3453	3923 3694	3794 3392	3907 3509	3756 3514	3871 3562	3875 3692	3809 3556	4132 3698	3958 3528	3926 3581
140-148	Malignant neoplasm of buccal cavity and pharynx {M F	122 47	120 47	112 51	127 44	134 46	102 41	104 51	124 44	112 59	137 42	92 52	121 44
150	Malignant neoplasm of œsophagus .. .. {M F	122 68	82 63	114 77	118 77	113 57	95 79	128 72	117 75	114 75	110 77	104 64	115 77
151	Malignant neoplasm of stomach .. .. {M F	705 519	629 508	683 521	639 492	692 496	649 507	694 571	705 555	682 522	677 510	646 480	639 513
152-154	Malignant neoplasm of intestine, incl. rectum .. {M F	707 641	557 688	620 694	624 638	638 686	641 673	629 659	595 740	599 668	617 692	638 659	652 641
155, 156	Malignant neoplasm of biliary passages & of liver {M F	99 101	79 118	84 112	93 86	80 116	79 94	88 119	81 87	79 110	92 114	81 99	78 91
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified, digestive organs {M F	167 132	155 132	150 166	142 144	165 142	144 135	146 150	169 154	163 142	176 152	158 150	151 134
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses {M F	17 16	9 10	7 3	15 5	13 4	11 10	16 10	6 9	12 11	9 4	5 6	10 10
161	Malignant neoplasm of larynx .. .. {M F	67 17	69 20	66 12	58 11	60 11	63 17	57 21	70 14	43 14	66 13	52 12	64 8
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'y) {M F	1113 235	971 176	1109 190	1026 171	1027 174	1042 182	1079 165	1037 203	1091 176	1219 204	1172 221	1119 211
170	Malignant neoplasm of breast .. .. {M F	4 764	9 669	7 701	6 630	12 672	9 643	7 618	3 677	6 679	2 696	7 686	9 722
171-174	Malignant neoplasm of uterus. F	343	306	319	307	358	352	352	343	309	332	313	315
175, 176	Malignant neoplasm of other and unspecified female genital organs F	264	217	260	253	250	237	262	262	254	279	238	262
177	Malignant neoplasm of prostate M	320	262	263	266	261	245	250	270	227	263	264	276
178, 179	Malignant neoplasm of other and unspecified male genital organs M	26	29	23	27	22	25	27	29	23	32	29	29

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney .. .. . { M F	34 42	42 28	59 35	55 40	61 42	68 40	45 36	55 29	60 35	63 39	54 35	56 41
181	Malignant neoplasm of bladder and other urinary organs { M F	174 86	147 55	159 70	122 60	149 58	147 74	136 59	141 70	140 67	165 61	177 70	167 70
190, 191	Malignant neoplasm of skin { M F	44 38	33 41	47 37	38 38	44 35	35 38	33 30	40 32	37 44	42 44	38 34	39 51
193	Malignant neoplasm of brain and other parts of nervous system { M F	69 42	59 42	58 62	68 59	71 46	72 44	58 49	68 52	78 55	80 57	66 41	62 40
196	Malignant neoplasm of bone (including jaw bone) { M F	33 23	31 14	24 34	45 23	29 21	30 26	42 17	23 26	40 24	36 32	28 27	37 32
201	Hodgkin's disease .. { M F	37 21	36 25	41 32	38 30	49 20	34 30	35 20	46 26	41 24	51 17	44 17	38 24
204	Leukæmia and aleukæmia { M F	113 74	102 87	95 79	90 72	74 86	79 91	106 82	97 77	88 83	91 92	99 100	76 84
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and hæmatopoietic tissues { M F	140 147	114 124	123 165	138 136	128 124	139 120	128 142	127 138	116 136	126 164	131 137	120 146
210	Benign neoplasm of buccal cavity and pharynx .. { M F	— —	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
211	Benign neoplasm of other parts of digestive system { M F	2 2	3 1	2 1	3 1	2 3	2 1	4 4	3 1	— 1	2 —	1 —	— 1
212	Benign neoplasm of respiratory system .. { M F	3 —	— —	2 1	— —	1 1	1 —	2 —	2 —	1 2	1 —	1 3	1 —
213	Benign neoplasm of breast { M F	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
214-217	Benign neoplasm of female genital organs F	15	20	24	21	21	23	23	20	19	18	24	21
218	Benign neoplasm of male genital organs M	—	—	—	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs { M F	11 2	9 6	12 3	6 4	11 2	8 2	3 2	11 1	10 1	7 2	7 1	4 2
220-222	Benign neoplasm of skin.. { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1
223	Benign neoplasm of brain & other parts of nervous system { M F	14 12	11 18	9 8	9 15	17 7	8 16	9 14	14 17	8 9	14 17	13 25	15 10
224-229	Benign neoplasm of all other and unspecified organs and tissues { M F	5 11	10 8	8 10	4 7	12 6	4 4	6 4	6 4	3 8	8 4	5 13	8 3
230-239	Neoplasm of unspecified nature .. .. . { M F	39 43	44 30	46 27	37 27	42 25	24 34	39 30	36 36	36 29	46 35	46 20	40 27
240-289	III.—Allergic, Endocrine System, Metabolic, and Nutritional Diseases { M F	437 546	365 540	295 448	214 386	185 310	177 306	169 294	195 323	179 292	174 317	197 342	207 319
241	Asthma .. .. . { M F	260 174	202 195	146 143	88 108	84 100	82 75	79 94	76 97	69 100	84 88	91 89	104 85
Remainder of 240-245	Other Allergic disorders .. { M F	1 1	— —	— —	— —	1 —	— 2	1 —	1 —	— —	— —	— —	1 —
250	Simple goitre .. .. { M F	1 2	2 4	— 2	— —	1 1	— 2	— —	— —	— 3	1 —	1 3	— 2
251	Nontoxic nodular goitre .. { M F	2 3	1 1	1 4	— 1	— 1	1 4	— 2	— 3	— 1	— 4	1 2	— 5
252	Thyrotoxicosis with or without goitre .. .. { M F	8 39	5 36	9 34	8 25	7 23	5 26	5 20	3 22	2 27	5 18	6 22	2 24
253, 254	Other diseases of thyroid gland .. .. . { M F	4 19	2 20	1 19	4 17	1 9	2 10	3 9	5 9	— 5	2 14	2 13	— 16
260	Diabetes mellitus .. .. { M F	125 260	121 243	115 203	96 208	75 142	76 153	69 137	91 154	80 129	69 172	73 169	72 154
270-277	Diseases of other endocrine glands ... .. { M F	23 28	16 17	13 17	9 13	7 22	5 17	7 15	13 13	14 17	6 8	11 16	13 11



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states.. {M .. {F	3 8	6 5	2 13	4 5	3 4	3 5	1 7	3 7	6 1	3 1	3 8	4 9
287	Obesity, not specified as of endocrine origin {M .. {F	4 9	4 14	1 4	2 4	1 6	— 7	2 6	1 13	4 4	— 9	5 15	6 9
288	Gout .. .. {M .. {F	3 —	2 —	2 1	— 1	— —	— —	1 —	1 —	— —	— —	1 —	— 1
289	Other metabolic diseases .. {M .. {F	3 3	4 5	5 8	3 4	5 2	3 5	1 4	1 5	4 5	4 3	3 5	5 3
290-299	IV.—Diseases of the Blood and Blood-forming Organs {M .. {F	73 125	59 122	84 126	55 101	61 101	58 86	63 101	60 92	63 92	68 106	44 87	63 83
290	Pernicious and other hyperchromic anæmias {M .. {F	28 59	26 52	32 64	29 50	25 54	16 40	21 46	27 42	24 41	22 48	11 46	22 40
291	Iron deficiency anæmias (hypochromic anæmias) {M .. {F	5 23	4 16	7 11	3 14	6 7	3 8	3 13	6 14	4 19	5 13	6 8	7 11
292, 293	Other anæmias .. .. {M .. {F	20 33	17 27	29 26	12 21	20 26	19 19	22 22	20 24	18 15	24 34	16 17	22 17
294-299	Other diseases of blood and blood-forming organs .. {M .. {F	20 10	12 27	16 25	11 16	10 14	20 19	17 20	7 12	17 17	17 11	11 16	12 15
300-326	V.—Mental, Psychoneurotic, and Personality Disorders {M .. {F	53 71	46 79	50 71	25 73	26 50	24 55	22 39	34 54	29 41	39 62	33 56	33 45
300-309	Psychoses .. .. {M .. {F	41 57	38 61	33 64	17 61	17 38	19 42	15 34	25 40	21 34	33 52	24 43	24 39
310-326	Psychoneuroses, and disorders of personality, including mental deficiency {M .. {F	12 14	8 18	17 7	8 12	9 12	5 13	7 5	9 14	8 7	6 10	9 13	9 6
330-398	VI.—Diseases of the Nervous System and Sense Organs {M .. {F	3423 4414	3291 4419	3133 4116	2648 3607	2514 3319	2297 3031	2087 2917	2202 2915	2160 3024	2471 3388	2601 3390	2625 3627
330-334	Vascular lesions affecting central nervous system {M .. {F	3130 4121	3000 4093	2891 3832	2383 3340	2318 3075	2095 2830	1895 2695	2006 2700	1983 2843	2241 3137	2394 3171	2395 3407
340	Meningitis, except meningococcal and tuberculous												
340.0	H. influenzae .. {M .. {F	4 1	4 1	— 3	3 1	5 1	— 1	1 —	— —	— 1	3 2	2 —	2 1
340.1	Pneumococcus .. {M .. {F	10 10	12 10	7 5	13 10	10 5	7 6	6 2	8 4	3 5	8 7	7 11	9 7
340.2	Due to other specified organism.. {M .. {F	8 6	4 5	6 2	4 —	3 4	4 5	5 4	1 3	— 2	5 6	1 2	7 6
340.3	Unspecified cause .. {M .. {F	3 5	8 4	5 3	10 5	4 4	3 4	3 1	4 3	1 2	5 3	5 5	3 4
341-344	Other inflammatory diseases of central nervous system {M .. {F	18 4	15 16	15 10	20 11	8 8	14 9	17 6	13 7	16 9	11 12	12 11	13 9
345	Multiple sclerosis .. {M .. {F	26 48	25 58	20 47	31 52	19 43	19 28	33 43	19 35	23 32	20 50	18 36	28 35
350	Paralysis agitans .. {M .. {F	71 90	90 98	62 81	57 86	37 57	52 61	36 61	48 56	43 54	58 60	36 65	60 63
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis {M .. {F	21 33	30 34	22 27	22 18	19 32	16 21	14 27	18 26	19 23	24 25	23 20	16 23
353	Epilepsy .. .. {M .. {F	47 40	37 36	48 37	39 43	38 46	31 34	29 35	32 36	22 16	34 36	24 26	27 32
354-357	Other diseases of central nervous system .. {M .. {F	56 41	41 38	28 44	42 21	32 24	29 24	25 28	25 32	23 21	42 29	58 29	42 26
365	Erythrædema polynuritica {M .. {F	— —	3 —	1 1	— 2	3 1	1 2	1 1	2 —	2 1	2 3	1 2	3 3
360-364, 366-369	Other diseases of nerves and peripheral ganglia .. {M .. {F	4 2	2 3	2 6	1 3	3 3	4 5	3 2	2 2	6 1	8 3	— 2	1 —
370-379	Inflammatory diseases of eye .. .. {M .. {F	— —	— 1	— 1	— 2	— —	— —	— —	— 3	— 1	— 1	1 —	— —
380-389	Other diseases and conditions of eye .. {M .. {F	— 4	2 6	— 5	1 —	1 4	— 1	1 2	2 1	2 3	1 5	2 4	4 2
390-398	Diseases of ear and mastoid process .. {M .. {F	25 9	18 16	26 12	22 13	14 12	22 —	18 10	22 7	17 10	9 9	17 6	15 9

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	VII.—Diseases of the Circulatory System .. .. { M 10889 10303 9156 7812 7097 6491 5764 5958 5836 6881 7315 7881 F 11124 10743 9480 7777 7095 6248 5573 5546 5513 6790 7148 7649												
400-402	Rheumatic fever .. .. { M 17 21 11 10 8 11 10 6 14 8 14 15 F 16 16 19 19 14 17 10 11 9 13 14 9												
410-416	Chronic rheumatic heart disease .. .. { M 404 371 366 269 270 278 211 208 200 250 248 250 F 684 605 571 444 434 364 343 339 357 426 461 462												
420	Arteriosclerotic heart disease, including coronary disease { M 4131 3790 3602 3290 3010 2860 2643 2759 2756 3188 3345 3564 F 2517 2258 2214 1862 1775 1628 1573 1535 1576 1797 1965 2091												
421	Chronic endocarditis not specified as rheumatic .. { M 168 134 150 125 114 90 86 96 94 114 146 133 F 157 131 118 112 94 90 67 78 98 108 122 146												
422	Other myocardial degeneration .. .. { M 3739 3736 3028 2403 2168 1836 1627 1689 1505 1827 2031 2229 F 5127 5216 4324 3532 2999 2639 2179 2208 2123 2715 2871 3091												
430	Acute and sub-acute endocarditis .. .. { M 16 19 16 22 21 11 17 12 12 20 17 17 F 11 14 10 7 13 11 12 13 9 14 16 11												
431	Acute myocarditis not specified as rheumatic .. { M 11 12 10 10 1 7 5 5 7 9 3 3 F 6 16 7 7 2 11 5 7 2 7 6 6												
432	Acute pericarditis specified as non-rheumatic .. { M 2 4 — 2 — 1 — 2 — — 1 2 F 3 3 1 1 — 1 1 — — 1 — —												
433	Functional disease of heart { M 137 145 115 112 91 87 71 60 67 82 91 105 F 210 216 199 149 149 118 102 93 73 153 144 129												
434	Other and unspecified diseases of heart .. { M 300 235 209 175 153 135 113 129 125 179 177 192 F 248 255 205 161 134 133 130 127 98 171 140 161												
440-447	Hypertensive disease .. { M 1114 1025 960 747 748 691 565 576 601 676 722 795 F 1243 1179 991 825 829 700 636 653 661 803 783 888												
450	General arteriosclerosis .. { M 689 654 533 507 395 368 309 302 319 380 372 408 F 725 675 635 494 489 417 357 345 373 429 443 472												
451-456	Other diseases of arteries.. { M 84 69 93 67 61 60 54 61 66 70 85 87 F 51 60 65 64 69 36 55 45 41 50 49 61												
460-466	Diseases of veins .. .. { M 74 84 60 70 56 54 51 49 68 74 60 78 F 124 97 118 98 92 79 101 86 91 98 131 117												
467	Other diseases of circulatory system .. .. { M 2 3 2 2 — 2 1 2 2 4 2 1 F 2 2 3 1 2 3 1 6 1 4 2 3												
468	Certain diseases of lymph nodes & lymph channels { M 1 1 1 1 1 — 1 2 — — 1 2 F — — — 1 — 1 1 — 1 1 1 2												
470-527	VIII.—Diseases of the Respiratory System .. .. { M 7268 7533 4733 2695 1772 1429 1146 1147 1184 2039 2415 2937 F 5443 6622 3491 1817 1167 827 695 666 661 1179 1517 1799												
470-475	Acute upper respiratory infections .. .. { M 11 11 9 5 4 3 6 3 5 9 5 8 F 12 18 8 4 5 4 6 4 3 7 9 6												
480-483	Influenza .. .. { M 538 1449 521 148 41 26 10 11 8 35 42 67 F 642 1857 648 171 42 19 12 5 11 37 43 68												
490	Lobar pneumonia .. .. { M 368 368 264 204 121 119 85 95 89 124 162 154 F 263 294 190 130 87 63 64 58 56 76 106 120												
491	Bronchopneumonia .. { M 1436 1412 983 589 415 323 286 260 297 472 547 729 F 1566 1604 942 607 458 337 260 277 264 397 542 618												
492	Primary atypical pneumonia .. .. { M 13 4 8 1 3 2 5 3 3 7 4 5 F 12 14 2 3 — 6 4 2 1 4 2 5												
493	Pneumonia, other and unspecified .. .. { M 120 123 73 60 46 46 25 36 30 39 50 60 F 111 110 84 39 32 25 21 13 25 39 27 55												
500	Acute bronchitis .. .. { M 584 538 286 120 62 43 30 39 39 105 131 158 F 659 720 318 142 77 40 35 19 33 114 140 169												
501	Bronchitis unqualified .. { M 286 275 154 83 57 48 27 29 37 58 77 110 F 311 266 151 77 50 37 18 21 23 47 72 92												
502	Chronic bronchitis .. { M 3387 2937 2054 1238 825 634 524 528 530 946 1125 1349 F 1655 1540 982 520 328 231 218 205 180 363 478 535												
510	Hypertrophy of tonsils and adenoids .. .. { M 2 2 4 1 4 6 — — 2 1 — 2 F 1 3 2 1 2 1 1 — 2 1 2 2												
511-517	Other diseases of upper respiratory tract .. { M 8 10 10 2 5 5 1 5 5 7 5 6 F 4 8 8 5 3 2 5 2 1 1 3 7												
518-522	Empyema, pleurisy, and pneumothorax .. .. { M 46 44 38 32 20 21 20 19 28 34 37 42 F 65 65 53 52 29 27 25 33 22 44 38 58												



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis .. {M F	81 1	71 1	73 —	49 —	41 1	34 —	31 —	18 —	25 —	58 —	48 —	55 3
525	Other chronic interstitial pneumonia .. {M F	27 17	27 7	18 11	24 8	9 3	4 1	8 1	5 1	8 2	15 8	14 7	15 4
526	Bronchiectasis .. {M F	195 79	152 77	137 60	83 45	64 38	71 26	47 15	61 14	44 28	75 26	85 32	99 37
527	Other diseases of lung and pleural cavity .. {M F	166 45	110 38	101 32	56 13	55 12	44 8	41 10	35 12	34 10	54 15	83 16	78 20
530-587	IX.—Diseases of the Digestive System .. {M F	981 686	902 619	852 646	735 596	680 602	639 508	662 524	621 571	674 486	677 562	713 556	718 617
530-539	Diseases of buccal cavity and œsophagus .. {M F	17 12	17 9	10 22	8 9	8 10	9 6	7 8	7 9	9 7	8 5	10 10	11 10
540	Ulcer of stomach .. {M F	242 103	216 86	207 81	133 85	119 61	110 65	129 48	123 68	120 54	119 68	162 68	138 92
541	Ulcer of duodenum .. {M F	225 57	212 48	181 39	170 36	174 40	155 20	133 30	124 34	141 25	152 38	152 38	165 42
542	Gastrojejunal ulcer .. {M F	3 1	2 2	1 —	4 —	4 —	3 1	3 —	6 —	1 3	4 —	1 —	2 —
543	Gastritis and duodenitis .. {M F	7 8	4 10	6 11	1 5	2 8	4 3	5 7	7 10	8 7	7 5	6 2	6 8
544	Disorders of function of stomach .. {M F	2 —	1 1	1 —	1 2	— 1	2 2	1 —	2 —	1 —	— —	1 —	2 —
545	Other diseases of stomach and duodenum .. {M F	11 6	6 4	11 1	6 3	3 2	5 2	3 3	6 —	6 4	5 4	4 2	10 3
550-553	Appendicitis .. {M F	50 32	59 40	44 28	50 28	39 32	38 26	49 30	42 37	49 23	49 25	36 28	45 28
560, 561	Hernia of abdominal cavity {M F	86 97	71 72	61 96	62 83	63 68	40 60	55 50	46 50	69 46	62 59	63 69	74 70
570	Intestinal obstruction, without mention of hernia .. {M F	67 74	71 66	75 62	67 57	53 70	51 43	61 44	64 50	59 53	62 45	45 54	55 68
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over {M F	69 51	54 49	58 51	45 33	46 53	36 55	42 53	35 49	47 39	28 37	41 37	46 39
572-578	Other diseases of intestines and peritoneum .. {M F	62 69	65 68	72 101	58 70	55 63	70 76	61 95	53 80	55 75	59 82	55 94	53 90
580-583	Diseases of liver .. {M F	74 55	68 57	61 53	57 63	60 56	61 46	53 50	55 57	59 43	67 60	77 43	62 42
584-586	Diseases of gall bladder and biliary ducts .. {M F	45 94	37 90	50 76	53 94	36 109	46 81	40 88	34 88	36 87	34 108	44 88	36 94
587	Diseases of pancreas .. {M F	21 27	19 17	14 25	20 28	18 29	9 22	20 18	17 39	14 20	21 26	16 23	13 31
590-637	X.—Diseases of the Genito-Urinary System .. {M F	852 429	775 356	778 394	700 322	626 327	666 320	627 293	634 287	602 286	648 321	670 335	746 327
590	Acute nephritis .. {M F	14 9	11 9	15 9	15 8	10 7	11 9	8 7	12 8	5 3	12 10	10 4	16 10
591-594	Chronic, other and unspecified nephritis .. {M F	263 287	273 254	266 264	247 209	214 195	212 188	179 168	201 172	197 177	205 200	187 204	222 211
600-609	Other diseases of urinary system .. {M F	126 116	109 74	102 96	107 79	107 97	91 96	106 83	102 84	76 89	95 87	109 99	110 79
610	Hyperplasia of prostate .. M	439	372	384	323	285	346	328	306	318	320	357	390
611-617	Other diseases of male genital organs M	10	10	11	8	10	6	6	13	6	16	7	8
620, 621	Diseases of breast .. F	—	1	—	—	—	—	—	1	—	1	1	—
622-626	Diseases of ovary, Fallopian tube, and parametrium F	4	3	6	5	9	6	3	2	3	3	3	7
630-637	Diseases of uterus and other female genital organs F	13	15	19	21	19	21	32	20	14	20	24	20

TABLE 23—continued.

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>640-689</b>	<b>XI.—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium</b>	<b>F</b>	<b>48</b>	<b>36</b>	<b>49</b>	<b>49</b>	<b>47</b>	<b>41</b>	<b>50</b>	<b>39</b>	<b>39</b>	<b>47</b>	<b>41</b>	<b>40</b>
640	Pyelitis and pyelonephritis of pregnancy	F	1	—	—	—	—	—	1	—	—	—	2	2
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	—	—	—	—	—	—
642	Toxæmias of pregnancy ..	F	9	12	17	19	8	12	18	12	13	10	7	14
643-649	Other complications of pregnancy	F	6	3	3	5	6	4	9	1	1	5	1	8
650-652	Abortion .. ..	F	7	3	6	6	8	6	7	5	6	12	9	4
660-678	Delivery .. ..	F	16	13	13	15	15	12	9	15	13	13	16	6
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	1	1	2	—	1	3	2	—	1	—	2	—
682	Puerperal phlebitis and thrombosis	F	5	2	3	2	4	1	1	2	2	2	2	3
684	Puerperal pulmonary embolism	F	2	1	2	1	3	1	2	3	1	3	1	2
685, 686	Puerperal toxæmia ..	F	1	—	3	1	1	1	1	1	1	1	1	—
687	Cerebral hæmorrhage in the puerperium	F	—	1	—	—	—	1	—	—	1	—	—	1
688, 689	Other complications of puerperium	F	—	—	—	—	1	—	—	—	—	1	—	—
<b>690-716</b>	<b>XII.—Diseases of the Skin and Cellular Tissue ..</b>	<b>{M F}</b>	<b>27 35</b>	<b>26 37</b>	<b>25 36</b>	<b>30 41</b>	<b>19 27</b>	<b>27 24</b>	<b>25 27</b>	<b>21 31</b>	<b>21 20</b>	<b>17 27</b>	<b>19 24</b>	<b>23 26</b>
690-698	Infections of skin and subcutaneous tissue ..	<b>{M F}</b>	<b>13 12</b>	<b>11 12</b>	<b>13 11</b>	<b>10 14</b>	<b>6 9</b>	<b>4 5</b>	<b>8 14</b>	<b>7 14</b>	<b>6 5</b>	<b>6 5</b>	<b>8 6</b>	<b>4 9</b>
700-716	Other diseases of skin and subcutaneous tissue ..	<b>{M F}</b>	<b>14 23</b>	<b>15 25</b>	<b>12 25</b>	<b>20 27</b>	<b>13 18</b>	<b>23 19</b>	<b>17 13</b>	<b>14 17</b>	<b>15 15</b>	<b>11 22</b>	<b>11 18</b>	<b>19 17</b>
<b>720-749</b>	<b>XIII.—Diseases of the Bones and Organs of Movement</b>	<b>{M F}</b>	<b>69 110</b>	<b>51 109</b>	<b>65 100</b>	<b>65 94</b>	<b>39 75</b>	<b>46 78</b>	<b>39 72</b>	<b>37 62</b>	<b>28 66</b>	<b>53 81</b>	<b>36 74</b>	<b>47 59</b>
720, 721	Acute arthritis .. ..	<b>{M F}</b>	<b>1 4</b>	<b>1 —</b>	<b>— 1</b>	<b>1 2</b>	<b>1 3</b>	<b>1 2</b>	<b>3 —</b>	<b>2 —</b>	<b>— 1</b>	<b>— 2</b>	<b>— 1</b>	<b>1 2</b>
722	Rheumatoid arthritis and allied conditions ..	<b>{M F}</b>	<b>13 64</b>	<b>20 66</b>	<b>24 65</b>	<b>25 50</b>	<b>14 45</b>	<b>19 32</b>	<b>5 42</b>	<b>12 36</b>	<b>8 38</b>	<b>22 44</b>	<b>9 42</b>	<b>11 35</b>
723	Osteo-arthritis (arthrosis) & allied conditions ..	<b>{M F}</b>	<b>11 21</b>	<b>7 18</b>	<b>5 12</b>	<b>12 20</b>	<b>5 12</b>	<b>7 18</b>	<b>8 13</b>	<b>6 11</b>	<b>6 8</b>	<b>5 15</b>	<b>6 15</b>	<b>8 8</b>
724, 725	Other and unspecified forms of arthritis .. ..	<b>{M F}</b>	<b>2 2</b>	<b>— 2</b>	<b>— 2</b>	<b>1 5</b>	<b>— 2</b>	<b>— —</b>	<b>— 2</b>	<b>2 —</b>	<b>— —</b>	<b>1 1</b>	<b>1 —</b>	<b>— 1</b>
726, 727	Muscular rheumatism, and rheumatism unspecified	<b>{M F}</b>	<b>— 2</b>	<b>1 —</b>	<b>4 —</b>	<b>— —</b>	<b>— —</b>	<b>— —</b>	<b>— 2</b>	<b>1 —</b>	<b>1 —</b>	<b>1 —</b>	<b>— —</b>	<b>1 —</b>
730	Osteomyelitis & periostitis	<b>{M F}</b>	<b>5 2</b>	<b>6 6</b>	<b>5 3</b>	<b>7 2</b>	<b>6 2</b>	<b>6 2</b>	<b>4 2</b>	<b>2 4</b>	<b>3 3</b>	<b>5 3</b>	<b>5 2</b>	<b>4 1</b>
731-749	Other diseases of musculo-skeletal system .. ..	<b>{M F}</b>	<b>37 15</b>	<b>16 17</b>	<b>27 17</b>	<b>19 15</b>	<b>13 11</b>	<b>13 24</b>	<b>19 11</b>	<b>12 11</b>	<b>10 16</b>	<b>19 16</b>	<b>15 14</b>	<b>22 12</b>
<b>750-759</b>	<b>XIV.—Congenital Malformations .. ..</b>	<b>{M F}</b>	<b>233 185</b>	<b>193 164</b>	<b>211 175</b>	<b>179 178</b>	<b>187 155</b>	<b>178 175</b>	<b>166 184</b>	<b>168 169</b>	<b>164 159</b>	<b>199 171</b>	<b>161 159</b>	<b>179 169</b>
750	Monstrosity .. ..	<b>{M F}</b>	<b>3 3</b>	<b>3 9</b>	<b>8 6</b>	<b>1 6</b>	<b>— 4</b>	<b>4 5</b>	<b>1 10</b>	<b>— 6</b>	<b>2 4</b>	<b>5 8</b>	<b>4 6</b>	<b>1 9</b>



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele .. .. {M F	38 45	26 42	28 65	40 37	35 37	32 42	19 36	25 45	31 32	29 38	21 35	29 44
752	Congenital hydrocephalus {M F	9 14	10 7	8 3	4 9	10 4	7 12	7 7	5 5	7 9	13 11	8 4	9 8
753	Other congenital malforma- tion of nervous system and sense organs. {M F	1 9	5 3	8 3	4 5	3 7	2 1	5 10	2 4	2 7	4 5	3 4	4 4
754	Congenital malformations of circulatory system .. {M F	100 74	79 57	81 62	71 73	70 69	77 73	75 66	75 58	72 62	80 72	63 62	72 58
755	Cleft palate and harelip .. {M F	1 1	2 —	— 1	— —	3 —	— 1	2 2	2 1	— —	2 —	1 2	1 1
756	Congenital malformations of digestive system .. {M F	40 12	23 19	28 14	29 14	27 14	25 20	25 22	23 22	24 21	31 12	21 17	26 13
757	Congenital malformations of genito-urinary system {M F	25 14	23 13	27 8	21 15	20 9	20 13	21 22	19 14	15 12	21 13	26 13	25 16
758	Congenital malformations of bone and joint .. {M F	3 1	3 1	2 2	2 4	3 —	1 2	2 3	1 1	2 4	4 —	2 2	2 1
759	Other and unspecified con- genital malformations, not elsewhere classified. {M F	13 12	19 13	21 11	7 15	16 11	10 6	9 6	16 13	9 8	10 12	12 14	10 15
760-776	XV.—Certain Diseases of Early Infancy .. .. {M F	586 375	518 337	561 377	492 374	476 336	495 343	490 315	441 323	440 315	462 285	426 312	439 362
760	Intracranial and spinal injury at birth .. .. {M F	86 44	82 46	101 47	97 57	80 51	67 45	78 41	75 47	91 57	67 36	62 38	67 41
761	Other birth injury .. .. {M F	10 13	24 13	10 16	13 7	21 10	19 10	21 12	10 9	16 14	15 11	15 11	24 11
762	Postnatal asphyxia and atelectasis .. .. {M F	142 83	125 70	136 103	118 84	128 86	118 79	132 82	117 95	115 65	119 66	128 98	114 84
763	Pneumonia of newborn .. {M F	81 45	74 47	63 43	38 26	42 23	50 24	34 25	48 19	30 17	35 19	32 15	23 31
764	Diarrhœa of newborn .. {M F	4 2	2 3	6 2	5 —	1 1	3 2	5 4	1 3	3 2	— —	— 2	6 3
765-769	Other infections of newborn {M F	13 10	9 15	11 3	9 13	11 12	10 5	8 10	9 9	6 9	11 5	10 6	7 5
770	Hæmolytic disease of newborn .. .. {M F	18 15	17 15	21 14	11 20	15 15	25 24	31 16	8 15	20 12	25 12	19 16	15 12
771	Hæmorrhagic disease of newborn .. .. {M F	9 11	15 5	14 5	15 9	6 6	9 6	7 3	10 4	9 9	7 6	7 9	10 9
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy. {M F	16 12	19 11	19 5	13 8	9 6	10 9	13 3	7 2	7 8	13 6	12 6	9 10
774-776	Immaturity unqualified .. {M F	207 140	151 112	180 139	173 150	163 126	184 139	161 119	156 120	143 122	170 124	141 111	164 156
780-795	XVI.—Symptoms, Senility and Ill-Defined Conditions {M F	362 577	359 626	322 485	215 396	193 317	199 326	184 342	156 332	166 310	192 369	231 353	233 395
780-789	Symptoms referable to systems or organs .. {M F	7 9	8 14	12 9	7 8	7 5	5 8	5 8	2 11	6 2	7 3	4 2	5 8
792	Uræmia unqualified .. {M F	1 1	2 2	3 1	— 1	4 —	— —	2 1	1 1	1 1	1 —	— 3	— 1
794	Senility without mention of psychosis .. .. {M F	352 563	346 607	306 473	203 384	180 311	189 314	171 333	150 318	152 302	177 364	224 345	223 384
790, 791, 793, 795.	Ill-defined and unknown causes of mortality .. {M F	2 4	3 3	1 2	5 3	2 1	5 4	6 —	3 2	7 5	7 2	3 3	5 2

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII.—Accidents, Poison- ings & Violence (External Cause). {M F	1080 737	1067 803	1036 596	947 601	1042 574	974 526	1028 574	1092 569	968 559	1008 636	985 627	1155 765
E800-E802	Railway accidents .. {M F	22 —	30 1	26 2	37 2	33 —	26 2	26 8	30 5	25 1	27 1	25 1	35 2
E810-E825	Motor vehicle traffic accidents .. {M F	233 97	216 86	240 58	232 65	299 74	248 77	294 81	284 111	284 88	286 81	283 93	375 138
E830-E835	Motor vehicle non-traffic accidents .. {M F	1 1	5 —	12 —	9 2	14 1	9 1	17 2	14 1	11 1	11 —	7 3	9 —
E840-E845	Other road vehicle accidents {M F	20 3	9 3	15 5	14 6	12 4	14 7	13 9	19 3	13 10	18 4	20 6	12 10
E850-E858	Water transport accidents {M F	13 —	6 —	9 1	7 —	14 1	15 —	12 1	22 1	18 2	5 1	7 —	16 —
E860-E866	Aircraft accidents .. {M F	22 1	29 —	16 —	9 —	12 —	24 1	18 —	13 —	16 —	12 —	14 —	11 —
E870-E895	Accidental poisoning .. {M F	57 50	52 60	45 41	28 35	23 24	30 29	26 29	31 25	37 31	40 52	42 39	39 64
E900-E904	Accidental falls .. {M F	171 275	153 253	175 215	129 208	115 195	133 186	148 233	158 203	141 232	156 269	151 242	176 296
E910-E936	Other accidents .. {M F	242 152	312 234	203 112	191 99	219 98	213 68	215 71	248 70	186 60	185 78	181 82	158 93
E940-E959	Complications due to medi- cal & surgical procedures {M F	2 3	4 3	2 —	3 5	3 4	4 1	1 1	2 3	4 3	— —	8 3	1 3
E960-E965	Late effects of injury and poisoning .. {M F	23 1	20 4	22 4	20 4	10 3	9 5	20 2	8 1	9 2	11 3	11 1	15 1
E970-E973	Suicide by poisoning .. {M F	136 100	114 115	146 116	142 124	141 119	133 113	115 91	136 101	105 84	140 105	133 115	167 108
E974	Suicide and self-inflicted injury by hanging and strangulation. {M F	35 8	34 9	51 12	42 13	57 13	47 8	49 10	46 14	43 9	39 9	44 10	51 13
E975	Suicide and self-inflicted injury by submersion (drowning). {M F	24 21	18 18	23 20	29 15	25 19	30 19	22 15	17 17	15 15	18 15	12 20	25 18
E976-E979	Suicide by other and un- specified means .. {M F	67 10	59 8	45 7	48 9	57 11	39 6	40 11	60 9	58 11	48 11	42 7	54 15
E980-E985	Homicide and injury pur- posely inflicted by other persons (not in war). {M F	12 15	6 9	6 3	6 14	8 8	— 3	12 10	4 5	3 10	12 7	5 5	11 4
E990-E999	Injury resulting from opera- tions of war .. {M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —



**TABLE 24.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1953.**

England and Wales, Standard Regions; Conurbations; London and Metropolitan Boroughs, and County Boroughs; Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page v.

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births
	M.	F.	M.	F.		

SUMMARY.						
ENGLAND AND WALES ... ..	7751	6930	560	440	15681	22
Regions and Conurbations :						
NORTHERN ... ..	654	583	37	35	1309	23
Tyneside conurbation ... ..	181	160	11	11	363	24
Remainder of Northern... ..	473	423	26	24	946	23
EAST AND WEST RIDINGS ... ..	824	641	47	44	1556	24
West Yorkshire conurbation ... ..	293	249	16	16	574	22
Remainder of East and West Ridings ... ..	531	392	31	28	982	25
NORTH WESTERN ... ..	1248	1221	101	76	2646	25
South East Lancashire conurbation ... ..	479	414	44	36	973	25
Merseyside conurbation ... ..	308	306	28	20	662	24
Remainder of North Western ... ..	461	501	29	20	1011	25
NORTH MIDLAND ... ..	631	582	43	31	1287	23
MIDLAND ... ..	803	820	58	46	1727	23
West Midland conurbation ... ..	427	432	34	22	915	24
Remainder of Midland ... ..	376	388	24	24	812	22
EASTERN ... ..	540	427	35	24	1026	20
LONDON AND SOUTH EASTERN ... ..	1600	1357	131	95	3183	20
Greater London ... ..	1223	1073	106	73	2475	21
Remainder of South Eastern ... ..	377	284	25	22	708	19
SOUTHERN ... ..	433	395	40	37	905	21
SOUTH WESTERN ... ..	467	424	43	28	962	20
WALES ... ..	551	480	25	24	1080	25
Wales I ... ..	415	357	14	16	802	26
Wales II ... ..	136	123	11	8	278	24
Density Aggregates :						
Conurbations ... ..	2911	2634	239	178	5962	22
Areas outside the conurbations... ..	4840	4296	321	262	9719	22
Urban areas with populations of 100,000 and over ... ..	1084	985	72	61	2202	23
Urban areas with populations of 50,000 and under 100,000 ... ..	595	512	45	44	1196	22
Urban areas with populations of under 50,000 ... ..	1706	1512	116	87	3421	23
Rural areas ... ..	1455	1287	88	70	2900	21

TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still- births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still- births per 1000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London ... ..	519	453	69	47	1088	21							
City of London Inner and Middle Temples ... }	—	—	—	—	—	—	County Boroughs —contd.						
							Dudley ... ..	9	11	—	2	22	21
							Eastbourne ... ..	3	3	2	—	8	13
							East Ham ... ..	18	10	—	—	28	17
							Exeter ... ..	9	6	5	—	20	17
							Gateshead ... ..	22	26	1	—	49	23
Metropolitan Boroughs:							Gloucester ... ..	14	20	—	3	37	32
Battersea ... ..	18	18	1	—	37	20	Great Yarmouth ... ..	6	9	3	—	18	24
Bermondsey ... ..	7	14	1	2	24	24	Grimsby ... ..	23	17	2	1	43	25
Bethnal Green ... ..	9	7	2	—	18	20	Halifax ... ..	15	11	1	—	27	19
Camberwell ... ..	26	28	5	2	61	22	Hastings ... ..	11	4	—	—	15	20
Chelsea ... ..	9	6	—	1	16	20	Huddersfield ... ..	22	14	1	—	37	20
Deptford ... ..	11	6	1	—	18	16	Ipswich ... ..	21	11	1	—	33	17
Finsbury ... ..	7	6	1	—	14	20	Kingston upon Hull ... ..	88	65	5	7	165	28
Fulham ... ..	13	10	2	2	27	16	Leeds ... ..	77	74	7	8	166	20
Greenwich ... ..	14	18	—	—	32	22	Leicester ... ..	67	59	3	—	129	27
Hackney ... ..	27	35	1	2	65	26	Lincoln ... ..	10	6	—	2	18	16
Hammersmith ... ..	21	20	2	1	44	25	Liverpool ... ..	184	183	20	11	398	24
Hampstead ... ..	11	9	2	2	24	17	Manchester ... ..	174	150	18	14	356	28
Holborn ... ..	1	3	—	—	4	14	Middlesbrough ... ..	42	35	2	5	84	26
Islington ... ..	48	39	4	2	93	23	Newcastle upon Tyne ... ..	60	50	4	5	119	24
Kensington ... ..	25	21	2	4	52	19	Northampton ... ..	13	16	1	—	30	20
Lambeth ... ..	27	25	8	6	66	18	Norwich ... ..	16	13	1	3	33	18
Lewisham ... ..	46	31	1	—	78	24	Nottingham ... ..	49	47	6	4	106	20
Paddington ... ..	20	6	6	5	37	17	Oldham ... ..	18	21	1	4	44	23
Poplar ... ..	10	13	4	1	28	21	Oxford ... ..	15	9	—	3	27	17
St. Marylebone ... ..	6	4	2	—	12	13	Plymouth ... ..	38	36	6	1	81	22
St. Pancras ... ..	20	14	2	1	37	17	Portsmouth ... ..	44	55	5	6	110	29
Shoreditch ... ..	5	13	2	—	20	24	Preston ... ..	19	27	—	—	46	23
Southwark ... ..	24	12	3	1	40	23	Reading ... ..	17	22	1	—	40	23
Stepney ... ..	15	14	5	6	40	20	Rochdale ... ..	15	17	1	—	33	24
Stoke Newington ... ..	4	9	1	—	14	18	Rotherham ... ..	15	13	—	1	29	21
Wandsworth ... ..	50	45	6	5	106	23	St. Helens ... ..	31	28	2	2	63	32
Westminster ... ..	16	8	4	2	30	24	Salford ... ..	50	32	3	4	89	29
Woolwich ... ..	29	19	1	2	51	24	Sheffield ... ..	96	75	5	4	180	25
County Boroughs ...	2643	2405	210	180	5438	24	Smethwick ... ..	14	11	—	1	26	23
Barnsley ... ..	17	7	1	1	26	19	Southampton ... ..	45	26	4	1	76	26
Barrow-in-Furness ... ..	6	12	1	1	20	18	Southend-on-Sea ... ..	18	14	1	—	33	16
Bath ... ..	17	6	1	6	30	26	Southport ... ..	12	16	3	—	31	31
Birkenhead ... ..	28	27	2	4	61	23	South Shields ... ..	22	13	2	—	37	18
Birmingham ... ..	226	198	14	11	449	23	Stockport ... ..	18	22	5	2	47	21
Blackburn ... ..	15	20	2	—	37	25	Stoke on Trent ... ..	55	57	—	4	116	25
Blackpool ... ..	18	27	1	—	46	27	Sunderland ... ..	46	27	2	3	78	21
Bolton ... ..	31	16	2	5	54	22	Tynemouth ... ..	14	12	—	—	26	20
Bootle ... ..	25	18	—	1	44	27	Wakefield ... ..	12	11	—	2	25	26
Bournemouth ... ..	20	14	5	2	41	25	Wallasey ... ..	16	22	2	3	43	25
Bradford ... ..	48	39	5	3	95	20	Walsall ... ..	23	28	4	3	58	27
Brighton ... ..	18	20	1	5	44	21	Warrington ... ..	17	18	2	2	39	27
Bristol ... ..	65	55	4	3	127	18	West Bromwich ... ..	22	21	2	1	46	30
Burnley ... ..	15	22	1	2	40	32	West Ham ... ..	27	35	5	2	69	24
Burton upon Trent ... ..	4	21	—	—	25	28	West Hartlepool ... ..	13	10	2	2	27	19
Bury ... ..	12	10	2	1	25	28	Wigan ... ..	28	20	—	1	49	36
Canterbury ... ..	5	5	1	—	11	23	Wolverhampton ... ..	30	38	6	2	76	29
Carlisle ... ..	16	16	—	—	32	26	Worcester ... ..	7	9	—	—	16	15
Chester ... ..	8	9	—	1	18	21	York ... ..	27	21	2	4	54	34
Coventry ... ..	41	37	6	1	85	20	Cardiff ... ..	48	53	—	1	102	22
Croydon ... ..	37	37	4	3	81	23	Merthyr Tydfil ... ..	29	19	1	1	50	49
Darlington ... ..	16	14	—	1	31	23	Newport, Mon. ... ..	27	20	—	2	49	27
Derby ... ..	22	29	3	—	54	24	Swansea ... ..	25	28	1	2	56	22
Dewsbury ... ..	14	7	1	—	22	24							
Doncaster ... ..	13	13	2	—	28	20							



TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births		
	M.	F.	M.	F.				M.	F.	M.	F.				
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedfordshire ...	U.D.	42	38	2	1	83	25	Shropshire ...	U.D.	22	31	7	4	64	27
	R.D.	16	14	—	2	32	20		R.D.	33	32	4	2	71	29
Berkshire ...	U.D.	10	19	1	2	32	19	Somerset ...	U.D.	35	27	3	1	66	19
	R.D.	31	28	4	4	67	19		R.D.	25	26	1	1	53	14
Buckinghamshire	U.D.	27	30	2	1	60	20	Southampton ...	U.D.	50	60	3	7	120	20
	R.D.	22	21	2	1	46	15		R.D.	48	34	3	3	88	17
Cambridgeshire ...	U.D.	7	12	2	2	23	17	Staffordshire ...	U.D.	120	135	9	3	267	25
	R.D.	16	15	—	2	33	22		R.D.	41	28	2	2	73	22
Cheshire ...	U.D.	95	99	11	3	208	22	Suffolk, East ...	U.D.	15	16	1	—	32	22
	R.D.	26	32	3	1	62	20		R.D.	18	20	1	—	39	21
Cornwall ...	U.D.	31	29	2	1	63	24	Suffolk, West ...	U.D.	4	6	1	1	12	17
	R.D.	29	23	2	1	55	24		R.D.	10	15	—	1	26	18
Cumberland ...	U.D.	16	20	3	—	39	25	Surrey ...	U.D.	160	128	6	5	299	18
	R.D.	30	26	1	2	59	27		R.D.	17	20	1	—	38	17
Derbyshire ...	U.D.	61	63	3	1	128	23	Sussex East ...	U.D.	17	16	—	1	34	17
	R.D.	52	55	1	5	113	21		R.D.	23	11	1	2	37	19
Devon ...	U.D.	43	30	4	3	80	23	Sussex, West ...	U.D.	27	23	4	2	56	28
	R.D.	33	33	4	4	74	21		R.D.	27	17	1	1	46	19
Dorset ...	U.D.	30	23	3	4	60	23	Warwickshire ...	U.D.	36	51	1	1	89	17
	R.D.	20	21	2	1	44	24		R.D.	37	33	1	2	73	24
Durham ...	U.D.	140	133	6	6	285	25	Westmorland ...	U.D.	3	3	2	—	8	21
	R.D.	50	51	2	—	103	20		R.D.	12	7	1	3	23	40
Ely, Isle of ...	U.D.	10	11	1	2	24	26	Wight, Isle of ...	U.D.	16	6	3	—	25	25
	R.D.	6	5	2	1	14	23		R.D.	4	3	—	—	7	30
Essex ...	U.D.	243	170	10	6	429	20	Wiltshire ...	U.D.	28	32	2	1	63	21
	R.D.	46	42	1	—	89	23		R.D.	31	32	2	—	65	18
Gloucestershire ...	U.D.	28	22	3	2	55	24	Worcestershire ...	U.D.	47	50	1	4	102	23
	R.D.	41	47	4	1	93	19		R.D.	12	14	—	1	27	14
Herefordshire ...	U.D.	8	6	—	1	15	17	Yorkshire, E.R.	U.D.	13	12	—	—	25	16
	R.D.	16	9	1	1	27	22		R.D.	26	15	1	2	44	26
Hertfordshire ...	U.D.	68	51	5	1	125	18	Yorkshire, N.R.	U.D.	36	33	2	—	71	21
	R.D.	37	16	—	2	55	17		R.D.	26	31	1	2	60	21
Huntingdonshire	U.D.	10	7	—	1	18	33	Yorkshire, W.R.	U.D.	255	191	7	7	460	25
	R.D.	7	7	1	—	15	21		R.D.	86	73	9	5	173	23
Kent ...	U.D.	194	150	12	11	367	20	Anglesey ...	U.D.	2	4	—	—	6	18
	R.D.	57	42	3	—	102	20		R.D.	4	2	1	1	8	16
Lancashire ...	U.D.	330	308	13	13	664	25	Brecknockshire ...	U.D.	4	—	—	—	4	15
	R.D.	48	50	6	1	105	23		R.D.	9	9	—	—	18	28
Leicestershire ...	U.D.	28	32	—	2	62	23	Caernarvonshire	U.D.	10	14	—	—	24	24
	R.D.	30	28	2	—	60	21		R.D.	12	9	1	—	22	29
Lincs., Holland ...	U.D.	8	6	—	—	14	21	Cardiganshire ...	U.D.	1	2	—	1	4	17
	R.D.	12	11	1	1	25	22		R.D.	4	2	—	—	6	12
Lincs., Kesteven	U.D.	11	10	3	2	26	36	Carmarthenshire	U.D.	12	13	—	—	25	26
	R.D.	11	14	1	2	28	19		R.D.	13	14	—	1	28	18
Lincs., Lindsey ...	U.D.	34	27	1	2	64	24	Denbighshire ...	U.D.	10	20	1	1	32	28
	R.D.	35	26	1	1	63	23		R.D.	19	15	1	2	37	25
Middlesex ...	U.D.	297	269	19	12	597	19	Flintshire ...	U.D.	15	14	—	2	31	26
	R.D.	12	9	—	2	23	18		R.D.	13	12	2	—	27	23
Norfolk ...	U.D.	55	40	4	1	100	21	Glamorganshire...	U.D.	128	102	5	5	240	27
	R.D.	21	19	4	2	46	20		R.D.	46	34	1	1	82	25
Northamptonshire	U.D.	23	22	1	1	47	23	Merionethshire	U.D.	2	3	—	—	5	17
	R.D.	—	—	—	—	—	—		R.D.	5	2	1	—	8	25
Northumberland	U.D.	76	56	6	6	144	24	Monmouthshire...	U.D.	65	59	5	3	132	28
	R.D.	14	20	—	—	34	23		R.D.	9	6	1	—	16	21
Nottinghamshire	U.D.	77	58	8	3	146	24	Montgomeryshire	U.D.	5	3	1	—	9	30
	R.D.	33	36	2	2	73	27		R.D.	5	1	—	—	6	14
Oxfordshire ...	U.D.	10	5	1	2	18	23	Pembrokeshire ...	U.D.	7	7	2	—	16	20
	R.D.	24	19	1	—	44	18		R.D.	16	9	—	1	26	33
Peterborough, Soke of	U.D.	13	8	—	—	21	24	Radnorshire ...	U.D.	2	2	1	—	5	53
	R.D.	2	3	—	—	5	27		R.D.	4	2	—	—	6	32
Rutland ...	U.D.	—	—	—	—	—	—								
	R.D.	5	5	—	—	10	27								



**TABLE 25.—Deaths at Various Periods in the First Year of Life by Legitimacy.**  
**Death rates per 1,000 related Live Births, 1953.**

{ England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs and aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page v.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.	
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.
ENGLAND AND WALES	5085	5042	1961	2348	2065	1114	709	18324	18	27	4711	4790	1857	2197	1956	1061	679	17251	17	27	374	252	104	151	109	53	30	1073	22	33
Regional Summary:																														
Northern	454	447	158	243	221	117	57	1697	19	31	428	435	151	231	210	115	56	1626	19	31	26	12	7	12	11	2	1	71	22	35
Tyneside Conurbation	132	112	48	59	50	25	15	441	20	30	125	109	47	57	46	24	15	423	20	30	7	3	1	2	4	1	1	18	20	33
Remainder of Northern	322	335	110	184	171	92	42	1256	19	31	303	326	104	174	164	91	41	1203	19	31	19	9	6	10	7	1	1	53	23	36
East and West Ridings	544	529	201	258	226	119	84	1961	20	30	503	513	191	243	218	116	82	1866	20	30	41	16	10	15	8	3	2	95	23	32
West Yorkshire Conurbation	223	196	81	104	80	52	41	777	20	30	205	188	77	95	79	52	39	735	19	30	18	8	4	9	1	—	2	42	22	31
Remainder of East and West Ridings	321	333	120	154	146	67	43	1184	20	30	298	325	114	148	139	64	43	1131	20	30	23	8	6	6	7	3	—	53	23	34
North Western	856	851	349	389	335	176	121	3077	20	30	795	802	338	367	316	168	118	2904	20	30	61	49	11	22	19	8	3	173	25	36
South East Lancs. Conurbation	333	287	109	125	104	53	43	1054	19	28	303	273	104	119	102	49	42	992	19	28	30	14	5	6	2	4	1	62	26	32
Merseyside Conurbation	221	224	108	124	113	57	24	871	21	33	206	209	104	115	110	55	24	823	20	33	15	15	4	9	3	2	—	48	26	37
Remainder of North Western	302	340	132	140	118	66	54	1152	20	30	286	320	130	133	104	64	52	1089	20	29	16	20	2	7	14	2	2	63	24	40
North Midland	397	419	173	182	187	105	58	1521	18	28	371	398	166	171	175	100	57	1438	18	28	26	21	7	11	12	5	1	83	21	32
Midland	580	549	244	233	210	120	78	2014	19	28	537	525	234	222	202	112	75	1907	19	28	43	24	10	11	8	3	3	107	24	33
West Midlands Conurbation	267	277	117	122	117	68	50	1018	18	28	243	268	115	119	111	64	47	967	18	28	24	9	2	3	6	4	3	51	21	31
Remainder of Midland	313	272	127	111	93	52	28	996	20	28	294	257	119	103	91	48	28	940	20	27	19	15	8	8	2	4	—	56	27	36
Eastern	335	318	134	157	119	57	46	1166	16	23	316	298	130	142	113	53	43	1095	16	23	19	20	4	15	6	4	3	71	17	29
London and South Eastern	1008	971	344	417	379	214	144	3477	15	23	911	907	315	377	352	202	139	3203	15	22	97	64	29	40	27	12	5	274	23	33
Greater London	789	732	256	303	291	164	110	2645	15	22	706	681	236	275	270	153	105	2426	15	22	83	51	20	28	21	11	5	219	24	34
Remainder of South Eastern	219	239	88	114	88	50	34	832	15	23	205	226	79	102	82	49	34	777	15	23	14	13	9	12	6	1	—	55	19	29
Southern	263	292	92	129	113	67	26	982	15	23	246	278	83	122	105	64	24	922	15	23	17	14	9	7	8	3	2	60	17	26
South Western	324	337	100	139	113	65	52	1130	17	25	302	322	93	131	107	62	44	1061	16	24	22	15	7	8	6	3	8	69	20	32
Wales	324	329	166	201	162	74	43	1299	20	31	302	312	156	191	158	69	41	1229	19	31	22	17	10	10	4	5	2	70	30	42
Wales I	243	229	122	143	129	56	35	957	20	32	228	219	113	139	125	53	34	911	19	31	15	10	9	4	4	3	1	46	31	42
Wales II	81	100	44	58	33	18	8	342	20	30	74	93	43	52	33	16	7	318	20	30	7	7	1	6	—	2	1	24	27	43
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)



Density Aggregate Summary:

Conurbations ..	1965	1828	719	837	755	419	283	6806	17	26	1788	1728	683	780	718	397	272	6366	17	26	177	100	36	57	37	22	11	440	24	33
Areas outside the Conurbations ..	3120	3214	1242	1511	1310	695	426	11518	18	27	2923	3062	1174	1417	1238	664	407	10885	18	27	197	152	68	94	72	31	19	633	22	33
Urban areas, with populations of 100,000 and over ..	681	727	273	342	318	158	96	2595	18	28	635	694	260	328	302	151	92	2462	18	28	46	33	13	14	16	7	4	133	19	28
Urban areas, with populations of 50,000 and under 100,000 ..	401	420	165	199	166	80	53	1484	19	29	368	396	155	180	153	77	50	1379	19	28	33	24	10	19	13	3	3	105	25	40
Urban areas, with populations under 50,000 ..	1068	1079	448	533	454	228	160	3970	18	27	1004	1020	428	499	429	215	151	3746	17	27	64	59	20	34	25	13	9	224	23	36
Rural areas ..	970	988	356	437	372	229	117	3469	17	26	916	952	331	410	354	221	114	3298	17	26	54	36	25	27	18	8	3	171	20	30

LONDON

City of London ..	389	330	102	140	143	69	43	1216	16	24	334	299	90	125	135	63	39	1085	15	23	55	31	12	15	8	6	4	131	27	36
Inner and Middle Temples ..	—	1	—	—	—	—	—	1	33	33	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1000	1000
Battersea ..	7	9	2	5	7	1	2	33	10	19	4	8	1	4	6	1	2	26	8	15	3	1	1	1	1	—	—	—	7	49
Bermondsey ..	11	6	1	1	5	3	1	28	18	28	11	6	3	1	4	3	1	26	18	28	—	—	1	1	1	—	—	—	2	26
Bethnal Green ..	2	2	3	2	2	1	1	13	8	14	2	2	3	2	2	1	1	13	8	15	—	—	—	—	—	—	—	—	—	—
Camberwell ..	32	11	5	6	9	7	3	73	17	26	27	10	5	5	9	6	3	65	16	25	5	1	—	1	—	1	—	8	41	55
Chelsea ..	5	5	1	1	2	1	—	15	14	19	3	2	—	1	2	1	—	9	7	12	2	3	1	—	—	—	—	6	104	104
Deptford ..	12	9	1	1	3	3	2	30	18	26	6	9	2	1	3	3	2	24	14	22	6	—	—	—	—	—	—	6	98	98
Finsbury ..	4	2	2	2	4	—	1	15	12	22	3	2	2	1	4	—	—	12	11	19	1	—	—	1	—	—	1	3	22	67
Fulham ..	10	18	3	9	4	1	1	46	18	27	9	17	2	8	4	—	1	41	18	26	1	1	1	1	—	1	—	5	28	47
Greenwich ..	3	7	2	4	5	2	2	25	9	18	3	6	2	3	4	2	2	22	8	16	—	1	—	1	1	—	—	3	15	46
Hackney ..	13	19	4	2	5	4	1	48	15	20	13	19	4	2	5	4	1	48	15	20	—	—	—	—	—	—	—	—	—	—
Hammersmith ..	12	13	—	2	5	1	2	35	14	20	12	13	—	2	5	1	2	35	16	22	—	—	—	—	—	—	—	—	—	—
Hampstead ..	7	9	4	2	1	—	—	23	14	16	5	8	4	1	1	—	—	19	13	15	2	1	—	1	—	—	—	4	21	29
Holborn ..	—	1	—	—	3	—	—	4	4	15	—	1	—	—	—	—	—	4	4	17	—	—	—	—	—	—	—	—	—	—
Islington ..	40	20	6	9	11	7	3	96	17	24	34	18	4	9	11	6	3	85	15	23	6	2	2	—	—	1	—	11	34	37
Kensington ..	17	15	3	8	4	2	1	50	13	19	14	12	3	7	3	2	1	42	12	18	3	3	—	1	1	—	—	8	18	25
Lambeth ..	25	26	7	10	15	7	3	93	16	26	21	24	7	8	13	7	3	83	15	25	4	2	—	2	2	—	—	10	24	39
Lewisham ..	23	21	9	10	3	4	3	73	16	23	23	19	9	10	3	4	2	70	16	23	2	2	—	2	—	—	1	3	15	22
Paddington ..	12	17	7	6	4	2	2	50	17	24	10	16	5	4	4	2	2	43	17	24	2	1	2	2	—	—	—	7	18	25
Poplar ..	22	11	3	2	3	3	1	45	28	35	19	11	3	2	3	3	1	42	27	34	3	—	—	—	—	—	—	3	52	52
St. Marylebone ..	8	1	3	2	4	1	—	19	13	21	7	—	3	2	4	1	—	17	12	21	1	1	—	—	—	—	—	2	21	21
St. Pancras ..	16	17	6	5	5	3	—	52	18	24	14	14	5	4	5	3	—	45	17	24	2	3	1	1	—	—	—	7	25	30
Shoreditch ..	3	7	—	4	2	2	2	18	12	22	3	7	7	4	2	2	2	18	13	23	2	2	—	1	1	—	—	—	—	—
Southwark ..	17	9	8	10	6	2	2	54	20	32	15	7	7	9	5	2	2	47	18	30	2	2	1	1	1	—	—	7	52	73
Stepney ..	20	11	8	17	11	4	4	75	20	39	17	10	8	16	10	3	4	68	20	38	3	1	—	1	1	1	—	7	27	46
Stoke Newington ..	7	3	—	2	2	2	2	18	13	24	7	3	—	7	2	1	1	16	14	22	—	—	—	1	1	—	—	2	27	44
Wandsworth ..	34	29	9	11	13	2	6	104	16	23	31	27	7	10	13	2	5	95	15	22	3	2	2	1	—	—	—	9	25	32
Westminster ..	15	12	2	2	—	1	—	32	24	27	9	10	2	2	—	1	—	24	20	23	6	2	—	—	—	—	—	8	56	56
Woolwich ..	12	19	4	5	5	3	—	48	17	23	12	18	4	5	5	2	—	46	17	23	—	1	—	—	—	1	—	2	10	19

COUNTY BOROUGHES  
ENGLAND (excluding Mon.)

Barnsley.	...	8	17	5	4	10	3	4	51	22	37	7	16	5	4	10	3	4	49	21	37	1	1	—	—	—	—	—	2	47	47
Barrow-in-Furness	...	6	11	5	4	3	1	1	31	20	29	5	10	5	2	3	1	1	27	19	26	1	1	—	2	—	—	—	4	40	80
Bath ...	...	9	9	1	3	—	—	—	23	17	21	7	8	1	—	—	—	—	20	15	19	2	1	—	—	—	—	—	3	60	60
Birkenhead ...	...	15	22	9	11	13	3	2	75	17	28	15	22	9	10	13	2	2	73	18	29	12	6	1	1	3	1	—	2	15	15
Birmingham	...	143	135	52	57	46	28	21	482	18	26	131	129	51	56	43	25	18	453	18	26	—	—	—	—	3	3	—	29	18	28

TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.										Deaths. per 1,000 related Live Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Deaths.										Deaths.										Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	Deaths. per 1,000 related Live Births.										Deaths. per 1,000 related Live Births.										Deaths. per 1,000 related Live Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
County Boroughs—continued																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Lincoln	12	11	4	6	2	—	2	37	25	34	11	11	4	5	2	—	2	35	26	35	1	—	—	1	—	—	—	2	12	25
Liverpool	146	138	67	81	83	40	17	572	22	35	133	128	64	76	80	40	17	538	21	35	13	10	3	5	—	—	—	34	30	39
Manchester	121	107	28	50	38	14	15	373	21	30	111	101	27	49	38	12	14	352	21	31	10	6	1	1	2	—	—	21	21	27
Middlesbrough	25	25	12	20	18	12	3	115	20	36	24	25	10	20	18	12	3	112	20	37	1	—	2	—	—	—	—	3	21	21
Newcastle upon Tyne	41	38	19	11	14	5	4	132	20	27	37	37	18	11	13	5	4	125	19	27	4	1	1	—	—	—	7	30	35	
Northampton	7	15	1	2	5	2	3	35	15	23	7	13	1	2	5	2	3	33	15	23	—	2	—	—	—	—	—	2	24	24
Norwich	13	15	4	6	3	1	3	45	17	24	13	15	3	5	3	1	3	43	18	25	—	—	1	1	—	—	2	8	16	
Nottingham	42	32	11	19	22	11	3	140	16	27	37	30	10	18	20	11	3	129	16	26	5	2	—	—	—	—	11	21	29	
Oldham	15	15	6	9	8	3	3	59	19	32	14	15	6	8	8	3	3	57	20	32	1	—	—	—	—	—	—	2	12	24
Oxford	11	7	3	4	3	2	2	32	13	20	9	6	2	3	3	2	2	27	12	19	2	1	1	1	—	—	5	33	41	
Plymouth	31	27	3	13	14	6	4	98	17	27	27	26	2	11	14	6	2	88	16	26	4	1	1	2	—	—	10	24	41	
Portsmouth	25	22	9	11	13	6	3	89	15	24	24	21	9	10	11	5	3	83	15	24	1	1	—	1	2	—	6	8	24	
Preston	16	14	4	13	7	4	5	63	18	33	15	13	4	13	6	4	4	59	17	32	1	1	—	—	1	—	4	22	44	
Reading	7	12	2	5	2	5	—	33	12	20	7	12	2	5	2	5	—	33	13	21	—	—	—	—	—	—	—	—	—	—
Rochdale	15	13	4	4	3	—	1	40	24	31	14	12	3	3	3	—	1	36	24	29	1	1	1	1	—	—	4	33	44	
Rotherham	11	17	6	1	5	2	—	42	25	31	11	17	6	—	4	2	—	40	26	31	—	—	—	1	—	—	2	—	61	
St. Helens	15	30	9	11	10	5	3	83	29	44	15	30	9	11	8	5	3	81	30	44	—	—	—	—	2	—	2	—	32	
Salford	32	26	10	13	7	5	4	97	23	33	26	23	10	12	6	4	4	85	21	31	6	3	—	1	1	—	12	47	63	
Sheffield	54	43	18	24	25	8	9	181	16	26	51	41	17	24	25	8	9	175	16	26	3	2	1	—	—	—	6	23	23	
Smethwick	6	4	4	2	4	3	1	24	73	22	6	4	3	2	3	3	1	22	13	21	—	—	1	—	—	—	2	14	29	
Southampton...	20	33	10	9	13	6	3	94	22	33	19	31	10	9	13	5	3	90	23	34	1	2	—	—	—	—	4	16	22	
Southeast-on-Sea	13	7	2	2	5	5	—	34	11	17	12	5	2	2	5	4	—	30	10	16	1	2	—	—	—	—	4	—	34	
Southport	8	4	3	3	1	1	1	20	16	21	7	4	3	3	3	1	—	19	15	27	1	—	—	—	—	—	4	26	34	
South Shields	13	14	5	9	8	5	2	56	16	28	12	13	5	8	8	5	2	53	16	28	1	1	—	1	—	—	3	20	20	
Stockport	22	6	9	5	10	7	5	64	17	30	22	6	8	5	10	6	5	62	18	30	2	1	—	—	—	—	2	23	35	
Stoke on Trent	40	42	21	9	9	5	3	129	23	28	39	40	20	9	9	4	3	124	23	28	1	2	—	—	1	—	5	9	19	
Sunderland	33	24	10	24	31	8	4	134	19	38	32	24	10	24	30	8	4	132	19	39	1	—	—	—	—	—	2	8	16	
Tynemouth	15	15	3	3	1	2	1	40	26	32	15	15	3	2	1	2	1	39	27	32	1	—	—	—	—	—	1	—	18	
Wakefield	8	9	4	7	1	3	1	33	22	35	6	8	4	7	1	3	1	30	20	34	2	1	—	—	—	—	3	60	60	
Wallasey	5	15	9	7	2	2	1	41	18	25	5	14	8	7	2	2	1	39	17	25	—	1	1	—	—	—	2	25	25	
Walsall	23	29	7	11	7	3	4	84	28	40	20	28	7	11	7	3	4	80	27	40	3	1	—	—	—	—	4	58	58	
Warrington	11	5	6	4	5	3	—	34	16	24	10	5	5	4	5	3	—	32	15	24	1	—	—	—	—	—	2	27	27	
West Bromwich	7	11	4	9	7	6	1	45	15	30	7	11	4	8	7	6	1	44	15	30	—	—	—	—	—	—	1	—	22	
West Ham	24	18	12	8	11	4	5	82	19	29	21	18	11	6	11	4	5	76	19	28	3	—	1	2	—	6	28	42		
West Hartlepool	13	15	3	10	11	1	2	55	22	39	11	14	3	10	10	1	2	51	21	38	2	1	—	—	—	—	4	41	55	
Wigan...	15	9	6	7	7	4	1	49	23	37	15	8	6	7	5	4	1	46	23	36	—	1	—	—	—	—	3	30	91	
Wolverhampton	28	19	5	10	9	6	4	81	20	32	26	18	5	10	9	5	4	77	20	32	2	1	—	—	1	—	4	25	33	
Worcester	12	4	6	2	1	—	2	27	21	26	11	4	6	2	1	—	2	26	21	27	1	—	—	—	—	—	1	19	19	
York ...	15	6	4	4	4	2	2	37	16	24	14	6	4	4	3	1	2	34	16	23	1	—	—	—	—	—	3	12	35	
WALES AND MONMOUTH																														
Cardiff	29	20	21	16	20	7	6	119	16	27	27	18	20	16	19	7	6	113	15	27	2	2	1	—	1	—	6	23	28	
Merthyr Tydfil	8	13	4	1	12	3	1	42	26	44	8	13	4	1	12	3	1	42	27	45	—	—	—	—	—	—	—	—	—	—
Newport	17	10	9	9	5	5	2	57	20	32	16	10	9	9	5	5	2	56	20	33	1	—	—	—	—	—	—	1	11	11
Swansea	17	21	13	9	13	7	4	84	21	34	14	20	11	8	13	7	4	77	19	33	3	1	2	1	—	—	7	66	77	

TABLE 25—continued.

Area.	All Infants.													Legitimate Infants.													Illegitimate Infants.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Deaths.										Deaths per 1,000 related Live Births.			Deaths.										Deaths per 1,000 related Live Births.			Deaths.										Deaths per 1,000 related Live Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
ADMINISTRATIVE COUNTIES (Urban and Rural Aggregates):																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ENGLAND (excluding Monmouth)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Bedfordshire ...	18	26	12	19	5	7	1	88	17	27	17	23	12	18	5	6	1	82	17	26	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Essex	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Gloucestershire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Herefordshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Hertfordshire...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Huntingdonshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kent	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lancashire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Leicestershire...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lincolnshire, Holland	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lincolnshire, Kesteven	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lincolnshire, Lindsey	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Middlesex	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Norfolk	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Northamptonshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Northumberland	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nottinghamshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Oxfordshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Peterborough, Soke of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Rutland	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Shropshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Somerset	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Southampton	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Staffordshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE 25—continued

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.															
	Deaths.										Deaths.										Deaths.															
	Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.															
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.						
ADMINISTRATIVE COUNTIES—continued.																																				
Suffolk, East	U.D.	11	8	7	4	2	3	—	35	18	24	11	8	7	4	1	2	—	33	19	24	—	—	—	—	1	—	—	—	2	—	26				
Suffolk, West	R.D.	8	3	3	5	3	1	2	25	8	14	8	3	2	3	3	1	2	22	8	13	—	—	—	—	—	—	—	3	—	28					
	U.D.	7	5	1	4	4	2	—	25	19	37	7	5	1	4	4	2	—	25	20	39	—	—	—	—	—	—	—	—	—	9					
	R.D.	7	12	2	2	4	2	1	30	15	21	6	10	2	2	3	2	1	26	13	19	1	2	—	—	—	—	4	—	42						
Surrey...	U.D.	88	101	37	38	31	13	18	326	14	21	82	95	32	36	28	10	18	301	14	20	—	6	5	2	3	—	25	26	38						
Sussex, East	R.D.	7	15	4	10	5	5	2	48	12	21	7	15	4	9	5	5	2	47	12	22	—	—	—	—	—	—	1	—	11						
	U.D.	15	8	6	1	6	5	1	42	14	21	12	8	6	1	6	1	1	39	13	20	—	—	—	—	—	—	3	31	31						
	R.D.	14	10	7	2	3	1	—	38	16	20	14	10	6	2	3	1	—	37	16	20	—	—	—	—	—	—	1	11	11						
Sussex, West	U.D.	14	10	5	5	5	3	2	44	15	22	13	10	5	5	4	3	2	42	15	22	—	1	—	—	—	—	2	11	22						
Warwickshire	R.D.	21	9	8	4	3	6	—	51	16	22	20	8	3	3	3	6	—	45	15	20	—	—	—	—	—	—	6	51	61						
	U.D.	45	34	13	10	11	8	5	126	18	24	41	31	13	7	10	7	5	114	17	23	—	3	1	—	—	—	12	33	56						
	R.D.	29	19	3	9	4	8	—	72	17	24	28	19	3	9	4	7	—	70	18	25	—	—	—	—	—	—	2	7	13						
Westmorland...	U.D.	4	5	2	—	1	—	—	12	29	32	4	5	1	—	1	—	—	11	27	30	—	—	—	—	—	—	1	77	77						
Wight, Isle of...	R.D.	4	7	2	—	1	—	1	15	23	27	3	7	1	—	1	—	1	13	21	24	—	—	—	—	—	—	2	111	111						
	U.D.	4	6	2	3	—	—	—	16	12	16	4	5	1	3	—	—	—	14	11	15	—	—	—	—	—	—	—	35	35						
	R.D.	—	6	—	—	1	—	—	7	27	31	—	9	—	—	1	—	7	29	33	—	—	—	—	—	—	—	—	—	—						
Wiltshire	U.D.	15	18	5	13	3	4	6	64	13	22	14	17	5	13	3	4	5	61	13	22	—	—	—	—	—	—	3	14	22						
Worcestershire	R.D.	21	29	5	16	11	6	3	91	16	26	20	27	4	15	11	5	3	85	16	26	—	—	—	—	—	1	6	24	37						
	U.D.	25	31	14	14	17	7	5	113	16	26	22	30	14	12	17	7	5	107	16	26	—	—	—	—	—	—	6	23	34						
	R.D.	13	15	7	5	4	5	1	50	19	27	13	12	6	5	4	5	1	46	17	26	—	—	—	—	—	—	4	46	46						
Yorkshire, E.R.	U.D.	7	13	7	5	4	3	1	40	17	25	7	12	7	5	4	3	1	39	17	26	—	—	—	—	—	—	1	15	15						
Yorkshire, N.R.	R.D.	15	19	2	4	2	4	1	47	22	28	15	19	2	4	2	4	1	47	22	29	—	—	—	—	—	—	—	—	—						
	U.D.	32	26	13	16	10	11	3	111	21	33	30	24	13	13	9	11	3	103	21	32	—	—	—	—	—	—	8	26	51						
	R.D.	21	28	4	9	6	6	—	74	19	27	20	27	3	7	6	6	—	69	19	26	—	—	—	—	—	—	5	31	51						
Yorkshire, W.R.	U.D.	127	128	54	68	54	34	27	492	17	28	114	124	51	63	52	32	26	462	17	27	—	—	—	—	—	—	30	29	44						
	R.D.	71	62	23	37	29	13	6	241	21	33	65	62	21	36	28	13	6	231	21	33	—	—	—	—	—	—	10	31	39						
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)					



ADMINISTRATIVE COUNTIES—continued.																															
WALES AND MONMOUTH																															
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Anglesey	...	U.D.	2	5	2	3	1	—	13	28	40	2	5	2	3	1	—	—	13	29	42	—	—	—	—	—	—	—	—	—	—
Brecknockshire	...	R.D.	2	5	2	1	—	4	14	18	28	2	5	2	1	—	3	—	13	20	29	—	—	—	—	—	—	—	—	—	—
		U.D.	—	1	2	1	—	—	4	12	15	—	1	1	1	1	—	—	3	8	12	—	—	—	—	—	—	—	—	—	—
		R.D.	5	5	5	5	1	1	22	24	36	3	5	5	5	1	1	—	20	22	34	2	—	—	—	—	—	—	—	—	—
Caernarvonshire	...	U.D.	9	4	3	8	3	2	30	16	30	8	4	3	8	3	1	1	28	16	30	1	—	—	—	—	—	—	—	—	—
Cardiganshire	...	R.D.	6	3	4	5	4	2	24	18	33	6	3	4	5	4	2	—	24	19	34	—	—	—	—	—	—	—	—	—	—
		U.D.	3	1	1	—	—	—	—	5	22	22	1	1	1	—	—	—	3	14	14	2	—	—	—	—	—	—	—	—	—
		R.D.	4	4	1	4	1	—	14	18	29	4	4	1	4	1	—	—	14	19	30	—	—	—	—	—	—	—	—	—	—
Carmarthenshire	...	U.D.	7	12	5	5	4	1	35	26	38	6	12	5	5	4	1	1	34	26	38	1	—	—	—	—	—	—	—	—	—
Denbighshire	...	R.D.	11	15	5	9	5	3	48	21	32	10	15	5	9	5	3	—	47	21	33	1	—	—	—	—	—	—	—	—	—
		U.D.	5	11	8	5	2	1	34	22	31	4	9	8	3	2	2	1	29	20	28	1	2	—	—	—	—	—	—	—	—
		R.D.	7	16	7	6	5	3	44	21	30	7	16	7	6	5	3	—	44	21	31	—	—	—	—	—	—	—	—	—	—
Flintshire	...	U.D.	15	10	3	3	6	2	40	24	34	14	8	3	3	6	2	1	37	23	34	1	2	—	—	—	—	—	—	—	—
Glamorganshire	...	R.D.	6	10	4	10	3	1	35	18	31	6	10	3	10	3	1	1	34	18	32	—	—	—	—	—	—	—	—	—	—
		U.D.	66	60	30	44	34	12	254	18	29	64	56	28	43	32	11	8	242	17	29	2	4	—	—	—	—	—	—	—	—
		R.D.	29	30	15	19	12	8	117	23	37	28	29	13	18	12	7	4	111	23	36	1	1	—	—	—	—	—	—	—	—
Merionethshire	...	U.D.	3	5	—	2	—	—	10	28	35	2	4	—	2	—	—	—	8	22	30	1	1	—	—	—	—	—	—	—	—
Monmouthshire	...	R.D.	1	3	1	2	1	—	8	16	25	1	2	1	1	1	—	—	6	14	21	—	—	—	—	—	—	—	—	—	—
		U.D.	49	35	12	23	22	9	8	158	21	34	47	33	11	22	21	8	7	149	20	33	2	2	—	—	—	—	—	—	—
		R.D.	5	7	1	2	1	—	17	18	23	5	7	1	2	1	—	1	17	19	25	—	—	—	—	—	—	—	—	—	—
Montgomeryshire	...	U.D.	1	2	1	—	—	—	4	14	14	1	2	1	—	—	—	—	4	14	14	—	—	—	—	—	—	—	—	—	—
Pembrokeshire	...	R.D.	5	3	2	4	2	2	18	23	42	5	2	2	3	2	2	—	16	23	40	—	—	—	—	—	—	—	—	—	—
		U.D.	5	10	2	1	2	—	22	21	27	5	10	2	—	2	—	2	2	21	22	27	—	—	—	—	—	—	—	—	—
		R.D.	6	4	2	2	3	—	17	16	22	6	4	2	2	3	—	—	17	16	23	—	—	—	—	—	—	—	—	—	—
Radnorshire	...	U.D.	1	2	—	—	—	—	3	33	33	—	2	—	—	—	—	—	2	23	23	1	—	—	—	—	—	—	—	—	—
		R.D.	—	2	1	2	—	—	7	17	39	—	—	1	1	1	—	—	5	17	29	—	—	—	—	—	—	—	—	—	—

**TABLE 26.—Deaths at Various Periods in the First Year of Life, 1953, and the Four Quarters thereof.**

Area				Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week				
								1	2	3	4	5	6					
England & Wales	All Infants	..	{ M F P	10487	370	2485	2855	963	843	559	309	191	179	3044				
				7837	321	1909	2230	743	493	295	196	142	129	1998				
				18324	691	4394	5085	1706	1336	854	505	333	308	5042				
	Legitimate	..	{ M F P	9895	309	2337	2646	907	803	540	295	185	172	2902				
				7356	267	1798	2065	701	470	279	184	136	118	1888				
				17251	576	4135	4711	1608	1273	819	479	321	290	4790				
	Illegitimate	..	{ M F P	592	61	148	209	56	40	19	14	6	7	142				
				481	54	111	165	42	23	16	12	6	11	110				
				1073	115	259	374	98	63	35	26	12	18	252				
Regional Summary and Conurbations:																		
Northern	..	..	..	1697	62	392	454	141	119	79	44	34	30	447				
				441	21	111	132	38	29	15	15	9	6	112				
				1256	41	281	322	103	90	64	29	25	24	335				
East & West Ridings	..	..	..	1961	64	480	544	199	121	92	51	36	30	529				
				777	20	203	223	69	44	35	23	12	13	196				
				1184	44	277	321	130	77	57	28	24	17	333				
North Western	..	..	..	3077	116	740	856	277	251	138	87	50	48	851				
				1054	56	277	333	92	92	45	23	15	20	287				
				871	26	195	221	65	64	38	29	15	13	224				
				1152	34	268	302	120	95	55	35	20	15	340				
North Midland	..	..	..	1521	52	345	397	144	100	65	52	28	30	419				
				2014	86	494	580	179	133	101	61	36	39	549				
				1018	33	234	267	90	69	43	32	19	24	277				
Midland	..	..	..	996	53	260	313	89	64	58	29	17	15	272				
				1166	32	303	335	104	87	48	32	25	22	318				
				3477	163	845	1008	340	281	159	80	61	50	971				
London & South Eastern	..	..	..	2645	139	650	789	259	211	120	58	40	44	732				
				832	24	195	219	81	70	39	22	21	6	239				
				982	35	228	263	110	76	48	27	21	10	292				
Southern	..	..	..	1130	50	274	324	115	66	68	38	22	28	337				
				1299	31	293	324	97	102	56	33	20	21	329				
				957	23	220	243	64	72	40	22	17	14	229				
Wales	..	..	..	342	8	73	81	33	30	16	11	3	7	100				
				Density Aggregates Summary :														
				Conurbations	6806	295	1670	1965	613	509	296	180	110	120	1828			
Areas outside the conurbations	11518	396	2724	3120	1093	827	558	325	223	188	3214							
Urban areas with populations of 100,000 and over	2595	87	594	681	240	190	119	85	45	48	727							
Urban areas with populations of 50,000 and under 100,000	1484	57	344	401	140	109	84	39	22	26	420							
Urban areas with populations under 50,000	3970	124	944	1068	356	289	180	113	76	65	1079							
Rural areas	3469	128	842	970	357	239	175	88	80	49	988							
England & Wales	{	March Quarter	..	5709	188	1072	1260	441	411	255	158	106	81	1452				
				4448	179	1168	1347	464	351	221	114	80	88	1318				
				3862	169	1092	1261	428	291	182	125	65	69	1160				
				4305	155	1062	1217	373	283	196	108	82	70	1112				



{ England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural areas outside the Conurbations.

Weeks				Months											
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
5899	564	299	239	7001	732	603	464	350	325	250	210	169	146	126	111
4228	451	231	177	5087	564	449	372	312	242	191	164	130	122	100	104
10127	1015	530	416	12088	1296	1052	836	662	567	441	374	299	268	226	215
5548	544	282	228	6602	683	567	439	330	309	241	198	160	140	121	105
3953	425	215	163	4756	531	416	353	295	230	182	157	123	118	97	98
9501	969	497	391	11358	1214	983	792	625	539	423	355	283	258	218	203
351	20	17	11	399	49	36	25	20	16	9	12	9	6	5	6
275	26	16	14	331	33	33	19	17	12	9	7	7	4	3	6
626	46	33	25	730	82	69	44	37	28	18	19	16	10	8	12
901	82	41	35	1059	132	111	82	73	66	44	45	28	22	20	15
244	24	13	11	292	32	27	22	17	11	7	10	8	8	3	4
657	58	28	24	767	100	84	60	56	55	37	35	20	14	17	11
1073	100	52	49	1274	128	130	91	69	66	46	43	30	34	21	29
419	40	23	18	500	53	51	35	24	21	20	15	17	9	15	17
654	60	29	31	774	75	79	56	45	45	26	28	13	25	6	12
1707	194	86	69	2056	223	166	140	115	80	77	59	40	49	35	37
620	55	28	26	729	73	52	42	32	30	24	19	10	21	11	11
445	57	30	21	553	72	52	48	43	22	28	14	15	8	6	10
642	82	28	22	774	78	62	50	40	28	25	26	15	20	18	16
816	89	48	36	989	99	83	76	60	51	46	32	27	28	20	10
1129	117	79	48	1373	134	99	92	59	59	43	44	33	29	24	25
544	53	37	27	661	65	57	50	34	33	25	27	16	15	19	16
585	64	42	21	712	69	42	42	25	26	18	17	17	14	5	9
653	60	49	25	787	88	69	37	48	34	33	10	14	14	16	16
1979	177	86	81	2323	227	190	157	116	106	75	74	65	52	46	46
1521	128	64	64	1777	163	140	126	87	78	56	57	51	37	37	36
458	49	22	17	546	64	50	31	29	28	19	17	14	15	9	10
555	57	16	19	647	74	55	49	34	30	26	25	16	12	7	7
661	58	23	19	761	83	56	50	33	30	23	17	25	15	20	17
653	81	50	35	819	108	93	62	55	45	28	25	21	13	17	13
472	53	39	30	594	76	67	52	42	35	19	19	18	11	14	10
181	28	11	5	225	32	26	10	13	10	9	6	3	2	3	3
3793	357	195	167	4512	458	379	323	237	195	160	142	117	98	91	94
6334	658	335	249	7576	838	673	513	425	372	281	232	182	170	135	121
1408	140	78	55	1681	200	142	116	109	93	73	51	34	37	27	32
821	94	40	31	986	116	83	64	54	48	28	28	24	23	12	18
2147	248	108	92	2595	282	251	182	142	130	92	78	58	63	59	38
1958	176	109	71	2314	240	197	151	120	101	88	75	66	47	37	33
2712	318	184	133	3347	440	390	344	251	224	181	146	111	90	87	98
2665	258	127	96	3146	293	193	179	139	118	86	85	68	56	43	42
2421	219	98	93	2831	255	194	111	104	78	65	61	46	42	44	31
2329	220	121	94	2764	308	275	202	168	147	109	82	74	80	52	44

TABLE 27.—Causes of Death of Children under One Year at Different Age Periods, 1953.  
See Explanatory notes on page v.

England and Wales.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths.	3-5	6-8
	ALL CAUSES	10487 7837	370 321	2485 1909	963 743	843 493	559 295	309 196	191 142	179 129	564 451	299 231	239 177	7001 5087	1335 1013	1139 926	629 485	383 326
001-008	Tuberculosis of res- piratory system ..	15 10	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	3 —	1 2	4 2	5 2	2 4
010	Tuberculosis of men- inges and central nervous system	9 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 3	4 2
011	Tuberculosis of intes- tines, peritoneum & mesenteric glands	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	2 2	4 2
012, 013	Tuberculosis of bones and joints ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
014-018	Tuberculosis, all other organs ..	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
019	Disseminated tuber- culosis ..	7 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	4 2	3 4	— —	— —
020-029	Syphilis & its sequelæ ..	8 —	— —	— —	2 —	— —	— —	— —	— —	— —	1 —	— —	1 —	4 —	2 —	1 —	— —	1 —
030-039	Gonococcal infection and other venereal diseases	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
040-049	Infectious diseases commonly arising in intestinal tract	7 2	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	1 —	3 —	2 1	— —	1 1	1 —
045-048	Dysentery, all forms ..	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 1	— —	1 —	1 —
050-064	Other bacterial diseases ..	168 159	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	1 2	1 4	3 8	45 50	45 42	45 37	30 22
050	Scarlet fever ..	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
055	Diphtheria ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
056-0	Whooping cough, without mention of pneumonia	23 32	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	9 10	8 11	3 5	3 5





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11
280-289	Avitaminoses, and other metabolic diseases	3 6	—	1	—	—	—	—	—	—	1	—	—	—	2	—	—	—	3
283	Active rickets .. { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
286-0	Steatorrhœa and sprue	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
290-293	Anæmias .. { F	3 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
294-299	Other diseases of blood and blood- forming organs	5 6	—	—	—	—	—	—	—	—	1	—	—	—	1	1	2	1	—
300-326	Mental, psychoneu- rotic, & personality disorders	27 23	1	2	1	3	—	2	1	8	3	1	1	3	15	4	5	1	2
325	Mental deficiency	27 23	1	2	1	3	—	2	1	8	3	1	1	3	15	4	5	1	2
330-334	Vascular lesions affecting central nervous system	9 8	—	—	—	1	—	—	—	1	—	—	—	1	1	4	3	—	1
340	Meningitis, except meningococcal and tuberculous	83 79	—	—	1	2	1	2	1	6	9	9	2	2	26	17	19	10	11
351	Cerebral spastic infan- tile paralysis	4 3	—	—	—	—	—	—	1	1	1	—	—	—	2	—	1	1	1
353	Epilepsy .. { F	5 8	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1
390-398	Diseases of ear and mastoid process	60 40	1	—	—	1	—	—	—	1	3	2	2	1	6	16	25	9	4
Rem. of 330-398	Diseases of the ner- vous system and sense organs, others	33 32	—	—	1	1	—	—	—	1	—	1	—	—	2	4	3	14	10
400-402	Rheumatic fever .. { F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
410-434	Diseases of the heart .. { F	16 7	—	1	2	—	—	—	—	2	1	1	—	—	3	5	6	2	—
440-468	Other diseases of the circulatory system	6 2	—	—	—	1	—	1	—	2	1	1	—	—	3	2	1	1	2





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	4 weeks to 2 mths	3-5	6-8	9-11
590-594	Nephritis & nephrosis.. { F	14 7	—	—	—	—	—	—	—	—	—	—	—	—	6 2	3	4	1
600-609	Other diseases of { urinary system .. { F	28 18	—	—	—	—	—	—	—	—	—	—	2	2	3	4	1	4
610-617	Diseases of male geni- tal organs .. M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
615	Redundant prepuce & phimosis .. M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
620-637	Diseases of female genital organs .. F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	Infections of skin and { subcutaneous tissue.. { F	10 6	—	—	—	—	—	—	—	—	—	—	2	1	2	4	2	1
700-716	Other diseases of skin and subcutaneous tissue { F	8 10	—	—	—	—	—	—	—	—	—	—	—	—	5 2	4	2	1
720-749	Diseases of the bones & organs of move- ment { F	23 8	1	1	—	—	—	—	—	—	1	1	—	—	3	11	4	2
730	Osteomyelitis and periostitis .. { F	7 3	—	—	—	—	—	—	—	—	—	—	—	—	2	5	—	—
750	Monstrosity .. { F	33 77	6 26	18 35	4 7	3 3	1 1	—	1	—	33	73	—	—	33	74	—	—
751	Spina bifida and men- ingocele .. { F	338 463	6 8	20 47	12 19	23 20	11 21	10 9	8 14	13 11	103 149	36 51	22 31	22	226 305	14 42	14 19	9 12
752	Congenital hydro- cephalus .. { F	58 64	8 3	9 13	— 4	3 1	— 2	2 3	1 1	— 1	23 28	1 1	2 2	2	28 35	12 11	7 5	5 6
753-0	Congenital cataract .. { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753-1	Other congenital mal- formations of nerv. system & sense organs Tetralogy of Fallot .. { F	18 36	2 1	— 3	1 3	— 1	1 1	— 3	— 2	1	5 14	—	—	—	7 18	3 5	2 5	— 3
754-0	Patent ductus arter- iosus (Botalli) .. { F	12 12	—	—	1	—	—	2	1	—	4 2	—	—	—	4 3	2 2	1 —	1 2
754-1	Patent ductus arter- iosus (Botalli) .. { F	46 34	—	4 1	4 2	6 3	4 2	2	1	—	22 9	3 2	4 1	4	30 13	7 8	2 5	3 1





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months					
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11	
759·0	Congenital malform- ations of respiratory system {M F	21 24	— 2	3 7	— 1	— 1	— —	— —	— —	— —	3 12	— —	— —	— —	1 —	4 13	5 6	7 4	4 1	1 —
759·1	Congenital malform- ations of skin {M F	1 2	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 2	— —	— —	— —	— —
759·2	Congenital malform- ations of muscle {M F	15 5	3 —	11 5	1 —	— —	— —	— —	— —	— —	15 5	— —	— —	— —	— —	15 5	— —	— —	— —	— —
759·3	Congenital malform- ations, other and unspecified {M F	64 63	7 11	25 17	4 7	2 2	5 3	3 2	1 2	1 2	48 46	— —	— —	— —	2 2	58 57	3 3	2 3	1 —	— —
760·0	Intracranial & spinal injury at birth, with- out mention of im- maturity {M F	679 394	56 35	223 149	100 73	99 39	65 26	31 14	24 11	12 13	610 360	— —	— —	— —	6 5	659 386	9 6	5 —	2 1	4 1
760·5	Intracranial & spinal injury at birth, with immaturity {M F	273 158	8 4	91 55	59 31	42 26	25 16	13 7	8 5	12 5	258 149	— —	— —	— —	2 —	273 158	— —	— —	— —	— —
761·0	Other birth injury, without mention of immaturity {M F	83 79	17 29	32 32	16 8	8 2	3 4	2 2	1 1	— —	79 78	— —	— —	— —	1 —	81 79	1 —	— —	1 —	— —
761·5	Other birth injury, with immaturity {M F	112 58	6 5	74 39	11 3	7 6	6 —	1 1	2 1	2 1	109 56	— —	— —	— —	— —	112 57	— —	— —	— —	1 —
762·0	Postnatal asphyxia & atelectasis, without mention of im- maturity {M F	633 417	56 39	236 176	112 77	82 55	68 23	16 10	9 5	5 2	584 387	— —	— —	— —	3 3	616 408	10 5	7 2	1 —	— —
762·5	Postnatal asphyxia & atelectasis, with im- maturity {M F	859 581	21 17	393 288	165 123	128 67	66 29	21 13	14 7	11 9	819 553	— —	— —	— —	5 1	858 578	1 3	— —	— —	— —
763·0	Pneumonia of new- born, without men- tion of immaturity {M F	379 237	— 1	10 12	14 8	56 26	47 15	27 14	15 11	10 8	179 95	— —	— —	— —	65 36	379 237	— —	— —	— —	— —
763·5	Pneumonia of new- born, with im- maturity {M F	175 99	— —	10 3	12 7	22 11	17 10	20 5	9 8	15 9	105 53	— —	— —	— —	10 9	175 99	— —	— —	— —	— —
764·0	Diarrhoea of new- born, without men- tion of immaturity {M F	29 14	— —	— —	— —	— —	— —	1 —	1 —	1 —	3 —	— —	— —	— —	15 7	29 14	— —	— —	— —	— —
764·5	Diarrhoea of new- born, with im- maturity {M F	7 10	— —	— —	— —	— —	— —	1 1	— —	— —	1 2	— —	— —	— —	2 1	7 10	— —	— —	— —	— —
765·0	Ophthalmia, neona- torum, without mention of im- maturity {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —





International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11
769·8	Neonatal disorders attributed to toxo- plasmosis, with im- maturity {M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·9	Neonatal disorders attributed to other or unspecified maternal toxæmia, with immaturity {M F	21 18	— 1	6 6	3 2	5 1	4 3	2 2	—	—	20 15	1 1	—	—	21 16	2	—	—	—
770·0	Erythroblastosis, without mention of nervous affection or immaturity {M F	140 109	16 14	48 62	9 3	18 5	21 7	9 3	1 2	4 2	126 98	8 6	2	—	134 106	4 1	1 1	1	—
770·1	Kernicterus, without mention of im- maturity {M F	42 26	—	— 4	3 1	6 5	12 6	8 4	2 3	6 1	37 24	2 —	—	1 1	40 25	1 —	1	—	1
770·2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of im- maturity {M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770·5	Erythroblastosis, without mention of nervous affection but with im- maturity {M F	20 23	2 3	3 7	4 6	6 1	— 1	1 —	— 1	2 1	18 20	1 2	—	—	19 22	1 1	—	—	—
770·6	Kernicterus with im- maturity .. {M F	23 25	—	—	— 1	2 —	1 1	2 1	4 8	6 6	15 17	8 8	—	—	23 25	—	—	—	—
770·7	Erythroblastosis with disorder of liver other than icterus gravis, with im- maturity {M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771·0	Hæmorrhagic disease of newborn, with- out mention of im- maturity {M F	73 56	—	10 12	7 11	19 4	10 6	8 8	2 6	1 1	57 48	9 4	5 3	1 1	72 56	—	1	—	—
771·5	Hæmorrhagic disease of newborn, with immaturity {M F	43 25	1 —	4 6	7 2	6 4	8 2	5 4	4 1	4 1	39 20	3 2	1	1	43 24	1 1	—	—	—
772·0	Nutritional malad- justment, without mention of im- maturity {M F	6 3	—	—	—	—	—	—	—	1	—	—	—	2	2	3 1	1	—	—
772·5	Nutritional malad- justment, with im- maturity {M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773·0	Ill-defined diseases peculiar to early in- fancy, without men- tion of immaturity {M F	26 14	1 —	8 4	— 1	4 1	2 —	1 —	1 —	2 —	19 6	3 —	1	—	22 8	1 4	3	—	1



773.5	Ill-defined diseases peculiar to early infancy, with immaturity	{M F}	116 70	4 3	43 27	14 11	22 9	7 7	3 4	3 1	4 —	100 62	8 3	3 1	1 —	112 66	4 3	— —	— —
774	Immaturity with mention of any other subsidiary condition	{M F}	73 67	2 3	18 10	4 4	7 7	1 5	1 2	1 —	2 —	36 31	5 7	1 6	— 1	42 45	29 21	2 1	— —
775	Immaturity subsidiary to some other cause	{M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
776	Immaturity unqualified ..	{M F}	1926 1480	74 62	1024 781	310 260	179 129	88 56	56 43	45 19	39 29	1815 1379	77 72	19 14	6 6	1917 1471	9 8	— 1	— —
780-795	Symptoms, and ill-defined conditions ..	{M F}	18 19	2 5	1 —	—	1 1	1 —	—	—	—	5 6	1 —	—	1 —	7 7	8 3	2 8	1 1
780.2	Convulsions ..	{M F}	9 7	—	—	—	1 —	1 —	—	—	—	2 —	1 —	—	—	3 —	4 2	1 4	1 1
785.2	Jaundice ..	{M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E999	Accidents, poisonings, and violence ..	{M F}	335 264	48 31	7 7	3 3	1 6	3 1	2 2	1 1	1 —	65 52	8 8	4 7	7 3	84 70	89 81	90 63	26 19
E800-E866	Transport accidents ..	{M F}	4 3	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1	1 —	1 2
E870-E895	Accidental poisoning ..	{M F}	2 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E900-E936	Other accidents ..	{M F}	311 243	42 24	5 5	2 3	— 5	3 —	2 2	1 1	1 —	55 41	8 8	4 7	6 3	73 59	85 79	85 60	25 15
E921-E925	Accidental mechanical suffocation	{M F}	230 193	1 1	—	1 2	— 2	3 —	1 2	1 1	1 —	7 9	7 8	4 7	6 3	24 27	80 74	79 56	13 13
E926	Lack of care of infants under 1 year of age	{M F}	53 30	40 22	5 5	— 1	— 2	—	1	—	—	46 30	1 —	—	—	47 30	2 —	2 —	1 —
E940-E959	Accidents due to medical & surgical intervention	{M F}	3 2	—	—	1 —	—	—	—	—	—	1 —	—	—	—	1 —	1 —	1 1	— —
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	{M F}	15 13	6 7	2 2	—	1 1	— 1	—	—	—	9 11	—	—	1 —	10 11	2 1	1 —	— —
Rem. of E800-E999	Other violence ..	{M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
N800-N829	Fractures ..	{M F}	11 11	1 3	1 2	—	—	—	—	—	—	2 5	—	—	—	2 5	1 2	2 1	3 2
N850-N856	Head injury (excluding skull fracture) ..	{M F}	8 4	—	—	—	—	—	—	—	—	—	—	—	—	—	3 2	2 —	1 —
N860-N869	Internal injury of chest, abdomen, & pelvis	{M F}	4 —	2 —	—	—	—	—	—	—	—	2 —	—	—	—	2 —	—	1 —	1 —
N940-N949	Burns ..	{M F}	6 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3 1
Rem. of N800-N999	Other injuries ..	{M F}	306 242	45 28	6 5	3 3	1 —	3 1	2 2	1 1	—	61 47	8 8	4 7	7 3	80 65	85 75	85 60	18 16

**TABLE 28.—Infant Mortality from Certain Causes }  
1953. Deaths under 1 year and various sub-divisions }  
of the first year, and deaths of illegitimate infants. }**

{ England and Wales, Standard Regions,  
Conurbations, and Aggregates of Urban  
and Rural areas outside the Conurbations. }

See explanatory notes on page vi.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	All Causes							Tuberculosis (001-019)						
<b>England and Wales</b>	<b>18324</b>	<b>12088</b>	<b>2348</b>	<b>2065</b>	<b>1114</b>	<b>709</b>	<b>1073</b>	<b>63</b>	<b>4</b>	<b>9</b>	<b>19</b>	<b>17</b>	<b>14</b>	<b>3</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	1697	1059	243	221	117	57	71	6	2	—	1	1	2	—
Tyneside conurbation .. ..	441	292	59	50	25	15	18	3	2	—	—	—	1	—
Remainder of Northern .. ..	1256	767	184	171	92	42	53	3	—	—	1	1	1	—
East and West Ridings .. ..	1961	1274	258	226	119	84	95	8	1	1	5	1	—	1
West Yorkshire conurbation ..	777	500	104	80	52	41	42	1	—	—	1	—	—	—
Remainder of E. & W. Ridings ..	1184	774	154	146	67	43	53	7	1	1	4	1	—	1
North Western .. .. .	3077	2056	389	335	176	121	173	4	1	1	1	1	—	—
South East Lancs. conurbation ..	1054	729	125	104	53	43	62	—	—	—	—	—	—	—
Merseyside conurbation .. ..	871	553	124	113	57	24	48	3	1	1	1	—	—	—
Remainder of North Western ..	1152	774	140	118	66	54	63	1	—	—	—	1	—	—
North Midland .. .. .	1521	989	182	187	105	58	83	6	—	2	2	2	—	—
Midland .. .. .	2014	1373	233	210	120	78	107	8	—	—	2	2	4	—
West Midland conurbation .. ..	1018	661	122	117	68	50	51	4	—	—	1	2	1	—
Remainder of Midland .. .. .	996	712	111	93	52	28	56	4	—	—	1	—	3	—
Eastern .. .. .	1166	787	157	119	57	46	71	2	—	—	1	1	—	—
London and South Eastern .. ..	3477	2323	417	379	214	144	274	16	—	2	3	7	4	1
Greater London .. .. .	2645	1777	303	291	164	110	219	14	—	2	3	5	4	1
Remainder of South Eastern .. ..	832	546	114	88	50	34	55	2	—	—	—	2	—	—
Southern .. .. .	982	647	129	113	67	26	60	4	—	2	1	1	—	—
South Western .. .. .	1130	761	139	113	65	52	69	3	—	—	2	—	1	—
Wales .. .. .	1299	819	201	162	74	43	70	6	—	1	1	1	3	1
Wales I .. .. .	957	594	143	129	56	35	46	5	—	1	1	1	2	—
Wales II .. .. .	342	225	58	33	18	8	24	1	—	—	—	—	1	1
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	6806	4512	837	755	419	283	440	25	3	3	6	7	6	1
Areas outside the conurbations ..	11518	7576	1511	1310	695	426	633	38	1	6	13	10	8	2
Urban areas with populations of 100,000 and over .. .. .	2595	1681	342	318	158	96	133	6	—	1	4	—	1	—
Urban areas with populations of 50,000 and under 100,000 .. ..	1484	986	199	166	80	53	105	7	—	2	2	3	—	—
Urban areas with populations .. under 50,000 .. .. .	3970	2595	533	454	228	160	224	10	1	2	2	1	4	1
Rural areas .. .. .	3469	2314	437	372	229	117	171	15	—	1	5	6	3	1
Whooping Cough (056)								Pneumonia (490-493, 763)						
<b>England and Wales</b>	<b>167</b>	<b>4</b>	<b>50</b>	<b>54</b>	<b>34</b>	<b>25</b>	<b>8</b>	<b>2940</b>	<b>890</b>	<b>712</b>	<b>787</b>	<b>353</b>	<b>198</b>	<b>149</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	11	—	7	3	—	1	—	329	74	81	109	47	18	16
Tyneside conurbation .. ..	4	—	3	1	—	—	—	54	16	14	14	7	3	3
Remainder of Northern .. ..	7	—	4	2	—	1	—	275	58	67	95	40	15	13
East and West Ridings .. ..	14	—	4	4	4	2	—	359	95	95	89	53	27	17
West Yorkshire conurbation ..	3	—	—	3	—	—	—	164	48	42	34	25	15	7
Remainder of E. & W. Ridings ..	11	—	4	1	4	2	—	195	47	53	55	28	12	10
North Western .. .. .	27	1	10	5	6	5	1	525	153	119	158	65	30	32
South East Lancs. conurbation ..	8	—	3	—	2	3	—	150	46	31	45	17	11	8
Merseyside conurbation .. ..	7	—	2	2	1	2	—	170	56	37	56	17	4	10
Remainder of North Western ..	12	1	5	3	3	—	1	205	51	51	57	31	15	14
North Midland .. .. .	18	1	4	8	4	1	—	216	50	45	73	34	14	9
Midland .. .. .	26	1	8	7	5	5	3	311	114	72	71	34	20	16
West Midland conurbation .. ..	16	—	4	6	3	3	2	159	50	40	37	22	10	7
Remainder of Midland .. .. .	10	1	4	1	2	2	1	152	64	32	34	12	10	9
Eastern .. .. .	10	—	3	3	1	3	—	166	57	48	40	9	12	10
London and South Eastern .. ..	30	—	8	13	5	4	2	507	170	124	122	56	35	23
Greater London .. .. .	23	—	6	10	4	3	2	393	132	92	97	45	27	18
Remainder of South Eastern .. ..	7	—	2	3	1	1	—	114	38	32	25	11	8	5
Southern .. .. .	11	—	—	4	6	1	1	133	50	30	36	12	5	5
South Western .. .. .	9	—	3	4	—	2	1	195	64	48	44	19	20	9
Wales .. .. .	11	1	3	3	3	1	—	199	63	50	45	24	17	12
Wales I .. .. .	7	1	1	2	3	—	—	156	54	35	33	19	15	10
Wales II .. .. .	4	—	2	1	—	1	—	43	9	15	12	5	2	2
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	61	—	18	22	10	11	4	1090	348	256	283	133	70	53
Areas outside the conurbations ..	106	4	32	32	24	14	4	1850	542	456	504	220	128	96
Urban areas with populations of 100,000 and over .. .. .	26	1	4	9	5	7	1	475	137	119	140	53	26	22
Urban areas with populations of 50,000 and under 100,000 .. ..	15	2	9	2	2	—	—	237	81	57	61	19	19	20
Urban areas with populations .. under 50,000 .. .. .	34	1	9	12	7	5	3	649	177	168	173	78	53	39
Rural areas .. .. .	31	—	10	9	10	2	—	489	147	112	130	70	30	15



TABLE 28—continued.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Bronchitis (500-502)							Gastro-enteritis (571, 764)						
England and Wales	430	39	129	138	75	49	28	665	60	221	212	126	46	59
Regional Summary & Conurbations														
Northern .. .. .	50	4	18	15	10	3	1	51	5	16	14	13	3	2
Tyneside conurbation .. .. .	15	1	5	6	3	—	1	11	3	3	1	3	1	—
Remainder of Northern .. .. .	35	3	13	9	7	3	—	40	2	13	13	10	2	2
East and West Ridings .. .. .	53	6	15	16	10	6	5	68	7	23	22	10	6	2
West Yorkshire conurbation .. .. .	14	1	5	4	2	2	1	21	3	7	6	3	2	1
Remainder of E. & W. Ridings .. .. .	39	5	10	12	8	4	4	47	4	16	16	7	4	1
North Western .. .. .	93	6	35	30	12	10	5	87	4	35	20	18	10	9
South East Lancs. conurbation .. .. .	28	2	7	11	3	5	1	24	2	9	4	5	4	2
Merseyside conurbation .. .. .	43	3	18	14	6	2	1	39	—	18	8	9	4	6
Remainder of North Western .. .. .	22	1	10	5	3	3	3	24	2	8	8	4	2	1
North Midland .. .. .	45	8	12	10	10	5	3	36	4	10	9	8	5	1
Midland .. .. .	42	3	9	15	8	7	2	60	10	14	18	12	6	4
West Midland conurbation .. .. .	23	2	8	6	4	3	1	34	4	7	12	6	5	1
Remainder of Midland .. .. .	19	1	1	9	4	4	1	26	6	7	6	6	1	3
Eastern .. .. .	20	4	4	4	3	5	1	53	3	23	17	6	4	11
London and South Eastern .. .. .	84	4	19	35	17	9	9	162	9	52	62	32	7	17
Greater London .. .. .	70	3	16	31	13	7	8	131	7	39	53	27	5	15
Remainder of South Eastern .. .. .	14	1	3	4	4	2	1	31	2	13	9	5	2	2
Southern .. .. .	18	1	7	5	4	1	1	48	3	17	18	8	2	7
South Western .. .. .	4	—	3	1	—	—	—	30	3	9	8	7	3	4
Wales .. .. .	21	3	7	7	1	3	1	70	12	22	24	12	—	2
Wales I .. .. .	17	3	4	6	1	3	—	61	10	19	21	11	—	2
Wales II .. .. .	4	—	3	1	—	—	1	9	2	3	3	1	—	—
Density Aggregates Summary														
Conurbations .. .. .	193	12	59	72	31	19	13	260	19	83	84	53	21	25
Areas outside the conurbations .. .. .	237	27	70	66	44	30	15	405	41	138	128	73	25	34
Urban areas with populations of 100,000 and over .. .. .	38	4	9	8	8	9	3	104	13	36	28	20	7	12
Urban areas with populations of 50,000 and under 100,000 .. .. .	28	—	14	7	2	5	4	60	4	16	22	16	2	4
Urban areas with populations under 50,000 .. .. .	90	9	27	31	15	8	4	124	15	41	40	19	9	5
Rural areas .. .. .	81	14	20	20	19	8	4	117	9	45	38	18	7	13
Congenital Malformations (750-759)								Injury at birth (760, 761)						
England and Wales	2934	1824	556	312	148	94	112	1836	1805	16	5	4	6	102
Regional Summary & Conurbations														
Northern .. .. .	266	159	66	29	8	4	10	159	154	4	—	—	1	4
Tyneside conurbation .. .. .	82	49	16	12	3	2	5	41	39	2	—	—	—	1
Remainder of Northern .. .. .	184	110	50	17	5	2	5	118	115	2	—	—	1	3
East and West Ridings .. .. .	276	179	52	27	12	6	8	199	198	—	—	1	—	6
West Yorkshire conurbation .. .. .	119	73	26	10	6	4	4	85	85	—	—	—	—	2
Remainder of E. & W. Ridings .. .. .	157	106	26	17	6	2	4	114	113	—	—	1	—	4
North Western .. .. .	492	321	93	42	17	19	16	308	303	1	2	2	—	14
South East Lancs. conurbation .. .. .	160	102	29	14	10	5	5	122	122	—	—	—	—	3
Merseyside conurbation .. .. .	140	87	28	17	2	6	5	83	82	—	1	—	—	5
Remainder of North Western .. .. .	192	132	36	11	5	8	6	103	99	1	1	2	—	6
North Midland .. .. .	249	159	34	33	13	10	9	118	112	5	—	1	—	7
Midland .. .. .	314	210	57	27	14	6	11	240	238	—	2	—	—	6
West Midland conurbation .. .. .	166	110	29	17	5	5	7	114	114	—	—	—	—	3
Remainder of Midland .. .. .	148	100	28	10	9	1	4	126	124	—	2	—	—	3
Eastern .. .. .	193	126	31	19	11	6	4	116	113	1	—	—	2	7
London and South Eastern .. .. .	598	368	101	64	33	32	36	340	335	2	—	—	3	34
Greater London .. .. .	448	277	76	46	26	23	29	275	270	2	—	—	3	30
Remainder of South Eastern .. .. .	150	91	25	18	7	9	7	65	65	—	—	—	—	4
Southern .. .. .	154	83	33	17	15	6	10	98	98	—	—	—	—	5
South Western .. .. .	197	113	37	27	17	3	5	136	134	1	1	—	—	11
Wales .. .. .	195	106	52	27	8	2	3	122	120	2	—	—	—	8
Wales I .. .. .	136	76	35	20	4	1	2	98	96	2	—	—	—	7
Wales II .. .. .	59	30	17	7	4	1	1	24	24	—	—	—	—	1
Density Aggregates Summary														
Conurbations .. .. .	1115	698	204	116	52	45	55	720	712	4	1	—	3	44
Areas outside the conurbations .. .. .	1819	1126	352	196	96	49	57	1116	1093	12	4	4	3	58
Urban areas with populations of 100,000 and over .. .. .	419	273	80	44	15	7	5	245	238	4	1	1	1	11
Urban areas with populations of 50,000 and under 100,000 .. .. .	236	139	54	23	14	6	12	169	167	1	—	1	—	7
Urban areas with populations under 50,000 .. .. .	602	373	112	71	28	18	21	391	385	3	2	1	—	22
Rural areas .. .. .	562	341	106	58	39	18	19	311	303	4	1	1	2	18

TABLE 28—continued.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Post-natal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
<b>England and Wales</b>	<b>2490</b>	<b>2460</b>	<b>19</b>	<b>9</b>	<b>1</b>	<b>1</b>	<b>130</b>	<b>408</b>	<b>394</b>	<b>8</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>10</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	174	174	—	—	—	—	9	25	25	—	—	—	—	—
Tyneside conurbation .. .. .	39	39	—	—	—	—	2	5	5	—	—	—	—	—
Remainder of Northern .. .. .	135	135	—	—	—	—	7	20	20	—	—	—	—	—
East and West Ridings .. .. .	275	271	3	1	—	—	12	30	27	3	—	—	—	1
West Yorkshire conurbation .. .. .	96	96	—	—	—	—	5	7	6	1	—	—	—	—
Remainder of E. & W. Ridings .. .. .	179	175	3	1	—	—	7	23	21	2	—	—	—	1
North Western .. .. .	421	413	6	1	—	1	22	64	61	2	1	—	—	2
South East Lancs. conurbation .. .. .	165	159	5	—	—	1	9	20	19	—	1	—	—	1
Merseyside conurbation .. .. .	129	129	—	—	—	—	7	20	19	1	—	—	—	—
Remainder of North Western .. .. .	127	125	1	1	—	—	6	24	23	1	—	—	—	1
North Midland .. .. .	212	208	2	2	—	—	9	36	35	—	1	—	—	—
Midland .. .. .	298	297	—	1	—	—	13	54	53	—	—	—	1	1
West Midland conurbation .. .. .	149	149	—	—	—	—	6	44	44	—	—	—	—	—
Remainder of Midland .. .. .	149	148	—	1	—	—	7	10	9	—	—	—	1	1
Eastern .. .. .	137	135	1	1	—	—	11	28	28	—	—	—	—	—
London and South Eastern .. .. .	518	515	2	—	1	—	29	90	89	1	—	—	—	2
Greater London .. .. .	438	435	2	—	1	—	26	66	65	1	—	—	—	1
Remainder of South Eastern .. .. .	80	80	—	—	—	—	3	24	24	—	—	—	—	1
Southern .. .. .	145	144	—	1	—	—	5	29	27	1	1	—	—	1
South Western .. .. .	170	167	2	1	—	—	11	27	26	—	—	—	1	2
Wales .. .. .	140	136	3	1	—	—	9	25	23	1	—	1	—	1
Wales I .. .. .	82	79	2	1	—	—	3	15	13	1	—	1	—	1
Wales II .. .. .	58	57	1	—	—	—	6	10	10	—	—	—	—	—
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	1016	1007	7	—	1	1	55	162	158	3	1	—	—	3
Areas outside the conurbations .. .. .	1474	1453	12	9	—	—	75	246	236	5	2	1	2	7
Urban areas with populations of 100,000 and over .. .. .	338	333	2	3	—	—	16	49	46	2	—	1	—	2
Urban areas with populations of 50,000 and under 100,000 .. .. .	187	183	1	3	—	—	13	28	27	—	—	—	1	2
Urban areas with populations under 50,000 .. .. .	479	474	3	2	—	—	24	88	86	1	1	—	—	—
Rural areas .. .. .	470	463	6	1	—	—	22	81	77	2	1	—	1	3
Immaturity associated with diseases of early infancy (760-773)*								Immaturity (774-776)						
<b>England and Wales</b>	<b>2823</b>	<b>2802</b>	<b>19</b>	<b>1</b>	<b>—</b>	<b>1</b>	<b>130</b>	<b>3546</b>	<b>3475</b>	<b>67</b>	<b>4</b>	<b>—</b>	<b>—</b>	<b>241</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	201	200	1	—	—	—	7	379	373	6	—	—	—	20
Tyneside conurbation .. .. .	44	44	—	—	—	—	3	114	113	1	—	—	—	5
Remainder of Northern .. .. .	157	156	1	—	—	—	4	265	260	5	—	—	—	15
East and West Ridings .. .. .	277	273	4	—	—	—	11	401	395	5	1	—	—	23
West Yorkshire conurbation .. .. .	108	107	1	—	—	—	6	158	156	2	—	—	—	14
Remainder of E. & W. Ridings .. .. .	169	166	3	—	—	—	5	243	239	3	1	—	—	9
North Western .. .. .	441	437	4	—	—	—	15	616	608	7	1	—	—	38
South East Lancs. conurbation .. .. .	168	165	3	—	—	—	5	203	201	1	1	—	—	15
Merseyside conurbation .. .. .	136	136	—	—	—	—	6	142	138	4	—	—	—	10
Remainder of North Western .. .. .	137	136	1	—	—	—	4	271	269	2	—	—	—	13
North Midland .. .. .	223	217	5	1	—	—	10	321	311	10	—	—	—	26
Midland .. .. .	370	369	1	—	—	—	12	330	323	7	—	—	—	26
West Midland conurbation .. .. .	197	196	1	—	—	—	7	136	135	1	—	—	—	10
Remainder of Midland .. .. .	173	173	—	—	—	—	5	194	188	6	—	—	—	16
Eastern .. .. .	151	151	—	—	—	—	8	248	243	5	—	—	—	16
London and South Eastern .. .. .	606	602	3	—	—	1	40	604	594	9	1	—	—	51
Greater London .. .. .	496	492	3	—	—	1	30	415	410	5	—	—	—	41
Remainder of South Eastern .. .. .	110	110	—	—	—	—	10	189	184	4	1	—	—	10
Southern .. .. .	171	171	—	—	—	—	7	187	179	8	—	—	—	15
South Western .. .. .	202	202	—	—	—	—	10	200	197	3	—	—	—	10
Wales .. .. .	181	180	1	—	—	—	10	260	252	7	1	—	—	16
Wales I .. .. .	124	123	1	—	—	—	7	195	191	3	1	—	—	8
Wales II .. .. .	57	57	—	—	—	—	3	65	61	4	—	—	—	8
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	1149	1140	8	—	—	1	57	1168	1153	14	1	—	—	95
Areas outside the conurbations .. .. .	1674	1662	11	1	—	—	73	2378	2322	53	3	—	—	146
Urban areas with populations of 100,000 and over .. .. .	386	383	3	—	—	—	15	508	501	7	—	—	—	37
Urban areas with populations of 50,000 and under 100,000 .. .. .	223	220	3	—	—	—	16	290	286	4	—	—	—	25
Urban areas with populations under 50,000 .. .. .	568	565	3	—	—	—	26	836	813	22	1	—	—	49
Rural areas .. .. .	497	494	2	1	—	—	16	744	722	20	2	—	—	35

\*Including some deaths shown elsewhere in this table.



**TABLE 29.**—Notifications of Certain Infectious Diseases. Case Rates per 100,000 Population, 1943-1953 (For the years 1943-1949, the Rates in this Table relate to Civilians only). } England and Wales and Certain Aggregates.

See Explanatory notes on page vii.

Disease.	Year.	England and Wales Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Typhoid fever	1943	1	1	1	1	1	1	1	2	1	1	1	1
	1944†	1	1	1	1	1	1	1	1	1	0	1	1
	1945†	1	1	1	1	1	1	1	1	0	1	1	1
	1946†	1	1	7	1	1	9	1	1	1	9	1	8
	1947†	1	1	1	1	1	0	1	1	1	0	1	1
	1948†	1	1	1	0	1	1	0	1	1	0	2	1
	1949†	1	1	0	1	1	0	1	—	1	0	1	1
	1950†	1	0	0	1	0	0	0	—	1	0	0	0
	1951†	0	0	0	1	1	0	0	—	0	0	1	1
	1952†	0	0	0	1	0	0	0	—	0	0	0	—
Paratyphoid fevers	1953†	0	0	0	1	0	0	0	—	0	0	0	0
	1943	1	1	1	1	1	1	1	0	1	1	1	1
	1944†	1	1	1	1	1	1	0	0	1	1	1	1
	1945†	1	1	1	1	1	1	1	0	1	1	1	1
	1946†	2	2	3	1	1	3	3	2	1	4	1	1
	1947†	1	1	0	1	1	0	1	—	1	0	2	1
	1948†	1	1	0	1	1	1	1	—	1	1	1	1
	1949†	1	1	0	1	1	0	2	0	1	0	1	1
	1950†	2	2	3	1	1	4	3	1	2	3	2	0
	1951†	2	1	23	1	2	24	3	17	1	29	1	5
Meningococcal infections	1952†	1	1	2	1	1	2	1	1	1	3	1	17
	1953†	1	1	2	1	1	2	1	1	1	3	1	2
	1943	8	8	9	9	6	9	10	9	7	9	6	9
	1944†	5	5	6	6	5	6	6	8	5	7	5	4
	1945†	5	5	6	6	4	5	5	8	4	7	4	4
	1946†	5	5	5	6	4	4	6	8	4	4	4	4
	1947†	5	5	6	5	4	5	7	8	5	7	4	4
	1948†	3	3	4	3	2	3	4	5	2	4	2	2
	1949†	2	2	2	2	3	2	3	2	2	2	1	2
	1950†	3	3	3	3	4	3	4	2	2	3	2	2
	1951†	3	3	4	3	3	4	4	5	3	4	2	3
	1952†	3	3	3	2	3	3	4	4	3	5	2	3
	1953†	3	3	3	3	2	3	4	3	2	4	2	2
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)

† See note at end of table.

TABLE 29—continued.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Scarlet fever	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1943	301	308	201	380	297	191	315	240	333	213	217	156
	1944†	240	241	228	157	235	222	270	252	243	243	215	188
	1945†	189	189	187	157	175	192	223	171	283	216	156	153
	1946†	138	137	153	142	127	155	154	147	132	181	115	113
	1947†	137	111	141	133	123	126	164	198	131	140	103	102
	1948†	173	170	219	137	154	193	209	310	165	210	128	164
	1949†	163	163	160	146	156	140	180	229	167	160	131	109
	1950†	150	150	155	123	147	143	163	195	152	170	136	101
	1951†	111	111	108	107	107	103	120	126	113	126	93	67
Diphtheria ...	1952†	153	156	107	156	148	100	171	133	164	116	111	74
	1953†	139	141	96	102	137	80	160	155	145	86	119	70
	1943	88	86	121	74	60	110	137	165	68	111	45	108
	1944†	59	56	90	31	44	86	85	106	50	92	31	77
	1945†	46	45	58	31	37	61	64	48	41	67	28	51
	1946†	29	28	42	24	23	42	37	40	25	44	18	38
	1947†	13	13	18	14	10	19	18	13	11	20	9	17
	1948†	8	8	7	10	7	8	11	6	3	8	5	8
	1949†	4	4	4	6	3	4	6	3	3	4	3	5
	1950†	2	2	2	2	1	2	3	2	1	3	1	2
Whooping cough	1951†	2	1	2	1	1	1	2	2	2	2	1	1
	1952†	1	1	2	1	1	1	1	2	1	2	0	1
	1953†	1	1	1	0	1	0	1	1	1	1	0	0
	1943	254	262	137	268	236	131	312	160	243	151	212	101
	1944†	249	253	185	290	257	191	237	164	252	185	270	199
	1945†	164	169	97	125	167	99	181	91	159	103	187	92
	1946†	229	235	126	222	216	115	272	164	215	121	218	106
	1947†	222	228	127	286	215	118	237	160	220	136	203	88
	1948†	342	349	237	313	347	227	363	274	342	241	358	203
	1949†	239	242	183	170	231	161	280	260	332	167	231	150
Erysipelas ...	1950†	360	372	173	321	347	138	431	296	351	148	338	123
	1951†	387	387	376	311	407	362	370	425	401	375	419	342
	1952†	261	267	166	166	249	153	328	210	250	160	246	142
	1953†	358	365	253	330	361	207	380	417	362	218	359	189
	1943	31	31	22	42	28	22	36	24	29	27	24	14
	1944†	29	29	22	37	27	21	32	28	28	26	24	13
	1945†	25	26	19	31	23	19	29	17	24	25	22	11
	1946†	22	23	16	27	20	16	25	16	22	25	18	11
	1947†	19	19	14	23	17	13	21	16	18	15	15	10
	1948†	21	22	17	22	20	17	25	20	21	19	18	14



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
Dysentery ...	1943 1944† 1945† 1946† 1947† 1948† 1949† 1950† 1951† 1952† 1953†	19 30 39 19 9 12 11 39 65 33 42	19 29 39 19 9 12 10 10 67 34 44	9 43 26 12 4 9 12 33 31 17 9	45 59 72 24 10 21 13 28 121 51 79	17 29 36 21 11 10 8 28 55 28 31	8 23 14 8 1 4 10 22 23 8 9	19 23 38 16 6 14 13 64 77 42 58	14 120 73 26 12 24 12 24 17 72 60 47 9	15 26 33 19 8 9 9 32 60 29 36	11 26 12 7 7 15 29 28 7 7	20 36 42 24 17 12 8 19 44 26 21	3 19 16 10 2 7 2 11 15 10 10 14
Measles ...	1943 1944† 1945† 1946† 1947† 1948† 1949† 1950† 1951† 1952† 1953†	988 416 1167 394 941 934 895 839 1407 886 1236	986 429 1170 405 936 955 916 733 1415 899 1261	1028 223 1123 189 1024 595 560 733 1271 689 834	917 298 903 735 539 917 854 657 1464 923 809	1032 391 1226 352 934 910 917 806 1419 923 1363	1053 236 1043 195 1030 634 485 660 1320 613 836	911 531 1127 418 1040 1049 930 968 1396 1080 1183	930 176 1421 167 1003 456 826 993 1097 958 827	995 412 1191 385 951 908 908 829 1451 856 1318	1313 263 1198 276 893 678 588 751 1347 733 890	1113 343 1306 276 893 914 938 724 1347 674 1460	637 192 792 192 779 564 318 557 1199 423 751
Acute poliomyelitis and polioencephalitis†	1943 1944† 1945† 1946† 1947† 1948† 1949†	1 1 2 2 18 4 14	1 1 2 2 19 4 14	1 1 2 1 15 5 8	2 7 2 1 22 4 20	1 2 2 2 20 5 15	7 1 2 2 15 4 7	1 1 2 1 16 4 12	7 0 3 7 14 7 9	1 1 2 2 19 4 14	1 2 7 2 10 3 5 5	1 2 3 2 22 4 15	7 7 3 7 17 4 4
Ac. poliomyelitis (Paralytic)	1950† 1951† 1952† 1953†	13 3 6 7	13 4 6 7	11 2 5 5	8 2 6 7	12 2 7 7	5 5 5 5	15 4 6 6	7 2 5 5	11 3 6 7	10 7 4 8	15 7 7 8	15 4 4 6
Ac. poliomyelitis (Non-para.)	1950† 1951† 1952† 1953†	5 2 3 4	5 2 3 4	5 3 2 3	5 2 3 3	5 2 3 4	5 3 1 3	5 3 3 3	5 5 4 5	5 2 3 4	4 3 2 3	6 2 3 5	7 3 1 2
*Puerperal fever and puerperal pyrexia	1943 1944† 1945† 1946† 1947† 1948† 1949† 1950† 1951† 1952† 1953†	22 21 18 18 16 13 11 9 17 28 29	23 21 19 18 16 13 11 6 10 29 30	15 14 13 13 9 6 5 9 13 14	25 22 26 21 16 15 13 11 27 55 51	19 17 14 14 12 9 8 7 12 19 20	11 10 9 9 6 4 4 3 6 8 9	30 30 25 25 23 20 17 15 25 42 42	29 31 28 27 21 14 14 14 12 20 31	21 19 16 16 14 11 9 8 15 22 24	14 12 11 10 7 5 6 4 8 10 11	14 13 11 9 7 6 5 7 11 11	7 6 6 6 4 3 7 7 3 6 6
Food poisoning ...	1950† 1951† 1952† 1953†	17 13 13 24	17 13 14 23	15 10 6 33	25 23 18 38	18 12 13 19	15 10 6 40	14 15 14 26	15 7 6 6	14 10 12 20	21 14 8 63	3 16 14 19	5 6 4 5

\*The London figures include the following notification rates for Puerperal fever alone:— 1943—0·05, 1944—0·06, 1945—0·06, 1946—0·06, 1947—0·04, 1948—0·01, 1949—Nil, 1950—Nil, 1951—Nil. The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August, 1951, and which apply throughout England and Wales, including London, contain a revised definition of Puerperal Pyrexia. From the 1st August, 1951, Puerperal Fever was no longer separately notifiable in London. †The rates in these years are based upon notifications finally corrected after amendment of diagnosis (except in Port Health Districts).

**TABLE 30.—Seasonal Incidence of Certain Infectious Diseases, 1953 (including Non-Civilians).** } England and Wales.

*Note.*—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week : where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

*See explanatory notes on page vii.*

Week ended	Typhoid fever	Paratyphoid fevers	Meningococcal Infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute Poliomyelitis		Food poisoning
								Paralytic	Non-paralytic	
Jan. 10 1953	—	25	126	104	68	110	241	37	29	33
" 17	33	100	132	134	71	60	208	40	16	21
" 24	100	100	112	155	92	95	213	24	24	28
" 31	33	88	132	156	92	120	259	35	18	28
Feb. 7	67	188	132	130	85	80	306	32	16	34
" 14	133	75	156	128	74	120	315	24	5	18
" 21	267	50	185	131	72	80	320	40	5	88
" 28	133	25	138	123	90	135	301	19	3	46
Mar. 7	200	75	103	129	91	110	269	19	13	83
" 14	33	75	132	141	101	155	262	24	5	43
" 21	100	50	144	137	102	100	265	32	16	21
" 28	67	63	129	147	105	100	251	67	11	27
Apr. 4	200	88	126	118	83	55	206	49	18	29
" 11	67	113	176	107	86	95	228	44	26	29
" 18	67	88	159	85	95	90	186	41	21	25
" 25	67	100	129	88	106	125	134	54	18	40
May 2	—	75	94	96	111	65	105	30	26	39
" 9	33	175	109	117	114	110	95	44	26	62
" 16	67	138	126	109	109	85	98	40	29	106
" 23	100	50	91	110	102	95	100	35	18	70
" 30	67	100	121	92	82	105	88	48	58	67
June 6	—	75	74	64	78	50	85	57	39	92
" 13	200	63	74	89	117	85	73	81	58	109
" 20	—	288	82	104	135	125	74	70	55	452
" 27	133	63	126	113	136	90	67	78	29	228
July 4	33	38	138	90	154	70	64	135	108	215
" 11	200	38	112	90	145	85	54	187	171	237
" 18	133	63	71	86	139	90	47	233	200	293
" 25	67	138	59	88	144	85	43	240	303	233
Aug. 1	133	238	62	80	135	55	35	265	271	348
" 8	100	150	71	58	127	110	27	287	305	188
" 15	333	125	91	41	154	110	21	295	347	176
" 22	100	88	41	36	143	55	15	229	332	153
" 29	33	200	85	38	137	80	10	190	308	88
Sept. 5	300	138	76	41	134	100	8	195	266	116
" 12	200	138	74	43	122	95	6	146	213	110
" 19	200	100	35	53	117	125	6	195	274	127
" 26	200	163	97	66	91	145	5	189	261	124
Oct. 3	333	200	65	84	75	120	6	125	205	118
" 10	133	163	91	83	79	100	7	170	182	75
" 17	—	138	88	90	69	100	7	129	118	71
" 24	100	213	100	107	72	145	8	141	121	90
" 31	133	100	65	104	68	90	8	140	89	51
Nov. 7	100	113	62	100	72	90	10	95	89	62
" 14	33	13	88	118	79	130	8	105	76	75
" 21	67	113	106	136	83	140	8	86	89	60
" 28	67	38	94	125	86	80	9	79	71	55
Dec. 5	100	13	79	131	86	65	9	78	42	93
" 12	33	63	79	122	91	105	9	73	34	63
" 19	33	50	65	108	76	80	8	62	32	64
" 26	—	13	62	80	47	75	6	30	26	49
Jan. 2 1954	33	—	79	94	75	145	13	63	34	57
Average weekly number of cases notified (original notifications)	3	8	34	1185	3036	20	10279	63	38	221



TABLE 31.—Cases of Certain Infectious Diseases Notified, } England and Wales.  
1943-1953.

See Explanatory notes on page vii.

(a) Total (excluding cases in Port Health Districts). { Civilians only, 1943-1949,  
including non-civilians for 1950 onwards.

Diseases	1943	1944†	1945†	1946†	1947†	1948†	1949†	1950†	1951†	1952†	1953†
Typhoid fever .. .. .	364	259	261	459	264	346	278	211	202	130	99
Paratyphoid fevers .. .. .	313	225	213	720	396	370	576	291	1094	1038	352
Plague .. .. .	—	—	—	—	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	1	—	—	—	—	—
Meningococcal infections .. .. .	2974	2018	1829	1880	2196	1198	934	1149	1390	1326	1354
Scarlet fever .. .. .	113917	90581	72174	56099	57246	73940	70186	65878	48735	67251	61172
Whooping cough .. .. .	96105	93944	62663	92892	92657	146372	102801	157752	169347	114863	157835
Diphtheria .. .. .	33277	22085	17580	11601	5492	3531	1874	959	658	372	265
Erysipelas .. .. .	11547	10894	9701	9023	7812	9094	8259	7642	5935	5997	5992
Ophthalmia neonatorum .. .. .	4502	3659	3314	3416	3245	2729	2229	1935	1762	1788	1772
Dysentery .. .. .	7031	11476	14728	7688	3711	5071	4513	17271	28564	14520	18409
Malaria (contracted in England and Wales) .. .. .	4	9	7	6	5	3	4	—	1	—	\$3
Relapsing fever .. .. .	1	6	5	3	1	2	—	—	2	—	1
Smallpox .. .. .	—	15	3	43	77	—	17	7	27	135	30
Measles .. .. .	373788	157125	445412	159553	393116	399185	385753	367598	616093	389448	544957
Ac. Poliomyelitis (Paralytic) .. .. .	444	495	821	655	7646	1829	5918	{ 5557	1527	2740	2970
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—	{ 2195	1082	1162	1568
Ac. Encephalitis (Infective) .. .. .	106	73	74	76	67	29	49	{ 186	202	112	166
Ac. Encephalitis (Post-infectious) .. .. .	—	—	5	—	1	—	—	{ 67	110	91	91
Typhus fever .. .. .	—	—	—	—	—	—	—	1	*3	*1	*1
Pneumonia (acute primary and acute influenzal) .. .. .	50683	36795	33349	36134	33006	31207	34386	30634	43229	31710	37200
Puerperal fever and pyrexia ‡ .. .. .	8350	7929	7006	7167	6528	5501	4724	4132	7417	12351	12716
Continued fever (London only) .. .. .	4	1	1	—	—	1	—	—	—	—	1
Food poisoning .. .. .	?	?	?	?	?	?	?	7506	5797	5872	10373

(b) Port Health Districts. { Civilians only 1943-1949,  
including non-civilians for 1950 onwards.

Typhoid fever .. .. .	3	8	10	11	12	15	31	25	4	5	2
Paratyphoid fevers .. .. .	—	—	1	5	4	—	3	2	1	1	1
Plague .. .. .	—	—	—	—	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .. .	2	1	3	2	4	—	1	1	—	1	—
Scarlet fever .. .. .	14	35	13	25	18	7	21	11	9	10	8
Whooping cough .. .. .	1	54	4	24	20	26	7	29	94	6	7
Diphtheria .. .. .	34	20	15	16	17	15	9	3	6	4	1
Erysipelas .. .. .	6	5	4	2	—	5	3	8	1	2	7
Ophthalmia neonatorum .. .. .	—	1	—	—	—	—	—	—	—	—	—
Dysentery .. .. .	6	7	16	43	28	16	14	15	26	15	17
Relapsing fever .. .. .	—	—	—	—	—	—	—	—	—	—	—
Smallpox .. .. .	—	—	—	1	—	—	2	1	—	—	—
Measles .. .. .	39	73	34	530	48	266	64	127	99	54	93
Ac. Poliomyelitis (Paralytic) .. .. .	—	3	3	6	9	7	14	{ 8	2	7	6
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—	{ —	3	1	3
Ac. Encephalitis (Infective) .. .. .	—	—	—	—	—	—	—	{ —	—	—	—
Ac. Encephalitis (Post-infectious) .. .. .	—	—	1	—	—	—	7	{ —	—	—	1
Typhus fever .. .. .	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal) .. .. .	16	28	28	37	40	29	22	29	30	26	14
Puerperal fever and pyrexia ‡ .. .. .	2	5	—	—	1	—	—	—	1	—	2
Continued fever (London only) .. .. .	—	—	—	—	—	—	—	—	—	—	—
Food poisoning .. .. .	?	?	?	?	?	?	?	2	2	—	3

(c) Non-Civilians (including cases in Port Health Districts).

Typhoid fever .. .. .	18	17	30	23	14	8	2
Paratyphoid fevers .. .. .	15	33	20	11	16	3	3
Plague .. .. .	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	—	—
Meningococcal infections .. .. .	327	290	231	130	86	18	8
Scarlet fever .. .. .	2103	2055	1500	606	782	884	460
Whooping cough .. .. .	30	46	24	20	5	12	8
Diphtheria .. .. .	1351	1094	1001	369	100	29	7
Erysipelas .. .. .	280	249	148	44	33	21	8
Dysentery .. .. .	868	1542	1534	210	63	17	11
Malaria (contracted in England and Wales) .. .. .	—	—	—	1	—	—	—
Relapsing fever .. .. .	1	—	—	—	—	—	—
Smallpox .. .. .	—	1	1	12	1	—	—
Measles .. .. .	2277	1281	1350	319	623	155	118
Ac. Poliomyelitis (Paralytic) .. .. .	12	34	34	19	121	19	50
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—
Ac. Encephalitis (Infective) .. .. .	3	6	2	2	1	1	—
Ac. Encephalitis (Post-infectious) .. .. .	—	—	22	1	—	—	—
Typhus fever .. .. .	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal) .. .. .	1708	1808	994	442	183	122	153
Puerperal fever and pyrexia ‡ .. .. .	2	10	7	12	6	3	—
Continued fever (London only) .. .. .	—	—	—	—	—	—	—

\*Not louse-borne. †Finally corrected notifications (except in Port Health Districts).

‡See the first footnote below Table 29. §Case unconfirmed.



TABLE 32.—Cases of Certain Infectious Diseases Notified, by Sex and Age, 1953. { England and Wales, Standard Regions, Conurbations.  
(including non-civilians). (excluding Port Health Districts).

Final numbers after correction.

Area.	All Ages.		0-		1-		3-		5-		10-		15-		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Scarlet fever.																		
England and Wales	30666	30506	94	84	2189	1898	6451	5754	17736	17871	2751	3539	994	803	384	494	67	63
Regional Summary and Conurbations :																		
Northern	2121	2197	10	5	196	179	486	397	1105	1199	222	315	72	67	26	26	4	9
Tyneside conurbation	492	514	2	1	43	46	122	101	264	268	44	79	10	12	7	7	—	—
Remainder of Northern	1629	1683	8	4	153	133	364	296	841	931	178	236	62	55	19	19	4	9
East and West Ridings	3742	3896	11	11	308	275	940	916	2083	2224	274	341	85	88	34	36	7	5
West Yorkshire conurbation	1565	1583	6	7	137	115	420	395	853	903	115	117	19	34	12	9	3	3
Remainder of East & West Ridings	2177	2313	5	4	171	160	520	521	1230	1321	159	224	66	54	22	27	4	2
North Western	5581	5740	16	17	408	373	1318	1131	3028	3209	584	771	144	151	73	84	10	4
South East Lancashire conurbation	1910	2073	2	7	133	137	484	416	1007	1150	215	292	51	47	16	24	2	—
Merseyside conurbation	1152	1133	5	6	115	84	256	227	646	658	96	116	24	31	10	10	—	1
Remainder of North Western	2519	2534	9	4	160	152	578	488	1375	1401	273	363	69	73	47	50	8	3
North Midland	2460	2277	10	2	158	120	492	429	1487	1386	186	240	86	54	28	40	13	6
Midland	2692	2744	4	7	168	157	512	514	1579	1620	269	314	110	71	47	57	3	4
West Midland conurbation	1465	1504	1	3	88	87	285	272	865	884	158	172	42	54	26	32	—	—
Remainder of Midland	1227	1240	3	4	80	70	227	242	714	736	111	142	68	17	21	25	3	4
Eastern	2335	2321	5	8	144	118	396	408	1469	1381	215	272	70	70	29	61	7	3
London and South Eastern	7384	6931	21	17	478	422	1353	1138	4634	4325	588	738	221	183	82	98	7	10
Greater London	5886	5493	15	12	399	346	1097	918	3676	3461	451	548	178	132	64	71	6	5
Remainder of South Eastern	1498	1438	6	5	79	76	256	220	958	864	137	190	43	51	18	27	1	5
Southern	1641	1647	5	3	97	85	309	253	908	964	174	246	114	55	29	38	5	3
South Western	1526	1440	2	5	100	85	315	244	892	857	135	166	53	37	21	32	8	14
Wales	1184	1313	10	9	132	84	330	324	551	706	104	136	39	27	15	22	3	5
Wales I	951	1054	8	6	111	64	269	256	444	576	82	107	25	24	11	19	1	2
Wales II	233	259	2	3	21	20	61	68	107	130	22	29	14	3	4	3	2	3
Density Aggregates Summary :																		
Conurbations	12470	12300	31	36	915	815	2664	2329	7311	7324	1079	1324	324	310	135	153	11	9
Areas outside the conurbations	18196	18206	63	48	1274	1083	3787	3425	10425	10547	1672	2215	670	493	249	341	56	54
Urban areas with populations of 100,000 and over	4700	4797	15	16	347	282	1109	951	2716	2841	339	532	116	100	51	71	7	4
Urban areas with populations of 50,000 and under 100,000	2582	2485	9	6	169	174	580	493	1534	1430	206	277	57	58	24	41	3	6
Urban areas with populations under 50,000	5909	6128	18	17	465	384	1209	1176	3370	3509	568	744	173	178	88	101	18	19
Rural areas	5005	4796	21	9	293	243	889	805	2805	2767	559	662	324	157	86	128	28	25



TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Whooping cough.																		
England and Wales	75478	82357	6928	7050	17920	19059	21500	23215	27205	30038	1110	1278	175	373	417	1072	223	272
Regional Summary and Conurbations :																		
Northern	5224	5734	558	569	1459	1559	1557	1726	1521	1706	50	48	4	21	22	45	53	60
Tyneside conurbation	1194	1371	143	143	329	397	390	399	320	411	9	4	—	7	3	10	—	—
Remainder of Northern	4030	4363	415	426	1130	1162	1167	1327	1201	1295	41	44	4	14	19	35	53	60
East and West Ridings	7291	7807	732	724	1773	1884	2197	2412	2456	2562	86	87	9	29	29	87	9	22
West Yorkshire conurbation	2816	2925	335	321	690	671	808	909	932	938	37	25	2	15	8	36	4	10
Remainder of East & West Ridings	4475	4882	397	403	1083	1213	1389	1503	1524	1624	49	62	7	14	21	51	5	12
North Western	11349	12346	1167	1150	3050	3326	3505	3677	3450	3892	109	137	19	50	36	100	13	14
South East Lancashire conurbation	3345	3638	345	351	856	984	1052	1053	1046	1152	30	42	6	19	8	29	2	8
Merseyside conurbation	3782	4066	450	408	1129	1207	1161	1194	1001	1184	24	36	4	16	9	19	4	2
Remainder of North Western	4222	4642	372	391	1065	1135	1292	1430	1403	1556	55	59	9	15	19	52	7	4
North Midland	5965	6374	506	549	1432	1469	1763	1807	2134	2351	77	96	7	13	24	69	22	20
Midland	8759	9610	806	890	2246	2400	2617	2781	2942	3263	108	137	7	32	21	95	12	12
West Midland conurbation	5088	5529	484	512	1323	1416	1583	1632	1648	1837	38	56	1	23	7	52	4	1
Remainder of Midland	3671	4081	322	378	923	984	1034	1149	1294	1426	70	81	6	9	14	43	8	11
Eastern	6288	6807	489	482	1343	1404	1617	1903	2619	2713	140	137	11	26	44	111	25	31
London and South Eastern	18628	20729	1601	1605	3914	4186	4879	5321	7663	8718	308	380	79	138	150	334	34	47
Greater London	14191	15986	1259	1242	2966	3226	3690	4118	5849	6728	235	288	70	110	99	238	23	36
Remainder of South Eastern	4437	4743	342	363	948	960	1189	1203	1814	1990	73	92	9	28	51	96	11	11
Southern	3662	3988	292	296	775	837	986	1048	1493	1607	62	81	14	20	28	92	12	7
South Western	5174	5531	458	436	1177	1214	1368	1492	1940	2081	129	127	17	32	46	98	39	51
Wales	3138	3431	319	349	751	780	1011	1048	987	1145	41	48	8	12	17	41	4	8
Wales I	2514	2747	267	285	618	628	820	854	764	908	28	26	4	9	11	33	2	4
Wales II	624	684	52	64	133	152	191	194	223	237	13	22	4	3	6	8	2	4
Density Aggregates Summary :																		
Conurbations	30416	33515	3016	2977	7293	7901	8684	9305	10796	12250	373	451	83	190	134	384	37	57
Areas outside the conurbations	45062	48842	3912	4073	10627	11158	12816	13910	16409	17788	737	827	92	183	283	688	186	215
Urban areas with populations of 100,000 and over	10573	11560	1067	1093	2737	2854	3097	3456	3495	3876	106	136	17	31	45	102	9	12
Urban areas with populations of 50,000 and under	5176	5635	469	464	1244	1342	1523	1640	1817	2030	70	55	9	19	29	65	15	20
Urban areas with populations under 50,000	15124	16457	1290	1397	3568	3759	4474	4789	5417	5874	209	256	28	68	98	255	40	59
Rural areas	14189	15190	1086	1119	3078	3203	3722	4025	5680	6008	352	380	38	65	111	266	122	124

TABLE 32—continued.

Area.	All Ages.		0-		1-		3-		5-		10-		15-		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Diphtheria.																		
England and Wales	117	148	—	—	9	14	21	19	41	43	22	11	11	23	13	38	—	—
Regional Summary and Conurbations:																		
Northern	4	14	—	—	—	1	—	1	2	3	1	1	—	5	1	3	—	—
Tyneside conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	4	14	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—
East and West Ridings	1	4	—	—	—	1	—	—	1	2	—	—	—	—	—	1	—	—
West Yorkshire conurbation	1	2	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
Remainder of East & West Ridings	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
North Western	18	35	—	—	2	5	3	4	2	5	6	6	2	8	3	7	—	—
South East Lancashire conurbation	1	7	—	—	—	—	—	1	—	1	1	2	—	2	—	1	—	—
Merseyside conurbation	15	25	—	—	2	4	2	3	2	4	5	4	1	6	3	4	—	—
Remainder of North Western	2	3	—	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—
North Midland	3	3	—	—	—	—	1	—	—	1	1	—	1	—	—	2	—	—
Midland	53	43	—	—	4	3	10	9	24	20	6	4	4	3	5	4	—	—
West Midland conurbation	45	36	—	—	3	3	9	7	18	17	6	3	4	2	5	4	—	—
Remainder of Midland	8	7	—	—	1	—	1	2	6	3	—	1	—	1	—	—	—	—
Eastern	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
London and South Eastern	12	11	—	—	—	2	2	1	4	3	3	—	2	—	1	5	—	—
Greater London	10	11	—	—	—	2	1	1	3	3	3	—	2	—	1	5	—	—
Remainder of South Eastern	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Southern	7	2	—	—	—	—	1	1	2	1	3	—	1	—	—	—	—	—
South Western	10	25	—	—	2	2	3	3	2	4	1	—	—	5	2	11	—	—
Wales	8	9	—	—	1	—	1	—	4	4	1	—	—	2	1	3	—	—
Wales I	8	8	—	—	1	—	1	—	4	3	1	—	—	2	1	3	—	—
Wales II	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Density Aggregates Summary:																		
Conurbations	72	81	—	—	5	10	12	12	24	25	15	9	7	10	9	15	—	—
Areas outside the conurbations	45	67	—	—	4	4	9	7	17	18	7	2	4	13	4	23	—	—
Urban areas with populations of 100,000 and over	8	16	—	—	1	2	2	1	2	4	1	—	1	2	1	7	—	—
Urban areas with populations of 50,000 and under 100,000	6	9	—	—	1	—	1	—	1	5	1	—	1	2	1	2	—	—
Urban areas with populations under 50,000	22	23	—	—	2	1	5	4	11	5	2	—	—	2	2	10	—	—
Rural areas	9	19	—	—	—	1	1	2	3	4	3	1	2	7	—	4	—	—



TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over			Unknown.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
									Measles.														
England and Wales	277092	267865	8654	8737	58690	55645	77755	74259	120278	115740	6753	6995	2455	3002	1635	2644	872	843					
Regional Summary and Conurbations :																							
Northern	16234	15677	730	703	4168	3893	4971	4863	5911	5680	236	269	84	113	55	89	79	67					
Tyne-side conurbation	4288	4084	210	194	1250	1127	1395	1388	1396	1326	20	27	8	11	6	10	3	1					
Remainder of Northern	11946	11593	520	509	2918	2766	3576	3475	4515	4354	216	242	76	102	49	79	76	66					
East and West Ridings	23231	22523	911	859	5599	5316	7128	6824	8955	8706	375	413	136	192	85	179	42	34					
West Yorkshire conurbation	9072	8938	317	315	2282	2072	2785	2652	3406	3475	155	201	60	98	45	104	22	21					
Remainder of East & West Ridings	14159	13585	594	544	3317	3244	4343	4172	5549	5231	220	212	76	94	40	75	20	13					
North Western	32306	31338	1404	1350	8240	7870	10101	9860	11791	11350	448	464	176	230	101	165	45	49					
South East Lancashire conurbation	11500	11142	491	431	3118	3015	3836	3720	3882	3749	94	115	40	43	21	50	18	19					
Merseyside conurbation	7636	7695	431	423	2121	2127	2287	2220	2618	2661	112	133	46	84	18	41	3	6					
Remainder of North Western	13170	12501	482	496	3001	2728	3978	3920	5291	4940	242	216	90	103	62	74	24	24					
North Midland	22799	22039	762	755	4741	4650	6372	6162	10006	9465	489	545	200	210	126	157	103	95					
Midland	30575	29263	1056	1093	6770	6369	8657	8331	12976	12234	640	740	256	254	149	189	71	53					
West Midland conurbation	16333	15862	658	676	4031	3844	4964	4810	6432	6172	141	179	58	109	46	69	3	3					
Remainder of Midland	14242	13401	398	417	2739	2525	3693	3521	6544	6062	499	561	198	145	103	120	68	50					
Eastern	23345	22221	488	549	4253	3874	6097	5572	11186	10677	730	804	310	325	184	332	97	88					
London and South Eastern	67043	64996	1710	1734	13412	12704	18056	16812	30945	30344	1679	1606	646	883	478	777	117	136					
Greater London	45097	43897	1331	1315	9826	9366	12752	11946	19778	19511	706	708	378	560	248	394	78	97					
Remainder of South Eastern	21946	21099	379	419	3586	3338	5304	4866	11167	10833	973	898	268	323	230	383	39	39					
Southern	24315	23379	588	616	4440	4067	6168	5947	11548	10939	1003	954	257	400	216	372	95	84					
South Western	26181	25853	576	652	4726	4699	6637	6537	12663	12195	905	970	304	321	191	292	179	187					
Wales	11063	10576	429	426	2341	2203	3568	3351	4297	4150	248	230	86	74	50	92	44	50					
Wales I	8331	7778	364	336	1849	1706	2805	2591	3107	2927	124	125	41	43	34	41	7	9					
Wales II	2732	2798	65	90	492	497	763	760	1190	1223	124	105	45	31	16	51	37	41					
Density Aggregates Summary :																							
Conurbations	93926	91618	3438	3354	22628	21551	28019	26736	37512	36894	1228	1363	590	905	384	668	127	147					
Areas outside the conurbations	183166	176247	5216	5383	36062	34094	49736	47523	82766	78846	5525	5632	1865	2097	1251	1976	745	696					
Urban areas with populations of 100,000 and over	34507	33656	1348	1336	8447	8097	11043	10657	12828	12565	474	473	188	274	106	191	73	63					
Urban areas with populations of 50,000 and under 100,000	21294	20149	659	662	4722	4304	6129	5770	9121	8559	367	431	157	217	88	176	51	30					
Urban areas with populations under 50,000	66510	64083	1874	2000	13050	12264	18291	17429	30597	29278	1552	1606	522	649	344	584	280	273					
Rural areas	60855	58359	1335	1385	9843	9429	14273	13667	30220	28444	3132	3122	998	957	713	1025	341	330					

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	Acute poliomyelitis (paralytic).																		
England and Wales	1592	1378	62	48	219	188	201	186	430	303	150	116	187	199	333	334	10	4	
Regional Summary and Conurbations :																			
Northern	72	50	5	1	15	9	9	4	16	14	5	6	9	9	13	7	—	—	
Tyneside conurbation	7	8	1	—	—	3	—	—	1	2	1	—	2	2	2	1	—	—	
Remainder of Northern	65	42	4	1	15	6	9	4	15	12	4	6	7	7	11	6	—	—	
East and West Ridings	142	123	3	7	27	23	21	17	37	22	10	4	16	22	28	28	—	—	
West Yorkshire conurbation	39	31	—	4	6	4	7	7	9	7	4	—	6	4	7	5	—	—	
Remainder of East & West Ridings	103	92	3	3	21	19	14	10	28	15	6	4	10	18	21	23	—	—	
North Western	144	138	6	11	23	24	16	23	35	30	6	7	21	15	37	28	—	—	
South East Lancashire conurbation	29	27	1	1	8	4	2	5	6	6	2	2	4	2	6	7	—	—	
Merseyside conurbation	24	26	1	3	3	4	2	5	7	1	1	—	5	6	5	7	—	—	
Remainder of North Western	91	85	4	7	12	16	12	13	22	23	3	5	12	7	26	14	—	—	
North Midland	116	97	3	1	23	10	15	15	37	24	13	7	12	17	12	23	1	—	
Midland	138	143	6	3	16	17	15	9	37	28	11	13	21	25	32	48	—	—	
West Midland conurbation	31	20	3	1	6	4	3	2	6	5	2	1	4	4	7	3	—	—	
Remainder of Midland	107	123	3	2	10	13	12	7	31	23	9	12	17	21	25	45	—	—	
Eastern	147	96	2	3	20	1	21	12	47	28	13	14	15	13	29	25	—	—	
London and South Eastern	464	400	21	10	54	53	69	60	128	107	55	27	47	57	89	85	1	1	
Greater London	316	278	16	9	40	43	45	43	90	67	36	15	30	40	59	60	—	—	
Remainder of South Eastern	148	122	5	1	14	10	24	17	38	40	19	12	17	17	30	25	1	—	
Southern	139	135	6	6	14	16	15	18	28	9	16	16	17	22	43	48	—	—	
South Western	153	135	5	4	13	15	12	15	47	34	16	17	21	14	32	33	7	3	
Wales	77	61	5	2	14	20	8	13	18	7	5	5	8	5	18	9	1	—	
Wales I	42	36	3	1	11	14	5	7	10	4	3	3	2	3	8	4	—	—	
Wales II	35	25	2	1	3	6	3	6	8	3	2	2	6	2	10	5	1	—	
Density Aggregates Summary :																			
Conurbations	446	390	22	18	63	62	59	62	119	88	46	18	51	58	86	83	—	1	
Areas outside the conurbations	1146	988	40	30	156	126	142	124	311	215	104	98	136	141	247	251	10	3	
Urban areas with populations of 100,000 and over	239	245	8	8	43	37	28	30	73	59	19	19	19	33	48	59	1	—	
Urban areas with populations of 50,000 and under 100,000	139	110	6	5	21	12	26	14	37	28	9	12	14	15	26	24	—	—	
Urban areas with populations under 50,000	405	328	14	7	55	47	47	43	111	64	36	31	48	51	90	85	4	—	
Rural areas	363	305	12	10	37	30	41	37	90	64	40	36	55	42	83	83	5	3	



TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
									Acute poliomyelitis (non-paralytic).											
England and Wales	926	642	8	6	52	36	120	77	318	168	171	79	130	129	124	144	3	3		
Regional Summary and Conurbations :																				
Northern	51	23	—	—	6	3	6	3	20	7	9	3	4	4	5	3	1	—		
Tyneside conurbation	12	2	—	—	1	—	2	1	2	—	3	1	3	—	1	—	—	—		
Remainder of Northern	39	21	—	—	5	3	4	2	18	7	6	2	1	4	4	3	1	—		
East and West Ridings	49	25	1	—	4	2	7	4	18	7	10	4	6	3	3	5	—	—		
West Yorkshire conurbation	8	9	—	—	1	2	—	3	2	2	2	1	2	1	1	—	—	—		
Remainder of East & West Ridings	41	16	1	—	3	—	7	1	16	5	8	3	4	2	2	5	—	—		
North Western	64	42	2	—	8	4	11	6	17	11	12	4	11	13	3	4	—	—		
South East Lancashire conurbation	16	9	—	—	2	1	2	1	3	1	4	2	3	3	2	1	—	—		
Merseyside conurbation	4	10	1	—	1	—	—	2	2	1	—	1	—	6	—	—	—	—		
Remainder of North Western	44	23	1	—	5	3	9	3	12	9	8	1	8	4	1	3	—	—		
North Midland	74	46	1	—	5	2	8	11	25	10	15	4	8	10	12	9	—	—		
Midland	114	69	1	1	9	5	20	7	40	22	16	5	15	11	13	18	—	—		
West Midland conurbation	24	12	1	—	3	1	4	1	7	4	5	1	3	1	1	4	—	—		
Remainder of Midland	90	57	—	1	6	4	16	6	33	18	11	4	12	10	12	14	—	—		
Eastern	99	54	—	2	3	1	15	6	40	15	16	8	13	7	12	15	—	—		
London and South Eastern	233	170	—	—	8	7	24	17	76	39	49	23	33	43	43	41	—	—		
Greater London	167	113	—	—	7	4	19	11	54	28	35	17	22	24	30	29	—	—		
Remainder of South Eastern	66	57	—	—	1	3	5	6	22	11	14	6	11	19	13	12	—	—		
Southern	92	96	1	—	—	5	14	7	37	25	19	11	7	20	14	28	—	—		
South Western	107	77	—	1	4	3	10	13	31	17	16	13	29	11	15	16	2	3		
Wales	43	40	2	2	5	4	5	3	14	15	9	4	4	7	4	5	—	—		
Wales I	28	30	2	1	4	4	5	2	8	11	5	2	—	6	4	4	—	—		
Wales II	15	10	—	1	1	—	—	1	6	4	4	2	4	1	—	1	—	—		
Density Aggregates Summary :																				
Conurbations	231	155	2	—	15	8	27	19	70	36	49	23	33	35	35	34	—	—		
Areas outside the conurbations	695	487	6	6	37	28	93	58	248	132	122	56	97	94	89	110	3	3		
Urban areas with populations of 100,000 and over	163	110	2	1	11	10	28	13	66	39	28	8	12	14	16	25	—	—		
Urban areas with populations of 50,000 and under 100,000	76	56	—	1	3	4	12	4	27	12	9	7	13	10	12	18	—	—		
Urban areas with populations under 50,000	207	166	2	2	10	6	23	21	76	40	43	19	25	46	28	32	—	—		
Rural areas	249	155	2	2	13	8	30	20	79	41	42	22	47	24	33	35	3	3		

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Enteric or typhoid fever.													
England and Wales .. .. .	43	56	1	—	11	4	18	28	9	16	4	8	—	—
Regional Summary and Conurbations :														
Northern .. .. .	3	6	—	—	2	—	1	3	—	1	—	2	—	—
Tyneside conurbation .. .. .	—	3	—	—	—	—	—	1	—	—	—	2	—	—
Remainder of Northern .. .. .	3	3	—	—	2	—	1	2	—	—	—	—	—	—
East and West Ridings .. .. .	1	10	—	—	—	—	1	3	—	5	—	2	—	—
West Yorkshire conurbation .. .. .	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Remainder of East & West Ridings .. .. .	—	9	—	—	—	—	—	2	—	5	—	2	—	—
North Western .. .. .	4	5	—	—	—	1	3	—	—	3	1	1	—	—
South East Lancashire conurbation .. .. .	2	1	—	—	—	—	1	—	—	1	1	—	—	—
Merseyside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western .. .. .	2	4	—	—	—	1	2	—	—	2	—	1	—	—
North Midland .. .. .	2	1	—	—	1	—	1	—	—	1	—	—	—	—
Midland .. .. .	3	5	—	—	—	—	1	3	1	1	1	1	—	—
West Midland conurbation .. .. .	2	3	—	—	—	—	1	2	—	1	—	—	—	—
Remainder of Midland .. .. .	1	2	—	—	—	—	—	1	—	—	—	1	—	—
Eastern .. .. .	4	5	—	—	—	—	—	3	3	2	1	—	—	—
London and South Eastern .. .. .	21	20	1	—	7	3	8	15	4	2	1	—	—	—
Greater London .. .. .	17	19	—	—	6	3	8	14	3	2	—	—	—	—
Remainder of South Eastern .. .. .	4	1	1	—	1	—	—	1	1	—	—	—	—	—
Southern .. .. .	2	1	—	—	1	—	1	—	—	—	—	1	—	—
South Western .. .. .	1	2	—	—	—	—	1	—	—	1	—	1	—	—
Wales .. .. .	2	1	—	—	—	—	1	1	1	—	—	—	—	—
Wales I .. .. .	2	1	—	—	—	—	1	1	1	—	—	—	—	—
Wales II .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations .. .. .	22	27	—	—	6	3	11	18	3	4	2	2	—	—
Areas outside the conurbations .. .. .	21	29	1	—	5	1	7	10	6	12	2	6	—	—
Urban areas with populations of 100,000 and over .. .. .	3	3	—	—	—	—	2	1	—	1	1	1	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	6	5	1	—	2	1	1	—	2	4	—	—	—	—
Urban areas with populations under 50,000 .. .. .	9	18	—	—	2	—	2	7	4	7	1	4	—	—
Rural areas .. .. .	3	3	—	—	1	—	2	2	—	—	—	1	—	—



TABLE 32—continued.

Area.	All Ages			0—		5—		15—		45—		65 and over.		Unknown	
	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
								Paratyphoid fevers.							
England and Wales	157	195		37	39	59	56	36	64	19	21	6	12	—	3
Regional Summary and Conurbations :															
Northern .. .. .	22	25		8	6	7	10	7	8	—	—	—	1	—	—
Tyneside conurbation .. .. .	12	13		4	3	3	6	5	4	—	—	—	—	—	—
Remainder of Northern .. .. .	10	12		4	3	4	4	2	4	—	—	—	1	—	—
East and West Ridings .. .. .	10	19		2	2	3	4	2	9	3	3	—	1	—	—
West Yorkshire conurbation .. .. .	6	11		2	—	1	3	1	5	2	2	—	1	—	—
Remainder of East & West Ridings .. .. .	4	8		—	2	2	1	1	4	1	1	—	—	—	—
North Western .. .. .	8	16		2	5	3	4	1	5	1	1	1	—	—	1
South East Lancashire conurbation .. .. .	3	5		2	1	—	—	—	3	1	1	—	—	—	—
Merseyside conurbation .. .. .	2	5		—	1	2	3	—	—	—	—	—	—	—	1
Remainder of North Western .. .. .	3	6		—	3	1	1	1	2	—	—	1	—	—	—
North Midland .. .. .	7	13		2	5	3	3	1	3	1	2	—	—	—	—
Midland .. .. .	21	21		5	1	4	4	5	13	6	1	1	2	—	—
West Midland conurbation .. .. .	2	4		—	—	—	—	1	4	1	—	—	—	—	—
Remainder of Midland .. .. .	19	17		5	1	4	4	4	9	5	1	1	2	—	—
Eastern .. .. .	6	8		3	4	2	1	—	2	1	1	—	—	—	—
London and South Eastern .. .. .	50	48		8	10	23	20	13	11	3	4	3	3	—	—
Greater London .. .. .	37	40		5	9	19	17	10	9	2	4	1	1	—	—
Remainder of South Eastern .. .. .	13	8		3	1	4	3	3	2	1	—	2	2	—	—
Southern .. .. .	9	4		2	2	4	1	2	—	1	—	—	1	—	—
South Western .. .. .	5	8		1	1	2	2	1	5	—	—	1	—	—	—
Wales .. .. .	19	33		4	3	8	7	4	8	3	9	—	4	—	2
Wales I .. .. .	12	15		4	3	5	4	2	6	1	1	—	1	—	—
Wales II .. .. .	7	18		—	—	3	3	2	2	2	8	—	3	—	2
Density Aggregates Summary :															
Conurbations .. .. .	62	78		13	14	25	29	17	25	6	7	1	2	—	1
Areas outside the conurbations .. .. .	95	117		24	25	34	27	19	39	13	14	5	10	—	2
Urban areas with populations of 100,000 and over .. .. .	21	26		6	7	6	5	6	10	2	2	1	2	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	9	7		2	1	6	3	1	3	—	—	—	—	—	—
Urban areas with populations under 50,000 .. .. .	31	57		7	12	10	11	7	17	3	9	4	6	—	2
Rural areas .. .. .	34	27		9	5	12	8	5	9	8	3	—	2	—	—

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Meningococcal infections.													
England and Wales	765	589	477	367	158	121	93	68	30	26	3	7	4	—
Regional Summary and Conurbations :														
Northern	73	65	55	45	11	14	6	4	1	1	—	1	—	—
Tyneside conurbation	20	19	19	12	1	4	—	1	—	1	—	1	—	—
Remainder of Northern	53	46	36	33	10	10	6	3	1	—	—	—	—	—
East and West Ridings	76	48	49	29	10	13	10	4	6	2	1	—	—	—
West Yorkshire conurbation	30	10	21	6	4	1	1	2	3	1	1	—	—	—
Remainder of East & West Ridings	46	38	28	23	6	12	9	2	3	1	—	—	—	—
North Western	120	117	91	93	15	13	11	7	2	3	1	1	—	—
South East Lancashire conurbation	42	56	30	42	6	8	5	4	1	2	—	—	—	—
Merseyside conurbation	38	35	31	31	6	2	—	1	—	—	1	1	—	—
Remainder of North Western	40	26	30	20	3	3	6	2	1	1	—	—	—	—
North Midland	59	38	30	21	18	8	9	8	1	1	—	—	1	—
Midland	113	90	62	48	26	19	17	20	8	3	—	—	—	—
West Midland conurbation	85	66	44	35	23	13	11	17	7	1	—	—	—	—
Remainder of Midland	28	24	18	13	3	6	6	3	1	2	—	—	—	—
Eastern	56	35	27	21	19	6	6	4	4	3	—	1	—	—
London and South Eastern	141	93	85	52	32	26	17	7	4	6	1	2	2	—
Greater London	119	71	75	40	26	18	12	7	3	5	1	1	2	—
Remainder of South Eastern	22	22	10	12	6	8	5	—	1	1	—	1	—	—
Southern	43	31	25	22	9	4	7	2	1	2	—	1	1	—
South Western	40	35	26	19	9	9	5	4	—	3	—	—	—	—
Wales	44	37	27	17	9	9	5	8	3	2	—	1	—	—
Wales I	32	28	21	14	6	7	3	4	2	2	—	1	—	—
Wales II	12	9	6	3	3	2	2	4	1	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	334	257	220	166	66	46	29	32	14	10	3	3	2	—
Areas outside the conurbations	431	332	257	201	92	75	64	36	16	16	—	4	2	—
Urban areas with populations of 100,000 and over	110	96	76	63	19	19	12	7	3	7	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	59	56	37	32	11	16	8	6	3	2	—	—	2	—
Urban areas with populations under 50,000	153	97	197	61	29	18	21	12	4	3	—	3	—	—
Rural areas	109	83	47	45	33	22	23	11	6	4	—	1	—	—



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
								Erysipelas.						
England and Wales	2644	3352	45	46	100	79	710	895	1207	1521	552	754	30	57
Regional Summary and Conurbations :														
Northern	185	238	4	3	6	4	56	50	82	115	33	64	4	2
Tyneside conurbation	53	56	—	—	2	—	18	11	25	28	8	17	—	—
Remainder of Northern	132	182	4	3	4	4	38	39	57	87	25	47	4	2
East and West Ridings	383	445	7	3	6	10	114	106	166	230	87	89	3	7
West Yorkshire conurbation	151	198	4	2	5	4	59	53	50	96	31	38	2	5
Remainder of East & West Ridings	232	247	3	1	1	6	55	53	116	134	56	51	1	2
North Western	409	426	7	7	17	16	109	125	190	192	81	84	5	2
South East Lancashire conurbation	148	142	1	4	10	5	40	39	71	67	25	27	1	—
Merseyside conurbation	102	87	5	—	5	2	30	31	39	38	22	16	1	—
Remainder of North Western	159	197	1	3	2	9	39	55	80	87	34	41	3	2
North Midland	209	311	4	5	14	6	54	79	79	149	57	68	1	4
Midland	234	296	3	7	8	6	67	77	109	135	46	68	1	3
West Midland conurbation	118	158	—	2	2	4	35	43	57	75	24	34	—	—
Remainder of Midland	116	138	3	5	6	2	32	34	52	60	22	34	1	3
Eastern	166	229	1	3	10	5	32	66	86	79	34	63	3	13
London and South Eastern	631	853	10	13	25	19	188	229	273	392	127	196	8	4
Greater London	487	654	9	13	19	18	149	182	206	299	101	140	3	2
Remainder of South Eastern	144	199	1	—	6	1	39	47	67	93	26	56	5	2
Southern	145	182	1	—	8	4	22	48	77	80	34	42	3	8
South Western	153	224	5	2	4	4	33	69	78	89	31	47	2	13
Wales	129	148	3	3	2	5	35	46	67	60	22	33	—	1
Wales I	93	108	3	3	2	5	26	34	49	43	13	22	—	1
Wales II	36	40	—	—	—	—	9	12	18	17	9	11	—	—
Density Aggregates Summary :														
Conurbations	1059	1295	19	21	43	33	331	359	448	603	211	272	7	7
Areas outside the conurbations	1585	2057	26	25	57	46	379	536	759	918	341	482	23	50
Urban areas with populations of 100,000 and over	458	490	9	9	13	5	108	128	235	237	91	108	2	3
Urban areas with populations of 50,000 and under 100,000	197	248	4	1	6	9	42	64	101	98	38	67	6	9
Urban areas with populations under 50,000	514	737	5	8	16	15	129	185	240	328	113	184	11	17
Rural areas	416	582	8	7	22	17	100	159	183	255	99	123	4	21

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	8992	9417	3908	3178	3076	2822	1271	2323	447	560	206	447	84	87
Regional Summary and Conurbations :														
Northern	712	823	306	263	259	233	116	192	18	73	11	61	2	1
Tyneside conurbation	159	228	71	51	58	50	27	50	1	36	2	41	—	—
Remainder of Northern	553	595	235	212	201	183	89	142	17	37	9	20	2	1
East and West Ridings	941	1069	484	397	287	285	124	245	28	74	12	63	6	5
West Yorkshire conurbation	636	728	344	273	193	208	68	151	18	50	7	42	6	4
Remainder of East & West Ridings	305	341	140	124	94	77	56	94	10	24	5	21	—	1
North Western	1745	1572	909	669	410	402	209	310	140	102	49	78	28	11
South East Lancashire conurbation	689	700	400	326	185	183	62	140	26	32	15	15	1	4
Merseyside conurbation	525	481	345	229	132	117	31	74	10	15	6	46	1	—
Remainder of North Western	531	391	164	114	93	102	116	96	104	55	28	17	26	7
North Midland	799	886	341	293	283	303	126	229	26	28	7	10	16	23
Midland	415	388	195	150	126	103	57	101	24	12	11	22	2	—
West Midland conurbation	253	245	129	111	82	63	30	61	10	4	2	6	—	—
Remainder of Midland	162	143	66	39	44	40	27	40	14	8	9	16	2	—
Eastern	847	886	283	204	330	304	162	262	36	50	22	48	14	18
London and South Eastern	2891	3142	1175	1017	1137	1008	368	796	134	177	69	134	8	10
Greater London	2564	2790	1052	914	993	902	331	711	121	146	63	109	4	8
Remainder of South Eastern	327	352	123	103	144	106	37	85	13	31	6	25	4	2
Southern	287	289	98	74	106	67	52	109	15	19	11	13	5	7
South Western	242	232	83	70	96	73	35	47	14	19	12	14	2	9
Wales	113	130	34	41	42	44	22	32	12	6	2	4	1	3
Wales I	58	62	22	24	21	25	10	10	4	1	1	2	—	—
Wales II	55	68	12	17	21	19	12	22	8	5	1	2	1	3
Density Aggregates Summary :														
Conurbations	4826	5172	2341	1904	1643	1523	549	1187	186	283	95	259	12	16
Areas outside the conurbations	4166	4245	1567	1274	1433	1299	722	1136	261	277	111	188	72	71
Urban areas with populations of 100,000 and over	1495	1594	709	577	479	460	219	444	37	56	11	28	40	29
Urban areas with populations of 50,000 and under 100,000	725	859	263	241	275	296	117	209	40	59	21	41	9	13
Urban areas with populations under 50,000	962	1006	366	267	381	322	147	249	34	79	18	74	16	15
Rural areas	984	786	229	189	298	221	239	234	150	83	61	45	7	14



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Smallpox.													
England and Wales .. .. .	19	11	—	1	4	1	7	5	8	3	—	1	—	—
Regional Summary and Conurbations :														
Northern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tyneside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings .. .. .	16	6	—	—	3	1	6	4	7	1	—	—	—	—
West Yorkshire conurbation .. .. .	10	1	—	—	2	—	5	1	3	—	—	—	—	—
Remainder of East & West Ridings .. .. .	6	5	—	—	1	1	1	3	4	1	—	—	—	—
North Western .. .. .	3	5	—	1	1	—	1	1	1	2	—	1	—	—
South East Lancashire conurbation .. .. .	2	4	—	1	1	—	1	1	—	1	—	1	—	—
Merseyside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western .. .. .	1	1	—	—	—	—	—	—	—	—	—	—	—	—
North Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Midland conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
London and South Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Greater London .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of South Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Western .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations .. .. .	12	5	—	1	3	—	6	2	3	1	—	1	—	—
Areas outside the conurbations .. .. .	7	6	—	—	1	—	1	3	5	2	—	—	—	—
Urban areas with populations of 100,000 and over .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations under 50,000 .. .. .	7	6	—	—	1	—	1	3	5	2	—	—	—	—
Rural areas .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (infective).														
England and Wales	97	69	24	22	30	19	33	20	8	6	2	2	—	—
Regional Summary and Conurbations :														
Northern	10	2	4	1	2	—	2	1	2	—	—	—	—	—
Tyneside conurbation	6	1	3	1	2	—	1	—	—	—	—	—	—	—
Remainder of Northern	4	1	1	—	—	—	1	—	2	—	—	—	—	—
East and West Ridings	10	4	3	1	5	1	2	1	—	1	—	—	—	—
West Yorkshire conurbation	4	—	1	—	2	—	1	—	—	—	—	—	—	—
Remainder of East & West Ridings	6	4	2	1	3	1	1	—	—	1	—	—	—	—
North Western	17	7	9	1	1	2	7	2	—	1	—	1	—	—
South East Lancashire conurbation	8	1	2	—	1	—	5	—	—	—	—	1	—	—
Merseyside conurbation	1	3	1	1	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	8	3	6	—	—	—	2	2	—	1	—	—	—	—
North Midland	6	5	—	5	4	—	1	—	—	—	1	—	—	—
Midland	7	10	1	4	3	5	1	1	2	—	—	—	—	—
West Midland conurbation	6	5	1	2	2	3	1	—	2	—	—	—	—	—
Remainder of Midland	1	5	—	2	1	2	—	1	—	—	—	—	—	—
Eastern	11	7	2	2	4	2	4	3	1	—	—	—	—	—
London and South Eastern	22	18	3	6	8	2	9	5	2	4	—	1	—	—
Greater London	12	13	2	3	4	2	6	3	—	4	—	1	—	—
Remainder of South Eastern	10	5	1	3	4	—	3	2	2	—	—	—	—	—
Southern	9	8	2	1	2	5	4	2	—	—	1	—	—	—
South Western	5	3	—	1	1	1	3	1	1	—	—	—	—	—
Wales	—	5	—	—	—	1	—	4	—	—	—	—	—	—
Wales I	—	4	—	—	—	1	—	3	—	—	—	—	—	—
Wales II	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	37	23	10	7	11	7	14	3	2	4	—	2	—	—
Areas outside the conurbations	60	46	14	15	19	12	19	17	6	2	—	—	—	—
Urban areas with populations of 100,000 and over	12	8	2	1	6	1	4	5	—	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	10	7	4	4	1	1	3	1	2	1	—	—	—	—
Urban areas with populations under 50,000	24	19	6	6	7	6	9	7	2	—	—	—	—	—
Rural areas	14	12	2	4	5	4	3	4	2	—	2	—	—	—



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (post-infectious).														
England and Wales .. .. .	60	31	13	12	26	16	13	2	7	1	1	—	—	—
Regional Summary and Conurbations :														
Northern .. .. .	4	2	2	—	1	2	1	—	—	—	—	—	—	—
Tyneside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern .. .. .	4	2	2	—	—	2	—	—	—	—	—	—	—	—
East and West Ridings .. .. .	5	6	—	1	3	3	2	2	—	—	—	—	—	—
West Yorkshire conurbation .. .. .	1	2	—	1	1	—	—	1	—	—	—	—	—	—
Remainder of East & West Ridings .. .. .	4	4	—	—	2	3	2	1	—	—	—	—	—	—
North Western .. .. .	2	1	—	—	2	—	—	—	—	1	—	—	—	—
South East Lancashire conurbation .. .. .	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Merseyside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western .. .. .	2	—	—	—	2	—	—	—	—	—	—	—	—	—
North Midland .. .. .	11	2	6	1	2	1	2	—	1	—	—	—	—	—
Midland .. .. .	8	5	2	4	3	1	1	—	2	—	—	—	—	—
West Midland conurbation .. .. .	7	5	2	4	3	1	—	—	2	—	—	—	—	—
Remainder of Midland .. .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern .. .. .	1	—	—	—	1	—	—	—	—	—	—	—	—	—
London and South Eastern .. .. .	16	10	3	3	7	7	4	—	1	—	1	—	—	—
Greater London .. .. .	12	7	3	1	5	6	3	—	—	—	1	—	—	—
Remainder of South Eastern .. .. .	4	3	—	2	2	1	1	—	1	—	—	—	—	—
Southern .. .. .	6	3	—	2	2	1	2	—	2	—	—	—	—	—
South Western .. .. .	6	2	—	1	5	1	—	—	1	—	—	—	—	—
Wales .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Wales I .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Wales II .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations .. .. .	20	15	5	6	9	7	3	1	2	1	1	—	—	—
Areas outside the conurbations .. .. .	40	16	8	6	17	9	10	1	5	—	—	—	—	—
Urban areas with populations of 100,000 and over .. .. .	10	3	2	1	3	2	3	—	2	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	3	—	—	—	2	—	—	—	1	—	—	—	—	—
Urban areas with populations under 50,000 .. .. .	14	10	1	4	6	5	5	—	2	—	—	—	—	—
Rural areas .. .. .	13	3	5	1	6	2	2	—	—	—	—	—	—	—

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	20330	16870	3707	3209	2500	2044	4701	3699	5637	3670	3620	4099	165	149
Regional Summary and Conurbations :														
Northern	1863	1289	486	369	202	160	384	298	502	239	278	214	11	9
Tyne-side conurbation	674	498	170	137	71	64	147	122	175	94	108	81	3	—
Remainder of Northern	1189	791	316	232	131	96	237	176	327	145	170	133	8	9
East and West Ridings	2770	2163	527	481	336	264	610	479	790	456	494	472	13	11
West Yorkshire conurbation	839	687	155	159	104	79	184	135	243	149	145	160	8	5
Remainder of East & West Ridings	1931	1476	372	322	232	185	426	344	547	307	349	312	5	6
North Western	2558	2015	660	606	298	240	595	415	644	373	339	369	22	12
South East Lancashire conurbation	1026	839	229	203	134	116	212	187	296	169	145	159	10	5
Merseyside conurbation	691	587	267	245	70	61	149	112	141	87	64	82	—	—
Remainder of North Western	841	589	164	158	94	63	234	116	207	117	130	128	12	7
North Midland	1506	1191	212	205	186	127	381	264	415	287	292	292	20	16
Midland	2451	1754	374	328	282	233	679	379	696	404	406	388	14	22
West Midland conurbation	1332	972	243	209	140	117	301	200	424	227	223	219	1	—
Remainder of Midland	1119	782	131	119	142	116	378	179	272	177	183	169	13	22
Eastern	1142	978	161	135	176	122	266	216	289	217	236	271	14	17
London and South Eastern	4663	4580	694	591	607	517	980	1056	1388	1077	967	1311	27	28
Greater London	3599	3484	539	429	432	382	768	857	1095	838	745	965	20	13
Remainder of South Eastern	1064	1096	155	162	175	135	212	199	293	239	222	346	7	15
Southern	1080	1000	170	118	146	118	236	220	270	221	239	309	19	14
South Western	1295	1129	231	204	147	153	319	203	355	234	224	319	19	16
Wales	1002	771	192	172	120	110	251	169	288	162	145	154	6	4
Wales I	770	584	155	143	95	84	190	128	228	125	99	100	3	4
Wales II	232	187	37	29	25	26	61	41	60	37	46	54	3	—
Density Aggregates Summary :														
Conurbations	8161	7067	1603	1382	951	819	1761	1613	2374	1564	1430	1666	42	23
Areas outside the conurbations	12169	9803	2104	1827	1549	1225	2940	2086	3263	2106	2190	2433	123	126
Urban areas with populations of 100,000 and over	3363	2751	710	610	400	335	700	576	941	601	601	625	11	4
Urban areas with populations of 50,000 and under 100,000	1282	1033	258	184	156	120	276	215	354	235	226	265	12	14
Urban areas with populations under 50,000	3737	3207	635	562	497	377	859	704	1005	679	701	832	40	53
Rural areas	3787	2812	501	471	496	393	1105	591	963	591	662	711	60	55



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Food poisoning.													
England and Wales .. .. .	4764	5609	863	765	870	797	1663	2167	864	1096	417	656	87	128
Regional Summary and Conurbations :														
Northern .. .. .	435	444	134	125	52	62	153	145	77	76	17	34	2	2
Tyneside conurbation .. .. .	49	48	14	10	9	10	21	21	5	5	—	2	—	—
Remainder of Northern .. .. .	386	396	120	115	43	52	132	124	72	71	17	32	2	2
East and West Ridings .. .. .	508	544	104	110	72	64	183	206	77	87	62	61	10	16
West Yorkshire conurbation .. .. .	233	213	31	39	26	22	109	88	36	33	26	19	5	12
Remainder of East & West Ridings .. .. .	275	331	73	71	46	42	74	118	41	54	36	42	5	4
North Western .. .. .	1108	1307	177	150	158	151	429	625	242	272	83	92	19	17
South East Lancashire conurbation .. .. .	175	161	46	37	23	20	58	69	28	27	19	8	1	—
Merseyside conurbation .. .. .	127	217	51	36	27	9	35	156	12	11	2	5	—	—
Remainder of North Western .. .. .	806	929	80	77	108	122	336	400	202	234	62	79	18	17
North Midland .. .. .	139	189	36	26	31	25	48	87	18	33	5	10	1	8
Midland .. .. .	397	351	74	66	54	40	157	155	98	79	14	9	—	2
West Midland conurbation .. .. .	217	164	30	22	13	13	104	77	60	49	10	3	—	—
Remainder of Midland .. .. .	180	187	44	44	41	27	53	78	38	30	4	6	—	2
Eastern .. .. .	265	301	70	69	61	42	84	119	34	41	12	25	4	5
London and South Eastern .. .. .	1112	1440	177	137	295	259	339	501	159	224	124	269	18	50
Greater London .. .. .	982	1194	150	117	274	229	307	441	130	173	114	218	7	16
Remainder of South Eastern .. .. .	130	246	27	20	21	30	32	60	29	51	10	51	11	34
Southern .. .. .	249	358	33	24	16	34	75	159	37	20	72	99	16	22
South Western .. .. .	170	202	28	35	45	22	55	70	25	41	16	33	1	1
Wales .. .. .	381	473	30	23	86	98	140	100	97	223	12	24	16	5
Wales I .. .. .	144	125	28	22	53	57	34	27	11	9	3	7	15	3
Wales II .. .. .	237	348	2	1	33	41	106	73	86	214	9	17	1	2
Density Aggregates Summary :														
Conurbations .. .. .	1783	1997	322	261	372	303	634	852	271	298	171	255	13	28
Areas outside the conurbations .. .. .	2981	3612	541	504	498	494	1029	1315	593	798	246	401	74	100
Urban areas with populations of 100,000 and over .. .. .	722	1038	174	182	130	121	239	463	124	178	43	73	12	21
Urban areas with populations of 50,000 and under 100,000 .. .. .	276	302	39	47	48	33	101	119	64	59	19	29	5	15
Urban areas with populations under 50,000 .. .. .	1253	1489	163	143	194	232	426	470	283	415	157	196	30	33
Rural areas .. .. .	730	783	165	132	126	108	263	263	122	146	27	103	27	31

TABLE 33.—Cases of Certain Infectious Diseases Notified, 1953.  
(including non-civilians)

{ England and Wales ; Standard Regions ; Conurbations ; Counties ;  
County Boroughs ; Other Urban Districts ; Rural Districts.

See explanatory notes on page v.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.	
											Non-paralytic.	Paralytic.	Non-paralytic.	Infective.				Post-infectious.
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
(a) Numbers Originally Notified																		
*ENGLAND AND WALES (including Port Health Districts):																		
Total .. .. .	162	404	1784	62020	158293	1035	6079	1782	19605	545456	3335	1943	182	95	37499	12785	11844	
Total (excluding Port Health Districts)	160	403	1784	62012	158286	1034	6072	1782	19588	545363	3329	1940	182	94	37485	12783	11841	
Port Health Districts .. .. .	2	1	—	8	7	1	7	—	17	93	6	3	—	1	14	2	3	
Regional Summary and Conurbations:																		
Northern .. .. .	17	51	179	4360	10971	61	423	36	1626	31991	133	75	16	7	3198	811	977	
Tyneside conurbation .. .. .	4	25	55	1019	2573	4	111	6	427	8394	18	12	9	1	1203	206	138	
Remainder of Northern .. .. .	13	26	124	3341	8398	57	312	30	1199	23597	115	63	7	6	1995	605	839	
East and West Ridings .. .. .	15	32	183	7776	15184	63	844	82	2074	45782	306	102	18	11	5023	830	1213	
West Yorkshire conurbation .. .. .	4	19	51	3185	5772	22	360	24	1387	17979	92	20	4	3	1483	207	480	
Remainder of East and West Ridings .. .. .	11	13	132	4591	9412	41	484	58	687	27803	214	82	14	8	3540	623	733	
*North Western .. .. .	19	46	296	11513	23836	287	852	275	3707	63725	370	139	25	4	4598	2453	3046	
South East Lancashire conurbation .. .. .	7	9	106	4074	7067	54	303	65	1501	22673	92	31	9	1	1868	948	345	
Merseyside conurbation .. .. .	3	25	113	2341	7880	207	192	157	1288	15347	92	31	4	—	1289	1071	734	
Remainder of North Western .. .. .	9	12	77	5098	8889	26	357	53	918	25705	186	77	12	3	1441	434	1967	
North Midland .. .. .	5	22	145	4774	12356	31	522	31	1832	44841	206	196	13	9	2700	621	406	
Midland .. .. .	11	44	309	5504	18399	328	542	750	838	59856	383	203	18	13	4247	939	788	
West Midland conurbation .. .. .	6	8	237	3015	10638	300	287	649	525	32235	139	36	12	12	2340	515	408	
Remainder of Midland .. .. .	5	36	72	2489	7761	28	255	101	313	27621	244	167	6	1	1907	424	380	
Eastern .. .. .	16	14	93	4695	13105	7	397	39	1739	45656	255	162	17	3	2129	886	698	
London and South Eastern .. .. .	51	107	305	14546	39490	128	1509	379	6393	132043	952	527	43	30	9282	4399	2850	
Greater London .. .. .	45	85	262	11601	30317	122	1165	360	5715	88962	674	380	29	23	7121	3795	2467	
Remainder of South Eastern .. .. .	6	22	43	2945	9173	6	344	19	678	43081	278	147	14	7	2161	604	383	
Southern .. .. .	7	16	79	3316	7627	12	327	85	600	47628	274	220	17	8	2073	695	361	
South Western .. .. .	11	16	91	3003	10731	69	379	51	526	52170	305	231	8	8	2444	789	361	
Wales .. .. .	8	55	104	2525	6587	48	277	54	253	21671	145	85	7	1	1791	360	871	
Wales I .. .. .	8	30	77	2031	5273	42	201	39	128	16126	83	58	6	1	1371	327	285	
Wales II .. .. .	—	25	27	494	1314	6	76	15	125	5545	62	27	1	—	420	33	586	
Density Aggregates Summary:																		
Conurbations .. .. .	69	171	824	25235	64247	709	2418	1261	10843	185590	1107	510	67	40	15304	6742	4572	
Areas outside the conurbations .. .. .	91	232	960	36777	94039	325	3654	521	8745	359773	2222	1430	115	54	2181	6041	7269	
Urban areas with populations of 100,000 and over .. .. .	12	47	282	9651	22200	73	959	216	3244	68209	481	356	25	14	6207	2433	2021	
Urban areas with populations of 50,000 and under 100,000 .. .. .	16	18	156	5112	10833	70	446	80	1663	41536	250	158	19	5	2408	1074	734	
Urban areas with populations under 50,000 .. .. .	37	101	294	12140	31595	117	1251	160	2014	130637	782	443	43	23	6968	1613	2849	
Rural areas .. .. .	26	66	228	9874	29411	65	998	65	1824	119391	709	473	28	12	6598	921	1665	

\* Smallpox cases notified :—Original : England and Wales, 30 ; East and West Ridings, 22 ; (West Yorkshire Conurbation), 9 ; (Remainder of East and West Ridings), 13 ; North Western, 8 ; (South East Lancashire Conurbation), 6 ; (Remainder of North Western), 2.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Acute Poliomyelitis				Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
										Measles.	Paralytic.	Non-paralytic.	Infective.	Post-infectious.				
														12	13			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
(b) Final Number after Correction																		
Total .. .. .	99	352	1354	61172	157835	265	5996	1773	18409	544957	2970	1568	166	91	37200	12716	10373	
Regional Summary and Conurbations:																		
Northern .. .. .	9	47	138	4318	10958	18	423	34	1535	31911	122	74	12	6	3152	811	879	
Tyneside conurbation .. .. .	3	25	39	1006	2565	—	109	6	387	8372	15	14	7	—	1172	206	97	
Remainder of Northern .. .. .	6	22	99	3312	8393	18	314	28	1148	23539	107	60	5	6	1980	605	782	
East and West Ridings .. .. .	11	29	124	7638	15098	5	828	33	2010	45754	265	74	14	11	4933	825	1052	
West Yorkshire conurbation .. .. .	2	17	40	3148	5741	3	349	26	1364	18010	70	17	4	3	1526	210	446	
Remainder of East and West Ridings .. .. .	9	12	84	4490	9357	2	479	57	646	27744	195	57	10	8	3407	615	606	
*North Western .. .. .	9	24	237	11321	23695	53	835	273	3317	63644	282	106	24	3	4573	2442	2415	
South East Lancashire conurbation .. .. .	3	8	98	3983	6983	8	290	65	1389	22642	56	25	9	1	1865	941	336	
Merseyside conurbation .. .. .	—	7	73	2285	7848	40	189	157	1006	15331	176	14	4	—	1278	1070	344	
Remainder of North Western .. .. .	6	9	66	5053	8864	5	356	51	922	25671	13	67	11	2	1430	431	1735	
North Midland .. .. .	3	20	97	4737	12339	6	520	32	1685	44838	213	120	11	13	2697	622	328	
Midland .. .. .	8	42	203	5436	18369	96	530	748	803	59838	281	183	17	13	4205	906	748	
West Midland conurbation .. .. .	5	6	151	2969	10617	81	276	647	498	32195	51	36	11	12	2304	485	381	
Remainder of Midland .. .. .	3	36	52	2467	7752	15	254	101	305	27643	230	147	6	1	1901	421	367	
Eastern .. .. .	9	14	91	4656	13095	3	395	40	1733	45566	243	153	18	1	2120	886	566	
London and South Eastern .. .. .	41	98	234	14315	39357	23	1484	374	6033	132039	864	403	40	26	9243	4386	2552	
Greater London .. .. .	36	77	190	11379	30177	21	1141	355	5354	88994	594	280	25	19	7083	3784	2176	
Remainder of South Eastern .. .. .	5	21	44	2936	9180	2	343	19	679	43045	270	123	15	7	2160	602	376	
Southern .. .. .	3	13	74	3288	7650	9	327	84	576	47694	274	188	17	9	2080	692	607	
South Western .. .. .	3	13	75	2966	10705	35	377	51	474	52034	288	184	8	8	2424	786	372	
Wales .. .. .	3	52	81	2497	6569	17	277	54	243	21639	138	83	5	1	1773	360	854	
Wales I .. .. .	3	27	60	2005	5261	16	201	38	120	16109	78	58	4	1	1354	327	269	
Wales II .. .. .	—	25	21	492	1308	1	76	16	123	5530	60	25	1	—	419	33	585	
Density Aggregates Summary:																		
Conurbations .. .. .	49	140	591	24770	63931	153	2354	1256	9998	185544	836	386	60	35	15228	6696	3780	
Areas outside the conurbations .. .. .	50	212	763	36402	93904	112	3642	517	8411	359413	2134	1182	106	56	21972	6020	6593	
Urban areas with populations of 100,000 and over .. .. .	6	47	206	9497	22133	24	948	212	3089	68163	484	273	20	13	6114	2430	1760	
Urban areas with populations of 50,000 and under 100,000 .. .. .	11	16	115	5067	10811	15	445	79	1584	41443	249	132	17	3	2315	1070	578	
Urban areas with populations under 50,000 .. .. .	27	88	250	12037	31581	45	1251	159	1968	130593	733	373	43	24	6944	1601	2742	
Rural areas .. .. .	6	61	192	9801	29379	28	998	67	1770	119214	668	404	26	16	6599	919	1513	

\* Smallpox cases notified :—Final : England and Wales, 30 ; East and West Ridings, 22 ; (West Yorkshire Conurbation), 11 ; (Remainder of East and West Ridings), 11 ; North Western, 8 ; (South East Lancashire Conurbation.), 6 ; (Remainder of North Western), 2.

TABLE 33—*continuea.*

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ENGLAND (excluding Monmouth)</b>																	
<b>BEDFORDSHIRE :</b>																	
Admin. County ...	—	1	7	421	1052	—	36	6	505	5821	18	6	3	—	239	97	42
Urban Districts ...	—	—	5	343	614	—	22	6	474	3821	12	6	3	—	177	96	29
Ampthill ...	—	—	—	—	—	—	—	—	—	46	—	—	3	—	—	—	—
Bedford M.B. ...	—	—	1	126	338	—	5	2	133	1703	—	3	2	—	112	42	9
Biggleswade ...	—	—	—	2	22	—	1	—	—	121	—	—	—	—	2	—	—
Dunstable M.B. ...	—	—	—	16	27	—	—	—	6	253	3	—	—	—	7	1	1
Kempston ...	—	—	—	20	46	—	1	—	2	306	—	—	—	—	5	1	1
Leighton Buzzard ...	—	—	—	23	83	—	—	—	—	153	2	—	—	—	25	—	—
Luton M.B. ...	—	—	4	155	74	—	14	4	330	1214	6	3	1	—	22	52	18
Sandy ...	—	—	—	1	24	—	1	—	3	25	1	—	—	—	4	—	—
Rural Districts ...	—	1	2	78	438	—	14	—	31	2000	6	—	—	—	62	1	13
Ampthill ...	—	1	—	13	140	—	6	—	8	684	—	—	—	—	7	—	1
Bedford ...	—	—	—	42	107	—	5	—	17	555	1	—	—	—	33	—	7
Biggleswade ...	—	—	1	7	171	—	3	—	3	342	2	—	—	—	13	—	—
Luton ...	—	—	1	16	20	—	—	—	3	419	3	—	—	—	9	1	5
<b>BERKSHIRE</b>																	
County Borough :	1	1	13	561	1241	7	43	4	103	6487	32	19	3	4	465	96	68
Reading ...	—	—	4	139	136	—	18	1	35	1610	3	1	1	1	124	49	3
Admin. County ...	1	1	9	422	1105	7	25	3	68	4877	29	18	2	3	341	47	65
Urban Districts ...	—	1	4	115	205	1	11	3	6	1046	10	6	—	2	68	12	7
Abingdon M.B. ...	—	—	1	32	72	—	3	—	2	329	2	—	—	—	22	1	—
Maidenhead M.B. ...	—	1	1	43	48	—	4	—	4	168	4	4	—	—	21	1	—
Newbury M.B. ...	—	—	1	12	5	—	2	2	—	94	2	—	—	2	7	—	1
New Windsor M.B. ...	—	—	1	12	12	—	2	—	—	84	1	1	—	—	15	3	2
Wallingford M.B. ...	—	—	—	—	34	1	—	—	—	40	—	—	—	—	1	1	4
Wantage ...	—	—	—	3	4	—	—	—	—	153	—	1	—	—	—	—	—
Wokingham M.B. ...	—	—	—	13	30	—	—	1	—	178	1	—	—	—	2	6	—
Rural Districts ...	1	—	5	307	900	6	14	—	62	3831	19	12	2	1	273	35	58
Abingdon ...	—	—	2	49	98	6	2	—	9	742	—	—	—	—	25	3	—
Bradfield ...	—	—	1	8	76	—	2	—	20	524	5	1	—	—	96	3	6
Cookham ...	—	—	1	23	64	—	1	—	3	141	5	3	—	1	10	—	2
Easthampstead ...	1	—	—	90	121	—	2	—	2	252	1	1	1	—	25	1	1
Faringdon ...	—	—	—	13	92	—	—	—	2	552	1	1	—	—	20	—	—
Hungerford ...	—	—	—	2	94	—	—	—	—	22	—	—	—	—	5	—	—
Newbury ...	—	—	—	10	59	—	—	—	—	193	1	2	—	—	8	3	36
Wallingford ...	—	—	1	14	84	—	—	—	5	318	1	—	—	—	3	—	6
Wantage ...	—	—	—	21	27	—	—	—	1	346	2	—	—	—	6	1	3
Windsor ...	—	—	—	26	21	—	4	—	2	65	—	1	—	—	12	17	—
Wokingham ...	—	—	—	51	164	—	3	—	18	676	3	3	1	—	63	7	4
<b>BUCKINGHAMSHIRE:</b>																	
Admin. County ...	—	—	3	863	512	—	51	2	62	5715	27	30	5	2	297	101	19
Urban Districts ...	—	—	1	469	274	—	32	2	41	2604	11	11	4	1	148	47	11
Aylesbury M.B. ...	—	—	—	30	12	—	4	1	4	446	1	2	—	1	7	18	—
Beaconsfield ...	—	—	1	28	6	—	3	—	1	260	—	—	—	—	3	—	1
Bletchley ...	—	—	—	31	7	—	—	—	7	506	—	—	—	—	16	1	—
Buckingham M.B. ...	—	—	—	1	11	—	—	—	—	37	—	—	—	—	—	—	—
Chesham ...	—	—	—	3	1	—	—	—	—	124	—	—	—	—	—	—	1
Eton ...	—	—	—	7	46	—	—	—	2	51	—	1	—	—	1	—	1
High Wycombe M.B. ...	—	—	—	72	14	—	5	—	10	337	3	5	1	—	19	—	1
Linslade ...	—	—	—	21	20	—	—	—	—	24	—	—	—	—	20	—	1
Marlow ...	—	—	—	7	11	—	1	—	—	17	1	—	—	—	—	1	—
Newport Pagnell ...	—	—	—	4	—	—	—	—	11	101	1	1	—	—	1	3	—
Slough M.B. ...	—	—	—	215	143	—	17	1	6	526	5	2	—	—	64	24	6
Wolverton ...	—	—	—	50	3	—	2	—	—	175	—	—	3	—	17	—	—
Rural Districts ...	—	—	2	394	238	—	19	—	21	3111	16	19	1	1	149	54	8
Amersham ...	—	—	—	59	79	—	4	—	2	878	3	2	1	1	13	15	—
Aylesbury ...	—	—	—	32	5	—	4	—	9	354	2	1	—	—	28	2	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>BUCKS—contd.</b>																	
<b>Rural Districts</b>																	
—contd.																	
Buckingham ...	—	—	—	25	2	—	2	—	1	224	—	4	—	—	4	—	—
Eton ...	—	—	1	152	70	—	5	—	2	694	6	2	—	—	48	36	6
Newport Pagnell ...	—	—	—	27	5	—	1	—	4	229	—	—	—	—	5	—	—
Wing ...	—	—	—	11	9	—	1	—	—	97	—	3	—	—	19	—	—
Winslow ...	—	—	—	29	12	—	—	—	—	201	—	—	—	—	3	—	—
Wycombe ...	—	—	1	59	56	—	2	—	3	434	5	7	—	—	29	1	—
<b>CAMBRIDGESHIRE :</b>																	
<b>Admin. County</b> ...	—	1	3	219	243	—	24	—	190	2184	31	14	—	—	94	131	22
<b>Urban District:</b>																	
Cambridge M.B.	—	1	—	100	51	—	15	—	150	982	17	6	—	—	48	123	12
<b>Rural Districts</b> ...	—	—	3	119	192	—	9	—	40	1202	14	8	—	—	46	8	10
Chesterton ...	—	—	—	75	115	—	3	—	35	478	7	4	—	—	23	5	7
Newmarket ...	—	—	—	8	16	—	—	—	—	48	—	—	—	—	10	—	1
South Cambridge-shire ...	—	—	3	36	61	—	6	—	5	676	7	4	—	—	13	3	2
<b>CHESHIRE</b>																	
<b>County Boroughs</b> ...	—	7	35	2076	4591	18	176	8	245	10965	60	17	7	—	939	254	183
Birkenhead ...	—	4	21	843	1512	12	65	2	165	3426	22	2	4	—	316	171	120
Chester ...	—	4	6	253	728	2	26	—	87	759	7	—	1	—	208	34	39
Stockport ...	—	—	3	20	127	—	2	1	7	375	9	2	2	—	21	4	48
Wallasey ...	—	—	12	322	276	—	17	—	24	1374	1	—	1	—	50	122	27
<b>Admin. County</b> ...	—	3	14	1233	3079	6	111	6	80	7539	38	15	3	—	623	83	63
<b>Urban Districts</b> ...	—	2	10	955	2247	6	95	5	79	5739	25	8	3	—	449	77	40
Alderley Edge ...	—	—	—	—	4	—	—	—	—	5	—	—	—	—	4	—	—
Alsager ...	—	—	—	—	35	—	4	—	—	169	1	—	—	—	2	—	3
Altrincham M.B. ...	—	—	1	58	19	1	9	—	—	302	—	—	—	—	15	4	1
Bebington M.B. ...	—	1	1	77	200	2	14	—	21	273	7	2	1	—	27	2	6
Bollington ...	—	—	—	13	60	—	1	—	—	31	—	—	—	—	1	—	3
Bowdon ...	—	—	—	2	3	—	—	—	—	23	—	—	—	—	1	—	—
Bredbury and Romiley ...	—	—	—	18	28	—	—	—	—	382	1	1	—	—	4	—	1
Cheadle and Gatley ...	—	1	—	35	39	—	3	—	1	152	—	—	—	—	20	—	—
Congleton M.B. ...	—	—	—	42	155	—	3	—	4	204	—	—	—	—	28	3	1
Crewe M.B. ...	—	—	—	63	244	—	5	1	1	680	—	1	—	—	3	3	—
Dukinfield M.B. ...	—	—	—	47	111	—	1	—	—	363	1	—	—	—	82	—	2
Ellesmere Port ...	—	—	3	58	87	1	12	—	6	208	—	—	1	—	19	2	—
Hale ...	—	—	—	7	4	—	—	—	—	76	2	2	—	—	—	—	—
Hazel Grove and Bramhall ...	—	—	1	34	6	—	—	—	1	102	—	—	—	—	2	1	6
Hoole ...	—	—	—	5	35	—	2	—	—	19	—	—	—	—	1	—	7
Hoylake ...	—	—	1	44	181	—	4	—	—	82	2	—	—	—	21	1	—
Hyde M.B. ...	—	—	—	62	96	—	12	—	—	552	—	—	—	—	32	3	3
Knutsford ...	—	—	—	4	39	—	—	—	—	86	—	—	—	—	1	1	—
Longendale ...	—	—	—	6	2	—	1	—	1	170	—	—	—	—	7	1	1
Lymm ...	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—
Macclesfield M.B. ...	—	—	—	53	189	—	6	3	5	109	2	—	—	—	69	41	1
Marple ...	—	—	—	57	47	—	3	—	11	220	1	1	—	—	2	2	—
Middlewich ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Nantwich ...	—	—	—	24	8	1	—	—	—	49	1	—	—	—	1	8	—
Neston ...	—	—	—	26	22	—	—	—	—	41	1	—	—	—	15	1	—
Northwich ...	—	—	1	17	64	—	—	—	8	61	—	—	—	—	7	—	—
Runcorn ...	—	—	—	56	184	—	4	—	—	467	—	—	—	—	5	—	—
Sale M.B. ...	—	—	1	65	46	—	2	—	19	103	3	—	1	—	17	3	—
Sandbach ...	—	—	—	1	33	—	2	1	1	73	2	1	—	—	—	1	—
Stalybridge M.B. ...	—	—	—	25	121	—	4	—	—	423	—	—	—	—	26	—	—
Wilmslow ...	—	—	1	15	53	—	1	—	—	176	1	—	—	—	15	—	—
Winsford ...	—	—	—	1	7	1	1	—	—	84	—	—	—	—	1	—	—
Wirral ...	—	—	—	33	125	—	1	—	—	53	—	—	—	—	21	—	5

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>CHESHIRE—contd.</b>																	
Rural Districts ..	—	1	4	278	832	—	16	1	1	1800	13	7	—	—	174	6	23
Bucklow ..	—	—	—	7	67	—	—	—	—	86	—	—	—	—	2	—	—
Chester ..	—	1	—	34	52	—	2	—	—	129	4	—	—	—	55	—	17
Congleton ..	—	—	1	7	26	—	1	—	—	97	—	—	—	—	2	1	3
Disley ..	—	—	—	1	3	—	1	—	—	46	—	—	—	—	4	—	—
Macclesfield ..	—	—	1	21	86	—	2	—	—	238	3	—	—	—	16	—	—
Nantwich ..	—	—	1	42	160	—	1	—	—	194	3	6	—	—	38	1	2
Northwich ..	—	—	1	107	272	—	4	—	—	411	2	—	—	—	9	—	—
Runcorn ..	—	—	—	29	132	—	5	1	—	382	1	—	—	—	5	4	1
Tarvin ..	—	—	—	24	32	—	—	—	1	164	—	—	—	—	41	—	—
Tintwistle ..	—	—	—	6	2	—	—	—	—	53	—	1	—	—	2	—	—
<b>CORNWALL:</b>																	
Admin. County ..	—	2	2	238	1212	8	24	3	19	6393	15	15	1	4	188	127	45
<b>Urban Districts</b>																	
Bodmin M.B. ..	—	1	—	134	573	6	14	—	18	3707	7	5	1	2	90	112	3
Bude-Stratton ..	—	—	—	3	13	—	—	—	3	10	—	—	—	—	3	—	—
Camborne-Redruth ..	—	—	—	8	14	—	—	—	—	78	2	2	—	—	1	—	—
Falmouth M.B. ..	—	—	—	31	199	—	4	—	10	1117	2	—	—	—	35	106	1
Fowey M.B. ..	—	—	—	4	29	—	1	—	1	319	2	1	—	—	6	2	—
Helston M.B. ..	—	—	—	6	2	—	—	—	—	61	—	—	—	—	—	1	—
Launceston M.B. ..	—	—	—	1	28	—	—	—	—	164	—	—	—	—	—	—	—
Liskeard M.B. ..	—	—	—	12	29	—	1	—	—	221	—	—	—	—	5	—	—
Looe ..	—	—	—	—	4	—	—	—	—	81	—	1	—	—	12	1	—
Lostwithiel M.B. ..	—	—	—	1	38	—	—	—	—	55	—	—	—	—	3	1	—
Newquay ..	—	—	—	11	16	—	—	—	3	251	—	—	—	—	1	—	1
Padstow ..	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—
Penryn M.B. ..	—	—	—	—	2	—	—	—	—	89	—	—	—	—	—	—	—
Penzance M.B. ..	—	1	—	25	21	3	2	—	—	418	—	—	—	2	1	—	—
St. Austell ..	—	—	—	2	114	1	—	—	—	298	1	1	—	—	1	—	—
St. Ives M.B. ..	—	—	—	17	28	—	—	—	—	7	—	—	1	—	—	—	—
St. Just ..	—	—	—	—	1	—	—	—	—	128	—	—	—	—	—	—	—
Saltash M.B. ..	—	—	—	4	4	—	6	—	—	234	—	—	—	—	13	1	1
Torpoint ..	—	—	—	3	—	2	—	—	—	19	—	—	—	—	6	—	—
Truro M.B. ..	—	—	—	3	31	—	—	—	1	111	—	—	—	—	3	—	—
<b>Rural Districts</b>																	
Camelford ..	—	1	2	104	639	2	10	3	1	2686	8	10	—	2	98	15	42
Kerrier ..	—	—	—	1	17	—	—	—	—	45	2	—	—	—	6	—	—
Launceston ..	—	—	—	31	10	—	1	—	—	332	1	7	—	—	3	3	—
Liskeard ..	—	—	—	1	10	1	—	—	—	237	—	—	—	—	1	—	—
St. Austell ..	—	—	1	27	105	—	—	—	—	486	—	—	—	1	7	1	—
St. Germans ..	—	—	—	1	176	—	—	1	1	288	1	—	—	—	4	1	1
Scilly, Isles of ..	—	—	1	17	44	1	6	—	—	424	—	1	—	—	31	1	2
Stratton ..	—	—	—	2	1	—	—	—	—	2	—	—	—	—	3	—	—
Truro ..	—	—	—	7	8	—	—	—	—	85	2	—	—	—	4	1	—
Wadebridge ..	—	—	—	8	124	—	2	2	—	534	2	1	—	1	23	2	27
West Penwith ..	—	1	—	1	66	—	1	—	—	65	—	—	—	—	9	3	12
West Penwith ..	—	—	—	8	78	—	—	—	—	188	—	1	—	—	7	3	—
<b>CUMBERLAND</b>																	
County Borough:	—	—	16	281	982	—	57	4	28	3960	31	32	1	—	152	141	32
Carlisle ..	—	—	6	80	264	—	11	4	25	1057	20	13	—	—	26	88	18
Admin. County ..	—	—	10	201	718	—	46	—	3	2903	11	19	1	—	126	53	14
<b>Urban Districts</b>																	
Cockermouth ..	—	—	4	85	285	—	25	—	1	1658	2	5	—	—	54	42	5
Keswick ..	—	—	—	—	12	—	—	—	—	6	—	—	—	—	—	—	—
Maryport ..	—	—	—	1	2	—	—	—	—	63	—	—	—	—	—	—	—
Penrith ..	—	—	—	13	56	—	—	—	1	462	—	1	—	—	10	1	2
Whitehaven M.B. ..	—	—	—	8	5	—	1	—	—	103	—	—	—	—	7	—	—
Workington M.B. ..	—	—	2	22	102	—	6	—	—	181	1	2	—	—	18	16	—
Workington M.B. ..	—	—	1	41	108	—	18	—	—	843	1	2	—	—	19	25	3



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>CUMBERLAND</b>																	
—contd.																	
Rural Districts ...	—	—	6	116	433	—	21	—	2	1245	9	14	1	—	72	11	9
Alston with Garrigill ...	—	—	—	—	51	—	1	—	—	2	—	—	—	—	3	—	—
Border ...	—	—	1	35	44	—	1	—	1	420	5	5	—	—	5	1	2
Cockermouth ...	—	—	2	12	27	—	3	—	—	274	—	1	—	—	10	1	5
Ennerdale ...	—	—	2	29	118	—	2	—	1	61	—	1	—	—	19	7	2
Millom ...	—	—	1	7	80	—	3	—	—	88	—	—	—	—	4	—	—
Penrith ...	—	—	—	17	10	—	1	—	—	207	1	1	1	—	17	1	—
Wigton ...	—	—	—	16	103	—	10	—	—	193	3	6	—	—	14	1	—
<b>DERBYSHIRE</b> ...	—	2	13	1132	2719	—	171	9	81	11125	31	20	3	—	648	77	51
County Borough :	—	—	3	136	518	—	26	5	26	1600	4	8	1	—	108	26	5
Derby ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Admin. County ...	—	2	10	996	2201	—	145	4	55	9525	27	12	2	—	540	51	46
Urban Districts ...	—	—	5	553	1260	—	64	2	19	4907	11	2	1	—	262	37	30
Alfreton ...	—	—	—	20	59	—	2	—	—	149	—	—	—	—	1	—	—
Ashbourne ...	—	—	—	—	49	—	7	—	—	140	—	—	—	—	4	1	—
Bakewell ...	—	—	—	2	62	—	—	—	—	29	—	—	—	—	8	—	—
Belper ...	—	—	1	61	106	—	—	—	2	435	—	—	—	—	8	1	18
Bolsover ...	—	—	—	8	94	—	3	—	—	247	—	—	—	—	1	—	3
Buxton M.B. ...	—	—	—	18	43	—	1	—	—	21	3	—	—	—	15	1	—
Chesterfield M.B. ...	—	—	—	133	169	—	19	—	1	419	1	2	—	—	60	27	1
Clay Cross ...	—	—	2	25	81	—	2	—	—	51	—	—	—	—	17	1	5
Dronfield ...	—	—	—	29	3	—	1	—	—	108	—	—	—	—	8	—	—
Glossop M.B. ...	—	—	—	31	7	—	4	1	—	349	—	—	—	—	2	—	—
Heanor ...	—	—	—	44	184	—	9	—	—	655	2	—	—	—	30	1	2
Ilkeston M.B. ...	—	—	1	49	76	—	2	—	—	267	1	—	1	—	11	1	1
Long Eaton ...	—	—	—	42	33	—	1	—	—	507	2	—	—	—	23	—	—
Matlock ...	—	—	—	10	127	—	—	—	1	300	1	—	—	—	3	1	—
New Mills ...	—	—	—	16	8	—	1	—	15	224	—	—	—	—	5	1	—
Ripley ...	—	—	—	22	89	—	8	—	—	559	—	—	—	—	54	1	—
Staveley ...	—	—	—	31	40	—	4	—	—	146	—	—	—	—	3	—	—
Swadlincote ...	—	—	1	5	8	—	—	1	—	138	1	—	—	—	5	1	—
Whaley Bridge ...	—	—	—	6	22	—	—	—	—	51	—	—	—	—	1	—	—
Wirksworth ...	—	—	—	1	—	—	—	—	—	112	—	—	—	—	3	—	—
Rural Districts ...	—	2	5	443	941	—	81	2	36	4618	16	10	1	—	278	14	16
Ashbourne... ..	—	—	—	5	53	—	4	—	—	184	—	—	—	—	6	—	1
Bakewell ...	—	—	—	6	45	—	4	—	—	193	2	2	—	—	28	—	—
Belper ...	—	—	1	19	150	—	3	—	22	356	1	—	—	—	20	2	1
Blackwell ...	—	1	3	111	58	—	9	—	5	580	4	—	—	—	18	1	2
Chapel en le Frith	—	—	—	16	19	—	1	—	—	74	3	—	—	—	7	—	—
Chesterfield ...	—	1	1	142	264	—	43	2	3	1078	2	1	—	—	131	5	6
Clowne ...	—	—	—	31	12	—	5	—	—	343	—	4	—	—	9	2	2
Repton .....	—	—	—	19	47	—	2	—	4	292	2	—	—	—	8	2	2
Shardlow ...	—	—	—	94	293	—	10	—	2	1518	2	3	1	—	51	2	2
<b>DEVON</b> ...	1	5	13	740	3474	21	115	20	113	14854	59	32	2	2	718	159	55
County Boroughs ...	1	2	10	385	1554	21	55	16	57	6583	18	10	1	2	376	141	31
Exeter ...	—	2	3	83	355	—	11	9	45	1949	3	3	1	—	85	77	16
Plymouth ...	1	—	7	302	1199	21	44	7	12	4634	15	7	—	2	291	64	15
Admin. County ...	—	3	3	355	1920	—	60	4	56	8271	41	22	1	—	342	18	24
Urban Districts ...	—	3	2	207	1026	—	27	3	20	4432	25	6	1	—	149	11	15
Ashburton ...	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—
Axminster *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnstaple M.B. ...	—	—	—	11	93	—	3	—	—	48	1	—	—	—	23	—	—
Bideford M.B. ...	—	—	—	6	11	—	—	—	—	150	3	—	—	—	2	—	—
Brixham ...	—	—	—	9	7	—	1	—	—	9	—	—	—	—	—	—	—
Buckfastleigh ...	—	—	—	—	20	—	1	—	—	—	—	—	—	—	—	—	—
Budleigh Salterton	—	—	1	—	41	—	1	—	—	177	1	—	—	—	1	—	—
Crediton ...	—	—	—	1	9	—	—	—	—	2	1	—	—	—	—	—	—

\* Abolished 1st April, 1953. Figures included in those of Axminster R.D. from 1.1.53.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>DEVON—contd.</b>																	
<b>U.D.'s—contd.</b>																	
Dartmouth M.B. ..	—	—	1	11	6	—	—	1	2	262	—	—	—	—	—	—	—
Dawlish .. ..	—	1	—	2	73	—	—	—	1	187	—	—	—	—	9	—	9
Exmouth .. ..	—	—	—	26	108	—	2	1	—	426	2	—	—	—	25	—	—
Gt. Torrington M.B.	—	—	—	4	43	—	—	—	3	29	—	—	—	—	7	—	1
Holsworthy .. ..	—	—	—	2	7	—	—	—	—	50	—	—	—	—	—	—	—
Honiton M.B. ..	—	—	—	4	15	—	2	—	—	126	—	—	—	—	23	—	—
Ilfacombe .. ..	—	—	—	4	22	—	—	—	—	407	1	—	—	—	2	—	—
Kingsbridge ..	—	—	—	5	15	—	2	—	—	134	—	—	—	—	—	—	—
Lynton .. ..	—	—	—	—	—	—	—	—	—	24	1	—	—	—	—	—	—
Newton Abbot ..	—	—	—	2	28	—	1	1	1	196	—	2	—	—	2	—	—
Northam .. ..	—	—	—	—	—	—	1	—	—	180	1	—	—	—	—	—	—
Okehampton M.B.	—	—	—	2	22	—	3	—	—	55	1	2	—	—	3	—	—
Ottery St. Mary ..	—	—	—	—	48	—	—	—	—	47	—	—	—	—	—	—	—
Paignton .. ..	—	2	—	4	66	—	—	—	—	248	2	1	—	—	4	—	—
Salcombe .. ..	—	—	—	—	6	—	—	—	—	142	—	—	—	—	—	—	—
Seaton .. ..	—	—	—	2	13	—	1	—	1	3	—	—	—	—	—	—	—
Sidmouth .. ..	—	—	—	3	19	—	—	—	3	154	1	—	—	—	—	—	—
South Molton M.B.	—	—	—	—	—	—	—	—	—	72	—	—	—	—	—	2	—
Tavistock .. ..	—	—	—	—	28	—	—	—	—	171	1	—	—	—	—	—	—
Teignmouth ..	—	—	—	12	18	—	3	—	—	246	—	1	—	—	14	2	4
Tiverton M.B. ..	—	—	—	25	62	—	—	—	—	302	2	—	1	—	7	—	—
Torquay M.B. ..	—	—	—	70	232	—	6	—	9	543	6	—	—	—	27	4	—
Totnes M.B. ..	—	—	—	2	4	—	—	—	—	42	1	—	—	—	—	3	—
<b>Rural Districts</b>																	
Axminster .. ..	—	—	1	148	894	—	33	1	36	3839	16	16	—	—	193	7	9
Barnstaple .. ..	—	—	—	11	94	—	2	1	—	70	—	—	—	—	6	—	—
Bideford .. ..	—	—	—	17	130	—	1	—	1	480	2	—	—	—	10	—	—
Broadwood Widger	—	—	—	9	5	—	—	—	—	59	1	—	—	—	—	—	—
Crediton .. ..	—	—	—	—	8	—	—	—	—	57	—	—	—	—	—	—	—
Holsworthy .. ..	—	—	—	1	29	—	—	—	—	51	1	—	—	—	4	—	—
Honiton .. ..	—	—	—	2	—	—	—	—	—	8	—	2	—	—	—	—	—
Kingsbridge ..	—	—	—	1	37	—	1	—	—	97	—	—	—	—	26	—	—
Newton Abbot ..	—	—	—	20	17	—	—	—	—	391	1	1	—	—	1	—	—
Okehampton ..	—	—	1	6	24	—	1	—	11	218	—	1	—	—	10	—	4
Plympton St. Mary	—	—	—	9	47	—	1	—	4	215	—	—	—	—	9	—	—
St. Thomas .. ..	—	—	—	37	194	—	17	—	2	665	2	9	—	—	39	1	—
South Molton ..	—	—	—	14	184	—	4	—	15	644	4	1	—	—	28	3	4
Tavistock .. ..	—	—	—	—	34	—	—	—	—	239	—	—	—	—	6	—	—
Tiverton .. ..	—	—	—	4	13	—	—	—	—	205	—	—	—	—	—	—	—
Torrington .. ..	—	—	—	10	42	—	3	—	—	290	3	1	—	—	41	2	—
Totnes .. ..	—	—	—	3	31	—	2	—	1	35	—	—	—	—	8	—	1
<b>DORSET :</b>																	
Admin. County	1	3	5	188	1125	—	40	1	68	4900	74	74	1	1	296	75	23
<b>Urban Districts</b>																	
BlandfordForum M.B.	—	3	5	112	615	—	15	1	27	3047	38	45	—	1	182	65	22
Bridport M.B. ..	—	2	1	4	23	—	—	—	18	184	1	6	—	—	6	—	1
Dorchester M.B. ..	—	—	—	16	39	—	—	—	—	5	3	—	—	—	10	—	—
Lyme Regis M.B. ..	—	—	1	—	30	—	1	1	9	172	1	1	—	—	7	9	11
Poole M.B. .. ..	—	1	1	—	19	—	—	—	—	6	1	—	—	—	5	1	—
Portland .. ..	—	—	—	49	302	—	7	—	—	1611	18	22	—	—	74	35	6
Shaftesbury M.B. ..	—	—	—	13	37	—	1	—	—	138	2	4	—	—	15	—	—
Sherborne .. ..	—	—	—	—	—	—	—	—	—	55	—	—	—	—	—	—	—
Swanage .. ..	—	—	—	9	18	—	—	—	—	92	—	—	—	—	7	1	—
Wareham M.B. ..	—	—	1	—	95	—	—	—	—	241	1	—	—	—	3	2	—
Weymouth and Mel-	—	—	—	5	3	—	1	—	—	80	2	—	—	1	3	—	1
combe Regis M.B.	—	—	1	14	44	—	5	—	—	287	6	10	—	—	49	17	3
Wimborne Minster	—	—	—	2	5	—	—	—	—	176	3	2	—	—	3	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>DORSET—contd.</b>																	
<b>Rural Districts</b> ...	1	—	—	76	510	—	25	—	41	1853	36	29	1	—	114	10	1
Beaminstor ...	—	—	—	13	94	—	6	—	—	68	—	—	1	—	5	1	—
Blandford ...	—	—	—	19	66	—	3	—	8	236	4	7	—	—	23	3	1
Bridport ...	—	—	—	6	80	—	1	—	—	83	4	2	—	—	8	—	—
Dorchester ...	—	—	—	8	16	—	2	—	22	150	2	3	—	—	7	1	—
Shaftesbury ...	1	—	—	6	19	—	—	—	—	53	—	—	—	—	8	—	—
Sherborne ...	—	—	—	2	28	—	1	—	—	87	1	—	—	—	6	—	—
Sturminster ...	—	—	—	1	8	—	6	—	—	290	4	1	—	—	12	1	—
Wareham and Purbeck ...	—	—	—	13	81	—	3	—	—	441	11	1	—	—	17	2	—
Wimborne and Cranborne ...	—	—	—	8	118	—	3	—	11	445	10	15	—	—	28	2	—
<b>DURHAM</b> ...	6	17	79	2115	5651	15	190	24	658	14531	46	24	5	—	2026	380	681
<b>County Boroughs</b> ...	3	8	36	689	1807	—	77	12	103	6069	17	10	2	—	1065	268	78
Darlington ...	—	—	8	70	154	—	9	—	—	1004	1	2	—	—	8	50	13
Gateshead ...	—	2	9	170	513	—	17	—	45	1416	6	6	1	—	338	12	21
South Shields ...	3	1	9	176	227	—	20	2	16	1259	2	—	1	—	146	50	15
Sunderland ...	—	5	8	181	871	—	23	7	33	2162	8	2	—	—	546	153	24
West Hartlepool ...	—	—	2	92	42	—	8	3	9	228	—	—	—	—	27	3	5
<b>Admin. County</b> ...	3	9	43	1426	3844	15	113	12	555	8462	29	14	3	—	961	112	603
<b>Urban Districts</b> ...	3	6	30	967	2778	10	67	8	421	6013	23	8	3	—	645	66	368
Barnard Castle ...	—	—	—	5	23	—	—	—	—	117	—	—	—	—	3	1	—
Billingham ...	—	—	3	55	55	—	8	1	2	105	1	—	—	—	28	—	—
Bishop Auckland ...	—	—	1	132	255	—	6	—	—	1012	—	—	—	—	55	9	1
Blaydon ...	—	1	1	51	73	—	4	—	26	360	—	—	—	—	14	—	16
Boldon ...	—	—	—	3	31	1	1	—	3	89	1	—	—	—	3	—	1
Brandon and Byshottles ...	1	—	—	52	100	2	3	—	—	142	2	—	—	—	3	2	—
Chester le Street ...	—	—	—	16	3	—	3	—	—	44	4	—	—	—	13	—	—
Consett ...	—	—	1	45	244	—	—	—	13	332	1	1	1	—	3	3	255
Crook and Willington ...	—	—	—	44	103	2	3	—	2	270	—	1	—	—	33	2	7
Durham M.B. ...	2	—	6	22	73	—	—	1	—	231	1	1	—	—	5	23	7
Felling ...	—	—	—	8	142	—	1	—	2	252	—	1	—	—	17	3	—
Hartlepool M.B. ...	—	—	1	11	13	—	1	—	5	71	—	—	—	—	2	—	1
Hebburn ...	—	—	1	24	147	—	5	—	—	56	—	—	—	—	40	3	2
Hetton ...	—	—	—	15	81	—	1	—	—	262	3	—	—	—	67	—	—
Houghton le Spring ...	—	1	—	16	62	—	2	1	—	206	2	—	—	—	19	—	1
Jarrow M.B. ...	—	—	1	8	137	—	1	—	4	69	1	1	—	—	93	6	—
Ryton ...	—	3	2	12	65	1	—	—	1	110	1	1	—	—	2	—	—
Seaham ...	—	—	1	20	68	2	5	1	5	672	1	—	—	—	41	1	—
Shildon ...	—	—	—	84	23	1	4	—	—	158	1	—	1	—	12	—	—
Spennymoor ...	—	—	—	105	148	—	1	—	1	156	1	—	—	—	22	—	—
Stanley ...	—	—	2	62	296	1	6	—	316	205	—	—	1	—	92	2	66
Stockton on Tees M.B. ...	—	1	9	107	456	—	8	2	16	540	3	1	—	—	48	8	3
Tow Law ...	—	—	—	8	40	—	1	—	—	99	—	—	—	—	2	—	—
Washington ...	—	—	1	12	31	—	—	—	—	149	—	—	—	—	12	1	—
Whickham ...	—	—	—	50	109	—	3	2	24	306	—	1	—	—	16	2	8
<b>Rural Districts</b> ...	—	3	13	459	1066	5	46	4	134	2449	6	6	—	—	316	46	235
Barnard Castle ...	—	—	2	5	43	—	3	—	—	216	1	1	—	—	13	—	—
Chester le Street ...	—	—	3	102	169	—	1	—	6	188	—	1	—	—	47	5	5
Darlington ...	—	—	—	16	11	1	2	—	38	176	—	1	—	—	1	—	—
Durham ...	—	1	—	52	100	2	5	—	2	244	—	—	—	—	22	7	—
Easington ...	—	2	2	81	423	—	16	2	17	864	1	3	—	—	92	19	215
Lanchester ...	—	—	1	24	52	—	1	—	67	63	1	—	—	—	15	2	15
Sedgefield ...	—	—	3	77	40	2	8	1	3	185	2	—	—	—	26	10	—
Stockton ...	—	—	2	23	36	—	6	—	—	133	1	—	—	—	8	—	—
Sunderland ...	—	—	—	61	104	—	2	1	1	332	—	—	—	—	82	3	—
Weardale ...	—	—	—	18	88	—	2	—	—	48	—	—	—	—	10	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ELY, ISLE OF :</b>																	
Admin. County ...	—	—	5	99	360	—	13	—	18	2519	1	1	—	—	71	4	1
<b>Urban Districts</b> ...	—	—	4	66	153	—	7	—	5	1626	1	1	—	—	37	2	1
Chatteris ...	—	—	1	10	3	—	—	—	—	272	—	—	—	—	1	—	—
Ely ...	—	—	2	—	95	—	1	—	—	378	—	1	—	—	10	1	—
March ...	—	—	—	1	19	—	2	—	2	74	—	—	—	—	1	—	—
Whittlesey ...	—	—	—	14	25	—	3	—	1	8	—	—	—	—	23	1	—
Wisbech M.B. ...	—	—	1	41	11	—	1	—	2	894	1	—	—	—	2	—	1
<b>Rural Districts</b> ...	—	—	1	33	207	—	6	—	13	893	—	—	—	—	34	2	—
Ely ...	—	—	—	5	133	—	1	—	1	479	—	—	—	—	5	1	—
North Witchford ...	—	—	1	2	27	—	1	—	3	20	—	—	—	—	24	—	—
Thorney ...	—	—	—	1	18	—	—	—	—	3	—	—	—	—	—	—	—
Wisbech ...	—	—	—	25	29	—	4	—	9	391	—	—	—	—	5	1	—
<b>ESSEX ...</b>	8	9	43	3854	10248	4	335	30	893	27061	166	129	11	4	2052	640	412
County Boroughs ...	1	1	9	991	1648	1	68	3	403	6037	37	40	—	1	490	56	48
East Ham ...	—	1	1	245	554	—	15	—	285	960	4	3	—	1	70	10	7
Southend-on-Sea ...	—	—	4	333	348	—	26	3	52	2649	19	29	—	—	219	4	24
West Ham ...	1	—	4	413	746	1	27	—	66	2428	14	8	—	—	201	42	17
Admin. County ...	7	8	34	2863	8600	3	267	27	490	21024	129	89	11	3	1562	584	364
<b>Urban Districts</b> ...	6	7	32	2601	7466	3	237	27	452	17004	102	78	11	3	1381	472	327
Barking ...	1	—	2	140	449	—	14	—	59	460	5	3	—	—	65	20	21
Benfleet ...	—	—	—	26	71	—	3	—	—	222	3	7	—	—	10	2	—
Billericay ...	—	—	1	74	290	—	2	—	11	1135	2	2	—	—	44	18	10
Braintree and Bocking ...	—	3	—	5	54	—	—	—	1	214	—	1	—	—	—	—	—
Brentwood ...	—	1	—	36	122	—	—	2	2	319	6	4	—	—	32	1	23
Brightlingsea ...	—	—	—	5	5	—	—	—	1	124	—	—	—	—	3	—	—
Burnham on Crouch ...	—	—	1	7	1	—	—	—	—	7	—	—	1	—	8	1	—
Canvey Island ...	—	—	—	8	21	—	—	—	—	227	—	—	—	—	3	—	—
Chelmsford M.B. ...	—	2	—	49	297	—	5	7	12	1005	8	11	—	—	5	22	1
Chigwell ...	—	—	3	72	432	—	6	1	16	1108	2	4	1	—	32	2	4
Chingford M.B. ...	—	—	1	168	182	—	9	—	17	381	4	2	1	—	34	—	5
Clacton ...	—	—	1	22	36	—	—	—	40	33	1	2	1	—	—	1	85
Colchester M.B. ...	2	—	4	66	277	—	4	—	42	1149	4	5	3	—	53	87	12
Dagenham M.B. ...	—	—	3	236	766	1	18	14	18	1112	4	6	2	—	51	7	8
Epping ...	—	—	—	5	27	—	—	—	2	216	—	—	—	—	7	2	1
Frinton and Walton ...	—	—	1	19	84	—	—	—	—	18	1	1	—	—	7	—	12
Halstead ...	—	—	—	—	12	—	—	—	—	12	—	—	—	—	1	—	—
Harwich M.B. ...	3	—	—	29	57	—	2	—	4	80	2	—	—	—	6	1	1
Hornchurch ...	—	—	4	204	495	—	16	1	5	1236	8	1	1	—	26	5	7
Ilford M.B. ...	—	—	3	366	820	—	33	—	52	1231	12	5	—	2	219	57	34
Leyton M.B. ...	—	—	—	276	564	—	58	1	34	920	4	4	—	—	484	44	24
Maldon M.B. ...	—	—	—	9	45	—	2	—	—	182	1	—	—	—	14	—	4
Rayleigh ...	—	—	—	5	17	—	6	—	—	84	1	—	—	—	4	1	1
Romford M.B. ...	—	—	5	227	924	—	14	—	38	2153	11	13	1	—	46	28	41
Saffron Walden M.B. ...	—	—	—	1	5	—	7	—	—	24	2	—	—	—	—	—	1
Thurrock ...	—	—	—	153	415	—	2	—	5	1507	1	2	—	—	46	23	5
Waltham Holy Cross ...	—	—	—	8	16	—	—	—	1	124	4	—	—	—	8	1	—
Walthamstow M.B. ...	—	1	3	289	700	—	27	1	84	974	6	2	—	1	121	82	22
Wanstead and Woodford M.B. ...	—	—	—	82	172	2	7	—	2	677	10	3	—	—	41	66	4
West Mersea M.B. ...	—	—	—	1	3	—	—	—	—	48	—	—	—	—	—	1	1
Witham ...	—	—	—	11	87	—	2	—	5	15	—	—	—	—	8	—	—
Wivenhoe ...	—	—	—	2	20	—	—	—	1	7	—	—	—	—	3	—	—
<b>Rural Districts</b> ...	1	1	2	262	1134	—	30	—	38	4020	27	11	—	—	181	112	37
Braintree ...	—	—	—	8	89	—	—	—	15	233	1	3	—	—	4	1	5
Chelmsford ...	—	—	—	51	229	—	9	—	6	1019	4	3	—	—	13	3	13
Dunmow ...	—	—	—	14	114	—	—	—	3	294	3	—	—	—	28	1	—
Epping ...	1	—	—	23	119	—	7	—	3	666	4	1	—	—	11	1	8
Halstead ...	—	—	—	4	35	—	—	—	—	326	2	—	—	—	6	—	1



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ESSEX—contd.</b>																	
<b>R.D.'s.—contd.</b>																	
Lexden and Winstree	—	—	1	28	151	—	3	—	—	335	2	1	—	—	29	3	—
Maldon ...	—	—	—	35	232	—	2	—	—	179	3	—	—	—	28	—	5
Ongar ...	—	—	—	8	8	—	1	—	3	47	4	1	—	—	3	—	—
Rochford ...	—	1	1	33	29	—	1	—	2	321	1	1	—	—	19	103	—
Saffron Walden ...	—	—	—	25	73	—	5	—	6	242	2	1	—	—	19	—	4
Tendring ...	—	—	—	33	55	—	2	—	—	358	1	—	—	—	21	—	1
<b>GLOUCESTERSHIRE</b>	<b>2</b>	<b>4</b>	<b>37</b>	<b>1170</b>	<b>3644</b>	<b>1</b>	<b>136</b>	<b>16</b>	<b>174</b>	<b>14227</b>	<b>78</b>	<b>19</b>	<b>—</b>	<b>1</b>	<b>958</b>	<b>297</b>	<b>216</b>
<b>County Boroughs</b> ...	2	4	23	755	2128	—	78	11	129	8244	60	14	—	—	682	254	180
Bristol ...	2	4	22	690	1998	—	72	9	119	7509	58	11	—	—	615	224	176
Gloucester ...	—	—	1	65	130	—	6	2	10	735	2	3	—	—	67	30	4
<b>Admin. County</b> ...	—	—	<b>14</b>	<b>415</b>	<b>1516</b>	<b>1</b>	<b>58</b>	<b>5</b>	<b>45</b>	<b>5983</b>	<b>18</b>	<b>5</b>	<b>—</b>	<b>1</b>	<b>276</b>	<b>43</b>	<b>36</b>
<b>Urban Districts</b> ...	—	—	3	148	505	1	13	2	4	1464	6	1	—	1	108	22	18
Charlton Kings ...	—	—	—	3	7	—	1	—	—	29	—	—	—	—	4	1	—
Cheltenham M.B. ...	—	—	2	87	283	—	6	2	3	376	1	1	—	1	68	18	11
Cirencester ...	—	—	1	11	10	1	1	—	—	272	—	—	—	—	13	1	1
Kingswood ...	—	—	—	7	56	—	—	—	1	377	1	—	—	—	6	—	3
Mangotsfield ...	—	—	—	20	57	—	5	—	—	133	2	—	—	—	7	—	3
Nailsworth ...	—	—	—	2	56	—	—	—	—	6	—	—	—	—	4	1	—
Stroud ...	—	—	—	10	24	—	—	—	—	262	1	—	—	—	6	—	—
Tewkesbury M.B. ...	—	—	—	8	12	—	—	—	—	9	1	—	—	—	—	1	—
<b>Rural Districts</b> ...	—	—	11	267	1011	—	45	3	41	4519	12	4	—	—	168	21	18
Cheltenham ...	—	—	—	16	63	—	2	1	2	328	1	—	—	—	8	4	3
Cirencester ...	—	—	2	7	62	—	3	—	2	209	1	—	—	—	18	—	—
Dursley ...	—	—	—	12	77	—	—	—	—	242	—	—	—	—	17	—	—
East Dean ...	—	—	—	66	129	—	2	—	—	330	—	—	—	—	4	2	1
Gloucester ...	—	—	—	36	64	—	4	1	15	577	1	4	—	—	14	3	—
Lydney ...	—	—	2	15	79	—	1	—	—	58	—	—	—	—	1	—	—
Newent ...	—	—	1	5	40	—	—	—	—	47	1	—	—	—	1	—	—
North Cotswold ...	—	—	1	8	12	—	17	—	2	354	1	—	—	—	29	3	1
Northleach ...	—	—	1	4	3	—	3	—	—	264	—	—	—	—	4	—	—
Sodbury ...	—	—	1	40	138	—	6	—	1	771	5	—	—	—	29	2	12
Stroud ...	—	—	—	10	66	—	2	—	—	325	1	—	—	—	11	2	—
Tetbury ...	—	—	—	3	11	—	—	1	—	55	1	—	—	—	6	—	—
Thornbury ...	—	—	3	27	62	—	1	—	16	633	—	—	—	—	13	3	—
Warmley ...	—	—	—	6	34	—	2	—	—	133	—	—	—	—	10	1	—
West Dean ...	—	—	—	12	171	—	2	—	3	193	—	—	—	—	3	1	1
<b>HEREFORDSHIRE :</b>																	
<b>Admin. County</b> ...	—	—	<b>2</b>	<b>134</b>	<b>410</b>	—	<b>8</b>	<b>4</b>	<b>31</b>	<b>3197</b>	<b>14</b>	<b>13</b>	<b>2</b>	—	<b>96</b>	<b>15</b>	<b>14</b>
<b>Urban Districts</b> ...	—	—	2	49	185	—	3	2	19	1188	6	5	1	—	34	10	5
Bromyard ...	—	—	—	4	—	—	—	—	—	80	1	—	—	—	6	—	—
Hereford M.B. ...	—	—	—	37	62	—	3	1	19	744	4	3	1	—	19	7	2
Kington ...	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—
Ledbury ...	—	—	—	—	17	—	—	—	—	78	1	—	—	—	—	—	—
Leominster M.B. ...	—	—	2	2	94	—	—	1	—	70	—	1	—	—	3	1	2
Ross on Wye ...	—	—	—	2	12	—	—	—	—	215	—	1	—	—	6	2	1
<b>Rural Districts</b> ...	—	—	—	85	225	—	5	2	12	2009	8	8	1	—	62	5	9
Bromyard ...	—	—	—	27	50	—	—	—	1	229	—	—	—	—	6	1	—
Dore and Bredwardine ...	—	—	—	9	24	—	—	—	—	191	—	2	—	—	15	—	2
Hereford ...	—	—	—	12	35	—	2	2	5	419	6	3	—	—	12	1	2
Kington ...	—	—	—	1	13	—	—	—	3	55	—	—	—	—	—	—	—
Ledbury ...	—	—	—	2	9	—	2	—	1	181	—	—	1	—	1	—	—
Leominster and Wigmore ...	—	—	—	14	37	—	—	—	—	325	1	1	—	—	9	—	5
Ross and Whitchurch ...	—	—	—	7	50	—	1	—	1	412	—	1	—	—	7	3	—
Weobley ...	—	—	—	13	7	—	—	—	1	197	1	1	—	—	12	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>HERTFORDSHIRE :</b>																	
Admin. County ...	3	3	20	710	3436	1	72	49	83	13068	40	18	1	—	357	192	101
<b>Urban Districts</b> ...	3	3	15	510	2516	—	53	47	66	8760	28	15	—	—	246	183	70
Baldock ...	—	—	—	3	45	—	—	—	—	50	—	—	—	—	2	—	—
Barnet ...	1	3	4	31	185	—	3	—	25	732	1	1	—	—	32	50	3
Berkhamsted ...	—	—	—	9	67	—	1	—	—	186	—	—	—	—	2	—	—
Bishop's Stortford ...	—	—	1	18	34	—	—	5	—	355	1	—	—	—	3	21	17
Bushey ...	—	—	1	25	75	—	1	42	1	232	1	—	—	—	9	84	—
Cheshunt ...	—	—	—	29	247	—	5	—	3	660	1	2	—	—	38	4	2
Chorley Wood ...	—	—	—	1	25	—	—	—	—	89	—	2	—	—	—	—	—
East Barnet ...	—	—	—	85	231	—	4	—	12	935	—	—	—	—	33	1	5
Harpenden ...	1	—	1	40	44	—	1	—	2	412	2	2	—	—	4	—	—
Hemel Hempstead M.B. ...	—	—	1	9	63	—	—	—	—	166	2	1	—	—	—	4	—
Hertford M.B. ...	—	—	—	3	60	—	2	—	2	100	—	—	—	—	2	1	1
Hitchin ...	—	—	1	13	70	—	—	—	9	349	—	—	—	—	8	11	3
Hoddesdon ...	—	—	—	5	140	—	9	—	—	283	—	—	—	—	17	—	20
Letchworth ...	—	—	1	8	113	—	5	—	1	304	—	—	—	—	16	—	—
Rickmansworth ...	1	—	—	24	126	—	1	—	—	300	1	2	—	—	4	1	1
Royston ...	—	—	1	—	4	—	—	—	—	130	—	—	—	—	—	1	—
St. Alban M.B. ...	—	—	1	49	186	—	17	—	2	1105	6	—	—	—	26	2	7
Sawbridgeworth ...	—	—	—	2	16	—	—	—	—	109	1	—	—	—	1	—	—
Stevenage ...	—	—	—	19	141	—	1	—	—	79	3	1	—	—	14	2	—
Tring ...	—	—	1	17	40	—	—	—	—	121	2	—	—	—	—	—	—
Ware ...	—	—	—	—	9	—	1	—	—	5	—	—	—	—	—	—	—
Watford M.B. ...	—	—	2	82	435	—	2	—	8	1535	6	3	—	—	24	1	10
Welwyn Garden City ...	—	—	—	38	160	—	—	—	1	523	1	1	—	—	11	—	1
<b>Rural Districts</b> ...	—	—	5	200	920	1	19	2	17	4308	12	3	1	—	111	9	31
Berkhamsted ...	—	—	—	—	23	—	1	—	—	76	—	—	—	—	—	1	—
Braughing ...	—	—	1	2	22	—	—	—	—	217	—	—	—	—	19	2	—
Elstree ...	—	—	—	24	121	—	2	2	—	662	—	—	—	—	3	—	—
Hatfield ...	—	—	2	18	149	1	3	—	—	523	3	1	—	—	22	—	1
Hemel Hempstead ...	—	—	—	4	10	—	—	—	1	99	—	—	—	—	—	—	—
Hertford ...	—	—	—	18	24	—	1	—	—	114	—	—	—	—	5	—	—
Hitchin ...	—	—	—	8	46	—	2	—	1	213	3	—	—	—	2	3	3
St. Albans ...	—	—	2	27	117	—	4	—	7	601	4	—	—	—	13	1	—
Ware ...	—	—	—	1	27	—	2	—	2	91	—	—	—	—	13	1	5
Watford ...	—	—	—	92	371	—	4	—	6	1603	2	2	—	—	33	1	22
Welwyn ...	—	—	—	6	10	—	—	—	—	109	—	—	1	—	1	—	—
<b>HUNTINGDONSHIRE:</b>																	
Admin. County ...	—	—	1	65	103	—	11	2	7	1002	14	7	—	—	69	4	4
<b>Urban Districts</b> ...	—	—	—	46	56	—	5	1	—	439	9	3	—	—	50	—	3
Godmanchester M.B. ...	—	—	—	2	7	—	2	—	—	101	2	1	—	—	11	—	—
Huntingdon M.B. ...	—	—	—	10	10	—	1	—	—	85	4	1	—	—	11	—	—
Old Fletton ...	—	—	—	3	12	—	—	—	—	8	—	1	—	—	5	—	—
Ramsey ...	—	—	—	—	4	—	—	1	—	2	—	—	—	—	12	—	—
St. Ives M.B. ...	—	—	—	2	1	—	—	—	—	41	1	—	—	—	6	—	1
St. Neots ...	—	—	—	29	22	—	2	—	—	202	2	—	—	—	5	—	2
<b>Rural Districts</b> ...	—	—	1	19	47	—	6	1	7	563	5	4	—	—	19	4	1
Huntingdon ...	—	—	1	4	18	—	—	—	—	177	4	2	—	—	3	—	—
Norman Cross ...	—	—	—	—	11	—	—	1	5	18	—	—	—	—	1	—	—
St. Ives ...	—	—	—	9	8	—	4	—	—	245	—	2	—	—	11	—	1
St. Neots ...	—	—	—	6	10	—	2	—	2	123	1	—	—	—	4	4	—
<b>KENT</b>																	
County Borough: Canterbury ...	—	—	—	18	55	—	3	1	3	610	2	3	—	—	8	34	—
Admin. County ...	4	8	39	2147	6421	2	197	16	552	21568	150	60	8	3	1459	348	255



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>KENT—contd.</b>																	
<b>Urban Districts</b> ...	4	7	29	1766	5085	2	160	14	446	16101	130	52	7	3	1058	327	160
Ashford ...	—	—	—	11	186	—	3	—	2	352	3	—	—	—	18	2	1
Beckenham M.B. ...	1	—	3	136	308	—	10	—	11	1094	8	3	—	—	40	39	11
Bexley M.B. ...	—	1	2	245	345	—	15	—	1	459	8	—	—	—	42	6	10
Broadstairs and St. Peters ...	—	—	—	26	99	—	3	—	10	226	6	1	—	—	16	—	17
Bromley M.B. ...	1	—	—	120	382	—	5	—	10	968	7	1	—	—	41	54	3
Chatham M.B. ...	—	—	1	31	205	—	9	1	33	880	5	2	—	—	49	101	3
Chislehurst and Sidcup ...	—	—	5	143	448	—	15	3	36	1097	7	7	—	—	83	16	—
Crayford ...	—	—	1	36	41	—	2	—	1	174	—	—	—	—	14	3	—
Dartford M.B. ...	—	2	1	41	115	—	4	—	6	455	1	5	1	—	55	10	2
Deal M.B. ...	—	—	1	43	247	—	2	—	—	37	12	2	2	—	9	1	1
Dover M.B. ...	—	—	3	10	362	1	4	—	20	1030	3	1	—	1	54	—	—
Erith M.B. ...	—	—	1	111	167	—	6	4	—	381	2	4	1	—	54	—	—
Faversham M.B. ...	—	—	—	2	79	—	2	—	—	79	—	—	—	—	18	2	8
Folkestone M.B. ...	—	—	—	33	230	—	19	1	17	933	4	—	1	—	75	9	11
Gillingham M.B. ...	—	1	—	72	208	—	5	4	36	1109	8	3	—	—	34	2	3
Gravesend M.B. ...	—	—	2	27	121	—	7	—	—	852	3	5	—	1	43	3	—
Herne Bay ...	—	—	—	45	13	—	1	—	1	225	5	—	—	—	1	—	8
Hythe M.B. ...	1	—	1	8	60	—	—	—	—	142	3	—	—	—	4	—	—
Lydd M.B. ...	—	1	—	2	6	—	—	—	—	45	—	1	—	—	16	—	—
Maidstone M.B. ...	1	—	—	61	97	—	4	—	11	637	12	2	—	—	35	9	3
Margate M.B. ...	—	—	1	45	85	1	1	—	26	107	7	1	1	—	6	4	10
New Romney M.B. ...	—	—	—	2	4	—	—	—	2	102	—	—	—	—	10	—	2
Northfleet ...	—	—	1	28	55	—	1	—	1	188	3	—	1	—	17	1	—
Orpington ...	—	—	1	154	352	—	6	1	23	761	6	5	—	—	96	48	44
Penge ...	—	—	—	38	143	—	7	—	115	620	—	2	—	—	11	—	7
Queenborough M.B. ...	—	—	—	—	1	—	—	—	—	10	—	—	—	—	—	—	—
Ramsgate M.B. ...	—	—	3	45	311	—	1	—	6	489	3	3	—	—	20	4	1
Rochester M.B. ...	—	—	1	44	89	—	12	—	25	936	4	2	—	—	87	1	5
Royal Tunbridge Wells M.B. ...	—	1	—	66	50	—	6	—	39	156	4	1	—	1	20	2	3
Sandwich M.B. ...	—	—	—	15	72	—	—	—	5	131	—	—	—	—	—	—	—
Sevenoaks ...	—	—	—	35	6	—	1	—	—	259	1	1	—	—	5	—	1
Sheerness ...	—	—	—	7	32	—	1	—	1	34	—	—	—	—	5	2	—
Sittingbourne and Milton ...	—	—	—	26	26	—	2	—	2	331	2	—	—	—	2	1	—
Southborough ...	—	—	—	11	2	—	—	—	2	70	—	—	—	—	1	—	—
Swanscombe ...	—	—	—	27	88	—	2	—	3	200	—	—	—	—	30	—	—
Tenterden M.B. ...	—	—	—	1	17	—	—	—	—	12	1	—	—	—	—	—	—
Tonbridge ...	—	1	—	5	19	—	1	—	—	332	1	—	—	—	25	—	4
Whitstable ...	—	—	1	14	14	—	3	—	1	188	1	—	—	—	22	7	2
<b>Rural Districts</b> ...	—	1	10	381	1336	—	37	2	106	5467	20	8	1	—	401	21	95
Bridge-Blean ...	—	—	1	15	75	—	—	—	13	215	—	—	—	—	20	—	53
Cranbrook ...	—	—	—	48	104	—	2	—	18	313	1	—	—	—	17	1	5
Dartford ...	—	1	2	36	155	—	3	—	8	805	1	2	—	—	55	—	2
Dover ...	—	—	—	1	68	—	1	—	—	132	2	—	—	—	—	—	—
East Ashford ...	—	—	—	4	92	—	—	—	—	118	—	—	—	—	6	1	1
Eastry ...	—	—	—	24	57	—	2	—	1	141	1	—	—	—	19	—	10
Elham ...	—	—	—	10	17	—	—	—	1	83	—	—	—	—	4	—	8
Hollingbourn ...	—	—	—	8	14	—	1	—	—	390	3	—	—	—	27	2	—
Maidstone ...	—	—	4	36	38	—	3	—	—	410	—	—	—	—	14	3	3
Malling ...	—	—	1	20	144	—	3	—	6	464	4	3	—	—	—	—	—
Romney Marsh ...	—	—	—	6	2	—	1	—	3	72	—	—	—	—	12	—	—
Sevenoaks ...	—	—	—	106	179	—	12	2	34	778	—	2	—	—	124	—	1
Sheppey ...	—	—	—	9	29	—	1	—	—	115	1	—	—	—	9	2	—
Strood ...	—	—	1	8	24	—	2	—	—	436	3	—	—	—	30	—	4
Swale ...	—	—	—	28	122	—	1	—	9	452	2	1	1	—	44	—	7
Tenterden ...	—	—	—	—	51	—	1	—	—	79	—	—	—	—	—	1	—
Tonbridge ...	—	—	1	15	116	—	4	—	13	238	2	—	—	—	8	9	1
West Ashford ...	—	—	—	7	49	—	—	—	—	226	—	—	—	—	12	1	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>*LANCASHIRE</b> ...	9	17	202	9158	19005	35	652	264	3057	51960	216	89	17	3	3604	2186	2232
<b>*County Boroughs</b> ...	6	8	138	5574	11755	17	369	243	2163	30175	119	54	11	1	2439	1946	1110
Barrow-in-Furness ...	—	—	3	269	118	—	5	—	23	517	—	—	—	—	35	1	25
Blackburn ...	—	1	1	376	367	—	12	1	50	1458	2	1	2	—	94	99	32
Blackpool ...	—	—	3	379	430	—	32	23	30	694	26	18	—	—	35	41	194
Bolton ...	—	3	7	246	593	—	22	—	263	1308	1	2	—	1	239	7	66
Bootle ...	—	—	6	106	424	1	8	2	17	924	1	—	—	—	27	2	12
Burnley ...	—	—	1	169	347	—	14	1	5	114	6	—	—	—	78	5	3
<b>*Bury</b> ...	2	—	3	51	104	—	9	—	23	515	—	—	1	—	48	—	1
Liverpool ...	—	2	51	1292	4740	9	97	150	755	10090	27	11	1	—	833	1016	265
Manchester ...	1	1	34	968	2112	7	68	55	461	6798	7	4	1	—	576	670	26
<b>*Oldham</b> ...	—	—	6	214	139	—	20	2	137	805	3	1	—	—	63	39	59
Preston ...	1	—	—	516	246	—	17	3	258	302	24	11	—	—	46	33	353
<b>*Rochdale</b> ...	—	—	—	143	259	—	6	1	22	1006	6	2	—	—	15	2	5
St. Helens ...	—	1	9	92	613	—	10	3	4	1600	—	—	—	—	36	1	8
Salford ...	—	—	3	288	464	—	12	2	95	995	2	3	2	—	197	11	31
Southport ...	—	—	—	176	206	—	22	—	18	1202	7	—	1	—	32	5	26
Warrington ...	—	—	11	109	315	—	7	—	1	628	2	—	3	—	57	14	1
Wigan ...	2	—	—	180	278	—	8	—	1	1219	5	1	—	—	28	—	3
<b>*Admin. County</b> ...	3	9	64	3584	7250	18	283	21	894	21785	97	35	6	2	1165	240	1122
<b>*Urban Districts</b> ...	2	7	54	3061	6280	17	247	16	562	18983	83	27	6	1	988	152	762
Abram ...	—	—	—	—	27	—	—	—	—	71	—	—	—	—	3	—	1
Accrington M.B. ...	—	—	1	42	72	—	—	1	—	403	1	1	—	—	11	2	—
Adlington ...	—	—	—	13	20	—	1	—	1	18	—	—	—	—	2	—	1
Ashton in Makerfield ...	—	—	1	15	34	—	—	—	—	360	—	—	—	—	6	1	—
Ashton under Lyne M.B. ...	—	—	1	91	255	—	12	—	3	427	1	—	—	—	44	2	2
Aspull ...	—	—	—	3	28	—	2	—	—	129	—	—	—	—	8	—	—
Atherton ...	—	—	—	50	41	—	9	—	1	104	—	—	—	—	25	1	—
Audenshaw ...	—	—	—	31	25	—	—	—	—	127	—	—	—	—	2	—	1
<b>*Bacup M.B.</b> ...	—	—	—	11	48	—	1	—	3	49	—	—	—	—	7	—	1
Barrowford ...	—	—	1	10	1	—	1	—	—	44	1	—	—	—	2	—	—
Billinge and Winstanley ...	—	—	—	8	10	—	2	—	—	44	—	—	—	—	1	2	2
Blackrod ...	—	—	1	19	17	—	—	—	—	59	—	—	—	—	—	—	—
Brierfield ...	—	—	—	5	3	—	—	—	—	78	—	—	—	—	5	—	1
Carnforth ...	—	—	1	—	15	—	—	—	—	1	—	—	—	—	—	—	—
Chadderton ...	—	—	1	82	114	—	1	—	28	201	1	1	—	—	24	1	6
Chorley M.B. ...	—	—	—	99	118	—	8	—	—	166	2	—	—	—	13	3	13
Church ...	—	—	—	12	18	—	1	—	—	46	—	—	—	—	2	—	3
Clayton le Moors ...	—	—	1	7	1	—	1	—	1	53	—	—	—	—	3	—	—
Clitheroe M.B. ...	—	—	—	53	15	—	2	—	—	206	1	1	1	—	11	—	—
Colne M.B. ...	—	—	1	13	37	—	1	—	—	356	—	—	—	—	21	—	—
Crompton ...	—	—	1	22	55	—	—	—	1	166	—	—	—	—	1	—	46
Crosby M.B. ...	—	—	3	85	306	—	2	—	12	867	—	—	—	—	38	—	2
Dalton in Furness ...	—	—	—	6	9	—	2	1	—	281	—	—	1	—	4	—	—
Darwen M.B. ...	—	—	—	108	186	1	2	1	3	30	2	—	—	—	25	3	10
Denton ...	—	—	1	72	147	—	4	1	—	443	1	1	—	—	16	—	2
Droylsden ...	—	—	1	23	140	—	5	—	4	168	—	—	—	—	7	—	—
Eccles M.B. ...	—	—	—	40	66	—	17	—	10	304	—	1	—	—	38	1	6
Failsworth ...	—	—	—	71	142	—	4	—	9	260	—	—	—	—	36	2	—
Farnworth M.B. ...	—	—	—	117	144	—	5	—	38	288	—	—	—	—	35	2	13
Fleetwood M.B. ...	—	—	1	6	190	—	2	—	3	318	2	3	—	—	12	15	61
Formby ...	—	—	—	11	34	—	—	—	—	43	—	—	—	—	1	—	—
Fulwood ...	—	—	—	37	22	—	1	—	16	35	3	3	—	—	4	25	40
Golborne ...	—	1	1	12	79	—	—	—	—	294	2	—	—	—	4	—	—
Grange ...	—	—	—	3	—	—	—	—	—	18	2	—	—	—	1	—	—
Great Harwood ...	—	—	—	9	10	—	2	—	—	212	1	—	—	—	5	—	1
Haslingden M.B. ...	—	—	—	13	102	—	—	—	—	122	—	—	—	—	4	—	2
Haydock ...	—	—	1	33	40	—	2	—	—	192	—	—	—	—	2	1	—
Heywood M.B. ...	—	—	4	64	2	—	—	—	4	261	—	—	1	—	4	—	—
Hindley ...	—	—	—	15	61	—	2	—	—	322	1	—	—	—	5	—	3
Horwich ...	—	—	—	13	37	—	4	—	5	196	1	—	—	—	17	—	—

\* Cases of Smallpox notified :—Bury, C.B., 3 ; Oldham, C.B., 3 ; Bacup, M.B., 2.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>LANCASHIRE</b>																	
—contd.																	
<b>U.D.'s.—contd.</b>																	
Huyton with Roby	—	—	1	39	480	15	4	3	45	672	—	—	—	—	27	1	8
Ince in Makerfield	—	1	—	42	155	—	1	—	2	386	—	—	—	—	9	1	1
Irlam ...	—	—	—	25	171	—	4	—	—	14	—	—	—	—	41	—	—
Kearsley ...	—	—	—	35	39	—	6	—	5	183	—	—	—	—	15	2	—
Kirkham ...	—	—	—	9	—	—	—	—	—	177	2	—	—	—	2	—	22
Lancaster M.B. ...	2	—	1	149	59	—	8	—	50	636	—	—	2	—	35	—	180
Lees ...	—	—	—	7	20	—	—	—	2	23	3	—	—	—	—	—	—
Leigh M.B. ...	—	—	3	32	62	—	3	—	3	71	—	—	—	—	31	—	—
Leyland ...	—	—	—	25	114	—	4	—	—	22	1	—	—	—	—	1	54
Litherland ...	—	—	1	24	174	—	1	1	16	444	—	—	—	—	5	—	1
Littleborough ...	—	1	—	11	20	—	—	—	—	109	—	—	—	—	—	—	—
Little Lever ...	—	—	—	19	15	—	—	—	1	170	—	—	—	—	3	1	—
Longridge ...	—	—	—	9	12	—	—	—	—	23	1	—	—	—	5	—	4
Lytham	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
St. Anne's M.B.	—	—	—	51	39	—	2	1	3	393	5	7	—	—	15	2	51
Middleton M.B. ...	—	—	3	34	117	—	3	—	30	558	—	—	1	—	25	—	7
Milnrow ...	—	—	—	16	42	—	—	1	8	66	—	—	—	—	—	—	—
Morecambe and Heysham M.B.	—	—	—	32	13	—	16	1	—	401	1	—	—	1	17	—	34
Mossley M.B. ...	—	—	—	16	54	—	3	—	—	223	—	—	—	—	2	1	—
Nelson M.B. ...	—	—	1	65	144	—	6	—	—	576	3	1	—	—	26	—	11
Newton-le-Willows	—	—	—	79	155	—	13	—	1	383	—	—	—	—	33	3	—
Ormskirk ...	—	—	—	56	159	—	4	—	1	458	3	—	—	—	15	10	—
Orrell ...	—	—	—	21	73	—	—	—	—	250	1	—	—	—	5	2	2
Oswaldtwistle ...	—	—	—	24	16	—	—	—	2	28	2	—	—	—	2	1	—
Padiham ...	—	—	—	18	68	—	—	—	1	198	—	—	—	—	—	1	—
Poulton le Fylde ...	—	—	—	21	31	—	3	—	—	23	9	1	—	—	1	—	3
Preesall ...	—	—	—	2	1	—	1	—	—	3	—	—	—	—	1	—	—
Prescot ...	—	—	—	8	25	—	—	—	—	223	—	—	—	—	—	—	—
Prestwich M.B. ...	—	—	—	70	26	—	2	—	6	294	—	—	—	—	10	—	2
Radcliffe M.B. ...	—	—	1	58	20	—	7	1	35	237	1	—	—	—	30	2	—
Rainford ...	—	—	—	2	3	—	1	—	26	36	—	—	—	—	—	—	—
Ramsbottom ...	—	—	1	26	17	—	3	—	1	172	—	—	—	—	3	—	—
Rawtenstall M.B.	—	—	—	7	72	—	5	—	—	254	—	—	—	—	28	—	6
Rishton ...	—	—	—	3	40	—	3	—	—	8	1	—	—	—	7	—	1
Royton ...	—	—	1	27	37	—	—	—	19	88	1	—	—	—	5	—	10
Skelmersdale ...	—	—	—	7	1	—	1	1	—	38	2	—	—	—	6	—	—
Standish with Langtree	—	—	—	19	10	—	—	—	—	112	—	—	—	—	1	—	2
Stretford M.B. ...	—	—	2	75	227	—	6	—	67	390	3	—	1	—	26	4	1
Swinton and Pendlebury M.B.	—	—	8	85	91	—	6	1	12	325	—	2	—	—	27	1	1
Thornton Cleveleys	—	—	—	25	89	—	7	—	1	23	—	—	—	—	1	—	60
Tottington ...	—	2	—	4	46	—	3	—	9	82	—	—	—	—	9	—	—
Trawden ...	—	—	1	1	11	—	—	—	—	23	—	—	—	—	—	—	—
Turton ...	—	—	—	9	51	—	2	—	11	34	—	—	—	—	6	—	—
Tyldesley ...	—	1	—	39	62	—	4	2	7	124	2	—	—	—	8	1	1
Ulverston ...	—	1	—	15	—	—	2	—	—	300	—	—	—	—	1	—	—
Upholland ...	—	—	—	5	43	—	1	—	—	151	1	—	—	—	5	—	—
Urmston ...	—	—	2	57	207	—	4	—	10	397	8	3	—	—	15	56	—
Walton le Dale	—	—	—	60	19	—	—	—	26	147	2	—	—	—	3	—	67
Wardle ...	—	—	2	5	18	—	—	—	2	96	—	1	—	—	—	—	2
West Houghton ...	—	—	—	10	26	—	—	—	—	188	3	—	—	—	3	—	—
Whitefield ...	—	—	1	18	20	—	—	—	1	156	—	—	—	—	5	—	5
Whitworth ...	—	—	—	6	31	—	2	—	5	104	1	—	—	—	1	—	—
Widnes M.B. ...	—	—	2	134	123	1	8	—	5	419	2	—	—	—	11	1	5
Withnell ...	—	—	1	3	3	—	1	—	—	12	—	—	—	—	1	—	—
Worsley ...	—	—	—	98	58	—	1	—	7	298	3	—	—	—	12	—	4
rural Districts ...	1	2	10	523	970	1	36	5	332	2802	14	8	—	1	177	88	360
Blackburn ...	—	2	—	36	20	—	1	1	5	48	—	—	—	—	6	1	1
Burnley ...	—	—	—	23	30	—	1	—	—	54	2	—	—	—	3	—	2
Chorley ...	—	—	—	91	80	—	2	—	6	265	1	—	—	—	22	1	25
Clitheroe ...	—	—	—	17	16	—	3	—	9	63	1	—	—	—	7	2	2
Fylde ...	1	—	—	14	56	—	—	1	1	261	1	2	—	—	10	5	32
Garstang ...	—	—	—	15	17	—	1	—	—	148	1	—	—	—	2	1	31

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
LANCASHIRE																	
—contd.																	
R.D.'s.—contd.																	
Lancaster ...	—	—	—	8	13	—	2	—	—	65	1	2	—	—	3	—	28
Limehurst ...	—	—	—	23	44	—	1	—	11	74	—	—	—	—	—	2	—
Lunesdale ...	—	—	1	28	26	1	—	1	8	67	—	—	—	—	3	—	11
Preston ...	—	—	—	82	130	—	5	—	168	389	3	3	—	1	15	1	195
Ulverston ...	—	—	—	25	13	—	2	—	—	185	—	—	—	—	20	—	—
Warrington ...	—	—	—	51	118	—	8	—	83	239	—	—	—	—	23	—	18
West Lancashire ...	—	—	2	58	181	—	6	1	8	431	4	1	—	—	36	1	7
Whiston ...	—	—	7	38	207	—	4	1	32	461	—	—	—	—	27	74	8
Wigan ...	—	—	—	14	19	—	—	—	1	52	—	—	—	—	—	—	—
LEICESTERSHIRE																	
County Borough:	—	5	23	982	2330	—	88	1	729	9374	45	15	1	3	504	190	92
Leicester ...	—	—	17	490	1096	—	49	1	687	3174	15	4	—	—	151	164	41
Admin. County ...	—	5	6	492	1234	—	39	—	42	6200	30	11	1	3	353	26	51
Urban Districts ...	—	5	5	255	489	—	21	—	17	3164	16	9	—	1	144	8	8
Ashby de la Zouch ...	—	—	1	1	9	—	—	—	—	158	1	—	—	—	3	1	2
Ashby Wolds ...	—	—	—	5	1	—	—	—	—	45	—	—	—	—	—	—	—
Coalville ...	—	—	—	51	81	—	1	—	1	854	2	—	—	—	70	1	1
Hinckley ...	—	5	3	121	184	—	4	—	3	342	9	8	—	—	20	—	3
Loughborough M.B.	—	—	1	32	63	—	1	—	—	522	3	—	—	—	15	—	—
Market Harborough ...	—	—	—	2	14	—	—	—	—	304	—	—	—	—	—	2	—
Melton Mowbray ...	—	—	—	14	43	—	4	—	12	132	1	1	—	—	19	1	—
Oadby ...	—	—	—	3	14	—	2	—	1	135	—	—	—	—	1	—	—
Shepshed ...	—	—	—	22	44	—	7	—	—	256	—	—	—	—	12	1	1
Wigston ...	—	—	—	4	36	—	2	—	—	416	—	—	—	1	4	2	1
Rural Districts ...	—	—	1	237	745	—	18	—	25	3036	14	2	1	2	209	18	43
Ashby de la Zouch ...	—	—	—	7	72	—	3	—	—	368	—	—	—	—	39	1	—
Barrow upon Soar ...	—	—	—	62	230	—	1	—	1	912	1	—	—	—	37	5	4
Billesdon ...	—	—	—	23	22	—	—	—	1	122	—	—	—	—	4	—	26
Blaby ...	—	—	—	45	148	—	6	—	12	409	1	1	—	—	55	2	8
Castle Donington ...	—	—	—	24	143	—	3	—	—	178	—	—	—	—	22	—	—
Lutterworth ...	—	—	1	3	27	—	4	—	—	137	1	—	—	—	14	6	1
Market Bosworth ...	—	—	—	46	68	—	1	—	6	476	2	—	—	—	20	2	3
Market Harborough ...	—	—	—	5	7	—	—	—	—	184	7	1	1	2	7	1	—
Melton and Belvoir ...	—	—	—	22	28	—	—	—	5	250	2	—	—	—	11	1	1
LINCOLNSHIRE :																	
Parts of Holland :																	
Admin. County ...	—	—	2	111	354	—	11	2	82	3207	9	—	—	—	117	16	30
Urban Districts ...	—	—	—	25	98	—	3	2	49	1399	4	—	—	—	73	14	15
Boston M.B. ...	—	—	—	20	87	—	2	2	49	1216	4	—	—	—	68	14	15
Spalding ...	—	—	—	5	11	—	1	—	—	183	—	—	—	—	5	—	—
Rural Districts ...	—	—	2	86	256	—	8	—	33	1808	5	—	—	—	44	2	15
Boston ...	—	—	—	19	95	—	2	—	30	682	4	—	—	—	29	—	11
East Elloe ...	—	—	2	48	96	—	5	—	3	779	—	—	—	—	8	1	4
Spalding ...	—	—	—	19	65	—	1	—	—	347	1	—	—	—	7	1	—
LINCOLNSHIRE:																	
Parts of Kesteven :																	
Admin. County ...	—	2	3	140	803	—	18	—	6	2045	7	9	1	1	133	7	4
Urban Districts ...	—	—	—	78	315	—	9	—	3	758	1	—	—	1	72	3	1
Bourne ...	—	—	—	20	11	—	2	—	—	20	—	—	—	—	7	—	—
Grantham M.B. ...	—	—	—	11	219	—	5	—	1	380	1	—	—	1	35	2	—
Sleaford ...	—	—	—	13	15	—	2	—	1	243	—	—	—	—	1	—	—
Stamford M.B. ...	—	—	—	34	70	—	—	—	1	115	—	—	—	—	29	1	1
Rural Districts ...	—	2	3	62	488	—	9	—	3	1287	6	9	1	—	61	4	3
East Kesteven ...	—	—	1	17	104	—	1	—	—	481	—	1	—	—	15	—	2
North Kesteven ...	—	—	1	9	182	—	5	—	—	419	1	1	—	—	2	—	1
South Kesteven ...	—	—	1	12	68	—	1	—	1	156	1	3	—	—	31	1	—
West Kesteven ...	—	2	—	24	134	—	2	—	2	231	4	4	1	—	13	3	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>LINCOLNSHIRE:</b>																	
Parts of Lindsey	2	10	17	561	2347	6	47	7	468	6022	30	7	1	2	314	39	42
County Boroughs ...	1	2	7	208	1092	1	19	7	364	2952	13	2	1	—	85	18	12
Grimsby ...	—	2	6	162	629	1	14	5	339	1746	8	—	1	—	45	10	8
Lincoln ...	1	—	1	46	463	—	5	2	25	1206	5	2	—	—	40	8	4
Admin. County	1	8	10	353	1255	5	28	—	104	3070	17	5	—	2	229	21	30
Urban Districts	—	1	6	207	684	4	18	—	91	1796	12	4	—	1	100	13	8
Alford ...	—	—	—	—	22	—	—	—	—	1	—	—	—	—	6	—	—
Barton upon Humber	—	—	—	1	64	—	—	—	—	7	—	—	—	—	6	—	—
Brigg ...	—	—	—	4	8	—	2	—	—	33	1	—	—	—	3	3	—
Cleethorpes M.B.	—	—	1	57	199	—	4	—	65	585	3	—	—	—	26	4	—
Gainsborough	—	—	2	7	64	—	1	—	—	248	3	2	—	—	9	—	4
Horncastle	—	—	—	2	12	—	—	—	—	166	—	—	—	—	—	—	—
Louth M.B.	—	—	—	2	3	—	2	—	—	182	1	—	—	—	3	1	—
Mablethorpe and Sutton	—	—	—	—	4	—	—	—	1	19	—	—	—	—	1	—	—
Market Rasen	—	—	—	—	6	—	—	—	—	3	—	—	—	—	—	—	—
Scunthorpe M.B.	—	1	3	114	268	4	8	—	25	428	4	2	—	1	39	5	4
Skegness	—	—	—	9	1	—	1	—	—	99	—	—	—	—	—	—	—
Woodhall Spa	—	—	—	11	33	—	—	—	—	25	—	—	—	—	7	—	—
Rural Districts	1	7	4	146	571	1	10	—	13	1274	5	1	—	1	129	8	22
Caistor ...	1	—	—	20	90	—	—	—	—	65	—	—	—	—	4	1	—
Gainsborough	—	—	—	12	28	—	—	—	—	74	—	—	—	—	4	—	—
Glanford Brigg	—	—	1	59	118	1	4	—	3	184	2	—	—	1	30	3	—
Grimsby	—	—	—	12	36	—	—	—	5	190	1	—	—	—	4	—	—
Horncastle	—	—	1	8	85	—	—	—	1	247	—	—	—	—	21	2	6
Isle of Axholme	—	—	—	5	—	—	—	—	—	3	—	—	—	—	5	—	1
Louth	—	7	—	14	73	—	3	—	—	174	1	—	—	—	19	1	7
Spilsby	—	—	1	10	108	—	3	—	3	271	—	1	—	—	37	1	8
Welton	—	—	1	6	33	—	—	—	1	66	1	—	—	—	5	—	—
<b>LONDON</b>	17	28	98	3425	11027	13	408	161	2639	27046	236	96	11	7	2435	1712	1269
City of London	—	—	—	—	1	—	—	—	1	6	—	—	—	—	1	11	2
Inner and Middle Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boroughs:	17	28	98	3425	11026	13	408	161	2638	27040	236	96	11	7	2434	1701	1267
Battersea	—	1	5	90	410	1	20	2	24	762	10	2	1	—	74	32	4
Bermondsey	—	—	1	58	127	—	6	1	24	514	1	—	—	—	40	1	1
Bethnal Green	—	—	5	70	289	—	14	3	99	636	1	—	—	—	11	3	5
Camberwell	1	1	6	219	457	—	25	8	45	1310	15	5	—	—	81	139	165
Chelsea	—	1	3	49	257	—	4	2	260	549	2	3	—	—	29	29	23
Deptford	—	—	1	79	111	—	4	1	102	429	6	5	—	—	26	1	59
Finsbury	—	—	—	66	356	—	7	6	51	460	—	1	—	—	61	5	28
Fulham	—	—	3	70	532	—	9	18	49	910	7	2	1	—	45	23	26
Greenwich	—	—	3	146	235	—	11	—	100	560	10	1	—	2	23	10	9
Hackney	1	7	7	291	736	1	27	2	103	1508	10	3	—	1	60	97	19
Hammersmith	1	1	2	106	453	—	22	15	56	535	6	2	—	—	101	224	31
Hampstead	—	3	3	44	215	—	7	5	40	1186	10	2	—	1	53	34	21
Holborn	1	—	2	10	62	—	1	3	8	195	9	8	1	—	4	—	4
Islington	—	—	3	244	1168	1	48	26	344	2642	13	3	1	—	330	189	239
Kensington	2	1	6	78	485	2	11	7	131	740	9	5	—	—	93	65	79
Lambeth	1	2	7	173	784	—	15	4	59	1303	13	5	1	1	189	66	130
Lewisham	1	2	10	283	574	1	18	3	84	2082	35	17	3	—	189	57	32
Paddington	—	—	4	71	322	—	13	1	105	854	5	3	—	—	98	104	107
Poplar	—	—	3	86	314	—	6	2	35	780	5	—	—	—	70	31	29
St. Marylebone	1	—	1	44	71	—	3	2	13	429	6	3	—	—	16	27	18
St. Pancras	3	1	2	176	382	4	25	8	153	1366	17	5	—	1	101	100	30
Shoreditch	—	1	1	67	212	—	5	6	91	394	1	2	—	—	33	1	3
Southwark	—	1	3	160	372	—	12	5	172	1075	6	1	—	—	68	46	20
Stepney	—	1	8	75	249	1	9	24	66	653	5	2	1	—	78	98	12
Stoke Newington	—	1	—	78	236	—	11	1	80	774	2	—	—	—	33	21	10
Wandsworth	2	1	4	323	925	2	55	4	132	2850	18	8	1	—	320	182	129
Westminster	3	—	4	54	317	—	5	1	181	493	4	5	—	—	51	39	12
Woolwich	—	3	1	215	375	—	15	1	31	1051	10	3	1	—	157	77	22

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>MIDDLESEX :</b>																	
Admin. County ...	8	20	43	2928	6915	4	329	115	1416	27899	151	78	7	3	2160	918	374
Urban Districts ...	8	20	43	2928	6915	4	329	115	1416	27899	151	78	7	3	2160	918	374
Acton M.B. ...	—	—	3	73	178	—	2	2	15	548	4	1	1	—	18	11	14
Brentford and Chiswick M.B. ...	—	—	1	65	141	—	3	1	11	810	3	3	—	—	43	18	23
Ealing M.B. ...	—	2	3	233	491	—	18	—	73	2568	7	7	—	—	231	60	10
Edmonton M.B. ...	2	5	4	220	204	1	23	19	426	1207	5	1	—	—	163	184	17
Enfield ...	—	—	7	177	456	—	19	15	155	1315	9	1	1	1	100	51	26
Feltham ...	—	—	1	38	127	—	—	1	5	381	4	4	—	—	24	—	8
Finchley M.B. ...	2	1	—	69	165	—	2	—	14	857	9	2	—	—	49	56	11
Friern Barnet ...	—	—	—	31	32	—	3	—	13	395	2	—	—	—	21	—	4
Harrow ...	2	1	4	213	494	—	28	1	9	2462	10	8	1	—	130	13	7
Hayes and Harlington ...	—	—	2	84	257	—	7	—	1	938	4	3	—	—	101	12	—
Hendon M.B. ...	—	1	1	217	407	1	20	49	46	2096	13	6	—	—	123	151	23
Heston and Isleworth M.B. ...	—	—	1	161	291	—	16	13	13	602	8	3	—	—	78	67	53
Hornsey M.B. ...	1	2	—	130	332	—	12	3	120	1160	10	5	—	—	89	18	12
Potters Bar ...	—	—	—	22	142	—	2	—	3	381	1	—	—	—	9	—	—
Ruislip Northwood ...	—	—	—	79	512	—	30	1	5	1051	7	5	—	—	143	9	2
Southall M.B. ...	—	—	2	131	563	—	14	—	9	930	2	2	1	—	103	7	13
Southgate M.B. ...	—	1	—	134	132	—	14	—	95	1138	3	1	—	—	47	2	14
Staines ...	—	—	1	46	79	—	2	—	8	484	3	1	—	—	19	—	5
Sunbury on Thames ...	—	—	3	15	55	—	—	—	—	320	2	4	—	—	7	1	1
Tottenham M.B. ...	—	1	—	215	360	1	19	—	143	1020	6	5	—	1	127	1	30
Twickenham M.B. ...	1	—	1	99	251	—	11	4	30	729	6	4	—	—	105	12	60
Uxbridge ...	—	—	1	47	222	—	42	—	5	1222	5	2	—	—	66	90	—
Wembley M.B. ...	—	2	—	127	282	—	14	1	25	1777	10	5	1	—	74	2	15
Willesden M.B. ...	—	3	6	210	450	1	21	3	139	2383	11	3	1	1	208	150	9
Wood Green M.B. ...	—	—	1	68	202	—	4	1	51	778	4	1	1	—	44	—	7
Yiewsley and West Drayton ...	—	1	1	24	90	—	3	1	2	347	3	1	—	—	38	3	10
<b>NORFOLK</b> ...	1	3	24	1039	2644	1	83	13	632	2689	33	12	6	1	392	154	82
County Boroughs ...	—	—	4	406	795	1	30	10	456	818	8	7	3	—	111	128	45
Great Yarmouth ...	—	—	1	42	157	—	2	1	213	76	2	3	—	—	22	6	14
Norwich ...	—	—	3	364	638	1	28	9	243	742	6	4	3	—	89	122	31
Admin. County ...	1	3	20	633	1849	—	53	3	176	1871	25	5	3	1	281	26	37
Urban Districts ...	1	1	4	153	540	—	4	—	59	277	10	—	—	—	52	5	1
Cromer ...	—	—	—	4	13	—	—	—	—	4	—	—	—	—	—	1	—
Diss ...	—	—	—	—	4	—	—	—	—	1	1	—	—	—	—	—	—
Downham Market ...	—	—	—	—	28	—	—	—	—	1	1	—	—	—	7	—	—
East Dereham ...	—	—	1	11	49	—	1	—	—	40	2	—	—	—	2	—	—
Kings Lynn M.B. ...	—	1	3	94	143	—	2	—	56	11	—	—	—	—	24	1	—
New Hunstanton ...	—	—	—	—	27	—	—	—	3	10	1	—	—	—	—	—	—
North Walsham ...	—	—	—	7	103	—	—	—	—	3	1	—	—	—	—	2	—
Sheringham ...	1	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—
Swaffham ...	—	—	—	5	64	—	—	—	—	49	—	—	—	—	3	—	—
Thetford M.B. ...	—	—	—	23	5	—	1	—	—	144	1	—	—	—	10	—	—
Wells ...	—	—	—	—	16	—	—	—	—	2	1	—	—	—	1	—	—
Wymondham ...	—	—	—	9	78	—	—	—	—	12	2	—	—	—	5	1	1
Rural Districts ...	—	2	16	480	1309	—	49	3	117	1594	15	5	3	1	229	21	36
Blofield and Flegg ...	—	—	1	61	128	—	10	—	43	163	4	2	—	—	34	2	5
Depwade ...	—	—	—	21	73	—	6	1	18	88	1	1	—	—	16	—	2
Docking ...	—	—	1	8	55	—	—	—	—	11	—	—	—	—	6	—	—
Downham ...	—	—	—	60	210	—	2	—	—	141	—	—	1	—	54	—	3
Erpingham ...	—	—	—	32	92	—	—	—	10	13	3	—	—	—	2	1	—
Forehoe and Henstead ...	—	1	5	37	58	—	10	—	14	86	—	1	—	—	10	2	5
Freebridge Lynn ...	—	—	5	31	52	—	—	—	2	7	—	—	—	—	3	—	—
Loddon ...	—	—	—	5	12	—	5	—	4	8	—	—	—	—	15	2	11
Marshland ...	—	—	—	35	84	—	1	—	—	277	—	—	—	—	8	—	—
Mitford and Launditch ...	—	—	—	7	75	—	—	—	2	17	2	—	—	—	6	—	—
St. Faith's and Aylsham ...	—	1	2	79	70	—	6	1	18	147	—	—	1	1	24	11	2
Smallburgh ...	—	—	—	27	84	—	3	1	—	53	1	—	—	—	28	2	3
Swaffham ...	—	—	—	48	98	—	—	—	1	161	—	—	—	—	5	—	—
Walsingham ...	—	—	1	7	120	—	3	—	—	32	2	—	—	—	11	1	—
Wayland ...	—	—	1	22	98	—	3	—	5	390	2	1	1	—	7	—	5



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>NORTHAMPTON-SHIRE</b> ...	—	1	13	611	915	—	78	2	70	4579	49	41	4	—	281	141	57
County Borough: Northampton ...	—	—	4	181	379	—	28	—	—	391	11	1	2	—	95	113	14
Admin. County ...	—	1	9	430	536	—	50	2	70	4188	38	40	2	—	186	28	43
<b>Urban Districts</b> ...	—	—	9	206	135	—	28	2	65	1749	28	36	1	—	94	25	29
Brackley M.B. ...	—	—	—	1	2	—	—	—	—	3	—	—	—	—	1	—	—
Burton Latimer ...	—	—	—	14	15	—	3	—	1	22	—	—	—	—	12	—	—
Corby ...	—	—	—	35	4	—	—	—	—	61	—	1	—	—	6	1	—
Daventry M.B. ...	—	—	—	3	3	—	—	—	1	4	1	—	—	—	—	—	—
Desborough ...	—	—	1	2	1	—	—	—	—	5	—	—	1	—	—	—	—
Higham Ferrers M.B. ...	—	—	—	2	1	—	1	—	7	81	1	1	—	—	4	—	—
Irthlingborough ...	—	—	1	1	7	—	—	—	—	24	—	—	—	—	4	—	—
Kettering M.B. ...	—	—	7	92	13	—	10	1	40	1114	23	34	—	—	21	11	17
Oundle ...	—	—	—	—	7	—	—	—	1	—	—	—	—	—	—	—	—
Raunds ...	—	—	—	4	1	—	3	—	—	144	—	—	—	—	5	—	—
Rothwell ...	—	—	—	7	2	—	—	—	—	9	—	—	—	—	—	—	—
Rushden ...	—	—	—	13	—	—	3	—	15	187	—	—	—	—	7	1	2
Wellingborough ...	—	—	—	32	79	—	8	1	—	95	3	—	—	—	34	12	10
<b>Rural Districts</b> ...	—	1	—	224	401	—	22	—	5	2439	10	4	1	—	92	3	14
Brackley ...	—	—	—	16	22	—	1	—	—	152	—	2	—	—	3	—	1
Brixworth ...	—	—	—	48	82	—	3	—	—	556	3	—	—	—	8	—	1
Daventry ...	—	—	—	26	44	—	4	—	2	161	1	2	—	—	3	2	5
Kettering ...	—	—	—	15	2	—	1	—	—	145	—	—	—	—	11	1	—
Northampton ...	—	—	—	50	105	—	6	—	—	424	1	—	—	—	38	—	6
Oundle and Thrapston ...	—	1	—	8	30	—	4	—	—	445	2	—	1	—	12	—	—
Towcester ...	—	—	—	52	111	—	2	—	—	333	3	—	—	—	11	—	—
Wellingborough ...	—	—	—	9	5	—	1	—	3	223	—	—	—	—	6	—	1
<b>NORTHUMBERLAND</b>	3	26	23	1003	2324	—	107	3	336	7358	16	13	6	1	640	154	61
<b>County Boroughs</b> ...	—	14	14	362	963	—	43	2	118	3422	4	3	5	—	360	127	46
Newcastle upon Tyne* ...	—	11	12	316	723	—	36	2	117	2749	4	3	5	—	348	127	44
Tynemouth ...	—	3	2	46	240	—	7	—	1	673	—	—	—	—	12	—	2
Admin. County ...	3	12	9	641	1361	—	64	1	218	3936	12	10	1	1	280	27	15
<b>Urban Districts</b> ...	3	11	8	533	919	—	50	—	208	3202	6	6	1	—	217	12	11
Alnwick ...	—	—	—	2	—	—	—	—	1	8	—	1	—	—	—	—	—
Amble ...	—	—	—	1	43	—	—	—	1	49	—	—	—	—	—	—	—
Ashington ...	1	—	2	32	21	—	4	—	3	30	1	—	—	—	8	—	—
Bedlingtonshire ...	1	1	—	40	215	—	3	—	1	166	—	—	—	—	1	—	—
Berwick upon Tweed ...	—	—	—	6	2	—	1	—	—	1	1	—	—	—	—	—	—
Blyth M.B. ...	—	2	1	83	190	—	8	—	1	747	—	—	—	—	16	6	5
Gosforth ...	—	—	—	34	50	—	10	—	155	227	—	—	—	—	21	—	3
Hexham ...	1	—	—	29	51	—	1	—	—	86	—	3	1	—	7	—	—
Longbenton ...	—	—	1	47	73	—	1	—	2	319	—	—	—	—	22	1	2
Morpeth M.B. ...	—	—	—	4	5	—	6	—	—	1	1	—	—	—	3	1	—
Newbiggin by the Sea ...	—	—	—	20	—	—	—	—	—	94	—	—	—	—	14	—	1
Newburn ...	—	—	2	21	19	—	3	—	17	212	1	1	—	—	31	—	—
Prudhoe ...	—	—	—	17	14	—	3	—	23	180	1	—	—	—	2	—	—
Seaton Valley ...	—	—	—	91	51	—	5	—	—	248	—	—	—	—	4	2	—
Wallsend M.B. ...	—	8	1	59	148	—	2	—	2	667	1	1	—	—	58	1	—
Whitley Bay ...	—	—	1	47	37	—	3	—	2	167	—	—	—	—	30	1	—
<b>Rural Districts</b> ...	—	1	1	108	442	—	14	1	10	734	6	4	—	1	63	15	4
Alnwick ...	—	—	—	12	17	—	1	—	—	54	—	1	—	—	1	—	—
Belford ...	—	—	—	3	48	—	—	—	4	3	—	—	—	—	3	—	—
Bellingham ...	—	—	—	2	27	—	—	—	—	41	—	—	—	—	4	—	—
Castle Ward ...	—	—	—	5	40	—	1	—	5	215	—	—	—	1	2	13	—
Glendale ...	—	—	—	7	73	—	2	—	—	8	—	—	—	—	7	—	—
Haltwhistle ...	—	1	1	13	44	—	—	—	—	186	4	2	—	—	7	—	—
Hexham ...	—	—	—	32	144	—	5	—	—	173	2	1	—	—	19	2	2
Morpeth ...	—	—	—	18	10	—	2	1	—	48	—	—	—	—	7	—	1

\* Moot Hall and precincts included.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>NORTHUMBER- LAND</b> —contd.																	
R.D.'s.—contd.																	
Norham and Islandshires ...	—	—	—	1	28	—	1	—	—	5	—	—	—	—	—	—	1
Rothbury ...	—	—	—	15	11	—	2	—	1	1	—	—	—	—	13	—	—
<b>NOTTINGHAMSHIRE</b>	1	—	24	1241	2779	—	110	10	238	8818	36	20	1	7	634	98	47
County Borough : Nottingham*	—	—	13	401	1104	—	39	5	111	3323	20	9	—	5	257	58	21
Admin. County ...	1	—	11	840	1675	—	71	5	127	5495	16	11	1	2	377	40	26
Urban Districts	1	—	6	614	1003	—	56	2	80	3671	10	10	—	2	277	33	18
Arnold ...	—	—	—	9	47	—	3	—	22	181	1	—	—	—	6	—	—
Beeston and Stapleford ...	1	—	1	114	172	—	9	2	10	466	2	4	—	—	27	3	10
Carlton ...	—	—	1	28	102	—	2	—	2	345	—	—	—	1	6	1	2
East Retford M.B.	—	—	—	54	55	—	6	—	—	561	1	—	—	—	35	—	3
Eastwood ...	—	—	—	10	28	—	4	—	1	295	1	—	—	—	18	1	—
Hucknall ...	—	—	1	45	70	—	12	—	15	531	—	—	—	—	54	—	—
Kirkby in Ashfield	—	—	—	30	59	—	2	—	2	79	—	1	—	—	7	1	1
Mansfield ...	—	—	1	107	45	—	6	—	25	100	1	—	—	—	44	14	—
Mansfield Wood- house ...	—	—	1	36	29	—	3	—	1	100	1	—	—	1	4	3	1
Newark M.B.	—	—	—	37	26	—	6	—	—	250	—	—	—	—	25	3	—
Sutton in Ashfield	—	—	—	58	163	—	2	—	2	185	1	—	—	—	10	4	—
Warsop ...	—	—	—	13	7	—	—	—	—	99	1	—	—	—	—	—	—
West Bridgford ...	—	—	—	33	46	—	—	—	—	205	—	—	—	—	3	—	—
Worksop M.B.	—	—	1	40	154	—	1	—	—	274	1	5	—	—	38	3	1
Rural Districts	—	—	5	226	672	—	15	3	47	1824	6	1	1	—	100	7	8
Basford ...	—	—	1	92	235	—	10	2	9	640	2	—	—	—	32	3	5
Bingham ...	—	—	2	24	30	—	1	—	—	156	3	—	—	—	3	—	—
East Retford ...	—	—	2	35	172	—	1	—	1	275	1	1	1	—	35	3	2
Newark ...	—	—	—	9	52	—	2	—	2	173	—	—	—	—	7	—	1
Southwell ...	—	—	—	55	128	—	1	1	33	464	—	—	—	—	17	—	—
Worksop ...	—	—	—	11	55	—	—	—	2	116	—	—	—	—	6	1	—
<b>OXFORDSHIRE</b>	—	—	12	317	1064	—	34	47	113	6077	18	4	1	—	191	129	104
County Borough : Oxford ...	—	—	5	136	367	—	20	47	79	2376	6	—	1	—	91	117	25
Admin. County ...	—	—	7	181	697	—	14	—	34	3701	12	4	—	—	100	12	79
Urban Districts	—	—	—	32	69	—	5	—	4	790	2	—	—	—	8	6	8
Banbury M.B.	—	—	—	26	64	—	2	—	1	388	1	—	—	—	5	4	8
Bicester ...	—	—	—	—	—	—	—	—	—	32	—	—	—	—	—	—	—
Chipping Norton M.B. ...	—	—	—	1	—	—	—	—	1	82	—	—	—	—	—	—	—
Henley on Thames M.B. ...	—	—	—	—	3	—	—	—	1	208	—	—	—	—	—	1	—
Thame ...	—	—	—	2	1	—	3	—	—	37	—	—	—	—	2	—	—
Witney ...	—	—	—	3	1	—	—	—	—	9	1	—	—	—	—	1	—
Woodstock M.B. ...	—	—	—	—	—	—	—	—	1	34	—	—	—	—	1	—	—
Rural Districts	—	—	7	149	628	—	9	—	30	2911	10	4	—	—	92	6	71
Banbury ...	—	—	—	17	41	—	3	—	—	259	3	—	—	—	8	2	—
Bullington ...	—	—	3	47	270	—	4	—	27	1146	—	2	—	—	14	2	7
Chipping Norton	—	—	2	2	64	—	1	—	—	209	1	—	—	—	2	—	1
Henley ...	—	—	—	7	79	—	—	—	1	304	2	1	—	—	51	1	3
Ploughley ...	—	—	1	69	110	—	—	—	—	669	3	—	—	—	4	—	60
Witney ...	—	—	1	7	64	—	1	—	2	324	1	1	—	—	13	1	—
<b>PETERBOROUGH, SOKE OF :</b>																	
Admin. County ...	—	—	1	26	106	—	2	2	15	115	11	6	—	—	54	54	5
Urban District: Peterborough M.B.	—	—	1	19	69	—	1	2	14	66	4	4	—	—	47	54	5

\*Shire Hall included.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>PETERBOROUGH, SOKE OF—contd.</b>																	
Rural Districts ...	—	—	—	7	37	—	1	—	1	49	7	2	—	—	7	—	—
Barnack ...	—	—	—	4	17	—	1	—	—	36	1	—	—	—	5	—	—
Peterborough ...	—	—	—	3	20	—	—	—	1	13	6	2	—	—	2	—	—
<b>RUTLAND :</b>																	
Admin. County ...	—	—	1	20	85	—	2	—	11	272	1	2	—	—	42	2	—
Urban District:																	
Oakham ...	—	—	1	4	4	—	1	—	7	4	—	—	—	—	6	—	—
Rural Districts ...	—	—	—	16	81	—	1	—	4	268	1	2	—	—	36	2	—
Ketton ...	—	—	—	5	40	—	—	—	—	55	—	1	—	—	10	1	—
Oakham ...	—	—	—	11	24	—	—	—	4	62	1	1	—	—	21	1	—
Uppingham ...	—	—	—	—	17	—	1	—	—	151	—	—	—	—	5	—	—
<b>SHROPSHIRE :</b>																	
Admin. County ...	2	7	4	240	937	—	25	7	45	4201	21	5	—	—	248	13	39
Urban Districts ...	2	5	1	89	646	—	14	5	34	2008	11	2	—	—	108	7	13
Bishop's Castle M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bridgnorth M.B. ...	—	—	—	—	80	—	—	—	—	14	1	—	—	—	3	—	—
Church Stretton ...	—	—	—	4	4	—	1	—	12	38	—	—	—	—	21	—	4
Dawley ...	—	—	—	6	136	—	2	—	—	37	—	—	—	—	15	2	1
Ellesmere ...	—	—	—	1	2	—	—	—	—	27	—	—	—	—	—	—	—
Ludlow M.B. ...	—	—	—	—	3	—	—	—	—	124	—	—	—	—	—	—	—
Market Drayton ...	—	—	—	—	—	—	—	—	—	46	—	—	—	—	—	1	—
Newport ...	—	—	—	3	—	—	1	—	—	90	—	—	—	—	2	—	—
Oakengates ...	—	—	—	4	35	—	—	—	—	188	1	—	—	—	1	—	2
Oswestry M.B. ...	—	—	—	15	36	—	1	—	7	318	2	—	—	—	14	1	2
Shrewsbury M.B. ...	1	3	—	17	95	—	5	2	14	576	1	—	—	—	15	—	1
Wellington ...	—	1	1	18	70	—	—	1	1	55	—	—	—	—	11	—	—
Wem ...	1	—	—	2	—	—	—	—	—	3	—	—	—	—	8	—	2
Wenlock M.B. ...	—	—	—	2	143	—	2	2	—	379	2	—	—	—	16	2	—
Whitchurch ...	—	1	—	17	42	—	2	—	—	113	4	2	—	—	2	1	1
Rural Districts ...	—	2	3	151	291	—	11	2	11	2193	10	3	—	—	140	6	26
Atcham ...	—	1	—	24	39	—	3	1	2	560	3	—	—	—	21	—	6
Bridgnorth ...	—	—	2	25	58	—	1	1	—	131	2	—	—	—	36	—	1
Clun ...	—	—	—	9	8	—	1	—	—	152	—	—	—	—	4	1	—
Drayton ...	—	—	—	18	18	—	—	—	2	75	1	1	—	—	9	2	—
Ellesmere ...	—	—	—	6	7	—	—	—	—	167	—	—	—	—	5	1	—
Ludlow ...	—	—	—	2	6	—	2	—	1	256	—	1	—	—	6	—	18
Oswestry ...	—	—	—	11	15	—	1	—	6	282	2	—	—	—	15	1	—
Shifnal ...	—	—	—	13	15	—	1	—	—	171	1	—	—	—	10	—	—
Wellington ...	—	1	1	29	96	—	1	—	—	278	—	1	—	—	17	1	—
Wem ...	—	—	—	14	29	—	1	—	—	121	1	—	—	—	17	—	1
<b>SOMERSET</b>																	
County Borough:																	
Bath ...	—	—	2	93	91	2	14	1	29	1659	7	9	—	—	58	6	8
Admin. County ...	—	1	12	443	1272	2	53	6	99	7676	72	64	2	1	273	55	25
Urban Districts ...	—	1	5	182	480	—	26	6	39	3821	34	24	1	—	100	30	11
Bridgwater M.B. ...	—	—	2	7	37	—	2	1	2	541	1	2	—	—	3	—	—
Burnham on Sea ...	—	—	—	7	11	—	—	—	1	297	1	—	—	—	10	—	—
Chard M.B. ...	—	—	—	2	4	—	1	—	—	63	1	2	—	—	2	3	—
Clevedon ...	—	—	—	2	3	—	—	—	2	302	5	1	—	—	2	12	—
Crewkerne ...	—	—	1	1	—	—	—	—	3	84	—	2	—	—	1	2	—
Frome ...	—	1	—	4	3	—	2	—	—	372	3	—	—	—	—	—	—
Glastonbury M.B. ...	—	—	—	1	2	—	—	—	—	6	2	—	—	—	3	1	—
Ilminster ...	—	—	—	6	—	—	—	—	—	10	—	—	—	—	—	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SOMERSET—contd.</b>																	
<b>U.D's.—contd.</b>																	
Keynsham ...	—	—	—	2	22	—	1	—	1	168	—	—	—	—	7	—	—
Minehead ...	—	—	—	11	105	—	4	—	—	39	—	—	1	—	1	—	1
Norton Radstock ...	—	—	1	21	21	—	1	—	2	252	1	—	—	—	2	—	2
Portishead ...	—	—	—	3	—	—	—	—	—	17	—	—	—	—	2	—	—
Shepton Mallet ...	—	—	—	3	8	—	—	1	—	30	—	—	—	—	—	1	—
Street ...	—	—	—	1	48	—	3	—	—	140	1	—	—	—	10	—	—
Taunton M.B. ...	—	—	—	53	27	—	7	1	22	442	16	14	—	—	24	4	8
Watchet ...	—	—	—	6	6	—	3	1	—	10	—	—	—	—	5	—	—
Wellington... ..	—	—	—	—	1	—	—	—	—	54	—	—	—	—	5	1	—
Wells M.B. ...	—	—	—	—	14	—	2	—	—	66	—	—	—	—	—	—	—
Weston super Mare M.B. ...	—	—	1	47	99	—	—	—	6	481	1	—	—	—	9	1	—
Yeovil M.B. ...	—	—	—	5	69	—	—	2	—	447	2	3	—	—	14	5	—
<b>Rural Districts</b>																	
Axbridge ...	—	—	7	261	792	2	27	—	60	3855	38	40	1	1	173	25	14
Bathayon ...	—	—	1	41	45	—	5	—	—	247	—	2	—	—	8	—	—
Bridgwater... ..	—	—	—	10	28	—	9	—	11	279	2	2	—	1	11	1	—
Chard ...	—	—	—	22	22	—	—	—	—	322	2	—	—	—	8	1	—
Clutton ...	—	—	—	10	15	1	—	—	—	190	1	—	—	—	3	1	—
Dulverton ...	—	—	1	21	55	—	1	—	2	406	—	1	—	—	16	11	1
Frome ...	—	—	—	—	58	—	—	—	—	154	2	—	—	—	10	—	—
Langport ...	—	—	1	14	124	—	1	—	9	284	2	2	—	—	15	1	—
Long Ashton ...	—	—	—	28	65	—	—	—	7	64	2	3	—	—	28	4	5
Shepton Mallet ...	—	—	—	44	33	—	2	—	4	434	2	2	—	—	33	—	—
Taunton ...	—	—	1	3	6	—	2	—	—	65	1	1	—	—	1	—	2
Wellington ...	—	—	—	22	23	1	2	—	21	296	6	2	1	—	6	1	3
Wells ...	—	—	—	6	63	—	—	—	—	141	2	—	—	—	—	—	—
Williton ...	—	—	1	8	36	—	—	—	—	81	—	1	—	—	—	2	2
Wincanton ...	—	—	—	5	44	—	2	—	—	46	6	1	—	—	2	—	—
Yeovil ...	—	—	1	13	70	—	1	—	4	411	8	9	—	—	14	1	1
	—	—	1	14	105	—	2	—	2	435	2	14	—	—	18	2	—
<b>SOUTHAMPTON</b> ...	<b>1</b>	<b>9</b>	<b>39</b>	<b>1280</b>	<b>3262</b>	<b>2</b>	<b>150</b>	<b>30</b>	<b>229</b>	<b>21569</b>	<b>120</b>	<b>59</b>	<b>5</b>	<b>2</b>	<b>792</b>	<b>284</b>	<b>380</b>
<b>County Boroughs</b>																	
Bournemouth ...	—	6	16	526	1328	2	71	10	87	7861	54	36	1	—	302	181	191
Portsmouth ...	—	2	2	70	182	1	21	2	7	2145	30	25	—	—	116	7	46
Southampton ...	—	4	8	341	634	1	27	4	14	2920	8	5	1	—	68	85	28
	—	—	6	115	512	—	23	4	66	2796	16	6	—	—	118	89	117
<b>Admin. County</b> ...	<b>1</b>	<b>3</b>	<b>23</b>	<b>754</b>	<b>1934</b>	—	<b>79</b>	<b>20</b>	<b>142</b>	<b>13708</b>	<b>66</b>	<b>23</b>	<b>4</b>	<b>2</b>	<b>490</b>	<b>103</b>	<b>189</b>
<b>Urban Districts</b>																	
Aldershot M.B. ...	1	3	19	467	953	—	42	17	113	7648	34	14	4	2	319	73	168
Alton ...	—	—	6	55	63	—	—	—	23	494	2	1	—	—	3	6	—
Andover M.B. ...	—	—	—	3	32	—	—	—	—	91	2	—	—	—	10	2	—
Basingstoke M.B. ...	—	—	—	8	9	—	—	—	—	237	—	1	—	—	—	—	—
Christchurch M.B. ...	—	—	—	9	51	—	—	1	—	55	—	—	—	—	3	—	—
Eastleigh M.B. ...	—	—	—	60	21	—	3	—	10	393	—	—	—	—	—	—	3
Fareham ...	—	—	—	10	90	—	5	—	—	435	8	3	—	—	18	—	1
Farnborough ...	—	—	—	72	137	—	10	—	55	1036	—	1	—	—	30	16	4
Fleet ...	—	—	—	1	25	—	—	—	—	694	5	1	—	—	20	5	13
	—	—	1	9	18	—	—	1	5	191	2	5	—	—	—	2	5
Gosport M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80	2	—
Havant and Waterloo ...	—	3	2	100	199	—	20	1	8	1156	6	—	—	—	110	6	1
Lymington M.B. ...	—	—	3	37	176	—	—	—	1	1443	2	1	—	—	22	4	4
Petersfield ...	1	—	—	75	22	—	2	—	2	624	4	—	—	—	14	3	3
Romsey M.B. ...	—	—	—	1	60	—	—	—	—	129	1	—	—	—	—	—	—
Winchester M.B. ...	—	—	1	—	2	—	2	—	5	45	—	—	—	—	—	—	—
	—	—	6	27	48	—	—	14	4	625	2	1	4	2	9	27	134
<b>Rural Districts</b>																	
Alton ...	—	—	4	287	981	—	37	3	29	6060	32	9	—	—	171	30	21
Andover ...	—	—	—	26	115	—	2	—	—	329	3	—	—	—	14	2	1
Basingstoke ...	—	—	—	7	27	—	2	—	1	202	7	1	—	—	—	—	—
Droxford ...	—	—	—	7	91	—	2	—	1	171	—	—	—	—	7	—	—
Hartley Wintney ...	—	—	—	5	21	—	7	—	3	511	1	—	—	—	6	—	2
	—	—	—	12	27	—	—	—	5	540	4	1	—	—	11	3	14



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SOUTHAMPTON</b>																	
—contd.																	
<b>R.D's.—contd.</b>																	
Kingsclere and	—	—	—	9	98	—	2	—	2	224	1	—	—	—	30	1	—
Whitchurch ...	—	—	1	79	180	—	5	2	7	1213	4	1	—	—	20	18	4
New Forest ...	—	—	—	21	103	—	1	—	7	402	—	—	—	—	5	1	—
Petersfield ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ringwood and	—	—	1	25	111	—	7	—	—	448	3	2	—	—	38	2	—
Fordingbridge ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Romsey and	—	—	1	41	54	—	7	1	1	697	6	1	—	—	29	1	—
Stockbridge ...	—	—	1	55	154	—	2	—	2	1323	3	3	—	—	11	2	—
Winchester ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>STAFFORDSHIRE ...</b>	<b>1</b>	<b>5</b>	<b>43</b>	<b>1967</b>	<b>6400</b>	<b>80</b>	<b>146</b>	<b>69</b>	<b>85</b>	<b>21042</b>	<b>42</b>	<b>29</b>	<b>1</b>	<b>2</b>	<b>1508</b>	<b>269</b>	<b>209</b>
County Boroughs ...	—	3	19	946	2904	9	64	49	34	9518	14	14	—	1	767	221	86
Burton upon Trent	—	—	2	31	28	—	5	10	—	207	—	—	—	—	50	21	2
Smethwick ...	—	—	1	220	481	—	5	2	6	1218	1	—	—	—	51	4	64
Stoke on Trent ...	—	2	9	265	849	—	21	25	4	2307	6	—	—	1	253	93	13
Walsall ...	—	—	—	132	537	—	9	6	9	2265	—	1	—	—	221	6	—
West Bromwich ...	—	—	5	77	455	7	2	1	10	373	—	3	—	—	9	11	4
Wolverhampton	—	1	2	221	554	2	22	5	5	3148	7	10	—	—	183	86	3
<b>Admin. County ...</b>	<b>1</b>	<b>2</b>	<b>24</b>	<b>1021</b>	<b>3496</b>	<b>71</b>	<b>82</b>	<b>20</b>	<b>51</b>	<b>11524</b>	<b>28</b>	<b>15</b>	<b>1</b>	<b>1</b>	<b>741</b>	<b>48</b>	<b>123</b>
<b>Urban Districts ...</b>	<b>1</b>	<b>1</b>	<b>19</b>	<b>783</b>	<b>2710</b>	<b>70</b>	<b>59</b>	<b>17</b>	<b>44</b>	<b>8978</b>	<b>25</b>	<b>11</b>	<b>1</b>	<b>1</b>	<b>553</b>	<b>39</b>	<b>77</b>
Aldridge ...	—	—	1	51	187	1	2	1	3	654	2	1	—	1	34	—	—
Amblecote ...	—	—	—	4	3	—	—	—	1	55	—	—	—	—	3	—	—
Biddulph ...	—	—	1	25	56	—	5	1	—	181	1	—	—	—	16	—	—
Bilston M.B. ...	—	—	1	38	74	—	—	3	—	459	—	1	—	—	62	1	2
Brierley Hill ...	—	—	1	39	148	2	4	1	16	879	1	—	—	—	17	3	—
Brownhills ...	—	—	—	15	101	9	5	5	—	558	3	—	—	—	23	—	—
Cannock ...	—	—	1	66	181	—	3	2	2	753	7	—	—	—	6	9	—
Coseley ...	1	—	—	48	119	38	7	2	3	531	—	1	—	—	131	1	2
Darlaston ...	—	—	1	28	89	1	—	—	—	342	1	1	—	—	26	3	—
Kidsgrove ...	—	—	—	10	57	—	3	—	—	184	1	—	—	—	9	—	17
Leek ...	—	—	—	35	49	—	—	—	6	174	1	—	—	—	17	—	30
Lichfield M.B. ...	—	—	—	1	86	—	—	—	1	248	—	1	—	—	15	8	1
Newcastle under	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lyme M.B. ...	—	—	—	44	301	—	5	—	—	282	4	—	1	—	41	1	3
Rowley Regis M.B.	—	—	1	44	181	1	—	—	—	452	—	—	—	—	2	—	—
Rugeley ...	—	—	—	12	51	1	—	—	—	123	—	—	—	—	—	—	—
Sedgley ...	—	—	2	26	87	7	4	—	—	243	—	—	—	—	28	—	—
Stafford M.B. ...	—	1	1	117	335	—	1	1	6	908	—	—	—	—	19	4	17
Stone ...	—	—	2	3	7	—	—	—	—	139	—	3	—	—	7	—	5
Tamworth M.B. ...	—	—	—	21	58	—	5	—	—	76	—	—	—	—	16	5	—
Tettenhall ...	—	—	—	7	25	—	—	—	—	210	1	—	—	—	9	—	—
Tipton M.B. ...	—	—	1	44	120	8	—	—	4	403	1	—	—	—	34	1	—
Uttoxeter ...	—	—	—	24	22	—	5	—	—	19	—	—	—	—	—	—	—
Wednesbury M.B.	—	—	5	55	194	2	5	1	1	481	1	—	—	—	24	2	—
Wednesfield ...	—	—	—	12	77	—	4	—	—	243	—	3	—	—	2	1	—
Willenhall ...	—	—	1	14	102	—	2	—	1	381	1	—	—	—	12	—	—
<b>Rural Districts ...</b>	<b>—</b>	<b>1</b>	<b>5</b>	<b>238</b>	<b>786</b>	<b>1</b>	<b>23</b>	<b>3</b>	<b>7</b>	<b>2546</b>	<b>3</b>	<b>4</b>	<b>—</b>	<b>—</b>	<b>188</b>	<b>9</b>	<b>46</b>
Cannock ...	—	—	—	32	113	1	3	—	1	327	—	—	—	—	12	—	—
Cheadle ...	—	—	—	36	116	—	4	—	3	206	1	—	—	—	44	3	—
Leek ...	—	—	—	18	35	—	2	—	—	54	—	—	—	—	4	—	1
Lichfield ...	—	—	2	59	101	—	4	—	2	690	1	3	—	—	59	—	6
Newcastle under	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lyme ...	—	—	1	3	120	—	3	—	1	36	—	—	—	—	9	2	1
Seisdon ...	—	—	1	29	78	—	2	1	—	423	1	1	—	—	28	1	—
Stafford ...	—	1	—	38	74	—	2	1	—	326	—	—	—	—	8	1	2
Stone ...	—	—	—	12	53	—	—	—	—	163	—	—	—	—	9	—	10
Tutbury ...	—	—	—	6	24	—	1	1	—	241	—	—	—	—	14	2	1
Uttoxeter ...	—	—	1	5	72	—	2	—	—	80	—	—	—	—	1	—	25
<b>SUFFOLK EAST</b>	<b>—</b>	<b>2</b>	<b>12</b>	<b>529</b>	<b>903</b>	<b>—</b>	<b>35</b>	<b>1</b>	<b>66</b>	<b>3111</b>	<b>6</b>	<b>9</b>	<b>1</b>	<b>—</b>	<b>151</b>	<b>127</b>	<b>33</b>
<b>County Borough:</b>	<b>—</b>	<b>—</b>	<b>6</b>	<b>202</b>	<b>384</b>	<b>—</b>	<b>9</b>	<b>—</b>	<b>48</b>	<b>446</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>—</b>	<b>32</b>	<b>74</b>	<b>14</b>
Ipswich ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Admin. County ...</b>	<b>—</b>	<b>2</b>	<b>6</b>	<b>327</b>	<b>519</b>	<b>—</b>	<b>26</b>	<b>1</b>	<b>18</b>	<b>2665</b>	<b>3</b>	<b>8</b>	<b>—</b>	<b>—</b>	<b>119</b>	<b>53</b>	<b>19</b>

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SUFFOLK EAST</b>																	
—contd.																	
Urban Districts ...	—	—	2	142	243	—	5	—	7	1266	—	1	—	—	38	38	17
Aldeburgh M.B. ...	—	—	1	10	2	—	—	—	—	180	—	—	—	—	—	—	5
Beccles M.B. ...	—	—	—	—	8	—	—	—	3	3	—	—	—	—	—	2	—
Bungay ...	—	—	—	7	52	—	—	—	—	4	—	—	—	—	7	—	—
Eye M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—
Felixstowe ...	—	—	—	15	25	—	—	—	—	187	—	—	—	—	1	1	6
Halesworth ...	—	—	—	—	4	—	—	—	—	1	—	—	—	—	—	7	—
Leiston cum Sizewell ...	—	—	—	4	47	—	2	—	—	181	—	—	—	—	—	—	—
Lowestoft M.B. ...	—	—	—	80	67	—	3	—	1	305	—	1	—	—	8	23	2
Saxmundham ...	—	—	—	—	2	—	—	—	—	44	—	—	—	—	4	—	—
Southwold M.B. ...	—	—	—	2	—	—	—	—	—	25	—	—	—	—	9	—	—
Stowmarket ...	—	—	1	6	12	—	—	—	3	294	—	—	—	—	3	—	4
Woodbridge ...	—	—	—	18	24	—	—	—	—	42	—	—	—	—	6	1	—
Rural Districts ...	—	2	4	185	276	—	21	1	11	1399	3	7	—	—	81	15	2
Blyth ...	—	—	1	27	24	—	3	—	—	358	2	—	—	—	15	2	1
Deben ...	—	2	1	72	92	—	10	—	1	425	—	3	—	—	30	5	1
Gipping ...	—	—	2	14	26	—	2	—	2	389	—	1	—	—	11	2	—
Hartismere ...	—	—	—	5	45	—	2	1	—	56	—	1	—	—	1	1	—
Lothingland ...	—	—	—	19	33	—	2	—	7	30	1	2	—	—	8	2	—
Samford ...	—	—	—	44	21	—	2	—	1	140	—	—	—	—	3	1	—
Wainford ...	—	—	—	4	35	—	—	—	—	1	—	—	—	—	13	2	—
<b>SUFFOLK WEST :</b>																	
Admin. County ...	—	—	1	209	366	1	15	—	27	1707	6	—	—	—	136	7	25
Urban Districts ...	—	—	1	95	141	—	2	—	12	573	1	—	—	—	34	5	20
Bury St. Edmunds M.B. ...	—	—	—	14	3	—	—	—	—	118	1	—	—	—	6	1	6
Hadleigh ...	—	—	—	50	38	—	—	—	—	142	—	—	—	—	—	—	1
Haverhill ...	—	—	—	1	1	—	—	—	—	133	—	—	—	—	—	—	—
Newmarket ...	—	—	1	7	15	—	—	—	—	7	—	—	—	—	27	—	—
Sudbury M.B. ...	—	—	—	23	84	—	2	—	12	173	—	—	—	—	1	4	13
Rural Districts ...	—	—	—	114	225	1	13	—	15	1134	5	—	—	—	102	2	5
Clare ...	—	—	—	5	10	—	—	—	—	123	1	—	—	—	2	—	—
Cosford ...	—	—	—	23	51	—	6	—	—	174	—	—	—	—	13	1	2
Melford ...	—	—	—	29	67	1	6	—	14	358	—	—	—	—	36	—	3
Mildenhall ...	—	—	—	46	91	—	1	—	—	322	2	—	—	—	47	—	—
Thedwastre ...	—	—	—	—	3	—	—	—	—	15	—	—	—	—	—	—	—
Thingoe ...	—	—	—	11	3	—	—	—	1	142	2	—	—	—	4	1	—
<b>SURREY</b> ...	6	24	19	2168	5334	—	178	11	580	23815	146	78	5	6	1032	707	328
County Borough:																	
Croydon ...	2	—	—	414	679	—	19	3	78	4512	21	5	—	—	45	67	65
Admin. County ...	4	24	19	1754	4655	—	159	8	502	19303	125	73	5	6	987	640	263
Urban Districts ...	4	24	16	1567	4139	—	139	8	463	16926	107	68	5	6	899	633	255
Banstead ...	—	2	4	52	186	—	3	—	35	424	4	1	—	—	20	—	7
Barnes M.B. ...	—	—	—	21	136	—	7	—	25	306	2	1	—	—	27	1	11
Beddington and Wallington M.B. ...	—	—	1	30	159	—	3	—	2	454	3	1	—	—	21	3	2
Carshalton ...	2	—	1	126	345	—	7	1	65	652	6	3	—	—	50	212	14
Caterham and Warlingham ...	—	—	—	41	75	—	5	—	25	574	3	2	1	—	16	2	2
Chertsey ...	—	—	—	38	46	—	6	—	11	377	1	2	—	—	16	2	2
Coulsdon and Purley ...	—	—	—	118	66	—	3	—	13	1319	8	1	—	—	44	3	2
Dorking ...	—	—	—	7	27	—	2	—	—	143	—	—	—	—	3	25	—
Egham ...	—	—	—	38	19	—	—	—	21	343	—	1	—	—	4	1	1
Epsom and Ewell M.B. ...	1	—	—	99	236	—	12	—	33	832	7	4	—	—	102	30	42
Esher ...	1	—	1	45	70	—	8	1	—	744	5	1	—	3	35	21	2
Farnham ...	—	—	1	21	56	—	2	—	2	309	1	1	—	—	4	3	—
Frimley and Camberley ...	—	—	—	24	33	—	1	—	51	426	2	1	—	—	4	—	4
Godalming M.B. ...	—	—	—	8	48	—	2	—	1	122	—	—	—	—	33	1	1
Guildford M.B. ...	—	—	1	62	84	—	5	—	—	278	6	3	—	—	20	33	2
Haslemere ...	—	—	—	2	11	—	2	—	—	311	2	4	—	—	1	2	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SURREY—contd.</b>																	
<b>U.D's.—contd.</b>																	
Kingston upon Thames M.B. ...	—	—	—	21	126	—	—	—	9	302	2	3	—	—	16	80	4
Leatherhead ...	—	—	—	42	135	—	7	—	1	962	2	1	1	—	41	—	3
Malden and Coombe M.B. ...	—	4	1	40	165	—	1	—	1	574	2	6	1	1	26	3	5
Merton and Morden ...	—	16	1	146	414	—	12	1	11	1260	11	4	—	—	90	41	2
Mitcham M.B. ...	—	—	—	86	334	—	11	—	15	888	4	1	—	—	27	11	17
Reigate M.B. ...	—	—	—	27	200	—	6	1	7	1022	4	13	—	1	52	15	2
Richmond M.B. ...	—	—	—	52	261	—	5	2	38	330	6	1	—	—	15	—	103
Surbiton M.B. ...	—	—	1	84	139	—	5	2	10	790	3	—	1	1	34	3	11
Sutton and Cheam M.B. ...	—	—	—	131	308	—	10	—	60	619	9	6	—	—	88	22	9
Walton and Weybridge ...	—	—	1	45	153	—	2	—	1	645	1	2	—	—	9	2	—
Wimbledon M.B. ...	—	1	1	89	165	—	3	—	19	893	4	3	—	—	26	21	6
Woking ...	—	1	2	72	142	—	9	—	7	1027	9	2	1	—	75	96	1
Rural Districts ...	—	—	3	187	516	—	20	—	39	2377	18	5	—	—	88	7	8
Bagshot ...	—	—	—	16	14	—	—	—	—	105	—	—	—	—	1	6	—
Dorking and Horley ...	—	—	1	26	191	—	7	—	24	629	1	—	—	—	34	1	4
Godstone ...	—	—	—	30	109	—	7	—	7	510	3	2	—	—	16	—	4
Guildford ...	—	—	1	57	65	—	3	—	8	652	11	2	—	—	24	—	—
Hambleton ...	—	—	1	58	137	—	3	—	—	481	3	1	—	—	13	—	—
<b>SUSSEX EAST</b> ...	<b>1</b>	<b>10</b>	<b>9</b>	<b>770</b>	<b>2567</b>	<b>—</b>	<b>100</b>	<b>4</b>	<b>129</b>	<b>11178</b>	<b>38</b>	<b>21</b>	<b>4</b>	<b>1</b>	<b>484</b>	<b>129</b>	<b>134</b>
County Boroughs ...	1	5	4	343	783	—	54	2	72	3597	12	9	1	—	212	101	113
Brighton ...	1	4	4	161	531	—	30	2	58	2041	7	9	1	—	129	45	95
Eastbourne ...	—	—	—	76	133	—	5	—	12	919	2	—	—	—	31	29	18
Hastings ...	—	1	—	106	119	—	19	—	2	637	3	—	—	—	52	27	—
Admin. County ...	—	5	5	427	1784	—	46	2	57	7581	26	12	3	1	272	28	21
<b>Urban Districts</b> ...	<b>—</b>	<b>4</b>	<b>3</b>	<b>230</b>	<b>889</b>	<b>—</b>	<b>26</b>	<b>1</b>	<b>25</b>	<b>3623</b>	<b>11</b>	<b>6</b>	<b>—</b>	<b>1</b>	<b>173</b>	<b>21</b>	<b>7</b>
Bexhill M.B. ...	—	1	1	62	229	—	2	—	—	274	3	—	—	—	10	4	—
Burgess Hill ...	—	—	—	1	50	—	1	—	—	67	—	—	—	—	5	1	—
Cuckfield ...	—	3	1	7	43	—	1	—	12	474	—	—	—	—	29	12	2
East Grinstead ...	—	—	—	8	130	—	3	—	—	326	1	—	—	—	7	—	—
Hove M.B. ...	—	—	1	78	176	—	8	—	10	963	4	5	—	—	73	2	4
Lewes M.B. ...	—	—	—	17	149	—	4	1	3	189	1	—	—	—	9	—	1
Newhaven ...	—	—	—	29	41	—	1	—	—	364	2	—	—	1	3	1	—
Portslade by Sea ...	—	—	—	24	32	—	3	—	—	390	—	1	—	—	21	1	—
Rye M.B. ...	—	—	—	2	26	—	2	—	—	156	—	—	—	—	10	—	—
Seaford ...	—	—	—	2	13	—	1	—	—	420	—	—	—	—	6	—	—
Rural Districts ...	—	1	2	197	895	—	20	1	32	3958	15	6	3	—	99	7	14
Battle ...	—	—	1	29	214	—	3	1	2	1051	6	1	1	—	29	—	1
Chailey ...	—	—	1	11	179	—	4	—	1	370	—	—	—	—	12	—	4
Cuckfield ...	—	—	—	25	97	—	3	—	13	554	1	2	—	—	11	1	7
Hailsham ...	—	—	—	82	197	—	9	—	13	688	5	2	—	—	22	3	—
Uckfield ...	—	1	—	50	208	—	1	—	3	1295	3	1	2	—	25	3	2
<b>SUSSEX WEST :</b>																	
Admin. County ...	2	3	1	370	778	—	40	5	26	6327	69	24	1	2	224	68	36
<b>Urban Districts</b> ...	<b>2</b>	<b>1</b>	<b>1</b>	<b>220</b>	<b>260</b>	<b>—</b>	<b>32</b>	<b>5</b>	<b>4</b>	<b>3053</b>	<b>38</b>	<b>11</b>	<b>—</b>	<b>2</b>	<b>120</b>	<b>47</b>	<b>28</b>
Arundel M.B. ...	—	—	—	2	5	—	—	—	—	61	3	1	—	—	2	1	—
Bognor Regis ...	—	—	—	31	34	—	5	—	—	470	9	3	—	—	33	4	7
Chichester M.B. ...	—	—	1	14	55	—	3	—	1	350	2	1	—	—	11	—	9
Horsham ...	—	—	—	23	41	—	5	—	—	235	2	—	—	1	5	15	—
Littlehampton ...	—	—	—	19	36	—	1	—	3	354	4	4	—	1	16	—	5
Shoreham by Sea ...	—	—	—	17	8	—	1	3	—	258	1	—	—	—	5	19	3
Southwick ...	—	—	—	46	12	—	5	2	—	313	1	2	—	—	22	—	1
Worthing M.B. ...	2	1	—	68	69	—	12	—	—	1012	16	—	—	—	26	8	3
<b>Rural Districts</b> ...	<b>—</b>	<b>2</b>	<b>—</b>	<b>150</b>	<b>518</b>	<b>—</b>	<b>8</b>	<b>—</b>	<b>22</b>	<b>3274</b>	<b>31</b>	<b>13</b>	<b>1</b>	<b>—</b>	<b>104</b>	<b>21</b>	<b>8</b>
Chancetonbury ...	—	—	—	9	89	—	1	—	2	371	5	2	—	—	20	1	—
Chichester ...	—	—	—	26	129	—	1	—	3	1014	9	9	1	—	25	2	6
Horsham ...	—	—	—	50	122	—	1	—	4	807	6	—	—	—	25	1	—
Midhurst ...	—	—	—	6	76	—	—	—	3	306	4	2	—	—	13	—	2
Petworth ...	—	—	—	3	52	—	2	—	—	182	—	—	—	—	15	1	—
Worthing ...	—	2	—	56	50	—	3	—	10	594	7	—	—	—	6	16	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>WARWICKSHIRE ...</b>	<b>4</b>	<b>13</b>	<b>134</b>	<b>2355</b>	<b>8928</b>	<b>1</b>	<b>305</b>	<b>637</b>	<b>542</b>	<b>23468</b>	<b>189</b>	<b>127</b>	<b>11</b>	<b>11</b>	<b>1955</b>	<b>541</b>	<b>446</b>
County Boroughs ...	4	8	121	1722	7152	1	229	628	414	18051	126	78	10	11	1444	350	410
Birmingham ...	4	4	113	1425	6049	1	192	621	362	15584	27	13	10	11	1186	338	282
Coventry ...	—	4	8	297	1103	—	37	7	52	2467	99	65	—	—	258	12	128
Admin. County ...	—	5	13	633	1776	—	76	9	128	5417	63	49	1	—	511	191	36
Urban Districts ...	—	3	9	462	1144	—	55	5	44	3375	40	22	—	—	303	87	17
Bedworth ...	—	—	1	36	166	—	4	—	1	199	2	1	—	—	23	3	4
Kenilworth ...	—	1	—	1	51	—	—	—	—	20	5	—	—	—	3	—	—
Nuneaton M.B. ...	—	—	3	85	62	—	7	—	1	423	8	7	—	—	37	2	1
Royal Leamington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spa M.B. ...	—	1	2	46	166	—	16	1	3	302	9	1	—	—	49	39	3
Rugby M.B. ...	—	—	1	68	106	—	12	1	11	353	3	7	—	—	39	2	2
Solihull ...	—	—	—	87	199	—	6	3	11	1028	3	1	—	—	75	8	6
Stratford upon Avon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	—	24	30	—	—	—	1	463	4	1	—	—	30	18	—
Sutton Coldfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	1	1	108	261	—	5	—	6	438	3	1	—	—	41	5	—
Warwick M.B. ...	—	—	1	7	103	—	5	—	10	149	3	3	—	—	6	10	1
Rural Districts ...	—	2	4	171	632	—	21	4	84	2042	23	27	1	—	208	104	19
Alcester ...	—	—	—	9	55	—	5	2	4	310	—	—	—	—	39	2	—
Atherstone ...	—	2	2	18	68	—	3	—	1	292	8	12	—	—	22	—	5
Meriden ...	—	—	1	30	266	—	1	1	21	467	3	3	—	—	30	95	8
Rugby ...	—	—	—	7	42	—	5	—	43	127	4	1	—	—	11	5	—
Shipston on Stour	—	—	—	6	14	—	—	—	—	36	1	4	—	—	9	2	—
Southam ...	—	—	—	3	18	—	—	—	1	172	—	3	—	—	7	—	—
Stratford upon Avon	—	—	—	32	29	—	—	1	1	295	5	2	—	—	31	—	—
Tamworth ...	—	—	—	37	63	—	3	—	1	197	—	—	—	—	21	—	—
Warwick ...	—	—	1	29	77	—	4	—	12	146	2	2	1	—	38	—	6
<b>WESTMORLAND :</b>																	
Admin. County ...	—	—	2	41	172	—	12	—	35	942	6	—	—	1	33	5	11
Urban Districts ...	—	—	1	20	81	—	6	—	31	551	3	—	—	1	11	3	6
Appleby M.B. ...	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—
Kendal M.B. ...	—	—	—	15	61	—	2	—	31	399	2	—	—	1	4	3	6
The Lakes ...	—	—	—	2	12	—	2	—	—	109	1	—	—	—	2	—	—
Windermere ...	—	—	1	2	2	—	2	—	—	43	—	—	—	—	5	—	—
Rural Districts ...	—	—	1	21	91	—	6	—	4	391	3	—	—	—	22	2	5
North Westmorland	—	—	1	6	57	—	—	—	—	75	1	—	—	—	14	1	4
South Westmorland	—	—	—	15	34	—	6	—	4	316	2	—	—	—	8	1	1
<b>WIGHT, ISLE OF :</b>																	
Admin. County ...	—	—	2	79	446	—	9	—	1	2946	3	2	2	—	39	7	13
Urban Districts ...	—	—	2	69	340	—	8	—	—	2475	3	2	2	—	27	2	7
Cowes ...	—	—	—	10	21	—	1	—	—	820	1	—	2	—	2	—	—
Newport M.B. ...	—	—	1	22	101	—	4	—	—	655	—	—	—	—	5	—	2
Ryde M.B. ...	—	—	1	13	140	—	—	—	—	482	1	2	—	—	12	—	—
Sandown-Shanklin	—	—	—	8	65	—	—	—	—	275	—	—	—	—	2	2	5
Ventnor ...	—	—	—	16	13	—	3	—	—	243	1	—	—	—	6	—	—
Rural District:																	
Isle of Wight ...	—	—	—	10	106	—	1	—	1	471	—	—	—	—	12	5	6
<b>WILTSHIRE :</b>																	
Admin. County ...	—	1	9	282	1012	1	35	5	40	7225	57	45	3	—	229	142	23
Urban Districts ...	—	1	4	148	570	—	16	3	11	3516	22	9	1	—	123	123	7
Bradford on Avon	—	—	—	2	28	—	—	1	—	149	—	—	—	—	1	20	—
Calne M.B. ...	—	—	—	4	53	—	—	—	—	198	1	—	—	—	2	2	—
Chippenham M.B. ...	—	—	—	18	48	—	1	—	—	198	—	—	—	—	1	31	2
Devizes M.B. ...	—	—	—	6	46	—	1	—	—	186	—	—	—	—	1	—	—
Malmesbury M.B. ...	—	—	—	1	—	—	—	—	—	10	2	2	—	—	—	—	—
Marlborough M.B. ...	—	—	1	1	6	—	—	—	—	141	—	—	—	—	2	—	—
Melksham ...	—	—	—	14	8	—	1	—	—	213	—	—	—	—	1	—	—
Salisbury M.B. ...	—	—	1	29	29	—	—	—	5	343	9	1	—	—	37	1	5
Swindon M.B. ...	—	1	1	62	211	—	7	—	1	1490	8	3	—	—	72	65	—
Trowbridge ...	—	—	—	5	55	—	3	—	2	101	2	—	—	—	5	4	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>WILTSHIRE—contd.</b>																	
U.D's.—contd.																	
Warminster ...	—	—	—	3	4	—	2	—	3	314	—	2	1	—	1	—	—
Westbury ...	—	—	—	3	82	—	1	2	—	145	—	1	—	—	—	—	—
Wilton M.B. ...	—	—	1	—	—	—	—	—	—	28	—	—	—	—	—	—	—
<b>Rural Districts</b> ...	—	—	5	134	442	1	19	2	29	3709	35	36	2	—	106	19	16
Amesbury ...	—	—	—	21	10	—	2	—	—	397	3	2	—	—	7	1	—
Bradford and Melksham ...	—	—	1	19	27	—	2	—	—	267	3	3	—	—	23	—	—
Calne and Chippenham ...	—	—	—	21	72	—	1	—	3	660	4	15	—	—	1	1	1
Cricklade and Wootton Bassett ...	—	—	—	5	25	—	3	—	2	195	2	1	—	—	5	—	2
Devizes ...	—	—	1	18	32	—	—	—	4	307	1	1	—	—	2	—	—
Highworth ...	—	—	3	12	55	—	4	—	11	561	4	3	1	—	26	10	—
Malmesbury ...	—	—	—	2	14	1	—	—	—	23	2	1	—	—	3	—	—
Marlborough and Ramsbury ...	—	—	—	1	56	—	2	—	3	165	1	—	—	—	20	2	1
Mere and Tisbury ...	—	—	—	11	50	—	2	—	—	176	1	—	—	—	4	1	1
Pewsey ...	—	—	—	8	19	—	1	—	4	311	10	6	1	—	2	—	1
Salisbury and Wilton ...	—	—	—	13	49	—	1	—	2	334	3	1	—	—	8	2	4
Warminster and Westbury ...	—	—	—	3	33	—	1	2	—	313	1	3	—	—	5	2	6
<b>WORCESTERSHIRE</b>																	
County Boroughs ...	1	17	20	740	1694	15	46	31	100	7930	15	9	3	—	398	68	40
Dudley ...	—	—	4	197	292	9	13	24	6	2364	3	5	1	—	123	26	8
Worcester ...	—	—	3	36	170	9	2	—	3	847	1	—	—	—	38	—	—
Admin. County ...	—	—	1	161	122	—	11	24	3	1517	2	5	1	—	85	26	8
<b>Urban Districts</b> ...	1	6	13	431	1059	2	30	5	88	3698	6	2	2	—	205	34	24
Bewdley M.B. ...	—	—	—	23	57	—	1	—	—	38	—	—	—	—	5	—	4
Bromsgrove ...	—	6	—	30	132	—	3	3	24	395	—	—	—	—	19	1	—
Droitwich M.B. ...	—	—	—	4	2	—	1	—	—	72	—	—	—	—	—	—	—
Evesham M.B. ...	—	—	—	3	13	—	1	—	—	164	1	1	1	—	4	—	—
Halesowen M.B. ...	—	—	2	64	132	—	3	—	—	627	—	—	1	—	29	—	14
Kidderminster M.B. ...	—	—	—	18	33	—	2	1	—	182	—	1	—	—	18	5	—
Malvern ...	—	—	—	51	52	—	12	—	6	501	4	—	—	—	21	—	1
Oldbury M.B. ...	—	—	9	85	301	2	2	1	52	838	—	—	—	—	45	2	3
Redditch ...	—	1	1	44	120	—	3	—	—	82	—	—	—	—	13	3	1
Stourbridge M.B. ...	—	—	1	104	72	—	1	—	6	496	1	—	—	—	42	13	1
Stourport on Severn ...	—	—	—	5	145	—	1	—	—	303	—	—	—	—	9	10	—
<b>Rural Districts</b> ...	—	11	3	112	343	4	3	2	6	1868	6	2	—	—	70	8	8
Bromsgrove ...	—	—	—	34	92	—	—	2	—	377	—	—	—	—	16	2	—
Droitwich ...	—	—	—	18	58	—	—	—	—	268	—	—	—	—	5	2	—
Evesham ...	—	—	—	13	40	—	1	—	—	237	—	1	—	—	9	—	—
Kidderminster ...	—	—	2	8	25	—	—	—	—	105	1	—	—	—	12	1	—
Martley ...	—	11	—	22	37	—	1	—	—	319	—	—	—	—	18	3	2
Pershore ...	—	—	1	7	13	—	1	—	—	314	1	—	—	—	3	—	—
Tenbury ...	—	—	—	2	3	4	—	—	1	25	—	—	—	—	—	—	1
Upton on Severn ...	—	—	—	8	75	—	—	—	5	223	4	1	—	—	7	—	5
<b>YORKSHIRE, EAST RIDING</b>																	
County Borough: Kingston upon Hull ...	6	2	11	987	2535	—	67	17	180	4858	87	13	—	—	670	85	78
Admin. County ...	—	2	7	747	1801	—	40	10	137	3283	36	2	—	—	459	71	6
<b>Urban Districts</b> ...	6	—	4	240	734	—	27	7	43	1575	51	11	—	—	211	14	72
Beverley M.B. ...	—	—	—	56	111	—	12	5	35	771	30	3	—	—	105	10	65
Bridlington M.B. ...	—	—	1	25	57	—	5	—	—	81	14	—	—	—	12	8	1
Driffield ...	—	—	—	—	14	—	—	—	—	167	—	—	—	—	44	—	—
Filey ...	—	—	—	1	37	—	—	—	—	10	—	—	—	—	5	—	—
Haltemprice ...	—	—	—	—	—	—	—	—	—	19	1	—	—	—	2	—	—
Hedon M.B. ...	6	—	1	67	127	—	6	5	34	325	8	1	—	—	41	2	64
Hornsea ...	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Norton ...	—	—	—	—	2	—	—	—	—	2	1	—	—	—	—	—	—
Withernsea ...	—	—	1	—	1	—	—	—	—	158	2	—	—	—	—	—	—
	—	—	—	1	14	—	—	—	—	8	3	1	—	—	1	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>YORKSHIRE, EAST RIDING—contd.</b>																	
Rural Districts .. ..	—	—	1	89	370	—	15	2	8	804	21	8	—	—	106	4	7
Beverley .. ..	—	—	—	23	111	—	6	1	3	105	13	5	—	—	17	3	5
Bridlington .. ..	—	—	—	4	23	—	1	—	3	59	—	—	—	—	13	1	—
Derwent .. ..	—	—	—	11	36	—	1	1	—	63	2	—	—	—	22	—	1
Driffield .. ..	—	—	1	26	25	—	1	—	—	13	2	—	—	—	4	—	1
Holderness .. ..	—	—	—	4	18	—	1	—	—	160	4	3	—	—	12	—	—
Howden .. ..	—	—	—	15	74	—	2	—	—	87	—	—	—	—	23	—	—
Norton .. ..	—	—	—	5	57	—	—	—	2	153	—	—	—	—	4	—	—
Pocklington .. ..	—	—	—	1	26	—	3	—	—	164	—	—	—	—	11	—	—
<b>YORKSHIRE, NORTH RIDING :</b>																	
County Borough :	—	4	18	878	1829	3	57	3	478	5120	23	5	—	4	301	131	94
Middlesborough ..	—	2	8	281	542	—	6	—	456	960	3	2	—	—	56	103	51
Admin. County .. ..	—	2	10	597	1287	3	51	3	22	4160	20	3	—	4	245	28	43
<b>Urban Districts</b>																	
Eston .. ..	—	1	7	354	637	1	28	1	14	1797	2	—	—	1	128	20	28
Guisborough .. ..	—	—	2	101	32	—	4	—	6	442	—	—	—	—	16	3	6
Loftus .. ..	—	—	—	42	33	—	2	—	1	66	1	—	—	—	3	—	—
Malton .. ..	—	—	—	3	20	—	1	—	—	6	—	—	—	—	3	—	—
Northallerton .. ..	—	—	—	—	4	—	1	—	—	99	—	—	—	—	1	—	2
Pickering .. ..	—	—	—	—	18	—	—	—	—	182	—	—	—	—	—	2	11
Pickering .. ..	—	—	—	2	—	—	2	—	—	115	—	—	—	—	—	—	—
Redcar M.B. .. ..	—	—	—	54	93	—	3	—	—	36	—	—	—	—	17	1	3
Richmond M.B. ..	—	—	1	—	9	1	—	—	—	147	—	—	—	1	—	—	—
Saltburn and Marske by the Sea	—	—	—	12	3	—	—	—	—	26	—	—	—	—	—	6	—
Scalby .. ..	—	—	—	17	39	—	1	—	—	17	—	—	—	—	—	—	—
Scarborough M.B. ..	—	1	—	71	183	—	5	—	5	224	1	—	—	—	20	3	6
Skelton and Brotton ..	—	—	—	10	21	—	3	—	2	78	—	—	—	—	38	3	—
Thornaby on Tees M.B. ..	—	—	4	35	138	—	4	1	—	73	—	—	—	—	22	2	—
Whitby .. ..	—	—	—	7	44	—	2	—	—	286	—	—	—	—	8	—	—
<b>Rural Districts</b>																	
Aysgarth .. ..	—	1	3	243	650	2	23	2	8	2363	18	3	—	3	117	8	15
Bedale .. ..	—	—	—	11	32	—	—	—	—	217	4	1	—	—	6	—	—
Croft .. ..	—	—	—	13	26	1	1	—	—	166	1	—	—	—	16	—	—
Easingwold .. ..	—	—	—	1	2	—	—	—	—	72	—	—	—	—	—	—	—
Flaxton .. ..	—	—	—	40	29	—	5	1	—	278	—	—	—	1	9	—	2
Helmsley .. ..	—	—	—	32	56	—	4	1	1	177	5	—	—	—	8	1	—
Kirkby Moorside ..	—	—	—	4	14	—	—	—	—	19	—	—	—	—	3	1	—
Leyburn .. ..	—	—	—	4	6	—	—	—	—	76	1	—	—	—	—	—	4
Malton .. ..	—	—	—	9	14	—	1	—	—	61	2	—	—	—	8	—	1
Masham .. ..	—	—	—	2	1	—	1	—	—	150	—	—	—	—	—	—	—
Northallerton ..	—	—	—	—	71	—	—	—	—	—	—	—	—	—	—	—	—
Pickering .. ..	—	—	—	2	6	1	—	—	—	218	—	—	—	—	1	—	—
Reeth .. ..	—	—	—	3	1	—	1	—	—	114	—	—	—	—	1	—	—
Richmond .. ..	—	—	—	—	12	—	1	—	—	18	—	—	—	—	8	—	—
Scarborough .. ..	—	1	2	25	30	—	4	—	5	243	2	—	—	1	12	4	6
Startforth .. ..	—	—	—	11	32	—	2	—	—	49	—	—	—	—	7	—	—
Stokesley .. ..	—	—	—	6	14	—	1	—	—	86	—	—	—	—	—	—	—
Thirsk .. ..	—	—	1	49	204	—	1	—	2	266	1	1	—	—	33	2	1
Wath .. ..	—	—	—	12	2	—	—	—	—	42	—	—	—	—	—	—	1
Whitby .. ..	—	—	—	11	3	—	—	—	—	22	—	—	—	1	4	—	—
Whitby .. ..	—	—	—	8	95	—	1	—	—	89	2	1	—	—	1	—	—
<b>YORKSHIRE, WEST RIDING :</b>																	
County Boroughs ..	5	27	113	6651	12563	5	761	66	1830	40896	178	61	14	11	4263	740	974
Barnsley .. ..	3	17	76	3663	6743	4	458	46	1375	21041	78	35	7	8	2677	601	645
Bradford .. ..	—	—	15	200	97	1	29	5	163	775	13	—	—	—	149	7	15
Dewsbury .. ..	—	—	3	872	1565	—	91	3	526	2822	11	3	—	—	476	24	19
Doncaster .. ..	—	1	1	97	114	—	9	—	36	664	1	2	—	—	18	9	2
*Halifax .. ..	1	—	11	125	493	—	10	5	20	806	9	3	—	—	75	43	41
Huddersfield .. ..	—	3	2	88	154	—	25	—	59	232	1	2	—	—	54	16	41
Huddersfield .. ..	1	5	6	324	119	—	21	1	73	598	4	—	—	—	88	5	8

\* Cases of Smallpox Notified :— Halifax, C.B., 4.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>YORKSHIRE, WEST RIDING</b>																	
<i>—contd.</i>																	
<b>C.B.'s.—contd.</b>																	
Leeds <sup>1</sup> ...	—	—	13	699	1768	1	73	15	319	6825	15	3	2	3	412	108	58
Rotherham ...	—	—	2	51	220	—	16	1	5	847	2	1	1	1	50	27	14
Sheffield ...	1	8	17	790	1760	—	158	11	117	6323	12	16	3	4	1306	331	226
Wakefield ...	—	—	4	142	127	2	9	3	54	676	5	—	—	—	13	15	212
York ...	—	—	2	275	326	—	17	2	3	473	5	5	1	—	36	16	9
*Admin. County ...	2	10	37	2988	5820	1	303	20	455	19855	100	26	7	3	1586	139	329
*Urban Districts ...	2	9	29	2265	4230	1	245	18	406	14623	82	15	6	1	1174	90	266
Adwick le Street ...	—	—	—	20	70	—	1	3	—	321	1	1	—	—	18	1	4
Aireborough ...	1	—	1	13	118	—	4	—	24	65	2	—	—	—	6	—	3
* Baildon ...	—	—	—	8	22	—	1	—	2	50	1	—	—	—	4	—	—
Barnoldswick ...	—	—	—	49	79	—	3	—	—	128	—	—	—	—	29	—	—
Batley M.B. ...	—	—	—	33	101	—	1	—	17	799	1	—	—	—	11	1	3
Bentley with Arksey ...	—	—	—	9	53	—	2	—	—	94	2	—	—	—	9	1	2
Bingley ...	—	—	—	12	92	—	3	—	4	280	—	3	—	—	30	—	—
Brighouse M.B. ...	—	—	2	111	88	—	4	—	6	166	1	—	—	—	16	5	—
Castleford ...	—	—	1	154	108	—	14	3	3	563	1	—	—	—	59	7	—
*Colne Valley ...	—	—	—	50	24	—	6	—	1	400	—	—	—	—	21	1	—
Conisbrough ...	—	—	1	30	39	—	—	—	—	217	—	—	—	—	5	6	4
Cudworth ...	—	—	—	13	2	—	2	—	—	94	—	—	—	—	12	—	5
Darfield ...	—	—	—	4	1	—	—	—	—	22	1	—	—	—	6	—	—
Darton ...	—	—	1	17	57	—	2	—	2	135	2	—	—	—	5	1	3
Dearne ...	—	—	1	75	111	—	9	—	—	160	4	—	—	—	47	4	—
Denby Dale ...	—	—	—	24	19	—	—	—	—	24	—	—	—	—	3	—	—
Denholme ...	—	—	—	20	17	—	—	—	3	92	1	—	—	—	10	—	1
Dodworth ...	—	—	—	1	12	—	—	—	2	42	1	1	—	—	—	—	—
Earby ...	—	—	—	9	51	—	1	—	—	117	—	—	—	—	8	—	—
Elland ...	—	—	1	30	61	—	2	—	—	176	2	1	—	—	48	2	—
Featherstone ...	—	—	1	28	116	—	1	1	1	268	—	—	—	—	12	—	6
Garforth ...	—	—	—	53	16	—	1	—	—	53	—	—	—	—	4	—	—
Goole M.B. ...	—	—	—	15	134	—	3	1	1	791	—	1	—	—	15	—	5
Harrogate M.B. ...	—	1	2	229	189	—	12	—	8	365	4	—	—	—	21	13	13
Hebden Royd ...	—	—	—	1	45	—	—	—	2	98	1	—	—	—	—	—	—
Heckmondwike ...	—	3	—	28	32	—	1	—	42	218	1	—	—	—	—	—	3
Hemsworth ...	—	—	—	46	63	—	12	1	8	139	3	2	—	—	90	—	6
Holmfirth ...	—	—	1	10	3	—	2	—	—	257	—	—	—	—	13	1	—
Horbury ...	—	—	—	22	20	—	2	—	1	141	1	—	—	—	4	—	—
Horsforth ...	—	—	1	16	25	—	4	—	13	212	—	—	—	—	18	—	6
Hoyland Nether ...	—	—	1	27	50	—	3	—	—	424	—	—	2	—	40	2	1
Ilkley ...	1	—	1	21	89	—	1	—	—	170	2	—	—	—	—	—	—
Keighley M.B. ...	—	—	2	135	100	—	12	1	13	258	2	1	1	—	9	6	20
Kirkburton ...	—	2	—	21	10	—	2	1	7	38	1	—	—	—	2	—	1
Knaresborough ...	—	—	—	20	38	—	1	—	1	105	—	—	—	—	4	—	—
Knottingley ...	—	—	—	21	40	—	1	—	—	212	2	—	—	—	26	—	—
Maltby ...	—	—	1	4	63	—	1	—	—	237	1	—	—	—	8	2	1
Meltham ...	—	—	—	1	21	—	3	—	—	86	—	—	—	—	13	—	—
Mexborough ...	—	—	1	67	66	—	3	—	—	347	1	—	1	—	44	2	—
Mirfield ...	—	—	—	4	3	—	—	1	—	130	2	1	—	—	5	5	—
*Morley M.B. ...	—	—	—	88	202	—	5	—	3	516	1	—	—	—	9	2	3
Normanton ...	—	—	—	24	103	—	3	5	2	108	1	—	—	1	35	2	4
Ossett M.B. ...	—	—	—	15	31	—	—	—	1	237	5	—	—	—	1	2	12
Otley ...	—	—	—	16	71	—	11	—	—	254	2	—	—	—	8	2	31
Penistone ...	—	—	1	24	4	—	—	—	2	94	—	—	—	—	9	—	7
Pontefract M.B. ...	—	—	2	55	197	—	7	—	6	397	3	—	—	—	46	2	54
Pudsey M.B. ...	—	1	1	48	167	—	8	1	8	349	1	—	—	—	17	2	—
Queensbury and Shelf ...	—	2	—	33	32	—	19	—	9	25	2	—	—	—	57	—	8
Rawmarsh ...	—	—	—	8	73	1	—	—	—	271	1	1	—	—	2	—	—
Ripon M.B. ...	—	—	—	9	16	—	1	—	—	69	2	—	—	—	5	1	—
Ripponden ...	—	—	—	6	20	—	1	—	—	23	—	—	—	—	4	—	—
Rothwell ...	—	—	—	37	198	—	23	—	8	229	—	—	—	—	47	1	16

\* Cases of Smallpox notified:—Leeds, C.B., 4 ; Baildon, U.D., 1 ; Colne Valley, U.D., 1 ; Morley, M.B., 1.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>YORKSHIRE, WEST RIDING</b>																	
—contd.																	
<b>U.D's.—contd.</b>																	
Royston ...	—	—	—	38	21	—	1	—	2	162	2	—	—	—	2	—	1
Saddleworth ...	—	—	—	26	10	—	3	—	3	159	2	—	—	—	6	—	—
Selby ...	—	—	—	27	—	—	—	—	—	10	1	—	—	—	11	—	1
Shipley ...	—	—	—	52	187	—	5	—	94	264	1	1	1	—	27	2	5
Silsden ...	—	—	—	16	3	—	6	—	—	14	—	—	—	—	33	1	1
Skipton ...	—	—	—	4	7	—	—	—	2	336	—	—	—	—	5	4	—
Sowerby Bridge ...	—	—	—	36	146	—	4	—	22	211	1	—	—	—	32	2	—
Spensborough ...	—	—	—	56	124	—	7	—	15	769	5	—	—	—	48	—	16
Stanley ...	—	—	2	17	31	—	2	—	4	178	2	—	—	—	10	1	9
Stocksbridge ...	—	—	—	3	62	—	2	—	—	277	1	—	—	—	—	1	—
Swinton ...	—	—	2	21	59	—	5	—	—	140	—	—	—	—	5	—	—
Tickhill ...	—	—	—	1	31	—	—	—	—	8	—	—	—	—	5	—	—
*Todmorden M.B.	—	—	—	18	66	—	4	—	43	21	2	2	—	—	25	—	6
Wath upon Dearne	—	—	—	46	78	—	1	—	5	270	2	—	—	—	4	—	—
Wombwell ...	—	—	1	65	27	—	—	—	12	469	3	—	1	—	15	1	3
Worsborough ...	—	—	1	25	16	—	7	—	4	269	1	—	—	—	31	4	2
<b>Rural Districts</b> ...	—	1	8	723	1590	—	58	—	49	5232	18	11	1	2	412	49	63
Bowland ...	—	—	—	3	33	—	—	—	—	46	—	—	—	—	5	—	5
Doncaster ...	—	—	1	99	165	—	4	1	—	229	—	2	—	1	31	7	1
Goole ...	—	—	—	9	36	—	—	—	—	135	1	—	—	—	5	1	—
Hemsworth ...	—	—	—	68	144	—	8	—	6	865	3	2	—	—	37	—	5
Hepton ...	—	—	—	3	8	—	—	—	1	21	1	—	—	—	—	—	—
Kiveton Park ...	—	—	—	32	69	—	6	—	1	443	—	3	—	—	31	—	2
Nidderdale ...	—	—	—	37	56	—	2	—	1	95	—	—	—	—	7	—	—
Osgoldcross ...	—	—	—	9	15	—	1	—	—	94	—	—	—	—	2	—	1
Penistone ...	—	—	—	5	13	—	1	—	4	91	1	—	—	—	5	—	—
<b>Ripon and Pateley</b>	—	—	—	16	1	—	3	—	—	53	—	—	—	—	22	—	—
Bridge ...	—	—	—	69	277	—	10	—	5	857	2	—	—	—	38	13	2
Rotherham ...	—	—	2	3	8	—	—	—	—	205	—	1	—	—	2	—	—
Sedburgh ...	—	—	—	12	2	—	1	—	—	14	1	—	—	—	1	—	—
Selby ...	—	—	—	45	7	—	—	—	—	212	—	—	1	—	33	—	3
Settle ...	—	—	—	24	58	—	2	—	2	250	1	—	—	—	44	2	—
Skipton ...	—	—	—	67	105	—	2	—	14	329	1	1	—	—	16	6	—
Tadcaster ...	—	—	—	18	157	—	4	1	6	191	2	—	—	—	35	3	5
Thorne ...	—	—	—	38	82	—	1	—	1	291	3	—	—	1	20	9	5
Wakefield ...	—	—	—	31	131	—	2	—	3	259	1	2	—	—	13	2	—
Wetherby ...	—	—	2	8	49	—	1	—	—	48	1	—	—	—	4	—	20
Wharfedale ...	—	—	—	127	174	—	10	—	5	504	—	—	—	—	61	6	14
Wortley ...	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>WALES AND MONMOUTH</b>																	
<b>ANGLESEY :</b>																	
Admin. County ...	—	—	—	49	144	—	2	—	63	763	2	—	—	—	10	1	3
<b>Urban Districts</b> ...	—	—	—	31	39	—	1	—	6	488	1	—	—	—	3	—	2
Amlwch ...	—	—	—	2	28	—	—	—	—	—	—	—	—	—	2	—	—
Beaumaris M.B. ...	—	—	—	3	10	—	1	—	1	3	—	—	—	—	1	—	—
Holyhead ...	—	—	—	4	—	—	—	—	3	361	—	—	—	—	—	—	2
Llangefni ...	—	—	—	3	—	—	—	—	—	120	1	—	—	—	—	—	—
Menai Bridge ...	—	—	—	19	1	—	—	—	2	4	—	—	—	—	—	—	—
<b>Rural Districts</b> ...	—	—	—	18	105	—	1	—	57	275	1	—	—	—	7	1	1
Aethwy ...	—	—	—	9	14	—	—	—	50	64	—	—	—	—	2	—	—
Twrcelyn ...	—	—	—	5	87	—	—	—	2	46	1	—	—	—	3	—	—
Valley ...	—	—	—	4	4	—	1	—	5	165	—	—	—	—	2	—	1

\*Cases of Smallpox notified :— Todmorden, M.B., 11.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scar let fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>BRECKNOCKSHIRE :</b>																	
Admin. County ...	1	4	—	114	77	1	2	1	1	351	1	—	—	—	12	2	—
Urban Districts ...	1	2	—	45	14	—	2	—	—	48	1	—	—	—	10	—	—
Brecknock M.B. ...	1	2	—	22	8	—	—	—	—	2	1	—	—	—	—	—	—
Brynmawr ...	—	—	—	18	5	—	2	—	—	20	—	—	—	—	8	—	—
Builth Wells ...	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	—
Hay ...	—	—	—	5	—	—	—	—	—	22	—	—	—	—	1	—	—
Llanwrtyd ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	—	2	—	69	63	1	—	1	1	303	—	—	—	—	2	2	—
Brecknock ...	—	—	—	27	7	1	—	—	—	61	—	—	—	—	—	1	—
Builth ...	—	—	—	—	3	—	—	—	—	156	—	—	—	—	—	—	—
Crickhowell ...	—	—	—	35	35	—	—	1	1	16	—	—	—	—	2	—	—
Hay ...	—	—	—	3	—	—	—	—	—	37	—	—	—	—	—	—	—
Vaynor and Penderyn ...	—	—	—	4	3	—	—	—	—	17	—	—	—	—	—	1	—
Ystradgynlais ...	—	2	—	—	15	—	—	—	—	16	—	—	—	—	—	—	—
<b>CAERNARVONSHIRE :</b>																	
Admin. County ...	—	10	5	63	191	—	12	12	25	542	13	12	—	—	27	—	11
Urban Districts ...	—	10	5	45	147	—	11	12	25	480	12	11	—	—	23	—	11
Bangor M.B. ...	—	7	3	1	6	—	—	12	—	122	8	8	—	—	—	—	4
Bethesda ...	—	—	—	5	—	—	—	—	1	5	—	—	—	—	—	—	—
Bettws y Coed ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B. ...	—	3	—	5	2	—	—	—	2	37	—	2	—	—	—	—	4
Conway M.B. ...	—	—	—	22	15	—	2	—	18	103	1	—	—	—	—	—	1
Criccieth ...	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—
Llandudno ...	—	—	1	8	108	—	8	—	4	154	1	—	—	—	7	—	2
Llanfairfechan ...	—	—	1	4	2	—	—	—	—	48	—	—	—	—	11	—	—
Penmaenmawr ...	—	—	—	—	5	—	—	—	—	6	—	—	—	—	2	—	—
Portmadoc ...	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
Pwllheli M.B. ...	—	—	—	—	9	—	—	—	—	—	—	1	—	—	3	—	—
Rural Districts ...	—	—	—	18	44	—	1	—	—	62	1	1	—	—	4	—	—
Gwyrfa ...	—	—	—	3	2	—	—	—	—	6	—	1	—	—	1	—	—
Lleyn ...	—	—	—	7	28	—	—	—	—	20	1	—	—	—	2	—	—
Nant Conway ...	—	—	—	3	13	—	1	—	—	27	—	—	—	—	—	—	—
Ogwen ...	—	—	—	5	1	—	—	—	—	9	—	—	—	—	1	—	—
<b>CARDIGANSHIRE :</b>																	
Admin. County ...	—	6	—	31	50	—	2	1	3	49	2	—	—	—	3	2	1
Urban Districts ...	—	1	—	12	37	—	1	—	—	11	2	1	—	—	—	2	—
Aberayron ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth M.B. ...	—	—	—	2	14	—	—	—	—	1	—	—	—	—	—	—	—
Cardigan M.B. ...	—	—	—	2	23	—	1	—	—	8	2	—	—	—	—	2	—
Lampeter M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Quay ...	—	—	—	7	—	—	—	—	—	2	—	1	—	—	—	—	—
Rural Districts ...	—	5	—	19	13	—	1	1	3	38	—	1	—	—	3	—	1
Aberayron ...	—	5	—	6	—	—	—	—	—	—	—	—	—	—	2	—	—
Aberystwyth ...	—	—	—	4	5	—	—	—	3	1	—	—	—	—	—	—	—
Teifside ...	—	—	—	9	8	—	1	1	—	37	—	1	—	—	—	—	1
Tregaron ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
<b>CARMARTHENSHIRE :</b>																	
Admin. County ...	—	—	—	85	259	—	15	11	10	809	6	5	—	—	181	7	2
Urban Districts ...	—	—	—	44	158	—	10	3	3	417	2	3	—	—	108	3	1
Ammanford ...	—	—	—	4	8	—	1	—	—	182	1	—	—	—	3	—	—
Burry Port ...	—	—	—	—	36	—	1	—	—	1	—	—	—	—	—	—	—
Carmarthen M.B. ...	—	—	—	15	5	—	1	—	2	104	—	—	—	—	28	—	1
Cwmamman ...	—	—	—	—	—	—	—	—	—	51	—	—	—	—	2	—	—
Kidwelly M.B. ...	—	—	—	1	1	—	3	—	1	—	—	1	—	—	2	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>CARMARTHEN-SHIRE</b> —contd.																	
<b>U.D's—contd.</b>																	
Llandilo ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Llandoverly M.B. ..	—	—	—	—	—	—	—	—	—	46	—	—	—	—	—	—	—
Llanelly M.B. ..	—	—	—	24	108	—	4	2	—	13	1	2	—	—	71	2	—
Newcastle Emlyn ..	—	—	—	—	—	—	—	1	—	19	—	—	—	—	1	—	—
<b>Rural Districts</b>	—	—	—	41	101	—	5	8	7	392	4	2	—	—	73	4	1
Carmarthen ..	—	—	—	8	20	—	3	1	6	138	3	2	—	—	13	1	—
Llandilo ..	—	—	—	11	13	—	—	—	1	207	—	—	—	—	22	—	1
Llanelly ..	—	—	—	20	63	—	2	6	—	43	1	—	—	—	34	2	—
Newcastle Emlyn ..	—	—	—	2	5	—	—	1	—	4	—	—	—	—	4	1	—
<b>DENBIGHSHIRE:</b>																	
<b>Admin. County ..</b>	—	—	6	123	317	—	26	2	8	2150	8	4	—	—	129	18	4
<b>Urban Districts</b>	—	—	3	60	154	—	15	1	—	1049	3	2	—	—	86	4	1
Abergele ..	—	—	—	3	25	—	3	1	—	213	—	1	—	—	8	1	—
Colwyn Bay M.B. ..	—	—	—	9	15	—	5	—	—	211	—	1	—	—	15	1	1
Denbigh M.B. ..	—	—	2	3	—	—	—	—	—	33	—	—	—	—	6	—	—
Llangollen ..	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
Llanrwst ..	—	—	—	1	—	—	—	—	—	3	—	—	—	—	1	1	—
Ruthin M.B. ..	—	—	—	—	3	—	1	—	—	14	—	—	—	—	7	—	—
Wrexham M.B. ..	—	—	1	43	111	—	6	—	—	574	2	—	—	—	49	1	—
<b>Rural Districts</b>	—	—	3	63	163	—	11	1	8	1101	5	2	—	—	43	14	3
Aled ..	—	—	—	8	8	—	1	—	7	48	—	—	—	—	2	—	—
Ceiriog ..	—	—	—	4	1	—	—	—	—	69	2	1	—	—	2	4	—
Hiraethog ..	—	—	—	6	5	—	—	—	—	3	—	—	—	—	—	—	—
Ruthin ..	—	—	—	—	39	—	—	—	—	115	—	—	—	—	7	1	1
Wrexham ..	—	—	3	45	110	—	10	1	1	866	3	1	—	—	32	9	2
<b>FLINTSHIRE:</b>																	
<b>Admin. County ..</b>	—	—	4	152	318	1	14	—	6	996	9	3	1	—	111	9	562
<b>Urban Districts</b>	—	—	3	77	148	1	7	—	5	345	6	1	1	—	54	5	558
Buckley ..	—	—	1	12	12	—	1	—	—	44	—	—	—	—	10	—	—
Connah's Quay ..	—	—	2	8	5	—	—	—	—	46	1	1	1	—	3	—	—
Flint M.B. ..	—	—	—	3	7	—	1	—	1	7	—	—	—	—	4	—	—
Holywell ..	—	—	—	8	38	—	1	—	—	10	1	—	—	—	23	1	1
Mold ..	—	—	—	8	—	—	1	—	—	74	—	—	—	—	2	—	—
Prestatyn ..	—	—	—	22	48	—	3	—	2	47	—	—	—	—	9	4	555
Rhyl ..	—	—	—	16	38	1	—	—	2	117	4	—	—	—	3	—	2
<b>Rural Districts</b>	—	—	1	75	170	—	7	—	1	651	3	2	—	—	57	4	4
Hawarden ..	—	—	—	19	50	—	2	—	1	291	1	1	—	—	6	2	2
Holywell ..	—	—	1	36	91	—	5	—	—	216	—	—	—	—	28	1	2
Maelor ..	—	—	—	3	6	—	—	—	—	35	1	1	—	—	2	—	—
St. Asaph ..	—	—	—	17	23	—	—	—	—	109	1	—	—	—	21	1	—
<b>GLAMORGANSHIRE:</b>																	
<b>County Boroughs</b>	2	22	53	1415	3909	15	146	19	77	10315	59	51	2	1	828	265	226
Cardiff ..	—	4	16	722	1925	7	72	17	30	3652	23	27	2	—	288	176	29
Barry M.B. ..	—	2	10	336	1070	—	51	8	22	1837	9	21	1	—	232	137	29
Merthyr Tydfil ..	—	—	1	87	37	7	8	1	—	457	2	—	1	—	10	3	—
Swansea ..	—	2	5	299	818	—	13	8	8	1358	12	6	—	—	46	36	—
<b>Admin. County ..</b>	2	18	37	693	1984	8	74	2	47	6663	36	24	—	1	540	89	197
<b>Urban Districts</b>	1	14	27	536	1429	8	62	2	34	4542	18	16	—	1	416	73	171
Aberdare ..	—	—	3	7	44	4	3	—	8	340	1	—	—	—	43	7	3
Barry M.B. ..	—	—	1	38	43	—	9	—	—	296	7	2	—	—	24	3	120
Bridgend ..	—	—	—	17	8	—	—	—	—	121	—	1	—	—	—	—	—
Caerphilly ..	—	2	1	18	24	—	—	—	3	565	—	—	—	—	8	16	—
Cowbridge M.B. ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Gelligaer ..	—	2	—	13	36	—	3	—	1	360	—	—	—	—	22	13	11
Glyncorrwg ..	—	1	1	3	6	—	1	—	—	35	—	—	—	—	1	—	2
Llchwyr ..	—	—	3	26	25	—	7	—	—	4	—	1	—	—	3	14	17
Maesteg ..	—	—	4	40	40	—	6	—	7	469	2	3	—	—	40	5	1
Mountain Ash ..	—	—	2	26	176	4	4	1	1	72	1	—	—	—	31	1	—



TABLE 33—continued

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>GLAMORGANSHIRE—contd.</b>																	
<b>U.D.'s—contd.</b>																	
Neath M.B. ..	—	—	4	31	71	—	—	—	1	131	—	—	—	—	14	1	—
Ogmore and Garw ..	—	—	—	62	125	—	3	—	3	398	1	—	—	—	51	—	4
Penarth ..	—	3	5	21	209	—	5	—	4	15	3	7	—	1	39	1	5
Pontypridd ..	1	1	2	61	186	—	6	1	3	44	—	1	—	—	15	10	7
Porthcawl ..	—	—	—	14	28	—	1	—	1	13	—	—	—	—	—	—	—
Port Talbot M.B. ..	—	1	1	82	126	—	3	—	2	624	1	—	—	—	22	—	—
Rhondda ..	—	4	—	76	282	—	11	—	—	1055	2	—	—	—	102	2	—
<b>Rural Districts</b> ..	1	4	10	157	555	—	12	—	13	2121	18	8	—	—	124	16	26
Cardiff ..	—	2	—	41	84	—	6	—	9	432	5	3	—	—	29	2	10
Cowbridge ..	—	—	2	16	30	—	—	—	—	203	—	—	—	—	11	3	1
Gower ..	—	—	—	18	27	—	—	—	—	146	—	—	—	—	6	5	14
Llantrisant and Llantwitfardre ..	—	2	3	22	104	—	3	—	—	402	1	—	—	—	26	5	—
Neath ..	—	—	1	11	155	—	2	—	1	121	—	—	—	—	29	1	—
Penybont ..	1	—	4	32	44	—	1	—	3	448	6	4	—	—	18	—	1
Pontardawe ..	—	—	—	17	111	—	—	—	—	369	6	1	—	—	5	—	—
<b>MERIONETHSHIRE :</b>																	
<b>Admin. County</b> ..	—	—	—	11	31	—	1	1	—	241	—	—	—	—	1	—	—
<b>Urban Districts</b> ..	—	—	—	8	17	—	—	—	—	74	—	—	—	—	1	—	—
Bala ..	—	—	—	6	—	—	—	—	—	38	—	—	—	—	—	—	—
Barmouth ..	—	—	—	—	17	—	—	—	—	9	—	—	—	—	—	—	—
Dolgelley ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Ffestiniog ..	—	—	—	1	—	—	—	—	—	27	—	—	—	—	—	—	—
Towyn ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Rural Districts</b> ..	—	—	—	3	14	—	1	1	—	167	—	—	—	—	—	—	—
Deudraeth ..	—	—	—	1	2	—	1	1	—	45	—	—	—	—	—	—	—
Dolgelley ..	—	—	—	—	4	—	—	—	—	3	—	—	—	—	—	—	—
Edeirnion ..	—	—	—	1	8	—	—	—	—	6	—	—	—	—	—	—	—
Penllyn ..	—	—	—	1	—	—	—	—	—	113	—	—	—	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>MONMOUTHSHIRE :</b>																	
<b>County Borough</b>	—	1	7	391	1016	—	38	7	32	4634	12	2	2	—	333	53	41
Newport ..	—	—	3	167	460	—	10	—	22	1078	5	—	—	—	58	4	7
<b>Admin. County</b> ..	—	1	4	224	556	—	28	7	10	3556	7	2	2	—	275	49	34
<b>Urban Districts</b> ..	—	1	4	186	449	—	28	7	9	3190	6	2	1	—	245	47	31
Abercarn ..	—	—	—	24	63	—	5	—	2	239	—	—	—	—	32	1	7
Abergavenny M.B. ..	—	—	—	20	—	—	2	—	—	133	—	—	—	—	1	—	2
Abertillery ..	—	—	1	26	9	—	1	—	—	290	—	—	—	—	31	—	1
Bedwas and Machen ..	—	—	—	4	12	—	2	—	—	156	—	—	—	—	1	4	9
Bedwellty ..	—	1	—	23	13	—	5	—	6	295	2	—	—	—	20	13	—
Blaenavon ..	—	—	—	—	3	—	2	—	—	58	—	—	—	—	3	—	2
Caerleon ..	—	—	—	7	8	—	—	1	—	65	—	—	—	—	2	11	—
Chepstow ..	—	—	—	1	6	—	—	—	—	22	1	—	—	—	—	—	—
Cwmbran ..	—	—	—	2	16	—	—	—	—	187	—	—	—	—	10	1	—
Ebbw Vale ..	—	—	—	49	152	—	2	4	—	218	—	1	—	—	86	5	4
Monmouth M.B. ..	—	—	—	2	19	—	2	—	—	39	—	—	—	—	—	—	1
Mynyddislwyn ..	—	—	1	7	28	—	—	—	—	65	—	—	—	—	1	7	—
Nantyglo and Blaina ..	—	—	—	3	—	—	—	—	—	124	—	—	—	—	2	—	1
Pontypool ..	—	—	—	10	50	—	4	—	—	735	—	—	1	—	6	—	3
Rhymney ..	—	—	—	3	13	—	—	—	—	226	2	1	—	—	1	3	—
Risca ..	—	—	1	3	13	—	1	1	1	215	—	—	—	—	46	—	1
Tredeggar ..	—	—	—	2	1	—	1	1	—	121	—	—	—	—	2	2	—
Usk ..	—	—	1	—	43	—	1	—	—	2	—	—	—	—	1	—	—
<b>Rural Districts</b> ..	—	—	—	38	107	—	—	—	1	366	1	—	1	—	30	2	3
Abergavenny ..	—	—	—	14	11	—	—	—	1	55	1	—	—	—	3	—	1
Chepstow ..	—	—	—	3	22	—	—	—	—	30	—	—	—	—	—	—	—
Magor and St. Mellons ..	—	—	—	14	35	—	—	—	—	186	—	—	—	—	26	—	2
Monmouth ..	—	—	—	1	7	—	—	—	—	20	—	—	—	—	1	—	—
Pontypool ..	—	—	—	6	32	—	—	—	—	75	—	—	—	—	—	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>MONTGOMERY-SHIRE :</b>																	
Urban Districts ...	—	—	—	13	129	—	5	—	1	181	8	1	—	—	58	2	—
Llanfyllin M.B. ...	—	—	—	3	39	—	3	—	—	19	3	—	—	—	19	1	—
Llanidloes M.B. ...	—	—	—	2	21	—	1	—	—	6	2	—	—	—	1	—	—
Machynlleth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Montgomery ...	—	—	—	—	6	—	—	—	—	4	—	—	—	—	1	—	—
Newtown and Llanilwchaiarn ...	—	—	—	1	3	—	—	—	—	5	—	—	—	—	11	—	—
Welshpool M.B. ...	—	—	—	—	9	—	2	—	—	4	1	—	—	—	6	1	—
Urban Districts ...	—	—	—	10	90	—	2	—	1	162	5	1	—	—	39	1	—
Forden ...	—	—	—	6	65	—	1	—	—	9	—	—	—	—	10	—	—
Llanfyllin ...	—	—	—	3	15	—	1	—	1	83	4	1	—	—	24	1	—
Machynlleth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes ...	—	—	—	1	10	—	—	—	—	70	1	—	—	—	5	—	—
<b>PEMBROKESHIRE :</b>																	
Urban Districts ...	—	9	6	44	122	—	14	—	17	503	14	2	—	—	67	1	1
Fishguard and Goodwick ...	—	7	3	14	71	—	7	—	2	279	8	1	—	—	42	—	1
Haverfordwest M.B. ...	—	5	—	1	6	—	—	—	1	13	—	—	—	—	4	—	—
Milford Haven ...	—	1	1	3	2	—	—	—	—	70	1	—	—	—	—	—	—
Narberth ...	—	—	1	4	2	—	2	—	—	49	2	—	—	—	23	—	—
Neyland ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Pembroke M.B. ...	—	—	2	6	—	—	1	—	—	4	—	—	—	—	—	—	—
Tenby M.B. ...	—	1	1	1	52	—	4	—	1	136	5	1	—	—	15	—	1
Urban Districts ...	—	—	—	1	3	—	—	—	—	7	—	—	—	—	—	—	—
Cemaes ...	—	2	3	30	51	—	7	—	15	224	6	1	—	—	25	1	—
Haverfordwest ...	—	—	1	20	24	—	3	—	—	35	—	—	—	—	2	1	—
Narberth ...	—	2	2	3	19	—	4	—	15	90	1	—	—	—	16	—	—
Pembroke ...	—	—	—	4	—	—	—	—	—	80	4	1	—	—	—	—	—
	—	—	—	3	8	—	—	—	—	19	1	—	—	—	7	—	—
<b>PADNORSHIRE :</b>																	
Urban Districts ...	—	—	—	6	6	—	—	—	—	105	4	1	—	—	13	—	3
Knighton ...	—	—	—	3	1	—	—	—	—	85	1	—	—	—	3	—	3
Llandrindod Wells ...	—	—	—	3	1	—	—	—	—	5	—	—	—	—	2	—	3
Presteign ...	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	—	—
Urban Districts ...	—	—	—	—	—	—	—	—	—	58	1	—	—	—	1	—	—
Colwyn ...	—	—	—	3	5	—	—	—	—	20	3	1	—	—	10	—	—
Knighton ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
New Radnor ...	—	—	—	3	—	—	—	—	—	—	3	1	—	—	3	—	—
Paincastle ...	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—
Rhayader ...	—	—	—	—	5	—	—	—	—	3	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	9	—	—	—	—	7	—	—



TABLE 34.—Quarterly Air Temperature  
Rainfall and Sunshine, 1953. } England and Wales.

Note.—The averages used for rainfall and rain-days are for the period 1881-1915, while those for temperature and sunshine are for 1921-1950.

District	Air Temperature			Rainfall		Sun-shine	Air Temperature			Rainfall		Sun-shine
	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average
Quarter ended 31st March						Quarter ended 30th June						
	°F.	°F.	°F.	%		%	°F.	°F.	°F.	%		%
England N.E.	71	11	+1·1	55	—7	116	84	18	—0·1	118	0	95
England E.	71	14	—0·8	66	—6	85	85	24	+0·3	111	0	93
Midland Counties	70	18	—0·4	59	—6	94	86	26	+0·1	113	0	98
England S.E.	71	16	—1·3	47	—6	92	89	25	+0·6	108	+1	105
England N.W.*	70	13	+0·2	56	—6	103	84	16	+0·5	96	—1	108
England S.W.*	69	13	—1·2	54	—7	109	83	24	+0·2	110	—1	104
Mean	—	—	—0·4	56	—6	100	—	—	0·3	109	0	101
Quarter ended 30th Sept.						Quarter ended 31st Dec.						
England N.E.	92	35	+0·2	88	0	107	71	22	+2·0	55	—6	78
England E.	91	36	—0·2	106	+1	109	73	25	+2·9	58	—6	76
Midland Counties	92	33	—0·1	113	0	113	73	27	+2·5	64	—5	77
England S.E.	93	35	—0·2	130	+1	116	72	26	+2·9	60	—6	82
England N.W.*	90	32	+0·3	133	+1	105	71	23	+2·6	76	—3	103
England S.W.*	85	37	—0·3	124	+2	112	72	26	+2·1	53	—5	85
Mean	—	—	—0·1	116	+1	110	—	—	+2·5	61	—5	83
Year 1953												
England N.E.	92	11	+0·8	77	—39	100						
England E.	91	14	+0·6	83	—35	95						
Midland Counties	92	18	+0·6	85	—33	100						
England S.E.	93	16	+0·5	83	—32	104						
England N.W.*	90	13	+0·9	87	—23	106						
England S.W.*	85	13	+0·2	77	—34	106						
Mean	—	—	+0·6	82	—33	102						

\*The district known as England N.W. includes the northern half of Wales, while England S.W. includes the southern half.

TABLE 35.—Rainfall, Mean Temperature and  
Sunshine, 1904-1953. } England and Wales.

Year	Fall of rain in inches	Departure from Average of 35 years (1881-1915)	Mean Temperature of the Air at Sea-Level	Departure from Average of 30 years (1906-1935)	Mean Daily Sunshine	Departure from Average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hrs.	hrs.
1904	31·4	-3·8	49·3	-0·4		
1905	30·3	-4·9	49·4	-0·3		
1906	35·6	+0·4	49·9	+0·2		
1907	34·9	-0·3	49·0	-0·7		
1908	32·0	-3·2	49·7	0·0		
1909	37·0	+1·8	48·4	-1·3	4·04	+0·09
1910	39·8	+4·6	49·6	-0·1	3·87	-0·08
1911	33·1	-2·1	50·8	+1·1	4·59	+0·64
1912	44·0	+8·8	49·6	-0·1	3·35	-0·60
1913	34·5	-0·7	50·5	+0·8	3·61	-0·34
1914	38·1	+2·9	50·7	+1·0	4·27	+0·32
1915	38·8	+3·6	49·0	-0·7	4·10	+0·15
1916	40·1	+4·9	49·4	-0·3	3·61	-0·34
1917	34·5	-0·7	48·3	-1·4	4·03	+0·08
1918	37·7	+2·5	50·0	+0·3	4·08	+0·13
1919	37·0	+1·8	48·2	-1·5	4·01	+0·06
1920	38·4	+3·2	50·2	+0·5	3·66	-0·29
1921	24·7	-10·5	51·8	+2·1	4·60	+0·65
1922	37·1	+1·9	47·8	-1·9	4·02	+0·07
1923	39·8	+4·6	49·2	-0·5	3·87	-0·08
1924	42·3	+7·1	49·5	-0·2	3·75	-0·20
1925	37·3	+2·1	49·4	-0·3	4·09	+0·14
1926	35·9	+0·7	50·3	+0·6	3·77	-0·18
1927	43·3	+8·1	49·4	-0·3	3·61	-0·34
1928	40·4	+5·2	50·1	+0·4	4·12	+0·17
1929	35·2	0·0	49·1	-0·6	4·52	+0·57
1930	41·4	+6·2	50·0	+0·3	3·84	-0·11
1931	38·4	+3·2	49·2	-0·5	3·60	-0·35
1932	36·3	+1·1	49·9	+0·2	3·53	-0·42
1933	28·6	-6·6	50·6	+0·9	4·42	+0·47
1934	33·5	-1·7	50·9	+1·2	4·08	+0·13
1935	39·8	+4·6	50·5	+0·8	4·13	+0·18
1936	38·4	+3·2	49·8	+0·1	3·56	-0·39
1937	38·8	+3·6	50·1	+0·4	3·46	-0·49
1938	34·9	-0·3	51·0	+1·3	3·84	-0·11
1939	39·9	+4·7	50·3	+0·6	3·97	+0·02
1940	35·6	+0·4	49·3	-0·4	4·18	+0·23
1941	33·8	-1·4	49·2	-0·5	3·67	-0·28
1942	33·1	-2·1	49·2	-0·5	3·90	-0·05
1943	32·8	-2·4	51·0	+1·3	4·25	+0·30
1944	35·3	+0·1	50·1	+0·4	3·73	-0·22
1945	32·8	-2·4	51·4	+1·7	3·81	-0·14
1946	41·6	+6·4	50·0	+0·3	3·83	-0·12
1947	32·4	-2·8	50·1	+0·4	3·97	+0·02
1948	37·5	+2·3	50·9	+1·2	4·12	+0·17
1949	30·9	-4·3	51·9	+2·2	4·62	+0·67
1950	40·2	+5·0	50·1	+0·4	3·99	+0·04
1951	43·6	+8·4	49·7	0·0	3·95	0·00
1952	35·8	+0·6	49·5	-0·2	4·07	+0·12
1953	29·9	-5·3	50·7	+0·6	3·92	-0·04



TABLE 36.—Meteorological Observations, 1953. Kew Observatory, Richmond.

Month	Temperature of the Air				Rain collected in a gauge whose receiving sur- face is 10 inches above the ground		Sunshine registered in hours		Atmospheric Pollution	
	Highest for Month	Lowest for Month	Mean daily Value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for Month	Mean
	°F.	°F.	°F.	°F.	ins.	ins.	hrs.	hrs.	mg/m <sup>3</sup>	mg/m <sup>3</sup>
January	56·1	25·2	38·7	−1·0	0·85	−1·12	33·9	−8·1	1·700	0·329
February	57·0	26·1	39·8	−0·5	1·15	−0·41	61·6	+2·5	1·450	0·256
March	66·9	27·0	42·1	−0·7	0·43	−1·11	109·8	+3·2	1·450	0·390
April	64·0	33·1	47·1	−0·4	2·22	+0·51	171·1	+21·8	0·650	0·130
May	86·1	36·3	56·3	+2·7	1·55	−0·21	239·7	+41·5	0·450	0·087
June	79·2	44·2	58·5	−0·9	1·83	−0·15	174·4	−26·3	0·450	0·090
July	76·5	50·5	61·0	−1·7	3·61	+1·23	203·4	+7·7	0·300	0·052
August	88·1	47·1	63·4	+1·6	1·73	−0·51	240·4	+55·5	0·300	0·069
September	74·8	45·7	58·0	+0·6	2·00	+0·01	183·8	+42·9	0·450	0·074
October	68·5	34·9	52·0	+1·7	2·29	−0·21	81·1	−12·5	1·100	0·216
November	56·7	31·8	48·1	+3·9	1·48	−0·86	52·8	+1·5	1·100	0·177
December	59·2	31·5	46·6	+5·9	0·50	−1·65	32·8	−4·7	0·950	0·239
Means	—	—	51·0	+1·0	Sum 19·64	Sum −4·48	Sum 1584·8	Sum +125·0	—	0·176

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

**APPENDIX A.—Death Rates per million in England and Wales based upon the Sex and Age Distribution of the Population of Great Britain in the year of experience, with rates for Scotland for Comparison—1950–1953.**

Inter- national Class'n No.	Causes of Death			1950		1951		1952		1953	
				England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES .. ..	M		13,760	14,917	15,030	15,872	13,748	15,225	13,858	14,800
		F		9,877	11,551	10,485	12,086	9,342	11,085	9,430	10,470
		P		11,577	13,039	12,454	13,763	11,235	12,868	11,326	12,335
001–008	Tuberculosis of respiratory system .. ..	M		434	559	390	487	317	375	270	326
		F		226	438	180	294	126	212	106	163
		P		319	488	273	379	211	282	178	235
010–019	Tuberculosis, other forms ..	M		46	64	44	59	33	37	25	37
		F		41	65	38	53	24	41	21	35
		P		43	65	41	55	28	39	22	35
020–029	Syphilis and its sequelæ ..	M		62	58	66	48	57	35	52	35
		F		21	17	20	19	21	13	17	7
		P		39	34	40	30	37	22	32	20
057	Meningococcal infections ..	M		7	6	7	8	7	7	8	7
		F		6	6	7	8	6	8	6	6
		P		6	6	7	8	7	8	7	6
140–205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M		2,275	2,353	2,353	2,357	2,394	2,496	2,417	2,592
		F		1,679	1,850	1,658	1,841	1,680	1,853	1,662	1,805
		P		1,932	2,066	1,951	2,065	1,979	2,126	1,977	2,139
260	Diabetes mellitus .. ..	M		65	75	65	84	59	67	57	64
		F		98	147	97	145	87	126	82	115
		P		83	118	84	118	75	103	72	95
330–334	Vascular lesions affecting the central nervous system ..	M		1,480	1,759	1,598	1,939	1,607	1,964	1,588	1,939
		F		1,456	1,843	1,514	1,942	1,536	1,921	1,488	1,875
		P		1,466	1,803	1,549	1,940	1,564	1,936	1,528	1,896
400–402	Rheumatic fever .. ..	M		12	5	8	9	7	10	7	9
		F		14	17	10	10	8	10	7	8
		P		13	10	9	10	7	10	7	8
410–434	Heart diseases .. ..	M		4,109	4,745	4,395	5,198	4,184	5,047	4,111	4,829
		F		2,924	3,586	3,064	3,778	2,756	3,409	2,729	3,211
		P		3,440	4,098	3,638	4,410	3,366	4,104	3,319	3,906
440–447	Hypertensive disease ..	M		508	237	547	342	492	385	504	391
		F		398	180	421	294	381	352	386	355
		P		445	203	474	314	428	367	436	369
480–483	Influenza .. ..	M		98	71	399	214	47	69	157	66
		F		81	84	325	193	34	63	135	48
		P		88	79	358	205	40	65	145	56
490–493, 763	Pneumonia (all forms) ..	M		494	520	639	560	543	488	596	433
		F		360	387	449	448	365	337	407	311
		P		419	449	532	499	442	402	488	363
590–594	Nephritis and nephrosis ..	M		177	148	169	140	155	126	145	129
		F		140	139	132	130	116	110	105	115
		P		156	141	148	138	133	117	122	119



**APPENDIX B.—Changes in Boundaries and Names of Counties, Boroughs, Urban Districts and Rural Districts.**

(i) **Authorities for changes.** (The date of operation, except where indicated, was 1st April, 1953.)

(M. of H.L.G. means Ministry of Housing and Local Government.)

Reference	Description of Authority
(a)	M. of H.L.G. Order No. 3741. The County of Buckingham (Bletchley Urban District and Winslow Rural District) Confirmation Order, 1953. (1st October, 1953).
(b)	M. of H.L.G. Order No. 3409. The County of Devon (Axminster Rural District) Confirmation Order, 1953.
(c)	West Hartlepool Extension Act, 1952.
(d)	M. of H.L.G. Order No. 3335. The County of Essex (Alteration of Areas) Confirmation Order, 1953.
(e)	M. of H.L.G. Order No. 3452. The County of Hertford (Stevenage Urban District and Hertford and Hitchin Rural Districts) Confirmation Order, 1953.
(f)	Rochester Corporation Act, 1952.
(g)	M. of H.L.G. Order No. 3209. The County of Norfolk (Cromer Urban District and Erpingham Rural District) Confirmation Order, 1953.
(h)	M. of H.L.G. Order No. 3459. The County of Southampton (Farnborough Urban District) Confirmation Order, 1953.
(i)	M. of H.L.G. Order No. 3425. The East Sussex and West Sussex (Alteration of Boundaries) Order, 1953.
(j)	Leamington Corporation Act, 1952.
(k)	M. of H.L.G. Order No. 3462. The County of Worcester (Stourport-on-Severn Urban District) Confirmation Order, 1953.
(l)	M. of H.L.G. Order No. 3363. The Scarborough (Extension) Order, 1953.
(m)	M. of H.L.G. Order No. 1470W. The County of Carmarthen (Ammanford Urban District) Confirmation Order, 1953.

## (ii) Particulars of changes

- (a) The names of areas appearing more than once in columns 2 and 3 are marked‡.
- (b) Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department.

Reference to Authority	Boroughs, U.Ds. or R.Ds. affected by change		Particulars of areas transferred		
	Area diminished (or extinguished*)	Area enlarged	Name and description (in use prior to change)	Acreage (land & inland water).	Census Population 1951
1	2	3	4	5	6
(a)	<b>BUCKINGHAMSHIRE :</b>				
(a)	Bletchley U.D.‡	Winslow R.D.‡	Part of Bletchley C.P.	21	Nil
	Winslow R.D.‡	Bletchley U.D.‡	Part of Newton Longville C.P.	13	7
(b)	<b>DEVON :</b>				
	Axminster U.D.*	Axminster R.D.	Axminster Town C.P.	667	2,675
(c)	<b>DURHAM :</b>				
	Stockton R.D.	West Hartlepool C.B.	Parts of the C.Ps. of Dalton Piercy, Great-ham and Seaton.	504	11
(d)	<b>ESSEX :</b>				
	West Mersea U.D.	Lexden and Winstree R.D.	Part of West Mersea C.P.	491	63
(e)	<b>HERTFORDSHIRE :</b>				
(e)	Stevenage U.D.‡	Hertford R.D.‡	Part of Stevenage C.P.	275	47
(e)	Stevenage U.D.‡	Hitchin R.D.‡	Part of Stevenage C.P.	437	4
(e)	Hertford R.D.‡	Stevenage U.D.‡	Parts of the C.Ps of Aston and Datchworth.	373	64
(e)	Hitchin R.D.‡	Stevenage U.D.‡	Shephall C.P. and parts of the C.Ps of Graveley, Knebworth and Wymondley.	1,667	530
(f)	<b>KENT :</b>				
	Strood R.D.	Rochester M.B.	Parts of the C.Ps of Cobham and Cuxton.	239	2
(g)	<b>NORFOLK :</b>				
	Cromer U.D.‡	Erpingham R.D.‡	Part of Cromer C.P.	5	Nil
	Erpingham R.D.‡	Cromer U.D.‡	Part of Northrepps C.P.	17	68
(h)	<b>SOUTHAMPTON :</b>				
	Hartley Wintney R.D.	Farnborough U.D.	Part of Hawley C.P.	454	453
(i)	<b>SUSSEX, EAST :</b>				
	Cuckfield R.D.	Horsham R.D. (Sussex, West)	Parts of the C.Ps of Slaugham and Worth	3,347	3,969
(j)	<b>WARWICKSHIRE :</b>				
	Warwick R.D.	Royal Leamington Spa M.B.	Part of Whitnash C.P.	42	Nil
(k)	<b>WORCESTERSHIRE :</b>				
	Martley R.D.	Stourport on Severn U.D.	Part of Astley C.P.	15	57
(l)	<b>YORKSHIRE, (NORTH RIDING) :</b>				
	Scarborough R.D.	Scarborough M.B.	Parts of the C.Ps of Cayton and Seamer.	920	825
(m)	<b>CARMARTHENSHIRE :</b>				
	Llandilo R.D.	Ammanford U.D.	Part of Llandebie C.P.	7	4

NOTE : On 1st April, 1953, the name of Overton R.D. (Flintshire) was changed to Maelor R.D. and on 10th June, 1953, the name of New Hunstanton U.D. (Norfolk) was changed to Hunstanton U.D.



**APPENDIX B.—continued.**

(iii) Population of areas as constituted after the boundary changes shown in (ii) (Supplementary to Table 12).

Area affected by changes	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1953.	Area affected by changes	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1953.
1	2	3	1	2	3
<b>Density Aggregate Summary :</b>			<b>NORFOLK:</b>		
Urban areas with popu- lation of 50,000 and under 100,000 ...	3,318,001	3,364,580	Urban Districts ...	72,118	72,800
Urban areas with popu- lation under 50,000 ...	9,327,923	9,441,563	Cromer U.D. ...	4,726	4,884
Rural areas ...	8,379,864	8,565,055	Rural Districts ...	302,101	302,000
			Erpingham R.D. ...	19,445	19,500
<b>Counties, County Boroughs, Urban &amp; Rural Districts:</b>			<b>SOUTHAMPTON:</b>		
<b>BUCKINGHAMSHIRE:</b>			Urban Districts ...	362,064	376,000
Urban Districts ...	193,175	197,506	Farnborough U.D. ...	28,155	27,350
Bletchley U.D. ...	10,923	11,416	Rural Districts ...	278,037	300,200
Rural Districts ...	192,989	200,694	Hartley Wintney R.D. ...	22,236	24,670
Winslow R.D. ...	7,261	7,544			
<b>DEVON:</b>			<b>SUSSEX, EAST:</b>		
Urban Districts ...	263,766	260,100	Admin. County ...	614,114	614,000
Rural Districts ...	250,053	247,800	Rural Districts ...	332,785	335,100
Axminster R.D. ...	14,191	14,320	Cuckfield R.D. ...	153,837	153,500
<b>DURHAM:</b>				24,256	25,020
County Boroughs ...	560,606	558,500	<b>SUSSEX WEST:</b>	322,630	329,200
West Hartlepool C.B. ...	72,608	72,330	Rural Districts ...	151,441	159,700
Admin. County ...	902,810	906,500	Horsham R.D. ...	31,458	38,340
Rural Districts ...	282,035	285,500	<b>WARWICKSHIRE:</b>		
Stockton R.D. ...	8,333	8,270	Urban Districts ...	317,672	324,100
<b>ESSEX:</b>			Royal Leamington		
Urban Districts ...	1,371,853	1,406,200	Spa M.B. ...	36,345	37,700
West Mersea U.D. ...	2,938	2,951	Rural Districts ...	172,651	174,900
Rural Districts ...	228,031	237,900	Warwick R.D. ...	19,856	18,970
Lexden and			<b>WORCESTERSHIRE:</b>		
Winstree R.D. ...	22,716	22,460	Urban Districts ...	280,868	287,400
<b>HERTFORDSHIRE:</b>			Stourport on		
Urban Districts ...	432,131	455,900	Severn U.D. ...	10,197	10,450
Stevenage U.D. ...	7,170	11,310	Rural Districts ...	117,508	120,300
Rural Districts ...	177,604	195,600	Martley R.D. ...	11,384	11,380
Hertford R.D. ...	8,453	8,716	<b>YORKSHIRE,</b>		
Hitchin R.D. ...	21,091	21,760	<b>NORTH RIDING:</b>		
<b>KENT:</b>			Urban Districts ...	205,219	205,600
Urban Districts ...	1,215,456	1,230,700	Scarborough M.B. ...	44,808	44,130
Rochester M.B. ...	43,901	44,860	Rural Districts ...	172,941	172,600
Rural Districts ...	320,030	328,200	Scarborough R.D. ...	7,395	7,528
Strood R.D. ...	20,822	21,620	<b>CARMARTHENSHIRE:</b>		
			Urban Districts ...	71,181	69,660
			Ammanford U.D. ...	6,582	6,711
			Rural Districts ...	100,561	101,240
			Llandilo R.D. ...	26,400	25,780

**APPENDIX B.—continued.**

(iv) **1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties.**

Ages	Buckinghamshire R.Ds. to Buckinghamshire U.Ds.		Devon U.Ds. to Devon R.Ds.		Durham R.Ds. to West Hartlepool C.B.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>4</b>	<b>3</b>	<b>1,340</b>	<b>1,335</b>	<b>4</b>	<b>7</b>
Under 5	—	—	102	93	—	—
5—	—	—	79	86	—	1
10—	1	—	75	68	1	—
15—	1	—	60	67	—	1
20—	—	1	112	63	—	1
25—	—	—	98	108	—	1
30—	—	—	119	79	—	—
35—	—	—	95	98	—	1
40—	—	1	131	106	1	—
45—	—	—	109	92	—	—
50—	1	—	88	90	1	2
55—	—	1	79	81	—	—
60—	—	—	58	95	1	—
65—	—	—	43	82	—	—
70—	—	—	45	50	—	—
75—	—	—	29	46	—	—
80—	1	—	12	21	—	—
85 & over	—	—	6	10	—	—

Ages	Essex U.Ds. to Essex R.Ds.		Hertfordshire U.Ds. to Hertfordshire R.Ds.		Hertfordshire R.Ds. to Hertfordshire U.Ds.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>28</b>	<b>35</b>	<b>25</b>	<b>26</b>	<b>302</b>	<b>292</b>
Under 5	5	4	1	3	30	31
5—	2	6	3	5	62	37
10—	1	1	3	2	23	21
15—	—	—	2	—	14	10
20—	2	1	—	1	17	21
25—	2	4	4	3	18	22
30—	3	3	1	3	17	17
35—	4	3	4	—	19	18
40—	1	—	2	2	21	26
45—	1	1	2	2	26	24
50—	—	—	2	4	14	19
55—	1	3	1	1	12	18
60—	3	5	—	—	14	11
65—	3	1	—	—	7	3
70—	—	2	—	—	4	5
75—	—	—	—	—	2	3
80—	—	—	—	—	2	5
85 & over	—	1	—	—	—	1



**APPENDIX B.—continued.**

(iv) **1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties.**

Ages	Kent R.Ds. to Kent U.Ds.		Norfolk R.Ds. to Norfolk U.Ds.		Southampton R.Ds. to Southampton U.Ds.		East Sussex R.Ds. to West Sussex R.Ds.	
	Males	Females	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>1</b>	<b>1</b>	<b>35</b>	<b>33</b>	<b>228</b>	<b>225</b>	<b>1,907</b>	<b>2,062</b>
Under 5	—	—	1	—	24	19	175	166
5—	—	—	7	4	16	26	148	145
10—	—	—	2	4	12	10	118	118
15—	—	—	2	—	24	17	100	105
20—	—	—	2	—	13	14	106	141
25—	—	—	1	—	15	14	122	131
30—	—	—	—	4	16	14	127	139
35—	—	—	8	7	16	17	163	146
40—	—	—	4	3	16	16	157	183
45—	1	—	1	1	21	20	145	154
50—	—	—	—	1	14	11	130	138
55—	—	—	—	—	8	10	107	119
60—	—	—	1	1	11	10	92	110
65—	—	—	1	4	7	11	86	104
70—	—	—	2	—	10	8	76	71
75—	—	1	2	3	5	7	32	57
80—	—	—	—	1	—	1	19	23
85 & over	—	—	1	—	—	—	4	12

Ages	Worcestershire R.Ds. to Worcestershire U.Ds.		Yorkshire, (N.R.) R.Ds. to Yorkshire, (N.R.) U.Ds.		Carmarthenshire R.Ds. to Carmarthenshire U.Ds.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>25</b>	<b>32</b>	<b>393</b>	<b>432</b>	<b>2</b>	<b>2</b>
Under 5	1	2	99	104	—	—
5—	2	1	33	38	—	—
10—	1	2	28	22	—	—
15—	—	3	13	15	—	—
20—	2	1	8	25	—	—
25—	3	2	52	62	—	—
30—	2	1	61	56	—	—
35—	—	3	35	31	—	—
40—	3	2	17	21	—	—
45—	2	1	13	9	1	—
50—	1	1	8	14	1	1
55—	3	4	4	7	—	—
60—	—	2	10	8	—	1
65—	1	2	3	11	—	—
70—	1	1	6	6	—	—
75—	2	1	2	2	—	—
80—	1	3	1	1	—	—
85 & over	—	—	—	—	—	—



THE REGISTRAR GENERAL'S DECENNIAL SUPPLEMENT  
ENGLAND AND WALES, 1951

# Occupational Mortality

## PART I

DEATHS IN 1950 IN CERTAIN BROAD GROUPS OF  
OCCUPATIONS RELATED TO POPULATION FIGURES  
DERIVED FROM THE 1951 CENSUS ONE PER CENT  
SAMPLE TABLES

To minimise sampling errors, figures are restricted in the main to the five broad groups of occupations described as "social classes." For some tables however these groups are sub-divided to show, for example, Mineworkers, Clerical workers, Transport workers, and others. Tables include infant mortality rates, stillbirth rates and the mortality of occupied and retired men, and married women.

The volume gives the first official death statistics by occupations since those for the years 1930-32. The figures link men's occupations with the rates at which they, their wives or their children die at various ages and from various causes.

**Price 7s. 6d.**

**By Post 7s. 9d.**

*Obtainable from*  
**HER MAJESTY'S STATIONERY OFFICE**  
*at the addresses indicated on cover page four*



# Census 1951

---

## COUNTY REPORTS

---

These reports contain the definitive 1951 Census populations for Local Authority areas, wards, civil parishes, parliamentary constituencies and petty sessional divisions. Local populations are analysed by sex, age, marital condition, birth-place and nationality, numbers in full-time education, and social class.

The analysis of local housing conditions includes the number of dwellings, their size in rooms and size of households in occupation, and the household arrangements (viz. piped water, cooking stove, kitchen sink, watercloset, fixed bath) possessed by each household.


Buckinghamshire	17s. 6d. (17s. 10d.)	Middlesex	20s. (20s. 4d.)
Cheshire	25s. (25s. 5d.)	Monmouthshire	20s. (20s. 4d.)
Derbyshire	21s. (21s. 4d.)	Northamptonshire	20s. (20s. 4d.)
Durham	22s. 6d. (22s. 11d.)	Northumberland	20s. (20s. 4d.)
Essex	25s. (25s. 5d.)	Staffordshire	25s. (25s. 5d.)
Glamorganshire	20s. (20s. 4d.)	Surrey	21s. (21s. 4d.)
Hertfordshire	21s. (21s. 4d.)	Sussex	25s. (25s. 5d.)
Kent	25s. (25s. 5d.)	Warwickshire	20s. (20s. 4d.)
Lancashire	42s. (42s. 8d.)	Worcestershire	20s. (24s. 4d.)
London	22s. 6d. (22s. 11d.)	Yorkshire, West Riding	37s. 6d. (38s. 2d.)

*Published by*

HER MAJESTY'S STATIONERY OFFICE

*Obtainable from the Sale Offices shown on cover page four  
or through any bookseller.*





*Crown Copyright Reserved*

PUBLISHED BY HER MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2. 423 Oxford Street, LONDON, W.1.  
P.O. Box 569, LONDON, S.E.1.

13a Castle Street, EDINBURGH, 2. 1 St. Andrew's Crescent, CARDIFF.  
39 King Street, MANCHESTER, 2. Tower Lane, BRISTOL, 1.  
2 Edmund Street, BIRMINGHAM, 3. 80 Chichester Street, BELFAST.

or from any Bookseller.

1954

Price 10s. 0d. net.